

# Fiyat Listesi 2023



# Fiyat Listesi 2023

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “[industrial.omron.com.tr](http://industrial.omron.com.tr)” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: [satis@eu.omron.com](mailto:satis@eu.omron.com)

Online Destek:

[industrial.omron.com.tr](http://industrial.omron.com.tr)

[myomron.com](http://myomron.com)

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Auto ID Ürün V600</b>											
C11W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1,751.00	EC001422	108924	4536854870866			AA	AAB	JPN	8473.3080.00
C11W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,477.00	EC001422	148904	4536854870873			AA	AAB	JPN	8473.3080.00
C51W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,538.00	EC001422	108923	4536854870859			AA	AAB	JPN	8473.3080.00
V600-D23P55	V600 RFID	34.99	EC002996	108943	4536854707070	50		AA	AAB	JPN	8473.3080.00
V600-D8KF04	V600 ID Tag, rectangular	245.00	EC002996	684616	4547648173049	4		AA	AAB	JPN	8473.3080.00
V600-HA51 2M	Pre-Amplifier antenna 530KHz, Cable 2m	633.50	EC002998	151533	4536854629938			AA	AAB	JPN	8473.3080.00
V600-A86	V680-D1K66T ID Tag attachment	11.34	EC002997	109000	4536854706745	10		AA	AAB	JPN	8473.3080.00
V780-HMD68-EIP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	3,175.00	EC002998	687037	4549734218641			AA	AAB	JPN	9031.8080.00
V780-HMD68-ETN-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC	3,126.00	EC002998	680457	4549734137638			AA	AAB	JPN	9031.8080.00
<b>Auto ID Ürün V680</b>											
V680-CA5D01-V2	V680 ID controller, single-head, RS-232C/422/485 communications	1,758.00	EC002997	237733	4547648409377			AA	AAD	JPN	9031.8080.00
V680-CH1D	V680 Handheld Reader Writer 2.5m	1,698.00	EC002997	245174	4547648488570			AA	AAD	JPN	9031.8080.00
V680S-HMD63-EIP	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, EtherNet/IP, IP67, 24VDC	976.50	EC002998	419015	4548583561960	#		AA	AAD	JPN	9031.8080.00
V680S-HMD63-ETN	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Modbus TCP, IP67, 24VDC	1,086.00	EC002998	419014	4548583561953			AA	AAD	JPN	9031.8080.00
V680S-HMD63-PNT	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Profinet, IP67, 24VDC	976.50	EC002998	419011	4548583561977			AA	AAD	JPN	9031.8080.00
V680S-HMD64-EIP	V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, EtherNet/IP, IP67, 24VDC	1,273.00	EC002998	419016	4548583561984	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-ETN	V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,437.00	EC002998	376241	4548583407695			AA	AAD	JPN	9031.8080.00
V680S-HMD64-PNT	V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, Profinet, IP67, 24VDC	1,273.00	EC002998	419012	4548583561991			AA	AAD	JPN	9031.8080.00
V680S-HMD66-EIP	V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, EtherNet/IP, IP67, 24VDC	1,565.00	EC002998	419017	4548583562004	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-ETN	V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,779.00	EC002998	376240	4548583407688			AA	AAD	JPN	9031.8080.00
V680S-HMD66-PNT	V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, Profinet, IP67, 24VDC	1,565.00	EC002998	419013	4548583562011			AA	AAD	JPN	9031.8080.00
V680-D1K652MT	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 8mm diameter x 5mm	37.23	EC002996	237730	4547648393645	10		AA	AAD	JPN	8526.9200.90
V680-D1K653M	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 10mm diameter x 4.5mm	36.72	EC002996	323787	4547648616966	50		AA	AAD	JPN	8526.9200.90
V680-D1K654T	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 20mm diameter x 2.7mm	34.63	EC002996	346282	4547648826693	50		AA	AAD	JPN	8526.9200.90
V680-D1K666MT	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	38.86	EC002996	237732	4547648393652	20		AA	AAD	JPN	8526.9200.90
V680-D1K666T	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	31.94	EC002996	237731	4547648393669			AA	AAD	JPN	8526.9200.90
V680S-D2KF67	V680S RF Tag, 2 kbytes, 40x40x5, metal olmayan yüzeyler için montaj	46.06	EC002996	386321	4548583453951	#	20	AA	AAD	JPN	8473.3080.00
V680S-D2KF67M	V680S RF Tag, 2 kbytes, 40x40x5, metal yüzeyler için montaj	84.35	EC002996	386322	4548583453968	20		AA	AAD	JPN	8473.3080.00
V680S-D8KF67	V680S RF Tag, 8 kbytes, 40x40x5 for flush mounting on nonmetallic surface	180.40	EC002996	386315	4548583453975	20		AA	AAD	JPN	8473.3080.00
V680S-D8KF68	V680S RF Tag, 8 kbytes, 86x54x10 for flush mounting on nonmetallic surface	174.30	EC002996	386319	4548583454019	10		AA	AAD	JPN	8473.3080.00
V680-H01-V02	Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters	3,338.00	EC002998	260925	4547648637008			AA	AAD	JPN	9031.8080.00
V680-HA63A 5M	V680 Amplifier unit, for 1KB ID Tags, 5m cable	617.00	EC002998	231865	4547648318495			AA	AAD	JPN	8473.3080.00
V680-HA63B 5M	V680 Amplifier unit, for 2KB ID Tags, 5m cable	565.50	EC002998	231855	4547648318518			AA	AAD	JPN	8473.3080.00
V680-HAM42-DR1	V680 DeviceNet Slave controller	1,008.00	EC002998	246937	4547648546140			AA	AAD	JPN	9031.8080.00
V680-HS51 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	283.70	EC002998	245177	4547648514545			AA	AAD	JPN	9031.8080.00
V680-HS52-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	257.00	EC002998	231857	4547648318402			AA	AAD	JPN	8473.3080.00
V680-HS63-W 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 2m	227.90	EC002998	231861	4547648318457			AA	AAD	JPN	8473.3080.00
V680S-A41 5M	V680S ID okuyucu/yazıcı Ethernet ve güç kablosu, M12 - R45, 5m uzunluk	327.90	EC002997	376246	4548583408036			AA	AAD	JPN	9031.8080.00
<b>Kontrol Sistemi CP11/H</b>											
CP11H-X40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x röle 2A, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,136.00	EC000236	209400	4547648203579	#		BA	BAB	CHN	8471.4100.00
CP11H-X40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor PNP, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,136.00	EC000236	209402	4547648203593	#		BA	BAB	CHN	8471.4100.00
CP11H-X40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor NPN, 20K step program kapasitesi, 32K word data hafızası, USB port	1,136.00	EC000236	209401	4547648203586	#		BA	BAB	CHN	8471.4100.00
CP11H-XA40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x röle 2A + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,746.00	EC000236	209397	4547648203548	#		BA	BAB	CHN	8471.4100.00
CP11H-XA40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor PNP + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,746.00	EC000236	209399	4547648203562	#		BA	BAB	CHN	8471.4100.00
CP11H-XA40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor NPN + 2x analog, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,746.00	EC000236	209398	4547648203555	#		BA	BAB	CHN	8471.4100.00
CP11-EL20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667993	4548583751880			BA	BAB	NLD	8471.4100.00
CP11-EL20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667994	4548583751897			BA	BAB	NLD	8471.4100.00
CP11-EL20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667986	4548583751903			BA	BAB	NLD	8471.4100.00
CP11-EM30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667992	4548583751910	#		BA	BAB	NLD	8471.4100.00
CP11-EM30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667990	4548583751927	#		BA	BAB	NLD	8471.4100.00
CP11-EM30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667988	4548583751934			BA	BAB	NLD	8471.4100.00
CP11-EM40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667987	4548583751941	#		BA	BAB	NLD	8471.4100.00
CP11-EM40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667991	4548583751958	#		BA	BAB	NLD	8471.4100.00
CP11-EM40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667989	4548583751965			BA	BAB	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CP1L-L14DR-A</a>	PLC, 100-240 VAC besleme, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 1K adimlik program + 10K kelime veri hafızası	384.70	EC000236	668664	4548583764675			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L10DR-A</a>	CPU, 100-240 VAC, 6x 24 VDC giriş, 4x röle çıkışı 2 A, 5K step program kapasitesi, 10K word hafızası	354.20	EC000236	668681	4548583764736			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L10DR-D</a>	CPU, 24 VDC, 6x 24 VDC giriş, 4x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	342.70	EC000236	668679	4548583764743			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L10DT1-D</a>	CPU, 24 VDC, 6x 24 VDC giriş, 4x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	336.40	EC000236	668671	4548583764750			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L14DR-A</a>	CPU, 100-240 VAC, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	449.90	EC000236	668670	4548583764781			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L14DR-D</a>	CPU, 24 VDC, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	396.00	EC000236	668663	4548583764798			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L14DT1-D</a>	CPU, 24 VDC, 8x 24 VDC giriş, 6x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	399.90	EC000236	668660	4548583764804			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L14DT-D</a>	CPU, 24 VDC, 8x 24 VDC giriş, 6x NPN çıkışı 0.3 A, 5K Step program kapasitesi, 10K Word veri hafızası	398.90	EC000236	668666	4548583764828			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L20DR-A</a>	CPU, 100-240 VAC, 12x 24 VDC giriş, 8x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668673	4548583764835			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L20DR-D</a>	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668692	4548583764842	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L20DT1-D</a>	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668690	4548583764859			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-L20DT-D</a>	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkışı 0.3 A, 5K Step program kapasitesi, 10K Word veri hafızası	520.00	EC000236	668694	4548583764873			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M30DR-A</a>	CPU, 100-240 VAC, 18x 24 VDC giriş, 12x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668695	4548583764880	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M30DR-D</a>	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkışı 2 A, 10 K step program, 32K word veri hafızası	652.50	EC000236	668668	4548583764897			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M30DT1-D</a>	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668688	4548583764903			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M30DT-D</a>	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	652.50	EC000236	668662	4548583764927			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M40DR-A</a>	CPU, 100-240 VAC, 24x 24 VDC giriş, 16x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668686	4548583764934			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M40DR-D</a>	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668689	4548583764941			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M40DT1-D</a>	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668678	4548583764958	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M40DT-D</a>	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	755.50	EC000236	668674	4548583764972	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M60DR-A</a>	CPU, 100-240 VAC, 36x 24 VDC giriş, 24x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668661	4548583764989			BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M60DR-D</a>	CPU, 24 VDC, 36x 24 VDC giriş, 24x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668676	4548583764996	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M60DT1-D</a>	CPU, 24 VDC, 36x 24 VDC giriş, 24x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668665	4548583765009	#		BA	BAB	NLD	8471.4100.00
<a href="#">CP1L-M60DT-D</a>	CPU, 24 VDC, 36x 24 VDC giriş, 24x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	965.50	EC000236	668672	4548583765023			BA	BAB	NLD	8471.4100.00
<b>Kontrol Sistemi CP1E-F</b>											
<a href="#">CP1E-F10DR-A</a>	CPU, 100-240 VAC, 6 x 24 VDC giriş, 4 x röle çıkışı 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333280	4547648800792			BA	BAC	CHN	8471.6070.00
<a href="#">CP1E-F10DR-D</a>	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x röle çıkışı 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333283	4547648800822			BA	BAC	CHN	8471.6070.00
<a href="#">CP1E-F10DT1-D</a>	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x PNP transistor çıkışı, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333285	4547648800846			BA	BAC	CHN	8471.6070.00
<b>Kontrol Sistemi CP1E-N</b>											
<a href="#">CP1E-NA20DT1-D</a>	CPU, 24 VDC, 12 x 24 VDC giriş, 8 x PNP transistor çıkışı, 8K step program kapasitesi, 8K word data hafızası, RS-232C port, giriş: 2x analog, çıkış: 1x analog, çözünürlük 1/6.000	870.00	EC000236	328740	4547648800785	#		BA	BAD	CHN	8471.6070.00
<b>Kontrol Sistemi CS1</b>											
<a href="#">CS1H-CPU64H</a>	CPU, 30K steps program, 64K words data memory, 7 expansion racks max.	3,766.00	EC000236	153563	4536854781667			BA	BAF	JPN	8471.4100.00
<a href="#">CS1H-CPU65H</a>	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	4,609.00	EC000236	135644	4536854781698			BA	BAF	JPN	8471.4100.00
<a href="#">CS1G-CPU42H</a>	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1,724.00	EC000236	135641	4536854781612			BA	BAF	JPN	8471.4100.00
<a href="#">CS1G-CPU43H</a>	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	1,907.00	EC000236	147099	4536854781629			BA	BAF	JPN	8471.4100.00
<a href="#">CS1G-CPU44H</a>	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	2,438.00	EC000236	135642	4536854781636			BA	BAF	JPN	8471.4100.00
<a href="#">CS1G-CPU45H</a>	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3,406.00	EC000236	153562	4536854781643			BA	BAF	JPN	8471.4100.00
<a href="#">CS1W-BC033</a>	CPU backplane with C200H I/O BUS, 3 I/O slots	334.00	EC000810	135557	4536854845659			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BC053</a>	CPU backplane with C200H I/O BUS, 5 I/O slots	373.30	EC000810	135558	4536854845666			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BC083</a>	CPU backplane with C200H I/O BUS, 8 I/O slots	480.20	EC000810	135559	4536854845673			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BC103</a>	CPU backplane with C200H I/O BUS, 10 I/O slots	662.50	EC000810	156857	4536854845680			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BI053</a>	Expansion backplane with C200H I/O BUS, 5 I/O slots	448.80	EC000810	135561	4536854845703			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BI083</a>	Expansion backplane with C200H I/O BUS, 8 I/O slots	640.50	EC000810	135562	4536854845710			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-BI103</a>	Expansion backplane with C200H I/O BUS, 10 I/O slots	794.00	EC000810	135563	4536854845727			BA	BAF	CHN	8538.9099.99
<a href="#">CS1D-PA207B</a>	Power supply unit for duplex system, 100-120/200-240 VAC high power, RUN output, CS1 duplex backplanes only	1,055.00	EC000599	135743	4536854880483			BA	BAF	JPN	8523.8090.00
<a href="#">CS1W-CLK23</a>	Controller Link unit, 2-wire twisted pair, screw connectors	1,070.00	EC001423	296520	4547648706674			BA	BAF	CHN	8537.1098.99
<a href="#">CS1W-DRM21-V1</a>	DeviceNet master / slave unit	1,150.00	EC001423	296523	4547648708548			BA	BAF	CHN	8537.1098.99
<a href="#">CS1W-FIP21</a>	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1,979.00	EC001423	296519	4547648706650	#		BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-FIN21</a>	Ethernet unit, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	2,164.00	EC001423	296515	4547648706568	#		BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-PN21</a>	PROFINET IO Controller (master) unit, 1 x RJ45 socket	1,344.00	EC001423	343429	4547648831093			BA	BAF	NLD	8529.1095.00
<a href="#">CS1W-PRM21</a>	PROFIBUS DP master unit	1,605.00	EC001423	168023	4547648010962			BA	BAF	NLD	8529.1095.00
<a href="#">CS1W-SCB21-V1</a>	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	626.50	EC001423	296510	4547648706490			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-SCB41-V1</a>	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	708.00	EC001423	296511	4547648706506			BA	BAF	CHN	8538.9099.99
<a href="#">CS1W-SCU21-V1</a>	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,195.00	EC001423	296512	4547648706513			BA	BAF	CHN	8537.1098.99
<a href="#">CS1W-SCU31-V1</a>	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,249.00	EC001423	296518	4547648706643			BA	BAF	CHN	8537.1098.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CS1W-ID211</a>	<a href="#">Dijital giriş ünitesi, 16 x 24 VDC giriş, NPN/PNP</a>	321.40	EC001419	<a href="#">182912</a>	4547648096539			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-ID231</a>	<a href="#">Dijital giriş ünitesi, 32 x 24 VDC giriş, NPN/PNP</a>	597.50	EC001419	<a href="#">182913</a>	4547648096546			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-ID261</a>	<a href="#">Dijital giriş ünitesi, 64 x 24 VDC giriş, NPN/PNP</a>	948.50	EC001419	<a href="#">182914</a>	4547648096553			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OC211</a>	<a href="#">Dijital çıkış ünitesi, 16 x röle çıkış, 2 A, 24 VDC/250 VAC, 2 commons</a>	450.60	EC001419	<a href="#">182918</a>	4547648096591			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD211</a>	<a href="#">Dijital çıkış ünitesi, 16 x transistor çıkış, NPN, 0.5 A, 12-24 VDC</a>	377.90	EC001419	<a href="#">182919</a>	4547648096607			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD212</a>	<a href="#">Dijital çıkış ünitesi, 16 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC</a>	607.50	EC001419	<a href="#">182910</a>	4547648096614			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD232</a>	<a href="#">Dijital çıkış ünitesi, 32 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC</a>	888.00	EC001419	<a href="#">182911</a>	4547648096638			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD261</a>	<a href="#">Dijital çıkış ünitesi, 64 x transistor çıkış, NPN, 0.3 A, 12-24 VDC</a>	1,275.00	EC001419	<a href="#">182921</a>	4547648096645			BA	BAF	CHN	8471.6070.00
<a href="#">CS1W-OD262</a>	<a href="#">Dijital çıkış ünitesi, 64 x transistor çıkış, PNP with short circuit protection, 0.3 A, 24 VDC</a>	1,485.00	EC001419	<a href="#">135626</a>	4536854615290			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-AD041-V1</a>	<a href="#">Analog giriş ünitesi, 4 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük</a>	1,261.00	EC001420	<a href="#">143686</a>	4536854819704			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-AD081-V1</a>	<a href="#">Analog giriş ünitesi, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük</a>	2,033.00	EC001420	<a href="#">135647</a>	4536854819711			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-PT556</a>	<a href="#">İzolasyonlu RTD giriş ünitesi, 8 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük</a>	2,122.00	EC001420	<a href="#">172048</a>	4547648086271			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA041</a>	<a href="#">Analog çıkış ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük</a>	1,340.00	EC001420	<a href="#">135612</a>	4536854493584			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA08-C</a>	<a href="#">Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidalı terminal, 12 bit çözünürlük</a>	2,026.00	EC001420	<a href="#">144480</a>	4536854493577			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-DA08-V</a>	<a href="#">Analog çıkış ünitesi, 8 x 1-5V/0-5V/0-10V/0-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük</a>	2,033.00	EC001420	<a href="#">142228</a>	4536854493560			BA	BAF	JPN	8471.6070.00
<a href="#">CS1W-CT021</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, 2 Kanals, 500 kHz, open collector (5/12/24 VDC) &amp; line driver giriş, 4 integral çıkış</a>	1,185.00	EC001422	<a href="#">135576</a>	4536854681639			BA	BAF	NLD	9029.1000.90
<a href="#">CS1W-CT041</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, 4 Kanals, 500 kHz, open collector (5/12/24 VDC) &amp; line driver giriş, 4 integral çıkış</a>	1,589.00	EC001422	<a href="#">153791</a>	4536854681646			BA	BAF	NLD	9029.1000.90
<a href="#">CS1W-CTS21</a>	<a href="#">Yüksek hızlı sayıcı ünitesi, SSL absolute encoder 2 Kanals, 9 to 31 bit, Gray/Binary/Taunenbaum/Raw coding, 4x Dijital giriş, 4x Dijital çıkış NPN ve PNP</a>	1,430.00	EC001422	<a href="#">135577</a>	4536854842627			BA	BAF	NLD	9029.1000.90
<b>Kontrol Sistemi XW2</b>											
<a href="#">XW2Z-2005-CV</a>	<a href="#">Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port</a>	116.70	EC001681	<a href="#">147534</a>	4536854488191			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-2005-V</a>	<a href="#">Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port</a>	111.20	EC001681	<a href="#">149609</a>	4536854230660			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200T</a>	<a href="#">Kablo, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m</a>	108.50	EC001681	<a href="#">105353</a>	4536854230226			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-500T</a>	<a href="#">Kablo, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m</a>	107.80	EC001681	<a href="#">155978</a>	4536854230233			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-20G6</a>	<a href="#">General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points</a>	45.61	EC002780	<a href="#">703441</a>	4549734723121			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-34G6</a>	<a href="#">General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points</a>	59.70	EC002780	<a href="#">703440</a>	4549734723152			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-40G6</a>	<a href="#">Terminal Blok, 40 point (M3 vidalı)</a>	69.85	EC002780	<a href="#">703439</a>	4549734723183	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2D-50G6</a>	<a href="#">General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points</a>	63.70	EC002780	<a href="#">703436</a>	4549734723213			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2F-20G7-IN16</a>	<a href="#">Terminal block, MIL20 socket, 20 point input, screwless connections</a>	90.65	EC002780	<a href="#">172652</a>	4547648093880			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2F-20G7-OUT16</a>	<a href="#">Terminal block, MIL20 socket, 20 point output, screwless connections</a>	90.65	EC002780	<a href="#">172653</a>	4547648093897			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-F40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, screw clamp, 40 points, general-purpose</a>	69.95	EC002780	<a href="#">372890</a>	4548583367388			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-I40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, M3 screws, 40 points, general-purpose</a>	70.15	EC002780	<a href="#">372885</a>	4548583367326			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34GD-C2-COM</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL40 connectors</a>	75.10	EC002780	<a href="#">410805</a>	4548583546547			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34G-C2</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x IN + power, for Omron PLC units with MIL40 connectors</a>	47.18	EC002780	<a href="#">373000</a>	4548583367555			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34G-C4</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x OUT + power, for Omron PLC units with MIL40 connectors</a>	47.18	EC002780	<a href="#">373002</a>	4548583367579			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P34GD-T</a>	<a href="#">DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose push-in spring</a>	48.48	EC002780	<a href="#">670881</a>	4548583547131			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2R-P40G-T</a>	<a href="#">DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 40 points, general-purpose</a>	54.85	EC002780	<a href="#">372996</a>	4548583367432			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-20G4</a>	<a href="#">General-purpose I/O terminal block, MIL20 socket, screw clamp, 20 points</a>	71.40	EC002780	<a href="#">154108</a>	4536854229503			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-20G5</a>	<a href="#">General-purpose I/O terminal block, MIL20 socket, M3.5 screws, 20 points</a>	63.70	EC002780	<a href="#">152948</a>	4536854229541			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-34G4</a>	<a href="#">General-purpose I/O terminal block, MIL34 socket, screw clamp, 34 points</a>	98.30	EC002780	<a href="#">107557</a>	4536854229510			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-40G4</a>	<a href="#">Terminal Blok, 40 nokta (vidalı)</a>	116.00	EC002780	<a href="#">156303</a>	4536854229527	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-40G5</a>	<a href="#">Terminal Blok, 40 point (M3.5 vidalı)</a>	108.00	EC002780	<a href="#">150730</a>	4536854229565			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-50G4</a>	<a href="#">General-purpose I/O terminal block, MIL50 socket, screw clamp, 50 points</a>	104.00	EC002780	<a href="#">105351</a>	4536854229534			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2B-50G5</a>	<a href="#">Genel amaçlı servo terminal bloğu, M3.5 for fork/round terminal</a>	125.30	EC002780	<a href="#">143060</a>	4536854229572			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2G-40G7</a>	<a href="#">Giriş Terminal Blok, CJ1W-CTL41-E (XW2Z-xxxK kablo ile birlikte kullanın)</a>	127.90	EC002780	<a href="#">180645</a>	4547648098952	#		BA	BAJ	NLD	8536.9010.00
<a href="#">XW2K-20G-O16A-IN</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Input, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707448</a>	4549734758116			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-20G-O16B-OUT</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Output, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707445</a>	4549734758161			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-20G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 20 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	43.20	EC002780	<a href="#">707455</a>	4549734758024			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-34G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 34 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	56.70	EC002780	<a href="#">707454</a>	4549734758031			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32A</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting</a>	64.80	EC002780	<a href="#">707451</a>	4549734758062			BA	BAJ	CHN	8536.9010.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XW2K-40G-O32A-IN</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	91.80	EC002780	<a href="#">707447</a>	4549734758123			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32B</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting</a>	64.80	EC002780	<a href="#">707450</a>	4549734758079			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32B-OUT</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	91.80	EC002780	<a href="#">707444</a>	4549734758178			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting</a>	64.80	EC002780	<a href="#">707449</a>	4549734758086			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C-IN</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	91.80	EC002780	<a href="#">707446</a>	4549734758130			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-O32C-OUT</a>	<a href="#">PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting</a>	91.80	EC002780	<a href="#">707443</a>	4549734758185			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-40G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 40 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	67.50	EC002780	<a href="#">707453</a>	4549734758048			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-50G-T</a>	<a href="#">General purpose interface wiring system with push-in plus technology, 50 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting</a>	78.30	EC002780	<a href="#">707452</a>	4549734758055			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20</a>	<a href="#">Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707440</a>	4549734758239			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20N</a>	<a href="#">Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707441</a>	4549734758222			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2K-COM20P</a>	<a href="#">Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail horizontal and vertical mounting</a>	75.60	EC002780	<a href="#">707442</a>	4549734758215			BA	BAJ	CHN	8536.9010.00
<a href="#">XW2Z-0030FF-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to MIL40, 30 cm</a>	26.37	EC000237	377664	4548583449138			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0050FF-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m</a>	27.36	EC000237	377665	4548583449145			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100BF-L</a>	<a href="#">I/O connection cable, unshielded, FCN40 to MIL40, 1 m</a>	55.75	EC000237	377616	4548583448650			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100DL-L</a>	<a href="#">I/O connection cable, unshielded, MIL20 to open ends, 1 m</a>	30.99	EC000237	377642	4548583448919			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100FF-L</a>	<a href="#">I/O bağlantı kabloyu, MIL40 to MIL40, L = 100 cm</a>	39.80	EC000237	377666	4548583449152			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0100FN-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to open ends, 1 m</a>	37.73	EC000237	377671	4548583449206			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0150FF-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m</a>	68.80	EC000237	377667	4548583449169			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0150FN-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to open ends, 1.5 m</a>	59.20	EC000237	377672	4548583449213			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200BN-L</a>	<a href="#">I/O connection cable, unshielded, FCN40 to open ends, 2 m</a>	81.60	EC000237	377622	4548583448711			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200FF-L</a>	<a href="#">I/O connection cable, unshielded, MIL34 to MIL34, 2 m</a>	39.91	EC000237	377653	4548583449022			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0200FN-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to open ends, 2 m</a>	46.87	EC000237	377673	4548583449220			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300BN-L</a>	<a href="#">I/O connection cable, unshielded, FCN40 to open ends, 3 m</a>	110.60	EC000237	377623	4548583448728			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300FF-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to MIL40, 3 m</a>	68.10	EC000237	377669	4548583449183			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0300FN-L</a>	<a href="#">I/O connection cable, unshielded, MIL40 to open ends, 3 m</a>	42.04	EC000237	377675	4548583449244			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-0500DL-L</a>	<a href="#">I/O connection cable, unshielded, MIL20 to open ends, 5 m</a>	70.20	EC000237	377646	4548583448957			BA	BAJ	CHN	8544.4290.90
<a href="#">XW2Z-050B</a>	<a href="#">I/O connection cable, FCN40 to MIL40, 0.5 m</a>	70.20	EC000237	<a href="#">107459</a>	4536854230479			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100A</a>	<a href="#">I/O connection cable, FCN24 to MIL20, 1 m</a>	73.00	EC000237	107454	4536854230370			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100B</a>	<a href="#">kablo - 40 pin Fujitsu konektör (XW2*-40G*), 1m</a>	99.55	EC000237	<a href="#">107457</a>	4536854230448	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100D</a>	<a href="#">I/O connection cable, FCN40 to 2 x MIL20, 1 m</a>	94.35	EC000237	152949	4536854229909			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100K</a>	<a href="#">kablo, 40 pin MIL konektör (XW2*-40G*), 1m</a>	63.70	EC000237	<a href="#">107448</a>	4536854792908	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-100N</a>	<a href="#">I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired</a>	65.65	EC000237	167714	4536854771613			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-150B</a>	<a href="#">I/O connection cable, FCN40 to MIL40, 1.50 m</a>	76.85	EC000237	<a href="#">107460</a>	4536854230523			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-150K</a>	<a href="#">I/O connection cable, MIL40 to MIL40, 1.5 m</a>	76.85	EC000237	<a href="#">107449</a>	4536854792915			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200A</a>	<a href="#">I/O connection cable, FCN24 to MIL20, 2 m</a>	52.05	EC000237	143062	4536854230387			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200B</a>	<a href="#">I/O connection cable, FCN40 to MIL40, 2 m</a>	111.90	EC000237	<a href="#">151789</a>	4536854230455	#		BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200D</a>	<a href="#">I/O connection cable, FCN40 to 2 x MIL20, 2 m</a>	101.80	EC000237	107487	4536854229923			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-200K</a>	<a href="#">I/O connection cable, MIL40 to MIL40, 2 m</a>	83.90	EC000237	<a href="#">107451</a>	4536854792939			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-300B</a>	<a href="#">I/O connection cable, FCN40 to MIL40, 3 m</a>	119.70	EC000237	<a href="#">107458</a>	4536854230462			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-300K</a>	<a href="#">I/O connection cable, MIL40 to MIL40, 3 m</a>	113.10	EC000237	<a href="#">107450</a>	4536854792922			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-500K</a>	<a href="#">I/O connection cable, MIL40 to MIL40, 5 m</a>	126.00	EC000237	<a href="#">103604</a>	4536854792946			BA	BAJ	JPN	8536.9010.00
<a href="#">XW2Z-C50K</a>	<a href="#">I/O connection cable, MIL40 to MIL40, 0.5 m</a>	80.65	EC000237	153570	4536854633157			BA	BAJ	JPN	8536.9010.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">CJ2H-CPU64</a>	<a href="#">CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	2,975.00	EC000236	<a href="#">268696</a>	4547648638630			BA	BAK	JPN	8471.4100.00
<a href="#">CJ2H-CPU64-EIP</a>	<a href="#">CPU, Dahilli EtherNet/IP portu, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	3,976.00	EC000236	<a href="#">249799</a>	4547648519113			BA	BAK	JPN	8471.6070.00
<a href="#">CJ2H-CPU65</a>	<a href="#">CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	3,605.00	EC000236	<a href="#">268697</a>	4547648638647			BA	BAK	JPN	8471.4100.00
<a href="#">CJ2H-CPU65-EIP</a>	<a href="#">CPU, Dahilli EtherNet/IP portu, 100K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	4,287.00	EC000236	<a href="#">249800</a>	4547648519120			BA	BAK	JPN	8471.6070.00
<a href="#">CJ2H-CPU66-EIP</a>	<a href="#">CPU, Dahilli EtherNet/IP portu, 150K step program hafızası, 32K word veri hafızası, 32K word x 10 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	5,775.00	EC000236	<a href="#">249801</a>	4547648519144			BA	BAK	JPN	8537.1098.99
<a href="#">CJ2H-CPU67-EIP</a>	<a href="#">CPU, Dahilli EtherNet/IP portu, 250K step program hafızası, 32K word veri hafızası, 32K word x 15 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l</a>	7,430.00	EC000236	<a href="#">249802</a>	4547648519151			BA	BAK	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">C12H-CPU68-FIP</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 400K step program hafızası, 32K word veri hafızası, 32K word x 25 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3. genişletme Back'l.</a>	9,445.00	EC000236	<a href="#">249803</a>	4547648519168			BA	BAK	JPN	8471.6070.00
<a href="#">C12M-CPU11</a>	<a href="#">CPU, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.</a>	516.00	EC000236	<a href="#">392391</a>	4548583498389	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU12</a>	<a href="#">CPU, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.</a>	743.00	EC000236	<a href="#">392392</a>	4548583498396	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU13</a>	<a href="#">CPU, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.</a>	1,040.00	EC000236	<a href="#">392393</a>	4548583498402			BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU14</a>	<a href="#">CPU, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.</a>	1,297.00	EC000236	<a href="#">392394</a>	4548583498419			BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU15</a>	<a href="#">CPU, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.</a>	1,585.00	EC000236	<a href="#">392395</a>	4548583498426			BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU31</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program</a>	1,304.00	EC000236	<a href="#">392396</a>	4548583498433	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU32</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program</a>	1,403.00	EC000236	<a href="#">392397</a>	4548583498440	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU33</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program</a>	1,726.00	EC000236	<a href="#">392398</a>	4548583498457	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU34</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program</a>	2,034.00	EC000236	<a href="#">392399</a>	4548583498464	#		BA	BAK	NLD	8471.4100.00
<a href="#">C12M-CPU35</a>	<a href="#">CPU, Dahili EtherNet/IP portu, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program</a>	2,311.00	EC000236	<a href="#">392400</a>	4548583498471	#		BA	BAK	NLD	8471.4100.00
<a href="#">C11W-PA202</a>	<a href="#">Güç kaynağı ünitesi, 100-240 VAC, çıkış kapasitesi: 14 W</a>	244.30	EC000599	<a href="#">136004</a>	4536854806018	#		BA	BAK	JPN	8504.4030.00
<a href="#">C11W-PA205C</a>	<a href="#">Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, bakım monitörü</a>	450.30	EC000599	<a href="#">183314</a>	4547648156936			BA	BAK	JPN	8504.4030.00
<a href="#">C11W-PA205B</a>	<a href="#">Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, BUN cıksılı</a>	346.30	EC000599	<a href="#">386939</a>	4548583452244	#		BA	BAK	CHN	8504.4030.00
<a href="#">C11W-PD022</a>	<a href="#">Güç kaynağı ünitesi, 24 VDC, çıkış kapasitesi: 19.6 W</a>	154.10	EC000599	<a href="#">315604</a>	4547648706117	#		BA	BAK	CHN	8504.4030.00
<a href="#">C11W-PD025</a>	<a href="#">Güç kaynağı, 24 VDC, çıkış gücü: 25 W</a>	341.80	EC000599	<a href="#">136016</a>	4536854827761	#		BA	BAK	JPN	8504.4030.00
<a href="#">C11W-TC001</a>	<a href="#">Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl giriş, transistör (NPN) çıkış, 4 çevrim</a>	1,053.00	EC001421	<a href="#">135989</a>	4536854740749			BA	BAK	JPN	8471.6070.00
<a href="#">C11W-TC002</a>	<a href="#">Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 4 çevrim</a>	1,074.00	EC001421	<a href="#">142660</a>	4536854740534	#		BA	BAK	JPN	8471.6070.00
<a href="#">C11W-TC004</a>	<a href="#">Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu</a>	932.00	EC001421	<a href="#">155601</a>	4536854903519	#		BA	BAK	JPN	8471.6070.00
<a href="#">C11W-TC101</a>	<a href="#">Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (NPN) çıkış, 4 çevrim</a>	1,040.00	EC001421	<a href="#">151404</a>	4536854740565			BA	BAK	JPN	8471.6070.00
<a href="#">C11W-TC102</a>	<a href="#">Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 4 çevrim</a>	1,040.00	EC001421	<a href="#">143742</a>	4536854740572	#		BA	BAK	JPN	8471.6070.00
<a href="#">C11W-TC104</a>	<a href="#">Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu</a>	932.00	EC001421	<a href="#">135992</a>	4536854740596			BA	BAK	JPN	8471.6070.00
<a href="#">C11W-CLK23</a>	<a href="#">ControllerLink arayüzü</a>	1,019.00	EC001423	<a href="#">258834</a>	4547648597661			BA	BAK	CHN	8471.6070.00
<a href="#">C11W-CORT21</a>	<a href="#">Kullanıcı tanımlı CAN ünitesi (11 ve 29-bit tanımlayıcı)</a>	1,090.00	EC001423	<a href="#">172669</a>	4547648093477	#		BA	BAK	NLD	8529.1095.00
<a href="#">C11W-CRM21</a>	<a href="#">CompoNet C11 master ünitesi</a>	743.00	EC001423	<a href="#">315606</a>	4547648708661			BA	BAK	CHN	8471.6070.00
<a href="#">C11W-DRM21</a>	<a href="#">DeviceNet master/slave ünitesi</a>	953.00	EC001423	<a href="#">258836</a>	4547648597197	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-ECT21</a>	<a href="#">CJ-series EtherCAT Slave ünitesi</a>	972.00	EC001423	<a href="#">659361</a>	4548583576568			BA	BAK	NLD	8471.8000.00
<a href="#">C11W-FIP21</a>	<a href="#">C11 EtherNet/IP ünitesi, 100Base-TX, CIP, FINS/UDP ve FINS/TCP destekler</a>	1,789.00	EC001423	<a href="#">258403</a>	4547648597692	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-FIN21</a>	<a href="#">Ethernet ünitesi, RJ45 (100Base-TX ve 10 Base-T) konektör ile (TCP/IP &amp; UDP/IP soket servisleri, FTP, SMTP, FINS)</a>	1,723.00	EC001423	<a href="#">258832</a>	4547648597586	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-PNT21</a>	<a href="#">Profibus master ünitesi</a>	1,255.00	EC001423	<a href="#">291927</a>	4547648476584			BA	BAK	NLD	8529.1095.00
<a href="#">C11W-PRM21</a>	<a href="#">Profibus-DP Master ünitesi</a>	1,397.00	EC001423	<a href="#">169022</a>	4547648010955	#		BA	BAK	NLD	8529.1095.00
<a href="#">C11W-PRT21</a>	<a href="#">Profibus-DP slave ünitesi, 100 word'e kadar giriş çıkış, 180 word maksimum</a>	941.00	EC001423	<a href="#">136031</a>	4536854859908			BA	BAK	NLD	8529.1095.00
<a href="#">C11W-SCU21-V1</a>	<a href="#">Seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus-RTU Slave</a>	660.00	EC001423	<a href="#">258830</a>	4547648597272	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-SCU22</a>	<a href="#">Yüksek hız seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar</a>	660.00	EC001423	<a href="#">323397</a>	4547648779173			BA	BAK	JPN	8471.8000.00
<a href="#">C11W-SCU31-V1</a>	<a href="#">Seri haberleşme ünitesi, 2x RS422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus-RTU Slave</a>	904.00	EC001423	<a href="#">258835</a>	4547648597685	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-SCU32</a>	<a href="#">Yüksek hız seri haberleşme ünitesi, 2x RS-422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar</a>	904.00	EC001423	<a href="#">323398</a>	4547648779180			BA	BAK	JPN	8471.8000.00
<a href="#">C11W-SCU41-V1</a>	<a href="#">Seri haberleşme ünitesi, 1x RS-232C port + 1x RS422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave</a>	829.50	EC001423	<a href="#">258831</a>	4547648597517	#		BA	BAK	CHN	8471.6070.00
<a href="#">C11W-SCU42</a>	<a href="#">Yüksek hız seri haberleşme ünitesi, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar</a>	829.50	EC001423	<a href="#">323399</a>	4547648779197			BA	BAK	JPN	8471.8000.00
<a href="#">C11W-IC101</a>	<a href="#">Genişleme I/O kontrol ünitesi, CPU'nun sağ tarafına bağlanır</a>	268.60	EC002584	<a href="#">315594</a>	4547648705998		2	BA	BAK	CHN	8471.6070.00
<a href="#">C11W-II101</a>	<a href="#">Genişleme I/O arayüz ünitesi, Genişleme I/O'nun soluna bağlanır, 3 genişletme Back'l maks.</a>	311.20	EC002584	<a href="#">315595</a>	4547648706001		2	BA	BAK	CHN	8471.6070.00
<a href="#">C11W-IA111</a>	<a href="#">Dijital input unit, 16 x 100-120 VAC inputs, screw terminal</a>	370.20	EC001419	<a href="#">315597</a>	4547648706025			BA	BAK	CHN	8471.6070.00
<a href="#">C11W-IA201</a>	<a href="#">Dijital giriş ünitesi, 8x 200-240 VAC, vida terminal</a>	286.80	EC001419	<a href="#">315598</a>	4547648706049			BA	BAK	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">C1JW-ID201</a>	<a href="#">Dijital giriş ünitesi, 8x 24 VDC, bağımsız girişler, vida terminal</a>	189.20	EC001419	<a href="#">382928</a>	4548583424968			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-ID211</a>	<a href="#">Dijital giriş ünitesi, 16x 24 VDC, vida terminal</a>	235.20	EC001419	<a href="#">382929</a>	4548583424975	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-ID211(SL)</a>	<a href="#">Dijital giriş ünitesi, 16x 24 VDC, vidatsız kelepçe terminal</a>	235.20	EC001419	<a href="#">171731</a>	4547648023092			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-ID212</a>	<a href="#">Dijital yüksek-hız giriş ünitesi, 16x 24 VDC, vida terminal</a>	297.50	EC001419	<a href="#">382930</a>	4548583424982			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-ID231</a>	<a href="#">Dijital giriş ünitesi, 32x 24 VDC, FCN konektör (dahil değil)</a>	400.10	EC001419	<a href="#">177393</a>	4547648050302	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-ID232</a>	<a href="#">Dijital giriş ünitesi, 32x 24 VDC, MIL konektör (dahil değil)</a>	390.40	EC001419	<a href="#">177394</a>	4547648050319			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-ID233</a>	<a href="#">Digital high-speed input unit, 32 x 24 VDC inputs, MIL40 connector (not included)</a>	507.00	EC001419	<a href="#">270545</a>	4547648610537			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-ID261</a>	<a href="#">Dijital giriş ünitesi, 64x 24 VDC, 2 x FCN konektör (dahil değil)</a>	658.00	EC001419	<a href="#">177395</a>	4547648050326	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-ID262</a>	<a href="#">Dijital giriş ünitesi, 64x 24 VDC, MIL konektör (dahil değil)</a>	683.00	EC001419	<a href="#">177396</a>	4547648050333	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-IDP01</a>	<a href="#">Dijital hızlı cevap giriş ünitesi, 16x 24 VDC, single shot pulse capture 30 µs minimum, vida terminal</a>	433.70	EC001419	<a href="#">315602</a>	4547648706094			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-INT01</a>	<a href="#">Dijital interrupt giriş ünitesi, 16x 24 VDC, CPU başına maks. 2 tane, vida terminal</a>	597.00	EC001419	<a href="#">315596</a>	4547648706018			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OA201</a>	<a href="#">Digital output unit, 8 x triac outputs, 250VAC, 0.6 A, screw terminal</a>	310.30	EC001419	<a href="#">315599</a>	4547648706056			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OC201</a>	<a href="#">Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vida terminal</a>	277.70	EC001419	<a href="#">382931</a>	4548583424999			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OC201(SL)</a>	<a href="#">Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vidatsız kelepçe terminal</a>	277.70	EC001419	<a href="#">171732</a>	4547648023108			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OC211</a>	<a href="#">Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vida terminal</a>	350.00	EC001419	<a href="#">382932</a>	4548583425002	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OC211(SL)</a>	<a href="#">Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vidatsız kelepçe terminal</a>	350.00	EC001419	<a href="#">171733</a>	4547648023122	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OD201</a>	<a href="#">Dijital çıkış ünitesi, 8x transistör, NPN, 2.0 A, 12 to 24 VDC, vida terminal</a>	340.10	EC001419	<a href="#">315600</a>	4547648706070			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD202</a>	<a href="#">Dijital çıkış ünitesi, 8x transistör, PNP, 2.0 A, 24 VDC, vida terminal</a>	321.10	EC001419	<a href="#">315601</a>	4547648706087			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD203</a>	<a href="#">Dijital çıkış ünitesi, 8x transistör, NPN, 0.5 A, 24 VDC, vida terminal</a>	238.70	EC001419	<a href="#">143440</a>	4536854961182			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD204</a>	<a href="#">Dijital çıkış ünitesi, 8x transistör, PNP, 0.5 A, 24 VDC, kısa devre ve alarm korumalı, vida terminal</a>	255.30	EC001419	<a href="#">315603</a>	4547648706100			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD211</a>	<a href="#">Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vida terminal</a>	277.70	EC001419	<a href="#">382933</a>	4548583425019	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OD211(SL)</a>	<a href="#">Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vidatsız kelepçe terminal</a>	277.70	EC001419	<a href="#">121734</a>	4547648023139	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OD212</a>	<a href="#">Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vida terminal</a>	320.50	EC001419	<a href="#">382934</a>	4548583425026	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OD212(SL)</a>	<a href="#">Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vidatsız kelepçe terminal</a>	320.50	EC001419	<a href="#">171735</a>	4547648023146			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-OD213</a>	<a href="#">Digital high-speed output unit, 16 x transistor outputs, NPN, 0.5 A, 24VDC, screw terminal</a>	364.30	EC001419	<a href="#">270548</a>	4547648610568			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD231</a>	<a href="#">Dijital çıkış ünitesi, 32x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konektör (dahil değil)</a>	477.60	EC001419	<a href="#">177398</a>	4547648050357	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD232</a>	<a href="#">Dijital çıkış ünitesi, 32x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, MIL konektör (dahil değil)</a>	560.00	EC001419	<a href="#">177399</a>	4547648050364	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD233</a>	<a href="#">Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 24 VDC, MIL40 connector (not included)</a>	482.50	EC001419	<a href="#">177400</a>	4547648050371			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD234</a>	<a href="#">Digital high-speed output unit, 32 x transistor outputs, NPN, 0.5 A, 24VDC, MIL40 connector (not included)</a>	531.50	EC001419	<a href="#">270546</a>	4547648610544			BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD261</a>	<a href="#">Dijital çıkış ünitesi, 64x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konektör (dahil değil)</a>	761.50	EC001419	<a href="#">177401</a>	4547648050388	#		BA	BAK	CHN	8471.6070.00
<a href="#">C1JW-OD262</a>	<a href="#">Dijital çıkış ünitesi, 64x transistör, PNP, 0.3 A, 24 VDC, MIL konektör (dahil değil)</a>	646.50	EC001419	<a href="#">136029</a>	4536854961205	#		BA	BAK	CHN	8471.9000.00
<a href="#">C1JW-MD231</a>	<a href="#">Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x FCN24 connectors (not included)</a>	412.90	EC001419	<a href="#">104549</a>	4536854880971			BA	BAK	CHN	8541.2900.00
<a href="#">C1JW-MD232</a>	<a href="#">Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, 2 A max, 2 x MIL20 connectors (not included)</a>	522.50	EC001419	<a href="#">156708</a>	4536854961212			BA	BAK	CHN	8541.2900.00
<a href="#">C1JW-MD233</a>	<a href="#">Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x MIL20 connectors (not included)</a>	416.60	EC001419	<a href="#">136023</a>	4536854880988			BA	BAK	CHN	8541.2900.00
<a href="#">C1JW-MD261</a>	<a href="#">Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x FCN40 connectors (not included)</a>	761.50	EC001419	<a href="#">136024</a>	4536854880995			BA	BAK	CHN	8541.2900.00
<a href="#">C1JW-MD263</a>	<a href="#">Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x MIL40 connectors (not included)</a>	650.50	EC001419	<a href="#">156856</a>	4536854881008			BA	BAK	CHN	8541.2900.00
<b>Kontrol Sistemi C1J / C12</b>											
<a href="#">C1JW-AD041-V1</a>	<a href="#">Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1/4000/8000 çözünürlük, vida terminal</a>	966.50	EC001420	<a href="#">136033</a>	4536854912948	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-AD041-V1(SL)</a>	<a href="#">Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1/4000/8000 çözünürlük, screwless clamp terminal</a>	966.50	EC001420	<a href="#">171999</a>	4547648023252			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-AD042</a>	<a href="#">Analog yüksek-hız giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 1-5 V, 0-10 V, -5-5 V, -10-10 V, ve 4-20 mA, vida terminal</a>	1,585.00	EC001420	<a href="#">318062</a>	4547648722797			BA	BAK	JPN	8471.6070.00
<a href="#">C1JW-AD04U</a>	<a href="#">Fvrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, vida terminal</a>	997.00	EC001420	<a href="#">235350</a>	4547648318266	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-AD04U(SL)</a>	<a href="#">Fvrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, vidatsız kelepçe terminal</a>	997.00	EC001420	<a href="#">235351</a>	4547648318273			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-AD081-V1</a>	<a href="#">Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1/4000/8000 çözünürlük, vida terminal</a>	1,261.00	EC001420	<a href="#">136032</a>	4536854912931	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-AD081-V1(SL)</a>	<a href="#">Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1/4000/8000 çözünürlük, screwless clamp terminal</a>	1,261.00	EC001420	<a href="#">172000</a>	4547648023269			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-PDC15</a>	<a href="#">Isolated analog input unit, 2 x inputs 4 to 20 mA, 0 to 20 mA, 1 to 5 V, 0 to 5 V, -5 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 1.25 V, -1.25 to 1.25 V, resolution 1/64000, 10 ms conversion time, screw terminal</a>	1,183.00	EC001420	<a href="#">183665</a>	4547648164108			BA	BAK	JPN	8471.6070.00
<a href="#">C1JW-PH41U</a>	<a href="#">Fvrensel analog giriş ünitesi, yüksek çözünürlük, 4x ±100mV up to ±10V, potansiyometre, 0/4 to 20mA, Termokupl (K, J, T, L, U, R, S, B), Pt100 (3-kablo), vida terminal</a>	1,845.00	EC001420	<a href="#">247114</a>	4547648513999			BA	BAK	JPN	8471.4100.00
<a href="#">C1JW-PT551</a>	<a href="#">Izole sıcaklık kontrol ünitesi, 4 x giriş (K, J, L, R, S, T, B), 0.1°C çözünürlük, vida terminal</a>	874.50	EC001420	<a href="#">168518</a>	4547648023214			BA	BAK	JPN	8471.6070.00
<a href="#">C1JW-PT552</a>	<a href="#">Izole RTD giriş ünitesi, 4 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük, vida terminal</a>	871.00	EC001420	<a href="#">168519</a>	4547648023221			BA	BAK	JPN	8471.6070.00
<a href="#">C1JW-TS561</a>	<a href="#">Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vida terminal</a>	740.50	EC001420	<a href="#">168013</a>	4547648023467	#		BA	BAK	NLD	8473.3080.00
<a href="#">C1JW-TS561(SL)</a>	<a href="#">Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vidatsız kelepçe terminal</a>	740.50	EC001420	<a href="#">180447</a>	4547648023320			BA	BAK	NLD	8473.3080.00
<a href="#">C1JW-TS562</a>	<a href="#">Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vida terminal</a>	724.50	EC001420	<a href="#">168014</a>	4547648023474	#		BA	BAK	NLD	8473.3080.00
<a href="#">C1JW-TS562(SL)</a>	<a href="#">Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vidatsız kelepçe terminal</a>	724.50	EC001420	<a href="#">172733</a>	4547648023337			BA	BAK	NLD	8473.3080.00
<b>Kontrol Sistemi C1J / C12</b>											
<a href="#">C1JW-DA021</a>	<a href="#">Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 140mA, vida terminal</a>	772.50	EC001420	<a href="#">151233</a>	4536854912962			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-DA021(SL)</a>	<a href="#">Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 140mA, vidatsız kelepçe terminal</a>	772.50	EC001420	<a href="#">172001</a>	4547648023276			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-DA041</a>	<a href="#">Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vida terminal</a>	858.50	EC001420	<a href="#">104446</a>	4536854912955	#		BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-DA041(SL)</a>	<a href="#">Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vidatsız kelepçe terminal</a>	858.50	EC001420	<a href="#">172002</a>	4547648023283			BA	BAK	NLD	8471.6070.00
<a href="#">C1JW-DA042V</a>	<a href="#">Analog çıkış ünitesi, 4x 1 to 5V, 0 to 10V, -10 to 10V, 10.000/20.000/40.000 çözünürlük, 20µs/25µs/30µs/35µs dönüştürme periyodu, vida terminal</a>	1,503.00	EC001420	<a href="#">318068</a>	4547648722810			BA	BAK	JPN	8471.6070.00
<a href="#">C1JW-DA08C</a>	<a href="#">Analog çıkış ünitesi, 8 x 4-20mA çıkış, vida terminals, 12 bit çözünürlük, vida terminal</a>	1,186.00	EC001420	<a href="#">171892</a>	4547648023436	#		BA	BAK	NLD	8471.6070.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">C11W-DA08C(SL)</a>	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidasız kelepçe terminal, 12 bit çözünürlük, vida terminal	1,186.00	EC001420	<a href="#">172003</a>	4547648023290			BA	BAK	NLD	8471.6070.00
<a href="#">C11W-DA08V</a>	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalanabilir, vida terminal	1,166.00	EC001420	<a href="#">171896</a>	4547648023443	#		BA	BAK	NLD	8471.6070.00
<a href="#">C11W-DA08V(SL)</a>	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalanabilir, vidasız kelepçe terminal	1,166.00	EC001420	<a href="#">172004</a>	4547648023306			BA	BAK	NLD	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">C11W-MAD42</a>	Analog I/O ünitesi, 4x +10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x +10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalanabilir, vida terminal	817.00	EC001420	<a href="#">171895</a>	4547648023450	#		BA	BAK	NLD	8471.6070.00
<a href="#">C11W-MAD42(SL)</a>	Analog I/O ünitesi, 4x +10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x +10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalanabilir, vidasız kelepçe terminal	817.00	EC001420	<a href="#">172005</a>	4547648023313	#		BA	BAK	NLD	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">C11W-CT021</a>	Yüksek hızlı sayıcı ünitesi, 2 eksen, 500 kHz, RS422 line driver ve ya open collector giriş	898.50	EC001422	<a href="#">315605</a>	4547648708890			BA	BAK	CHN	8471.6070.00
<a href="#">C11W-CTL41-E</a>	Yüksek hızlı sayıcı ünitesi, 4x puls giriş portu, 24 VDC open collector ve line driver encoder tipi destekler, 24 VDC open collector 100 kHz giriş maks. XW2G-40G7-F terminal bloğu ve XW2Z-XXK kablolu kullanılmalı	724.50	EC001422	<a href="#">180688</a>	4547648089753	#		BA	BAK	NLD	9029.1000.90
<a href="#">C11W-CTS21-E</a>	Yüksek hızlı sayıcı ünitesi, SSI mutlak enkoder, 2 kanal, 9-31 bit, Gray/ Binary/Taunnenbaum/Baw kodlama, vida terminal	846.00	EC001422	<a href="#">180381</a>	4547648089739			BA	BAK	NLD	9029.1000.90
<a href="#">C11W-DCM11-E</a>	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM kontrol, plug-in terminals	1,035.00	EC001422	<a href="#">227033</a>	4547648273626			BA	BAK	NLD	8529.1095.00
<a href="#">C12M-MD211</a>	Puls I/O Module for CJ2M, NPN with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	<a href="#">341746</a>	4547648833080	#		BA	BAK	CHN	8471.6070.00
<a href="#">C12M-MD212</a>	Puls I/O Module for CJ2M, PNP with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	<a href="#">341747</a>	4547648833097	#		BA	BAK	CHN	8471.6070.00
<b>Kontrol Sistemi CJ1 / CJ2</b>											
<a href="#">C11W-V680C11</a>	V680 RFID Sensor unit, one channel, for CJ-series PLCs	1,822.00	EC001422	<a href="#">244991</a>	4547648510714			BA	BAK	JPN	9031.8080.00
<a href="#">C11W-V680C12</a>	V680 RFID Sensor unit, two channel, for CJ-series PLCs	2,598.00	EC001422	<a href="#">244992</a>	4547648510721			BA	BAK	JPN	9031.8080.00
<b>Kontrol Sistemi CP1</b>											
<a href="#">CP1W-16ER</a>	CP1 Serisi ek ünite, 16x röle çıkış 2 A	278.30	EC001419	<a href="#">670917</a>	4548583810747	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-16ET</a>	CP1 Serisi Ek ünite, 16x NPN çıkış 0.3 A	246.00	EC001419	<a href="#">670913</a>	4548583810754			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-16FT1</a>	CP1 Serisi Ek ünite, 16x PNP çıkış 0.3 A	246.00	EC001419	<a href="#">670918</a>	4548583810761	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDR1</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş ve 8x röle çıkış 2 A	267.40	EC001419	<a href="#">670923</a>	4548583810778	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDT</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x NPN çıkış 0.3 A	277.20	EC001419	<a href="#">670912</a>	4548583810785			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-20EDT1</a>	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A	277.20	EC001419	<a href="#">670919</a>	4548583810792	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32ER</a>	CP1 Serisi Ek ünite, 32x röle çıkış 2 A	472.90	EC001419	<a href="#">670914</a>	4548583810808	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32ET</a>	CP1 Serisi Ek ünite, 32x NPN çıkış 0.3 A	472.90	EC001419	<a href="#">670920</a>	4548583810815			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-32FT1</a>	CP1 Serisi Ek ünite, 32x PNP çıkış 0.3 A	472.90	EC001419	<a href="#">670910</a>	4548583810822			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40EDR</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x röle çıkış 2 A	489.80	EC001419	<a href="#">670909</a>	4548583810839	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40EDT</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x NPN çıkış 0.3 A	493.30	EC001419	<a href="#">670915</a>	4548583810846			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-40EDT1</a>	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A	481.90	EC001419	<a href="#">670921</a>	4548583810853	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ED</a>	CP1 Serisi Ek ünite, 8x 24 VDC giriş	189.70	EC001419	<a href="#">670916</a>	4548583810860	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ER</a>	CP1 Serisi Ek ünite, 8x röle çıkış 2 A	192.50	EC001419	<a href="#">670922</a>	4548583810877	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8ET</a>	CP1 Serisi Ek ünite, 8x NPN çıkış 0.3 A	208.10	EC001419	<a href="#">670911</a>	4548583810884			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-8FT1</a>	CP1 Serisi Ek ünite, 8x PNP çıkış 0.3 A	213.60	EC001419	<a href="#">670924</a>	4548583810891	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-AD041</a>	CP1 Serisi analog giriş ek ünite, giriş: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	485.40	EC001420	<a href="#">671145</a>	4548583810907			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-AD042</a>	CP1 Serisi Ek ünite, 4x analog giriş (0 to 5 V, 1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	266.30	EC001420	<a href="#">671144</a>	4548583810983	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-ADR21</a>	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 veya 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000	128.80	EC001420	<a href="#">364430</a>	4548583106703	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-BAT01</a>	CP1 PLC için pil	24.02	EC002584	<a href="#">678518</a>	4549734925969	#		BA	BAL	JPN	8506.5010.90
<a href="#">CP1W-CIF01</a>	CP1 RS-232C (15 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	<a href="#">672569</a>	4548583810914	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-CIF11</a>	CP1 RS422/485 (50 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	<a href="#">672570</a>	4548583810921	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-CIF12-V1</a>	CP1 RS422/485 (isolated 500 m max.) serial communication option board	148.10	EC001423	<a href="#">688375</a>	4549734446303	#		BA	BAL	NLD	8471.8000.00
<a href="#">CP1W-CIF41</a>	CP1 Ethernet haberleşme opsiyon kartı	390.60	EC001423	<a href="#">673349</a>	4548583810945	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA021</a>	CP1 Serisi analog çıkış ek ünite, Ek analog çıkış ünitesi çıkış: 2x 0 to 5V, 1 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, çözünürlük 1/6,000	472.90	EC001420	<a href="#">671147</a>	4548583810952			BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA041</a>	CP1 Serisi analog çıkış ünite, çıkış: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	538.50	EC001420	<a href="#">671148</a>	4548583810969	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DA042</a>	CP1 Serisi ek ünite, 4x analog çıkış (1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	286.90	EC001420	<a href="#">671146</a>	4548583810990	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-DAR21V</a>	CP1L analog opsiyonel kart (only CP1L-EL/EM port 1 or 2) çıkış: 2x 0-10 V çözünürlük 1/4,000	128.80	EC001420	<a href="#">364431</a>	4548583106710	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-DAM01</a>	LCD opsiyon kartı, CP1L ve CP1H için	148.00	EC002584	<a href="#">247844</a>	4547648527286			BA	BAL	CHN	8471.6070.00
<a href="#">CP1W-EIP61</a>	CP1 Ethernet/IP haberleşme opsiyon kartı, sadece datalink fonksiyonu içindir	503.50	EC001423	<a href="#">365009</a>	4547648934893			BA	BAL	USA	8471.6070.00
<a href="#">CP1W-MAB221</a>	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 or 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000 ve çıkış: 2x 0-10 V çözünürlük 1/4,000	223.70	EC001420	<a href="#">364429</a>	4548583106697	#		BA	BAL	CHN	8471.4100.00
<a href="#">CP1W-MAD11</a>	CP1 Serisi ek analog G/C ünite, giriş: 2x 0-20mA, 4-20mA, 0-5V, 1-5V, 0-10V, -10 to 10V girişler ve çıkış: 1x 0-20mA, 4-20mA, 1-5V, 0-10V, -10 to 10V çıkışlar, çözünürlük 1/6,000	542.00	EC001420	<a href="#">671149</a>	4548583810976	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MAD42</a>	CP1 Serisi ek ünite, 4x analog giriş ve 2x analog çıkış	344.80	EC001420	<a href="#">671151</a>	4548583811003	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MAD44</a>	CP1 Serisi ek ünite, 4x analog giriş ve 4x analog çıkış	489.80	EC001420	<a href="#">671150</a>	4548583811010	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-MODTCP61</a>	CP1 Modbus TCP haberleşme opsiyon kartı, Master or Slave	485.50	EC001423	<a href="#">365010</a>	4547648934909			BA	BAL	USA	8471.6070.00
<a href="#">CP1W-TS001</a>	CP1 Serisi sıcaklık sensörü ek ünite, 2x J/K Termokupl giriş	449.10	EC001420	<a href="#">673348</a>	4548583811034	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS002</a>	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş	566.50	EC001420	<a href="#">673347</a>	4548583811041	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS003</a>	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş ve da 2x J/K giriş ve 2 analog giriş	297.50	EC001420	<a href="#">674253</a>	4548583811027	#		BA	BAL	NLD	8471.6070.00
<a href="#">CP1W-TS004</a>	CP1 Serisi sıcaklık sensörü ek ünite, 12x J/K Termokupl giriş	489.50	EC001420	<a href="#">401523</a>	4548583557932			BA	BAL	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-TS101	CP1 Serisi sıcaklık sensörü ek ünite, 2x Pt100 girişi	449.10	EC001420	672572	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	CP1 Serisi sıcaklık sensörü ek ünite, 4x Pt100 girişi	566.50	EC001420	672573	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	5.51	EC002584	689916	4549734542555	#		BA	BAL	CHN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	109.80	EC001423	689944	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	109.80	EC001423	689945	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	109.80	EC001423	689946	4549734542548	#		BA	BAL	CHN	8471.8000.00
<b>Kontrol Sistemi Yazılımı</b>											
NA-RTSM1	Soft-NA installation DVD only for Windows 10 Pro 64 bit (requires NART-LD** license)	47.88	EC001435	694868	4549734592529			BA	BAM	NLD	8523.4910.00
SYSMAC-DF001L	Sysmac Studio Drive Edition	150.90	EC000809	673372	4548583988262			BA	BAM	NLD	8523.8090.00
SYSMAC-LE201L	Yalnızca Sysmac Studio Lite lisansı, tek kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	1,106.00	EC000809	672883	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LI-SE203L	Yalnızca Sysmac Studio Lite lisansı, 3 kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	2,214.00	EC000809	672793	4548583983205			BA	BAM	NLD	8523.8090.00
SYSMAC-LU501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1 user licence only	1,371.00	EC000809	673371	4548583988255			BA	BAM	NLD	8523.8090.00
SYSMAC-RTNC0000D	CNC operatörü DVD'si	48.48	EC000809	679805	4549734166874			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operatörü Ek lisans	1,554.00	EC000809	679804	4549734166881			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operatörü SDK DVD	2,729.00	EC000809	679803	4549734166898			BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	599.00	EC000809	695814	4549734601375			BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	2,275.00	EC000809	695813	4549734601382			BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	4,549.00	EC000809	695812	4549734601399			BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	9,555.00	EC000809	695811	4549734601405			BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	13,210.00	EC000809	695810	4549734601412			BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	20,480.00	EC000809	695809	4549734601429			BA	BAM	JPN	8523.8090.00
SYSMAC-SE201L	Sysmac Studio lisansı, tek kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	1,879.00	EC000809	355295	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio lisansı, 3 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	3,749.00	EC000809	355296	4547648909808			BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio lisansı, 10 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	7,505.00	EC000809	355297	4547648909815			BA	BAM	NLD	8523.8090.00
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	334.00	EC000809	659565	4548583953949			BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	602.00	EC000809	680950	4549734942607			BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,227.00	EC000809	680952	4549734942621			BA	BAM	NLD	8523.8090.00
SYSMAC-TA410L	Sysmac Studio Team Option 10 Users License	2,385.00	EC000809	680951	4549734942614			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CXONE-AL01-EV4	Tek kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	1,231.00	EC000809	324682	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Tek kullanıcı lisansı güncelleme, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	381.30	EC000809	324688	4547648876773			BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3-kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	2,486.00	EC000809	324683	4547648876728			BA	BAM	NLD	8523.8090.00
CXONE-AL10-EV4	10-kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CD's veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	4,837.00	EC000809	324684	4547648876735			BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), 1x DVD, (CXOne-ALxx-EV4-xx gereklidir)	18.83	EC000809	324695	4547648876841			BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, tek kullanıcı lisansı, (Kurulum için CD's, CXOne-LTCD-EV4 gereklidir), yazılım sadece CPx serisi kompakt PLC desteklemektedir	305.80	EC000809	313838	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, 2x CD's, (CXOne-LT01-EV4), yazılım sadece CPx serisi kompakt PLC desteklemektedir	25.06	EC000809	313839	4547648871136			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor Machine Edition Runtime paketi (USB dongle ile birlikte)	724.50	EC001416	695998	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor PLUS Runtime paketi (USB dongle ile birlikte)	1,138.00	EC001416	695997	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-TRIAL-V4	CX-Supervisor V4 trial version, with 2 hours communication (and other limitations)	61.15	EC001416	696220	4549734667944			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	765.50	EC001416	696221	4549734667913			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package. Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	724.50	EC001416	695839	4549734667906	#		BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi Yazılımı</b>											
CX-COMPLETE-EV1-01L	1 kullanıcı lisansı, PC ve PLC arası, Visual Studio, .NET2003/2005/2008/2010/2013, Developm. languages: VB, .NET, Visual C#	482.50	EC001435	342189	4547648887182			BA	BAM	NLD	8523.8090.00
<b>Kontrol Sistemi CP2</b>											
CP2E-E14DR-A	CP2E series compact PLC - Essential Type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	327.10	EC000236	689939	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-E20DR-A	CP2E series compact PLC - Essential Type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	350.80	EC000236	689940	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-E30DR-A	CP2E series compact PLC - Essential Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	476.40	EC000236	689941	4549734542494	#		BA	BAN	CHN	8471.4100.00
CP2E-E40DR-A	CP2E series compact PLC - Essential Type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	550.50	EC000236	689942	4549734542500			BA	BAN	CHN	8471.4100.00
CP2E-E60DR-A	CP2E series compact PLC - Essential Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	664.50	EC000236	689943	4549734542517		3	BA	BAN	CHN	8471.4100.00
CP2E-N14DR-A	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	476.40	EC000236	689981	4549734542135			BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689976	4549734542180			BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type: 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689925	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	550.50	EC000236	689980	4549734542142			BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689975	4549734542197	#		BA	BAN	CHN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-N20DT1-D	CP2E series compact PLC - Network type: 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689926	4549734542340	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	664.50	EC000236	689929	4549734542159	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689924	4549734542203	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689927	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689922	4549734542302	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	827.50	EC000236	689978	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689973	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689928	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689923	4549734542319	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	1,052.00	EC000236	689977	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689972	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689929	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	550.50	EC000236	689930	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689936	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689933	4549734542418	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	664.50	EC000236	689931	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689937	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689934	4549734542425	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	827.50	EC000236	689932	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	827.50	EC000236	689938	4549734542463	#		BA	BAN	CHN	8471.4100.00
<b>Diğer Kontrol Sistemleri</b>											
WS1-05D	5-port enhanced Ethernet switch	362.40	EC000734	702123	4549734712224	#		BA	BAX	JPN	8517.6200.00
<b>Diğer Kontrol Sistemleri</b>											
HMC-FF283	Flash hafıza kartı, 256MB	697.00	EC000192	699230	4549734599733	#		BA	BAX	TWN	8471.6070.00
HMC-FF583	Flash hafıza kartı, 512MB	1,005.00	EC000192	706998	4549734599740	#		BA	BAX	TWN	8471.6070.00
<b>Diğer Kontrol Sistemleri</b>											
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	184.50	EC002780	377345	4548583411821	#		BA	BAX	CHN	8536.4900.99
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	184.50	EC002780	377346	4548583411838	#		BA	BAX	CHN	8536.4900.99
<b>Özel Kontrol Sistemleri</b>											
C11W-F130	Load cell giriş ünitesi, 1 Kanal, high-performance, 10VDC or 2.5 VDC, max 4x 350 Ohm load cells, vida terminal	4,999.00	EC001422	372912	4547648949613	#		BA	BAY	JPN	8471.6070.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CP1W-CN221	USB Programlama kablosu, A-tip erkek - B-tip erkek, 1.8 m	11.99	EC001681	676856	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	CP1 CPU'dan CP1 Ek ünitelerine uzatma kablosu, 80 cm	98.40	EC002584	209406	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EXT01	CP1H CPU'dan C11W ek ünite adaptörü - C1 sonlandırıcı kapağı dahil	118.30	EC002584	209407	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 hafıza kartı (kullanıcı programı yüklemek/çekmek için	78.10	EC000192	209405	4547648203623	#		BA	BAZ	CHN	8542.3255.00
CP1W-SW006	Input simulation switch board	64.40	EC000238	239599	4536853913489	#		BA	BAZ	NLD	8473.3080.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CPM2C-BAT01	Battery for CPM2C PLCs	67.20	EC002584	157651	4536854490033	#		BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral port	157.50	EC001681	224547	4547648227148	#		BA	BAZ	CHN	8544.4290.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CPM2A-BAT01	Battery for CPM2A/COM1H/CJ1G/CJ1H PLCs	83.35	EC002584	659247	4548583951709	#		BA	BAZ	JPN	8506.5090.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C11W-BAT01	C11M PLC için batarya	61.85	EC002584	659004	4548583950603	#		BA	BAZ	JPN	8506.5090.90
C11W-TER01	C11 CPU için sonlandırma kapağı, sadece yerdek parça olarak gerekli.	123.10	EC002584	136072	4536854716195	#		BA	BAZ	JPN	8471.9000.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CS1W-CN133	CS1/CJ/NJ ek şase bağlantı kablosu, 10m	582.00	EC002584	224537	4547648226868	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN133-B2	CS1/CJ/NJ ek şase bağlantı kablosu, 12m	730.50	EC002584	224538	4547648226875	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN223	CS1/CJ/NJ ek şase bağlantı kablosu, 2m	274.10	EC002584	224550	4547648226837	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN313	CS1/CJ/NJ ek şase bağlantı kablosu, 30cm	121.70	EC002584	224548	4547648226813	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN323	CS1/CJ/NJ ek şase bağlantı kablosu, 3m	313.80	EC002584	224551	4547648226844	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN523	CS1/CJ/NJ ek şase bağlantı kablosu, 5m	365.50	EC002584	224552	4547648226851	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN713	CS1/CJ/NJ ek şase bağlantı kablosu, 70cm	181.80	EC002584	224549	4547648226820	#		BA	BAZ	CHN	8544.4290.90
<b>Kontrol Sistemleri için Aksesuarlar</b>											
CS1W-BAT01	Battery for CS1 PLCs	56.80	EC002584	668348	4548583960404	#		BA	BAZ	JPN	8506.5090.90
CS1W-SP001	Space unit for vacant I/O slots on CS1 backplane	12.37	EC002584	168049	4547648023191	#		BA	BAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C11W-C1F11	RS-485 adaptörü, 2 veya 4 kablo, seri PLC link için doğrudan 9-pin RS-232C portuna bağlanır, RS-485 tarafı vida terminal	194.60	EC001467	147038	4536854855863				BA	BAZ	JPN 8471.6070.00
C11W-C1F31	kablo, PC USB RS-232C çevirici kablo, an Omron Programlama kablosu gerekli	282.30	EC001467	103601	4536854935596	#			BA	BAZ	JPN 8471.6070.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C11W-CN114	kablo, 5cm, bağlantı için, COM1-PRO01, CS1/COM1H/CPM2C	100.00	EC001681	224561	4547648227056				BA	BAZ	CHN 8544.4290.90
C11W-CN118	Peripheral-RS232 çevirici	100.00	EC001681	224559	4547648227025				BA	BAZ	CHN 8544.4290.90
C11W-CN226	Kablo, 2m, bağlantı için, CS1/COM1H/CPM2C, peripheral port to PC 9-pin RS-232C port	143.30	EC001681	224552	4547648226998	#			BA	BAZ	CHN 8544.4290.90
C11W-CN626	Kablo, 6m, bağlantı için, CS1/COM1H/CPM2C, peripheral port to PC 9-pin RS-232C port	206.70	EC001681	224558	4547648227001				BA	BAZ	CHN 8544.4290.90
X55W-T421-BM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 0.5 m	49.52	EC002599	375715	4548583003774		10	BA	BAZ	JPN 8544.4290.90	
X55W-T421-BMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 0.5 m	152.10	EC002599	357508	4547648843898		10	BA	BAZ	JPN 8544.4290.90	
X55W-T421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 1 m	56.00	EC002599	375716	4548583003781		10	BA	BAZ	JPN 8544.4290.90	
X55W-T421-CM2-SS	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 1 m	81.35	EC002599	671205	4548583869233		6	BA	BAZ	JPN 8544.4290.90	
X55W-T421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 1 m	63.35	EC002599	375724	4548583003873		10	BA	BAZ	JPN 8544.4290.90	
X55W-T421-CMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 1 m	146.10	EC002599	357509	4547648843904		10	BA	BAZ	JPN 8544.4290.90	
X55W-T421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 2 m	71.85	EC002599	375712	4547648832212				BA	BAZ	JPN 8544.4290.90
X55W-T421-DMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 2 m	129.50	EC002599	671204	4548583869301		11	BA	BAZ	JPN 8544.4290.90	
X55W-T421-DMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 2 m	148.70	EC002599	357510	4547648843911	#	5	BA	BAZ	JPN 8544.4290.90	
X55W-T421-EM2-SS	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 3 m	112.70	EC002599	671208	4548583869257				BA	BAZ	JPN 8544.4290.90
X55W-T421-EMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 3 m	80.65	EC002599	375725	4548583003880		5	BA	BAZ	JPN 8544.4290.90	
X55W-T421-EMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 3 m	145.00	EC002599	671211	4548583869318		5	BA	BAZ	JPN 8544.4290.90	
X55W-T421-GM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 5 m	98.75	EC002599	375719	4548583003828		5	BA	BAZ	JPN 8544.4290.90	
X55W-T421-GMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 5 m	96.30	EC002599	375713	4547648832229		2	BA	BAZ	JPN 8544.4290.90	
X55W-T421-GMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 5 m	173.30	EC002599	671207	4548583869325				BA	BAZ	JPN 8544.4290.90
X55W-T421-GMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 5 m	197.60	EC002599	357512	4547648843935				BA	BAZ	JPN 8544.4290.90
X55W-T421-JM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 10 m	145.70	EC002599	375720	4548583003835				BA	BAZ	JPN 8544.4290.90
X55W-T421-JMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 10 m	139.50	EC002599	375726	4548583003897	#			BA	BAZ	JPN 8544.4290.90
X55W-T421-JMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 10 m	242.20	EC002599	671212	4548583869332				BA	BAZ	JPN 8544.4290.90
X55W-T421-JMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 10 m	263.70	EC002599	357513	4547648843942				BA	BAZ	JPN 8544.4290.90
X55W-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 15 m	170.30	EC002599	375714	4547648832236				BA	BAZ	JPN 8544.4290.90
X55W-T421-KMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 15 m	271.80	EC002599	357514	4547648843959				BA	BAZ	JPN 8544.4290.90
X55W-T422-GMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 5 m	96.30	EC002599	375732	4548583361607		5	BA	BAZ	JPN 8544.4290.90	
X56G-T421-L	RJ45 connector assembly (For AWG22 to AWG24)	46.76	EC001121	357515	4548583002180		16	BA	BAZ	CHE 8544.4290.90	
X56W-5PUR85S1000CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 10 m	75.05	EC002599	374597	4548583378797				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S100CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 1 m	18.15	EC002599	374591	4548583378735	#			BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S1500CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 15 m	107.20	EC002599	374598	4548583378803				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S2000CM-G	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 20 m	139.50	EC002599	374599	4548583378810				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S200CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 2 m	24.56	EC002599	374593	4548583378759				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S300CM-G	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 3 m	30.78	EC002599	374594	4548583378766				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S500CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 5 m	43.16	EC002599	374595	4548583378773				BA	BAZ	CHN 8544.4210.00
X56W-5PUR85S50CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 0.5 m	14.97	EC002599	374590	4548583378728	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 10 m	44.90	EC002599	374609	4548583378674				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1000CM-G	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 10 m	44.90	EC002599	374621	4548583378551	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1000CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 10 m	44.90	EC002599	374587	4548583378438	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S100CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 1 m	10.88	EC002599	374603	4548583378612	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S100CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 1 m	10.88	EC002599	374615	4548583378490	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1 m	10.88	EC002599	374581	4548583378360	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1500CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 15 m	63.90	EC002599	374610	4548583378681				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1500CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 15 m	63.90	EC002599	374622	4548583378568				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S1500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 15 m	63.90	EC002599	374588	4548583378445	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1.5 m	12.74	EC002599	374582	4548583378384	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S2000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 20 m	82.55	EC002599	374611	4548583378698				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S2000CM-G	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 20 m	82.55	EC002599	374623	4548583378575				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S2000CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 20 m	82.55	EC002599	374589	4548583378452	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S200CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 2 m	14.65	EC002599	374605	4548583378636	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S200CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 2 m	14.65	EC002599	374617	4548583378513				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S200CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 2 m	14.65	EC002599	374583	4548583378391	#	5		BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S20CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 0.2 m	8.14	EC002599	374600	4548583378582				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S20CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 0.2 m	8.14	EC002599	374612	4548583378469				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S20CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 0.2 m	8.14	EC002599	374578	4548583378322	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S300CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 3 m	18.41	EC002599	374606	4548583378643				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S300CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 3 m	18.41	EC002599	374618	4548583378520				BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S300CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 3 m	18.41	EC002599	374584	4548583378407	#			BA	BAZ	CHN 8544.4210.00
X56W-6LSZH85S30CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 0.3 m	8.43	EC002599	374601	4548583378599				BA	BAZ	CHN 8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X56W-6L SZH85530CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 0.3 m	8.43	EC002599	<a href="#">374613</a>	4548583378476	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85530CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.3 m	8.60	EC002599	<a href="#">374579</a>	4548583378339	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 5 m	25.95	EC002599	<a href="#">374607</a>	4548583378650	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 5 m	25.95	EC002599	<a href="#">374619</a>	4548583378537	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 5 m	25.95	EC002599	<a href="#">374585</a>	4548583378414	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-B	Ethernet Cat.6 patch cable, LSZH double shielding (Blue), 0.5 m	8.99	EC002599	<a href="#">374602</a>	4548583378605	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 0.5 m	8.99	EC002599	<a href="#">374614</a>	4548583378483	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.5 m	8.99	EC002599	<a href="#">374580</a>	4548583378346	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855750CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 7.5 m	35.48	EC002599	<a href="#">374586</a>	4548583378421	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8551000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	105.80	EC002599	<a href="#">702423</a>	4549734686044	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855100CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	32.02	EC002599	<a href="#">702417</a>	4549734685986	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8551500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	153.50	EC002599	<a href="#">702424</a>	4549734686051	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855150CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	38.06	EC002599	<a href="#">702418</a>	4549734685993	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8552000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	199.40	EC002599	<a href="#">702425</a>	4549734686068	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	38.66	EC002599	<a href="#">702419</a>	4549734686006	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85520CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	16.32	EC002599	<a href="#">702414</a>	4549734685955	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	41.08	EC002599	<a href="#">702420</a>	4549734686013	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85530CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	24.16	EC002599	<a href="#">702415</a>	4549734685962	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	59.85	EC002599	<a href="#">702421</a>	4549734686020	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85550CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	26.58	EC002599	<a href="#">702416</a>	4549734685979	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	80.95	EC002599	<a href="#">702422</a>	4549734686037	#		BA	BAZ	CHN	8544.4210.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C200H-BAT09	Battery for CMINH/C200H PLCs	68.50	EC002584	<a href="#">659246</a>	4548583951693			BA	BAZ	JPN	8506.5090.90
C500-BAT08	Battery for CQM1(NOT CQM1H), CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMI's	76.05	EC002584	<a href="#">668347</a>	4548583960398			BA	BAZ	JPN	8506.5090.90
HMC-AP001	Hafıza kartı adaptor (hafıza kartı to PC PCMCIA port)	130.70	EC000192	<a href="#">103192</a>	4536854446030			BA	BAZ	JPN	8537.1098.99
HMC-FE183	Flash hafıza kartı, 128MB	218.30	EC000192	<a href="#">696105</a>	4549734599726		20	BA	BAZ	TWN	8542.3190.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C1-OD507-18P-5	Yıld terminal yedeği, 5'li paket	144.10	EC002584	<a href="#">210956</a>	4547648850391			BA	BAZ	NLD	8538.9099.99
C1-WM01-18P-5	Yıldız, kısıklı terminal yedeği, 5'li paket	149.40	EC002584	<a href="#">172166</a>	4536853882853			BA	BAZ	NLD	8538.9099.99
<b>Kontrol Sistemleri için Aksesuarlar</b>											
C500-CE241	FCN connector, 24 pin, solder type	31.59	EC002584	<a href="#">157398</a>	4536854287541			BA	BAZ	JPN	8473.3080.00
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	51.70	EC002584	<a href="#">159089</a>	4536854288241			BA	BAZ	JPN	8473.3080.00
<b>Kontrol Sistemleri için Aksesuarlar</b>											
G7TC-OC16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	393.60	EC002780	<a href="#">377357</a>	4548583411807			BA	BAZ	CHN	8536.4900.99
<b>Kontrol Sistemleri için Aksesuarlar</b>											
XW2Z-R100C	I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m	72.15	EC000237	<a href="#">670331</a>	4548583800311			BA	BAZ	JPN	8544.4290.90
XW2Z-R200C	I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m	91.70	EC000237	<a href="#">670317</a>	4548583800335			BA	BAZ	JPN	8544.4290.90
XW2Z-R200C-175-150	I/O connection cable, with shield connection, FCN56 to 3 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m / 1.5 m	199.30	EC000237	<a href="#">670318</a>	4548583800472			BA	BAZ	JPN	8544.4290.90
XW2Z-RA200C	I/O bağlantı kablosu, MIL 20 - açık uçlu, 2 m, G70V ile uyumlu	110.60	EC000237	<a href="#">670323</a>	4548583800298			BA	BAZ	JPN	8544.4290.90
XW2Z-R1100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 1 m / 0.75 m	91.70	EC000237	<a href="#">670333</a>	4548583800366			BA	BAZ	JPN	8544.4290.90
XW2Z-R1200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 2 m / 1.75 m	109.10	EC000237	<a href="#">670310</a>	4548583800380			BA	BAZ	JPN	8544.4290.90
XW2Z-R150C	I/O connection cable, MIL 20 to MIL 20, 0.5 m	89.70	EC000237	<a href="#">670305</a>	4548583800502			BA	BAZ	JPN	8544.4290.90
XW2Z-RO100-75-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70V-ZOC16-3, 1 m	104.20	EC000237	<a href="#">688652</a>	4549734137478			BA	BAZ	JPN	8544.4290.90
XW2Z-RO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1 m / 0.75 m	90.40	EC000237	<a href="#">670320</a>	4548583800410		3	BA	BAZ	JPN	8544.4290.90
XW2Z-RO150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1.5 m / 1.25 m	101.50	EC000237	<a href="#">670325</a>	4548583800427		3	BA	BAZ	JPN	8544.4290.90
XW2Z-RO200-175-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	182.60	EC000237	<a href="#">680946</a>	4549734137416			BA	BAZ	JPN	8536.4900.99
XW2Z-RO200C-150	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.5 m	105.40	EC000237	<a href="#">670324</a>	4548583801738			BA	BAZ	JPN	8536.4900.99
XW2Z-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m	109.10	EC000237	<a href="#">670315</a>	4548583800434			BA	BAZ	JPN	8544.4290.90
XW2Z-RO300-275-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	159.60	EC000237	<a href="#">695724</a>	4549734137386			BA	BAZ	JPN	8544.4290.90
XW2Z-RO300C-275	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 3 m / 2.75 m	128.80	EC000237	<a href="#">670329</a>	4548583800441			BA	BAZ	JPN	8544.4290.90
XW2Z-RO50C	I/O connection cable, MIL 20 to MIL 20 for XW2*-20G* or G70A-ZOC16-3, 0.5 m	89.70	EC000237	<a href="#">670335</a>	4548583800526			BA	BAZ	JPN	8544.4290.90
XW2Z-RO75-50-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	179.10	EC000237	<a href="#">670326</a>	4548583800564			BA	BAZ	JPN	8536.4900.99
XW2Z-RY100C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 1 m, G70V ile uyumlu	84.15	EC000237	<a href="#">670328</a>	4548583800243			BA	BAZ	JPN	8544.4290.90
XW2Z-RY200C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 2 m, G70V ile uyumlu	101.80	EC000237	<a href="#">670307</a>	4548583800267			BA	BAZ	JPN	8544.4290.90
XW2Z-RY300C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 3 m, G70V ile uyumlu	104.30	EC000237	<a href="#">670309</a>	4548583800274			BA	BAZ	JPN	8544.4290.90
<b>İnsan Makine Arabirimi Yazılımları</b>											
CX-LITE-EV2	CX-Server Lite yazılım paketi (tek lisans) desteklediği haberleşmeler, Ethernet, controller Link, işletim sistemleri, Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), CD-Rom	413.80	EC001416	<a href="#">249713</a>	4547648857680			BB	BBG	NLD	8523.8090.00
CX-OPC-EV2	CX-Server OPC yazılımı (Tek Lisans), Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), tek-kullanıcı lisansı, CD-Rom	827.00	EC001416	<a href="#">249714</a>	4547648857703			BB	BBG	NLD	8523.8090.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NS-NSRCL1	NS-Runtime, NS uygulamaları PC'de çalıştırma, 1 x USB Dongle	1,663.00	EC001435	235310	4547648352567	#		BB	BBG	JPN	8523.8090.00
<b>İnsan Makine Arabirimi NB</b>											
NB10W-TW01B	HMI dokunmatik ekran, 10.1 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	1,927.00	EC001412	392035	4548583501881	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW00B	HMI dokunmatik ekran, 3.5 inç QVGA (320 x 240 piksel) TFT renk	511.00	EC001412	392036	4548583501805	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW01B	HMI dokunmatik ekran, 3.5 inç QVGA (320 x 240 piksel) TFT renk, Ethernet + USB Host	656.00	EC001412	392037	4548583501812	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW00B	HMI dokunmatik ekran, 5.6 inç QVGA (320 x 234 piksel) TFT renk	627.00	EC001412	392038	4548583501836	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW01B	HMI dokunmatik ekran, 5.6 inç QVGA (320 x 234 piksel) TFT renk, Ethernet + USB Host	770.50	EC001412	392039	4548583501850	#		BB	BBP	NLD	8531.2040.90
NB7W-TW00B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk	791.50	EC001412	392040	4548583501867	#		BB	BBP	NLD	8531.2040.90
NB7W-TW01B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	982.00	EC001412	392041	4548583501874	#		BB	BBP	NLD	8531.2040.90
<b>İnsan Makine Arabirimi NB</b>											
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	73.10	EC002584	371955	4548583313880			BB	BBP	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	26.13	EC002584	371958	4548583313873			BB	BBP	CHN	3919.9080.99
NB5Q-KBA04	HMI için Aksesuar NB5Q için ekran koruyucu (5 parça)	28.85	EC002584	364950	4548583108073			BB	BBP	CHN	3919.9080.99
NB7W-KBA04	HMI için Aksesuar NB7W için ekran koruyucu (5 parça)	47.87	EC002584	364953	4548583108097			BB	BBP	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs.)	28.85	EC002584	364946	4548583132771			BB	BBP	CHN	8531.9000.00
<b>İnsan Makine Arabirimi NA</b>											
NA5-12W101B-V1	Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Siyah	4,619.00	EC001412	693975	4549734556552	#		BB	BBR	NLD	8531.2040.90
NA5-12W101S-V1	Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Gümüş	4,619.00	EC001412	693976	4549734556545	#		BB	BBR	NLD	8531.2040.90
NA5-15W101B-V1	Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Siyah	5,025.00	EC001412	693973	4549734556576	#		BB	BBR	NLD	8531.2040.90
NA5-15W101S-V1	Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Gümüş	5,025.00	EC001412	693974	4549734556569	#		BB	BBR	NLD	8531.2040.90
NA5-7W001B-V1	Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Siyah	2,249.00	EC001412	693972	4549734556514	#		BB	BBR	NLD	8531.2040.90
NA5-7W001S-V1	Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Gümüş	2,249.00	EC001412	693980	4549734556507	#		BB	BBR	NLD	8531.2040.90
NA5-9W001B-V1	Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Siyah	3,397.00	EC001412	693977	4549734556538	#		BB	BBR	NLD	8531.2040.90
NA5-9W001S-V1	Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Gümüş	3,397.00	EC001412	693978	4549734556521	#		BB	BBR	NLD	8531.2040.90
<b>İnsan Makine Arabirimi NA</b>											
NA-12WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 12" (contains 5 sheets)	209.50	EC002584	393040	4548583531994			BB	BBR	NLD	3919.9080.99
NA-15WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 sheets)	355.40	EC002584	393041	4548583532007			BB	BBR	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7"	226.40	EC002584	667319	4548583748118			BB	BBR	NLD	8531.9000.00
NA-7WKB04	Accessory touch screen (HMI), protective cover sheets for NA5 7" (contains 5 sheets)	151.90	EC002584	393038	4548583531970			BB	BBR	NLD	3919.9080.99
NA-9WKB04	Accessory touch screen (HMI), protective cover sheets for NA5 9" (contains 5 sheets)	193.40	EC002584	393039	4548583531987			BB	BBR	NLD	3919.9080.99
<b>İnsan Makine Arabirimi Diğer HMI'lar</b>											
NV3W-MG20L	Touch screen HMI, 3.8 inç STN Mono LED, Green/Orange/Red, RS232C, 5VDC	648.00	EC001412	659076	4548583588028			BB	BBX	JPN	8531.2040.90
NV3W-MB20L	Touch screen HMI, 3.8 inç STN Mono LED, White/Pink/Red, RS232C, 5VDC	648.00	EC001412	659074	4548583588059			BB	BBX	JPN	8531.2040.90
<b>İnsan Makine Arabirimleri için Aksesuarlar</b>											
NSH5-232UL-10M	NSH5 kablo, 10m (RS-232C haberleşme, 24 VDC, fonksiyon tuşu + E-stop + enabling switch kablo)	872.50	EC001681	226939	4547648269582			BB	BBZ	JPN	8531.9000.00
XWZ-500Z-NL	RS-232C haberleşme kabloyu PC ile PLC/HMI arası, 2 m	48.48	EC001681	659674	4548583954366			BB	BBZ	ITA	8544.4210.00
<b>Uzak I/O SRT (CompoBus/S)</b>											
SBS1-T	CompoBus/S network terminator Blok, vidalı terminal	16.66	EC002584	338264	4547648812856			BF	BFC	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
DRT2-ID08-1	DeviceNet Dijital giriş ünitesi, 8x 24 VDC giriş, PNP	347.50	EC001599	231467	4547648218825			BF	BFD	CHN	8471.6070.00
DRT2-ID08CL-1	DeviceNet dijital giriş ünitesi, IP67, 8 x inputs, 24 VDC, PNP, M12 I/O connections	620.00	EC001599	338251	4547648813174			BF	BFD	CHN	8471.6070.00
DRT2-ID16	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	558.00	EC001599	226501	4547648209045			BF	BFD	CHN	8471.6070.00
DRT2-ID16-1	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	558.00	EC001599	226516	4547648209052			BF	BFD	CHN	8471.6070.00
DRT2-ID16TA-1	DeviceNet Dijital giriş ünitesi with 3-tier terminal Blok, 16x 24 VDC, PNP giriş	586.00	EC001599	164737	4536854960772			BF	BFD	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
DRT2-OD16	DeviceNet dijital çıkış ünitesi, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	543.50	EC001599	226515	4547648209113			BF	BFD	CHN	8471.6070.00
DRT2-OD16-1	DeviceNet Dijital çıkış ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC	543.50	EC001599	226527	4547648209120			BF	BFD	CHN	8471.6070.00
DRT2-OD16M-X	DeviceNet dijital çıkış ünitesi, 16 x transistor outputs 0.5 A, 24 VDC, NPN, with MIL connector + 10 cm cable	501.50	EC001599	248825	4547648242615			BF	BFD	CHN	8471.6070.00
DRT2-OD16M-X-1	DeviceNet dijital çıkış ünitesi, 16 x transistor outputs 0.5 A, 24 VDC, PNP, with MIL connector + 10 cm cable	467.10	EC001599	248826	4547648242622			BF	BFD	CHN	8471.6070.00
DRT2-RO516	DeviceNet Dijital çıkış ünitesi, 16x röle çıkış, 3 A	830.50	EC001599	229626	4547648209137			BF	BFD	CHN	8538.9099.99
<b>Uzak I/O DRT (DeviceNet)</b>											
DRT2-MD16TA-1	DeviceNet Dijital I/O ünitesi with 3-tier terminal Blok, 8x 24 VDC PNP giriş & 8x 24 VDC PNP 0.5 A çıkış	586.00	EC001599	164741	4536854960819			BF	BFD	CHN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
DRT2-AD09H	DeviceNet analog giriş ünitesi 4x 0/4-20 mA/0/1-5 V/0-10 V giriş, isolated, 1:30,000 çözünürlük	867.50	EC001596	175516	4547648096737			BF	BFD	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">DRT1-TS04P</a>	<a href="#">DeviceNet resistance thermometer giriş ünitesi 4x PT, JPT, PT2, JPT2 giriş</a>	817.00	EC001596	<a href="#">175514</a>	4547648073530			BF	BFD	JPN	8471.6070.00
<a href="#">DRT1-TS04T</a>	<a href="#">DeviceNet Termokupl giriş ünitesi, 4x RSK,ITB,L,E,U,N,W,PLII giriş</a>	844.00	EC001596	<a href="#">175515</a>	4547648096720			BF	BFD	JPN	8471.6070.00
<b>Uzak I/O DRT (DeviceNet)</b>											
<a href="#">DRT1-COM</a>	<a href="#">DeviceNet communications unit, connects 8x GT1 MULTIPLE I/O units max.</a>	723.00	EC001603	133630	4536854355400			BF	BFD	JPN	8471.6070.00
<b>Uzak I/O GT1</b>											
<a href="#">GT1-AD04</a>	<a href="#">Multiple I/O analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V</a>	1,055.00	EC001596	121025	4536854467394			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-DA04</a>	<a href="#">Multiple I/O analog output terminal, 4 x outputs 4 to 20 mA, 0/1 to 5 V, -10 to 10 V</a>	1,295.00	EC001596	150827	4536854467400			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-1D16-1</a>	<a href="#">Multiple I/O remote terminal, 16x 24 VDC inputs, PNP</a>	516.00	EC001599	121110	4536854373435			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-OD16-1</a>	<a href="#">Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC</a>	567.50	EC001599	121111	4536854373442			BF	BFG	JPN	8538.9099.99
<a href="#">GT1-OD32ML-1</a>	<a href="#">Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CE401 connector)</a>	657.00	EC001599	142071	4536854373480			BF	BFG	JPN	8538.9099.99
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-ID4</a>	<a href="#">SmartSlice 4 nokta Dijital giriş NPN</a>	95.60	EC001599	<a href="#">212285</a>	4547648219334			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-ID4-1</a>	<a href="#">SmartSlice 4 nokta Dijital giriş PNP</a>	95.60	EC001599	<a href="#">212286</a>	4547648219341	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-ID8</a>	<a href="#">SmartSlice 8 nokta Dijital giriş NPN</a>	139.50	EC001599	<a href="#">235172</a>	4547648325646			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-ID8-1</a>	<a href="#">SmartSlice 8 nokta Dijital giriş PNP</a>	139.50	EC001599	<a href="#">235173</a>	4547648325653	#		BF	BFH	NLD	8471.6070.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-OD4</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış NPN, 0.5 A</a>	100.30	EC001599	<a href="#">212287</a>	4547648219358			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-OD4-1</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP, 0.5 A</a>	100.30	EC001599	<a href="#">212288</a>	4547648219365	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-OD4G-1</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP - asırakım ve kısa devre koruma, 0.5 A</a>	124.10	EC001599	<a href="#">230602</a>	4547648306829			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD4G-3</a>	<a href="#">SmartSlice 4 nokta Dijital çıkış PNP - asırakım ve kısa devre koruma, 2 A</a>	124.10	EC001599	<a href="#">246036</a>	4547648487306			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış NPN, 0.5 A</a>	147.00	EC001599	<a href="#">235174</a>	4547648325660			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8-1</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış PNP, 0.5 A</a>	147.00	EC001599	<a href="#">235175</a>	4547648325677	#		BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-OD8G-1</a>	<a href="#">SmartSlice 8 nokta Dijital çıkış PNP - asırakım ve kısa devre koruma, 0.5 A</a>	165.40	EC001599	<a href="#">235176</a>	4547648325684			BF	BFH	NLD	8471.6070.00
<a href="#">GRT1-ROS2</a>	<a href="#">SmartSlice 2 nokta röle çıkış, 250 VAC/24 VDC, 2 A</a>	117.40	EC001599	<a href="#">212289</a>	4547648219372			BF	BFH	JPN	8471.6070.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-AD2</a>	<a href="#">SmartSlice 2 nokta analog giriş, 1-5 VDC, 0-5 VDC, 0-10 VDC, -10-10 VDC, 0-20 mA, 4-20 mA, 1:6000 çözünürlük</a>	409.20	EC001596	<a href="#">224393</a>	4547648221498			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-IS2P</a>	<a href="#">SmartSlice 2 nokta sıcaklık girişi, Pt100</a>	460.00	EC001596	<a href="#">238319</a>	4547648446211			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-IS2T</a>	<a href="#">SmartSlice 2 nokta sıcaklık girişi, Termokupl</a>	460.00	EC001596	<a href="#">246039</a>	4547648511315			BF	BFH	NLD	9032.1080.90
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-DA2C</a>	<a href="#">SmartSlice 2 nokta analog çıkış, 0-20 mA, 4-20 mA, 1:6000 çözünürlük</a>	408.30	EC001596	<a href="#">224394</a>	4547648221504			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-DA2V</a>	<a href="#">SmartSlice 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük</a>	408.30	EC001596	<a href="#">224395</a>	4547648221511			BF	BFH	JPN	8471.5000.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-CP1-1</a>	<a href="#">SmartSlice 1 Kanal positioning ünitesi, 100 kHz, 24 VDC PNP giriş (A/B/Z) / RS422 line driver, 1 x 24 VDC PNP control giriş, 2 x PNP 0.5 A control çıkış</a>	384.30	EC001601	<a href="#">228280</a>	4547648298209			BF	BFH	NLD	9029.1000.90
<a href="#">GRT1-CT1</a>	<a href="#">SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC NPN inputs, 1 x NPN 0.5 A range control output</a>	278.70	EC001601	<a href="#">228278</a>	4547648298186			BF	BFH	NLD	9029.1000.90
<a href="#">GRT1-CT1-1</a>	<a href="#">SmartSlice 1 Kanal Yüksek hızlı sayıcı ünitesi, 60 kHz, 24 VDC PNP giriş (A/B/Z), 1 x PNP 0.5 A control çıkış</a>	278.70	EC001601	<a href="#">228279</a>	4547648298193			BF	BFH	NLD	9029.1000.90
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GRT1-CRT</a>	<a href="#">SmartSlice communication adaptor for CompoNet</a>	435.20	EC001603	<a href="#">248724</a>	4547648561389			BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-DRT</a>	<a href="#">SmartSlice communication adaptor for DeviceNet, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	497.00	EC001603	<a href="#">211521</a>	4547648219327	#		BF	BFH	JPN	8471.6070.00
<a href="#">GRT1-ECT</a>	<a href="#">SmartSlice communication adaptor for EtherCAT, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	614.50	EC001603	<a href="#">350103</a>	4548583003019			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-END</a>	<a href="#">SmartSlice end plate</a>	44.54	EC002584	<a href="#">212290</a>	4547648219389	#		BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-END-M</a>	<a href="#">SmartSlice end plate with Profinet memory</a>	179.70	EC002584	<a href="#">258405</a>	4547648476607			BF	BFH	NLD	8473.3080.00
<a href="#">GRT1-PO2</a>	<a href="#">SmartSlice I/O power feed module, 24 VDC input</a>	57.30	EC001600	<a href="#">212291</a>	4547648219396			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-PO8-1</a>	<a href="#">SmartSlice I/O power connection module, 4 x V and 8 x G terminals</a>	57.30	EC001600	<a href="#">235178</a>	4547648325707			BF	BFH	NLD	8504.4030.00
<a href="#">GRT1-PNT</a>	<a href="#">SmartSlice communication adaptor for PROFIBUS, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	894.50	EC001603	<a href="#">258404</a>	4547648476591			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-PRT</a>	<a href="#">SmartSlice communication adaptor for PROFIBUS-DP V1, connects up to 64 slice I/O units (End plate have to be ordered separately)</a>	591.50	EC001603	<a href="#">230167</a>	4547648192071			BF	BFH	NLD	8529.1095.00
<a href="#">GRT1-TBL</a>	<a href="#">SmartSlice left-side turn-back unit</a>	117.40	EC002584	<a href="#">212293</a>	4547648219419			BF	BFH	JPN	8471.5000.00
<a href="#">GRT1-TBR</a>	<a href="#">SmartSlice right-side turn-back unit</a>	57.30	EC002584	<a href="#">212292</a>	4547648219402			BF	BFH	JPN	8471.5000.00
<b>Uzak I/O GRT (SmartSlice)</b>											
<a href="#">GCN2-100</a>	<a href="#">SmartSlice turn-back cable (1 m)</a>	64.90	EC002584	<a href="#">212294</a>	4547648219426			BF	BFH	JPN	8544.4210.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-ID08-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 8x 24 VDC giriş, PNP, vidalı terminal</a>	380.80	EC001599	<a href="#">248768</a>	4547648571326			BF	BFI	JPN	8471.6070.00
<a href="#">CRT1-ID16</a>	<a href="#">CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals</a>	446.60	EC001599	<a href="#">226103</a>	4547648237857			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ID16-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 16x 24 VDC giriş, PNP, vidalı terminal</a>	446.60	EC001599	<a href="#">226104</a>	4547648237864			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ID16TA-1</a>	<a href="#">CompoNet input unit, 16 x 24 VDC inputs, PNP, 3-tier screw terminals</a>	562.50	EC001599	<a href="#">237467</a>	4547648414814			BF	BFI	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">CRT1-OD08-1</a>	<a href="#">CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals</a>	449.00	EC001599	<a href="#">248770</a>	4547648571340			BF	BFI	JPN	8471.6070.00
<a href="#">CRT1-OD16</a>	<a href="#">CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals</a>	446.60	EC001599	<a href="#">226105</a>	4547648237871			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-OD16-1</a>	<a href="#">CompoNet IP20 word slave ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC, vidalı terminal</a>	446.60	EC001599	<a href="#">226106</a>	4547648237888			BF	BFI	CHN	8471.6070.00
<a href="#">CRT1-ROS16</a>	<a href="#">CompoNet output unit, 16 x relay outputs 2 A, screw terminals</a>	774.00	EC001599	<a href="#">237472</a>	4547648414869			BF	BFI	JPN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-MD16-1</a>	<a href="#">CompoNet I/O unit, 8 x 24 VDC inputs PNP &amp; 8 x transistor outputs PNP 0.5 A, screw terminals</a>	501.50	EC001599	<a href="#">248772</a>	4547648571364			BF	BFI	JPN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-AD04</a>	<a href="#">CompoNet IP20 slave ünitesi, 4 nokta analog giriş, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, 1-6000 çözünürlük, vidalı terminal</a>	817.00	EC001596	<a href="#">226107</a>	4547648237895			BF	BFI	CHN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CRT1-DA02</a>	<a href="#">CompoNet IP20 word slave ünitesi, 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1-6000 çözünürlük, vidalı terminal</a>	821.50	EC001596	<a href="#">226108</a>	4547648237901			BF	BFI	CHN	8471.6070.00
<b>Uzak I/O CRT (CompoNet)</b>											
<a href="#">CB51-RPT01</a>	<a href="#">CompoNet IP20 Repeater unit</a>	285.20	EC001604	<a href="#">226092</a>	4547648237918			BF	BFI	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-ID1621</a>	<a href="#">EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343313</a>	4547648821681			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-OD1621</a>	<a href="#">EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343317</a>	4547648821728			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-MD1621</a>	<a href="#">EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 1-wire, expandable</a>	543.50	EC001599	<a href="#">343315</a>	4547648821704			BF	BFX	CHN	8471.6070.00
<a href="#">GX-MD1622</a>	<a href="#">EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire</a>	698.00	EC001599	<a href="#">343322</a>	4547648821773			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-AD0471</a>	<a href="#">EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:8000 (full scale)</a>	865.00	EC001596	<a href="#">343327</a>	4547648821827			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">GX-EC0211</a>	<a href="#">EtherCAT I/O unit, 2 x encoder inputs, open collector</a>	1,022.00	EC001601	<a href="#">343325</a>	4547648821803			BF	BFX	CHN	8471.6070.00
<a href="#">GX-FC0241</a>	<a href="#">EtherCAT I/O unit, 2 x encoder inputs, line driver</a>	1,125.00	EC001601	<a href="#">343326</a>	4547648821810			BF	BFX	CHN	8471.6070.00
<b>Diğer Uzak I/O'lar</b>											
<a href="#">XWT-ID16-1</a>	<a href="#">DRT2/CRT1 ek ünitesi, 16x 24 VDC giriş, PNP (Max 1 adet DRT2-*D08(-1)*D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile kullanılır)</a>	440.00	EC001599	226542	4547648209342			BF	BFX	CHN	8471.6070.00
<a href="#">XWT-OD16</a>	<a href="#">DRT2/CRT1 Serisi Ek ünite, 16x 24 VDC çıkış, 0.5 A, NPN (use 1 max with DRT2-*D08(-1)*D16(-1)/ROS16 or CRT1-*D16(-1)/ROS16)</a>	398.60	EC001599	226545	4547648209380			BF	BFX	CHN	8471.6070.00
<a href="#">XWT-OD16-1</a>	<a href="#">DRT2/CRT1 ek ünitesi, 16x 24 VDC çıkış, 0.5 A, PNP (Max 1 adet DRT2-*D08(-1)*D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile birlikte kullanılır)</a>	440.00	EC001599	226546	4547648209397			BF	BFX	CHN	8471.6070.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">GX-IC03</a>	<a href="#">3 portlu EtherCAT switch</a>	281.10	EC000734	<a href="#">355830</a>	4548583075375	#		BF	BFZ	CHN	8471.8000.00
<a href="#">GX-IC06</a>	<a href="#">6 portlu EtherCAT switch</a>	516.00	EC000734	<a href="#">355831</a>	4548583075382	#		BF	BFZ	CHN	8471.8000.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">DCN1-1C</a>	<a href="#">DeviceNet T-branch tap, 1 branch line, vidalı, 3 konnektör, Yandan kablo girişi</a>	124.00	EC002584	133602	4536853181130			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-1P</a>	<a href="#">DeviceNet güç tap, 2 konnektör için, sonlandırma direnci ve sigorta</a>	266.50	EC002584	133604	4536854553288			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-3C</a>	<a href="#">DeviceNet T-branch tap, 3 branch line, vidalı, 5 konnektör, Yandan kablo girişi</a>	188.50	EC002584	133603	4536853181147			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN1-3NC</a>	<a href="#">DeviceNet T-branch tap, 3 branch line, 5 paralel kelepçe konnektör, üstten kablo girişi</a>	130.70	EC002584	226006	4536854895906			BF	BFZ	JPN	8536.9010.00
<a href="#">DCN2-1</a>	<a href="#">DeviceNet IP67 T-branch konnektör (2x dişi, 1x erkek M12)</a>	59.20	EC002584	<a href="#">133605</a>	4536854446139		10	BF	BFZ	JPN	8536.9010.00
<a href="#">DCN4-TB4</a>	<a href="#">CompoNet vida terminal konnektör, M3</a>	21.37	EC002584	<a href="#">226114</a>	4547648206808		10	BF	BFZ	JPN	8503.0099.99
<a href="#">DBS1-T</a>	<a href="#">CompoNet/DeviceNet terminal Blok</a>	12.63	EC002584	<a href="#">133617</a>	4536853181604			BF	BFZ	JPN	8473.3080.00
<a href="#">XW4R-05C4-TF-D</a>	<a href="#">DeviceNet multi-branching connector, parallel with screws, connector insertion and wiring in same direction</a>	41.04	EC002584	167725	4536854700033		25	BF	BFZ	DEU	8536.9010.00
<a href="#">XW4G-05C4-TF-D</a>	<a href="#">DeviceNet konnektör, paralel vidasız, konnektör yerleşimi ve kablolama aynı yönde</a>	32.31	EC002584	231438	4536854936760		25	BF	BFZ	DEU	8536.9010.00
<b>Uzak I/O'lar için Aksesuarlar</b>											
<a href="#">SCA1-4F10</a>	<a href="#">CompoBus/S flat cable, 4-core 0.75 mmsq, 100m</a>	444.40	EC003249	<a href="#">111794</a>	4536853769260			BF	BFZ	JPN	8536.9010.00
<b>Paneliçi TC E11</b>											
<a href="#">E11N-TC2A-ONHB</a>	<a href="#">CelciusX° Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 2 bölge, Termokup/Pt100/analog giriş, 2 x 12 VDC gerilim çıkışı, 2 x 30 VDC, 0.1 A NPN çıkışı, ısıtma, soğutma, ısıtma/soğutma, heater burnout alarm, M3 vida terminali</a>	593.00	EC001446	<a href="#">225935</a>	4547648235310	#		BG	BGA	JPN	9032.1080.90
<a href="#">E11N-TC4A-OO</a>	<a href="#">CelciusX° Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokup/Pt100/analog giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, M3 vida terminali</a>	693.00	EC001446	<a href="#">225934</a>	4547648235297	#		BG	BGA	JPN	9032.1080.90
<a href="#">E11N-TC4B-OO</a>	<a href="#">CelciusX° Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokup/Pt100/analog giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, vidasız terminal</a>	693.00	EC001446	<a href="#">225930</a>	4547648235303			BG	BGA	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Paneliçi TC E1J</b>											
<a href="#">E1J1N-HEUA-NFLK</a>	Celcius® In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with CJ1/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi O series PLCs (1:1), M3 screw terminals	621.50	EC001423	<a href="#">225936</a>	4547648235334			BG	BGA	JPN	9032.1080.90
<a href="#">E1J1N-HEUR-DRT</a>	Celcius® In-panel Temperature controller High Function unit, DeviceNet interface, screwless clamp terminals	1,086.00	EC001423	<a href="#">243922</a>	4547648510806			BG	BGA	JPN	9032.1080.90
<a href="#">E1J1N-HEU-ETN</a>	Ethernet - Seri Gateway, PROFINET ya da Modbus/TCP master - herhangi bir Modbus-RTU slave (Celcius/FX1), E5_N ve MX2 gibi	719.50	EC001423	<a href="#">355917</a>	4548583072527			BG	BGA	NLD	9032.1080.90
<b>Paneliçi TC E1J</b>											
<a href="#">E1J1C-EDUA-NFLK</a>	Celcius® Pano içi sıcaklık kontrolörü sonlandırma ünitesi, 24 VDC beslemeli, 1 x RS-485 (115.2kbps'ye kadar, CompoWay/F ya da MODBUS RTU), 1 x programlama kablosu girişi, M3 vida terminali	151.80	EC000599	<a href="#">225933</a>	4547648235457	#		BG	BGA	JPN	9032.1080.90
<a href="#">E1J1C-EDUC-NFLK</a>	Celcius® In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks	136.30	EC000599	<a href="#">243921</a>	4547648510844			BG	BGA	JPN	9032.1080.90
<b>Endüstriyel Röle LY</b>											
<a href="#">LY1 24VDC</a>	Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC	5.96	EC001437	<a href="#">116888</a>	4536853605544	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY1F 220/240VAC</a>	Relay, flange mount, plug-in, SPDT, 15 A, 220/240 VAC	6.48	EC001437	<a href="#">116798</a>	4536853605650	50		CC	CCA	IDN	8536.4900.99
<b>Endüstriyel Röle LY</b>											
<a href="#">LY2 100/110VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC	6.81	EC001437	<a href="#">144278</a>	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2 100/110VDC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 100/110 VDC	7.37	EC001437	<a href="#">153006</a>	4536853611545	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2 110/120VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC	6.81	EC001437	<a href="#">116738</a>	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2 12VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC	6.81	EC001437	<a href="#">153005</a>	4536853611378	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2 12VDC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 12 VDC	6.81	EC001437	<a href="#">116741</a>	4536853611491	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2 220/240VAC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 220/240 VAC	7.37	EC001437	<a href="#">154980</a>	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2 24VAC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VAC	6.81	EC001437	<a href="#">150789</a>	4536853611385	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2 24VDC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VDC	6.81	EC001437	<a href="#">116742</a>	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2 48VDC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, 48 VDC	6.81	EC001437	<a href="#">103958</a>	4536853611521	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2-0 220/240VAC</a>	Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC	7.37	EC001437	<a href="#">154171</a>	4536853615253	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2-0 24VDC</a>	Relay, PCB pins, 8-pin, DPDT, 10A, 24 VDC	7.23	EC001437	<a href="#">116633</a>	4536853615284	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2-D 24VDC</a>	Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC	14.97	EC001437	<a href="#">116787</a>	4536853608477	10		CC	CCA	JPN	8536.4900.99
<a href="#">LY2E 220/240VAC</a>	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC	8.01	EC001437	<a href="#">116656</a>	4536853611668	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2E 24VAC</a>	Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC	7.40	EC001437	<a href="#">148600</a>	4536853611590	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY24N 110/120VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button	8.44	EC001437	<a href="#">116681</a>	4536853612672	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY24N 220/240VAC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 220/240 VAC	8.91	EC001437	<a href="#">116682</a>	4536853612702	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY24N 24VAC</a>	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	8.44	EC001437	<a href="#">103143</a>	4536853612719	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY24N 24VDC</a>	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 24 VDC	8.44	EC001437	<a href="#">157562</a>	4536853612757	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2N 100/110VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC	8.19	EC001437	<a href="#">150790</a>	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2N 220/240VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC	12.69	EC001437	<a href="#">116664</a>	4536853612429	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2N 24VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC	23.41	EC001437	<a href="#">151831</a>	4536853612382	50		CC	CCA	IDN	8536.4900.99
<a href="#">LY2N 24VDC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC	11.25	EC001437	<a href="#">149665</a>	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
<a href="#">LY2N-D2 24VDC</a>	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor	18.30	EC001437	<a href="#">156651</a>	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
<b>Endüstriyel Röle LY</b>											
<a href="#">LY31N-D2 24VDC</a>	Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC	16.43	EC001437	<a href="#">116875</a>	4536853604868	10		CC	CCA	JPN	8536.4900.99
<a href="#">LY3-0 12VDC</a>	<a href="https://industrial.omron.com/tr/products/v/">https://industrial.omron.com/tr/products/v/</a>	13.15	EC001437	<a href="#">116459</a>	4536853619176			CC	CCA	IDN	8536.4900.99
<a href="#">LY3-0 24VDC</a>	Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC	13.15	EC001437	<a href="#">116460</a>	4536853619183	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4 24VDC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VDC	13.14	EC001437	<a href="#">116449</a>	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4-D 24VDC</a>	Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC	23.88	EC001437	<a href="#">116412</a>	4536853620141	10		CC	CCA	JPN	8536.4900.99
<a href="#">LY44N 230VAC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 230 VAC	15.50	EC001437	<a href="#">103147</a>	4536853621971	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4N-D2 24VDC</a>	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC	26.71	EC001437	<a href="#">153315</a>	4536853620509	10		CC	CCA	JPN	8536.4900.99
<b>Endüstriyel Röle LY</b>											
<a href="#">LY4 100/110VAC</a>	Relay, plug-in, 14-pin, 4PDT, 10A100/110 VAC	13.14	EC001437	<a href="#">103960</a>	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4 125VDC</a>	Relay, plug-in, 14-pin, 4PDT, 10 A, 125 VDC	13.14	EC001437	<a href="#">148236</a>	4536853622497	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4 12VDC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, 12 VDC	13.14	EC001437	<a href="#">116448</a>	4536853621124	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4 230VAC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, 230 VAC	13.62	EC001437	<a href="#">116267</a>	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4 24VAC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VAC	13.14	EC001437	<a href="#">116441</a>	4536853621025	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4 48VDC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, 48 VDC	13.14	EC001437	<a href="#">143117</a>	4536853621162	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY44N 24VDC</a>	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 24 VDC	14.54	EC001437	<a href="#">116399</a>	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
<a href="#">LY4N 100/110VAC</a>	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC	14.54	EC001437	<a href="#">145374</a>	4536853621698	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4N 200/220VAC</a>	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC	15.50	EC001437	<a href="#">116375</a>	4536853621728	20		CC	CCA	IDN	8536.4900.99
<a href="#">LY4N 24VDC</a>	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC	14.54	EC001437	<a href="#">116382</a>	4536853621797	#	20	CC	CCA	IDN	8536.4900.99
<b>Endüstriyel Röle MK-I/-S</b>											
<a href="#">MKS2P 110VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	14.79	EC001437	<a href="#">376281</a>	4547648413046	20		CC	CCB	CHN	8536.4900.99
<a href="#">MKS2P 230VAC</a>	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	11.72	EC001437	<a href="#">376285</a>	4547648413084	20		CC	CCB	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">MKS2P 24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator</a>	12.92	EC001437	<a href="#">376278</a>	4547648413015		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2P 24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator</a>	10.89	EC001437	<a href="#">376289</a>	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 110VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC</a>	11.06	EC001437	<a href="#">376681</a>	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 110VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC</a>	11.66	EC001437	<a href="#">376692</a>	4547648414005		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 12VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button</a>	10.89	EC001437	<a href="#">376677</a>	4547648413855		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 12VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC</a>	12.75	EC001437	<a href="#">376688</a>	4547648413961		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 230VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC</a>	11.67	EC001437	<a href="#">376685</a>	4547648413930		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 240VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button</a>	11.67	EC001437	<a href="#">376686</a>	4547648413947		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 24VAC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC</a>	10.83	EC001437	<a href="#">376678</a>	4547648413862		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 24VDC</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC</a>	10.89	EC001437	<a href="#">376689</a>	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 48VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button</a>	12.27	EC001437	<a href="#">377084</a>	4547648767422	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PI 48VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button</a>	11.06	EC001437	<a href="#">376690</a>	4547648413985		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PIN 110VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicator, test button</a>	12.50	EC001437	<a href="#">376766</a>	4547648440868		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PIN 12VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicator, test button</a>	14.78	EC001437	<a href="#">376773</a>	4547648440936		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PIN 230VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicator, test button</a>	13.26	EC001437	<a href="#">376770</a>	4547648440905		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PIN 24VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicator, test button</a>	14.78	EC001437	<a href="#">376763</a>	4547648440837		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS2PIN 24VDC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators latchable, test button, 24 VDC</a>	12.32	EC001437	<a href="#">376774</a>	4547648440943		20	CC	CCB	CHN	8536.4900.99
<b>Endüstriyel Röle MK-I/S</b>											
<a href="#">MKS3P 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator</a>	12.41	EC001437	<a href="#">376323</a>	4547648413466	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3P-5 110VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator</a>	12.55	EC001437	<a href="#">376349</a>	4547648413725		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3P-5 230VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator</a>	13.53	EC001437	<a href="#">376353</a>	4547648413763		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3P-5 24VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator</a>	12.41	EC001437	<a href="#">376346</a>	4547648413695		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3P-5 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator</a>	11.87	EC001437	<a href="#">376352</a>	4547648413800		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI 230VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	12.25	EC001437	<a href="#">376719</a>	4547648414272		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	12.41	EC001437	<a href="#">376723</a>	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 110VAC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC</a>	12.03	EC001437	<a href="#">376749</a>	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 110VDC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC</a>	13.26	EC001437	<a href="#">376760</a>	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 12VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	12.41	EC001437	<a href="#">376745</a>	4547648414531		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 12VDC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC</a>	12.22	EC001437	<a href="#">376756</a>	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 220VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	13.26	EC001437	<a href="#">376752</a>	4547648414609		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 230VAC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC</a>	12.63	EC001437	<a href="#">376753</a>	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 240VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	12.41	EC001437	<a href="#">376754</a>	4547648414623		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 24VAC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC</a>	12.15	EC001437	<a href="#">376746</a>	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 24VDC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC</a>	12.11	EC001437	<a href="#">376757</a>	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 48VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	17.18	EC001437	<a href="#">377095</a>	4547648767538		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 48VDC</a>	<a href="#">Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 48 VDC</a>	13.31	EC001437	<a href="#">376758</a>	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-5 60VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button</a>	12.26	EC001437	<a href="#">377096</a>	4547648767545		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PI-D-5 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, coil suppression</a>	13.27	EC001437	<a href="#">376902</a>	4547648442220		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN 230VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	15.00	EC001437	<a href="#">376804</a>	4547648441247		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	13.87	EC001437	<a href="#">376808</a>	4547648441285		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-5 110VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	14.01	EC001437	<a href="#">376834</a>	4547648441544		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-5 12VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	16.63	EC001437	<a href="#">376841</a>	4547648441612		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-5 230VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	14.37	EC001437	<a href="#">376838</a>	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-5 24VAC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	13.87	EC001437	<a href="#">376831</a>	4547648441513		20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-5 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button</a>	13.79	EC001437	<a href="#">376842</a>	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
<a href="#">MKS3PIN-D-5 24VDC</a>	<a href="#">Relay, plug-in, 11-pin, 3PDT, 10A, mech &amp; LED indicator, test button, coil suppression</a>	14.50	EC001437	<a href="#">377017</a>	4547648443371	#	20	CC	CCB	CHN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7J-2A2B-B 24VDC</a>	<a href="#">Power Relay, DPST-NO/DPST-NC, screw terminal, 24VDC</a>	23.15	EC001437	<a href="#">377177</a>	4547648393713		20	CC	CCC	CHN	8536.4900.99
<a href="#">G7J-2A2B-T 12VDC</a>	<a href="#">Power Relay, DPST-NO/DPST-NC, quick connect terminal, 12VDC</a>	20.01	EC001437	<a href="#">148665</a>	4536853475956		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7J-3A1B-B 24VDC</a>	<a href="#">Power relay, W-bracket mounting, 3PST-NO/3PST-NC, 25 A, 24VDC</a>	24.64	EC001437	<a href="#">121804</a>	4536853475390		20	CC	CCC	JPN	8536.4900.99
<a href="#">G7J-3A1B-P 24VDC</a>	<a href="#">Power relay, PCB mounting, 3PST-NO/3PST-NC, 25 A, 24VDC</a>	25.62	EC001437	<a href="#">149237</a>	4536853475239		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7J-4A-B 24VDC</a>	<a href="#">Power relay, 4PST-NO, screw terminal, 24VDC</a>	29.54	EC001437	<a href="#">377176</a>	4547648393706		20	CC	CCC	CHN	8536.4900.99
<a href="#">G7J-4A-P 24VDC</a>	<a href="#">Power relay, PCB mounting, 4PST-NO, 25 A, 24VDC</a>	29.90	EC001437	<a href="#">121790</a>	4536853475215		20	CC	CCC	JPN	8536.4900.99
<a href="#">G7J-4A-T 200/240VAC</a>	<a href="#">Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC</a>	29.42	EC001437	<a href="#">151903</a>	4536853476090		20	CC	CCC	JPN	8536.4900.99
<a href="#">G7J-4A-T 24VDC</a>	<a href="#">Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24VDC</a>	28.84	EC001437	<a href="#">121829</a>	4536853476144		20	CC	CCC	JPN	8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7Z-2A2B-07Z-R 24VDC</a>	<a href="#">Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.</a>	63.35	EC001437	<a href="#">684150</a>	4548583781191			CC	CCC	JPN	8536.4900.99
<a href="#">G7Z-2A2B-11Z-R 24VDC</a>	<a href="#">Güç rölesi, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı</a>	63.35	EC001437	<a href="#">684139</a>	4548583781221			CC	CCC	JPN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G7Z-2A2B-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.</a>	63.35	EC001437	<a href="#">684142</a>	4548583781245	10	CC	CCC	JPN		8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7Z-3A1B-02Z-R 24VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.</a>	66.35	EC001437	<a href="#">684141</a>	4548583781269	10	CC	CCC	JPN		8536.4900.99
<a href="#">G7Z-3A1B-20Z-R 12VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.</a>	66.35	EC001437	<a href="#">684140</a>	4548583781306		CC	CCC	JPN		8536.4900.99
<a href="#">G7Z-3A1B-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.</a>	63.95	EC001437	<a href="#">684146</a>	4548583781313		CC	CCC	JPN		8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">G7Z-4A 24VDC</a>	<a href="#">Power relay, 40 A, 4PST-NO</a>	82.50	EC001437	<a href="#">351605</a>	4547648298964	10	CC	CCC	JPN		8536.4900.99
<a href="#">G7Z-4A-02Z-R 24VDC</a>	<a href="#">Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.</a>	64.55	EC001437	<a href="#">684143</a>	4548583781337	10	CC	CCC	JPN		8536.4900.99
<a href="#">G7Z-4A-11Z-R 24VDC</a>	<a href="#">Güç rölesi, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC alarm çıkışı</a>	64.55	EC001437	<a href="#">684147</a>	4548583732117	10	CC	CCC	JPN		8536.4900.99
<a href="#">G7Z-4A-20Z-R 24VDC</a>	<a href="#">Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.</a>	64.55	EC001437	<a href="#">684144</a>	4548583781368	10	CC	CCC	JPN		8536.4900.99
<b>Endüstriyel Röle G7 Güç Rölesi</b>											
<a href="#">P7E-05</a>	<a href="#">Socket, DIN rail/surface mounting, 5-pin, screw terminals</a>	13.47	EC001456	<a href="#">377103</a>	4536854793455	10	CC	CCC	CHN		8536.4900.99
<b>Endüstriyel Röle G2R-S</b>											
<a href="#">G2R-1-S 12VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 12 VDC</a>	4.88	EC001437	<a href="#">125430</a>	4536854937149	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-S 230VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. indicator, label facility, 230 VAC</a>	9.78	EC001437	<a href="#">163223</a>	4536854936463	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-S 240VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 240 VAC</a>	8.79	EC001437	<a href="#">125433</a>	4536854936470	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-S 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. indicator, label facility, 24 VAC</a>	5.83	EC001437	<a href="#">157868</a>	4536854936432	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-S 24VDC (S)</a>	<a href="#">Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, 24 VDC</a>	4.76	EC001437	<a href="#">146726</a>	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-S 24VDC (S)</a>	<a href="#">Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC</a>	6.36	EC001437	<a href="#">125347</a>	4536854937187	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SN 110VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility</a>	10.23	EC001437	<a href="#">125342</a>	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 120VAC (S)</a>	<a href="#">Relay, plug-in, SPDT, 10 A, mech. &amp; LED indicator, 120 VAC</a>	9.21	EC001437	<a href="#">125343</a>	4536854936524	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SN 12VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility, 12 VAC</a>	8.89	EC001437	<a href="#">204264</a>	4547648001137	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SN 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility</a>	7.38	EC001437	<a href="#">125339</a>	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 230VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility</a>	14.19	EC001437	<a href="#">125344</a>	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 240VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör &amp; LED, 240 VAC</a>	13.29	EC001437	<a href="#">142329</a>	4536854936555	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SN 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility</a>	9.35	EC001437	<a href="#">155293</a>	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 24VDC (S)</a>	<a href="#">Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör &amp; LED, 24 VDC</a>	7.38	EC001437	<a href="#">125340</a>	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SN 48VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, label facility, 48 VDC</a>	5.97	EC001437	<a href="#">125341</a>	4536854936494	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SND 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, coil suppressor, label facility, 12 VDC</a>	9.35	EC001437	<a href="#">125350</a>	4536854937194	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SND 24VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED &amp; diyet, 24 VDC</a>	9.35	EC001437	<a href="#">125351</a>	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SND 48VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, coil suppressor, label facility</a>	9.30	EC001437	<a href="#">125352</a>	4536854936616	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SND-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, coil suppressor, label facility, Au-plating</a>	13.75	EC001437	<a href="#">177299</a>	4547648000505	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNDI 12VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, diyet, 12 VDC</a>	10.64	EC001437	<a href="#">157870</a>	4536854936722	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNDI 24VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, diyet, 24 VDC</a>	9.78	EC001437	<a href="#">125358</a>	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNDI-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech. &amp; LED indicators, coil suppressor, lockable test button, label facility</a>	9.78	EC001437	<a href="#">171112</a>	4547648047404	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNI 110VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, lockable test button, label facility, 110 AC</a>	10.23	EC001437	<a href="#">142328</a>	4536854936678	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNI 12VDC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, lockable test button, label facility</a>	7.49	EC001437	<a href="#">152249</a>	4536854936630	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNI 230VAC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, 230 VAC</a>	12.87	EC001437	<a href="#">152248</a>	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-1-SNI 24VAC (S)</a>	<a href="#">Relay, plug-in, 5-pin, SPDT, 10 A, mech. &amp; LED indicators, lockable test button, label facility</a>	9.35	EC001437	<a href="#">156685</a>	4536854936661	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-1-SNI 24VDC (S)</a>	<a href="#">Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, 24 VDC</a>	7.49	EC001437	<a href="#">154479</a>	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
<b>Endüstriyel Röle G2R-S</b>											
<a href="#">G2R-2-S 110VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC</a>	8.43	EC001437	<a href="#">125365</a>	4536854936791	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-S 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 10 A, mekanik indikatör, 12 VDC</a>	6.15	EC001437	<a href="#">125361</a>	4536854937217	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-S 230VAC (S)</a>	<a href="#">Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC</a>	9.78	EC001437	<a href="#">162371</a>	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 240VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 240 VAC</a>	12.42	EC001437	<a href="#">125367</a>	4536854936821	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-S 24VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 24 VAC</a>	6.51	EC001437	<a href="#">125364</a>	4536854936784	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-S 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, 24 VDC</a>	6.05	EC001437	<a href="#">125362</a>	4536854937224	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-S 48VDC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, 48 VDC</a>	7.18	EC001437	<a href="#">125363</a>	4536854936777	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SD 12VDC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mechanical indicator, diode, 12 VDC</a>	8.08	EC001437	<a href="#">125375</a>	4536854936937	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SD 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. indicators, coil suppressor, label facility</a>	8.08	EC001437	<a href="#">144581</a>	4536854936951	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN 110VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 110 VAC</a>	11.10	EC001437	<a href="#">125372</a>	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 110VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 110 VDC</a>	14.65	EC001437	<a href="#">191253</a>	4547648001380	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN 120VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mech. &amp; LED indicator, 120 VAC</a>	14.19	EC001437	<a href="#">157869</a>	4536854936890	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 12 VAC</a>	11.10	EC001437	<a href="#">193950</a>	4547648001229	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN 12VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 12 VDC</a>	7.96	EC001437	<a href="#">125369</a>	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 230VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 230 VAC</a>	15.09	EC001437	<a href="#">125373</a>	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 240VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör &amp; LED, 240 VAC</a>	14.19	EC001437	<a href="#">154480</a>	4536854936913	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN 24VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 24 VAC</a>	12.87	EC001437	<a href="#">125371</a>	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör &amp; LED, 24 VDC</a>	7.96	EC001437	<a href="#">143419</a>	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SN 48VAC</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech. &amp; LED indicators, label facility, 48 VAC</a>	11.68	EC001437	<a href="#">679878</a>	4547648001441	100	CC	CCD	MYS		8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G2R-2-SN 48VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, label facility, 48 VDC</a>	7.96	EC001437	<a href="#">125370</a>	4536854936869	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN-AP3 230VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator</a>	22.60	EC001437	<a href="#">177302</a>	4547648000710	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SN-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator</a>	13.75	EC001437	<a href="#">177303</a>	4547648000727	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SND 12VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, coil suppressor, label facility, 12 VDC</a>	10.64	EC001437	<a href="#">125377</a>	4536854936982	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SND 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED &amp; diyot, 24 VDC</a>	11.10	EC001437	<a href="#">105724</a>	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SND 48VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, coil suppressor, label facility, 48 VDC</a>	10.23	EC001437	<a href="#">145666</a>	4536854937002	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SND-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A gold-plated contacts, mech &amp; LED indicators, coil suppressor, label facility</a>	11.10	EC001437	<a href="#">177300</a>	4547648000635	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNDI 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, diyot, 12 VDC</a>	11.10	EC001437	<a href="#">125290</a>	4536854937118	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNDI 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi &amp; diyot, 24 VDC</a>	10.64	EC001437	<a href="#">125291</a>	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SNDI 48VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, coil suppressor, lockable test button, label facility</a>	11.25	EC001437	<a href="#">125292</a>	4536854937132	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNDI-AP3 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, SPDT, 5 A, mech &amp; LED indicators, coil suppressor, label test button, Au-plating</a>	14.65	EC001437	<a href="#">171113</a>	4547648074711	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 110VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility</a>	11.55	EC001437	<a href="#">154482</a>	4536854937064	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 120VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mech &amp; LED indicator, test button, 120 VAC</a>	11.66	EC001437	<a href="#">148906</a>	4536854937071	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility</a>	11.49	EC001437	<a href="#">171109</a>	4547648000390	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 12VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility, 12 VDC</a>	8.43	EC001437	<a href="#">125379</a>	4536854937026	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 230VAC (S)</a>	<a href="#">Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi, 230 VAC</a>	17.33	EC001437	<a href="#">125383</a>	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SNI 240VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 5 A, mech &amp; LED indicator, test button, 240 VAC</a>	14.53	EC001437	<a href="#">125384</a>	4536854937095	100	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI 24VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility</a>	8.43	EC001437	<a href="#">125382</a>	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SNI 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility</a>	8.43	EC001437	<a href="#">125380</a>	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
<a href="#">G2R-2-SNI 48VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 5 A, mech &amp; LED indicators, lockable test button, label facility</a>	11.10	EC001437	<a href="#">183088</a>	4547648000406	10	CC	CCD	MYS		8536.4900.99
<a href="#">G2R-2-SNI-AP3 230VAC (S)</a>	<a href="#">Relay, plug-in, DPDT (gold plated), 5 A, mech. &amp; LED indicator, test button, 230 VAC</a>	23.06	EC001437	<a href="#">171111</a>	4547648074698	100	CC	CCD	MYS		8536.4900.99
<b>Endüstriyel Röle G2R-S</b>											
<a href="#">G2R-1-SNI-AP3 230VAC (S)</a>	<a href="#">Relay, plug-in, SPDT (gold plated), 10 A, mech. &amp; LED indicator, test button, 230 VAC</a>	19.49	EC001437	<a href="#">171110</a>	4547648074681	100	CC	CCD	MYS		8536.4900.99
<b>Endüstriyel Röle MY-S</b>											
<a href="#">MY2 100/110VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 100/110 VDC</a>	5.51	EC001437	<a href="#">114085</a>	4536854362880	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 110/120VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 110/120 VAC</a>	6.65	EC001437	<a href="#">151180</a>	4536854362828	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 12 VAC</a>	6.52	EC001437	<a href="#">114080</a>	4536854362798	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 12 VDC</a>	6.31	EC001437	<a href="#">114082</a>	4536854362859	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 220/240VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 220/240 VAC</a>	6.82	EC001437	<a href="#">114081</a>	4536854362835	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2 24VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VAC</a>	6.57	EC001437	<a href="#">103514</a>	4536854362804	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VDC</a>	6.31	EC001437	<a href="#">114083</a>	4536854362866	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2 48/50VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 48/50 VAC</a>	6.61	EC001437	<a href="#">153319</a>	4536854362811	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2 48VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 48 VDC</a>	6.47	EC001437	<a href="#">114084</a>	4536854362873	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2IN 100/110VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 100/110 VDC</a>	8.60	EC001437	<a href="#">155266</a>	4536854363177	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 110/120VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 110/120 VAC</a>	7.65	EC001437	<a href="#">114101</a>	4536854363115	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, lockable push to test button, label facility, 12 VAC</a>	7.47	EC001437	<a href="#">156657</a>	4536854363085	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 12 VDC</a>	7.47	EC001437	<a href="#">114103</a>	4536854363146	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 220/240VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 220/240 VAC</a>	8.60	EC001437	<a href="#">156658</a>	4536854363122	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 24VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 24 VAC</a>	7.47	EC001437	<a href="#">114099</a>	4536854363092	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 24 VDC</a>	7.47	EC001437	<a href="#">153320</a>	4536854363153	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 48/50VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10 A, mech &amp; LED indicators, lockable push to test button, label facility</a>	7.47	EC001437	<a href="#">114100</a>	4536854363108	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN 48VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 48 VDC</a>	7.68	EC001437	<a href="#">114104</a>	4536854363160	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2IN1 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10 A, mech &amp; LED indicators, lockable push to test button, label facility, reversed polarity</a>	7.47	EC001437	<a href="#">114020</a>	4536854363320	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2IN1-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil spsuressor, lockable push to test button, label facility, 24 VDC</a>	12.14	EC001437	<a href="#">154452</a>	4536854363429	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2IN-CR 220/240VAC (S)</a>	<a href="#">Relay, plug-in, DPDT, 10 A, mech. &amp; LED indicator, test button, RC circuit, 220/240 VAC</a>	9.97	EC001437	<a href="#">114013</a>	4536854363245	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2IN-D2 12VDC (S)</a>	<a href="#">Relay, plug-in, DPDT, 10 A, mech. &amp; LED indicator, test button, diode, 12 VDC (A2 '+')</a>	14.53	EC001437	<a href="#">114010</a>	4536854363191	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2IN-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil spsuressor, lockable push to test button, label facility, 24 VDC</a>	12.14	EC001437	<a href="#">143510</a>	4536854363207	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 100/110VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör &amp; LED, 100/110 VDC</a>	8.14	EC001437	<a href="#">114093</a>	4536854362996	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, label facility, 110/120 VAC</a>	7.24	EC001437	<a href="#">114089</a>	4536854362934	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 12VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, label facility, 12 VAC</a>	7.00	EC001437	<a href="#">114087</a>	4536854362903	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 12VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör &amp; LED, 12 VDC</a>	7.00	EC001437	<a href="#">156656</a>	4536854362965	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 220/240VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör &amp; LED, 220/240 VAC</a>	8.14	EC001437	<a href="#">114090</a>	4536854362941	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 24VAC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör &amp; LED, 24 VAC</a>	7.00	EC001437	<a href="#">104348</a>	4536854362910	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N 24VDC (S)</a>	<a href="#">Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör &amp; LED, 24 VDC</a>	7.00	EC001437	<a href="#">103515</a>	4536854362972	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY2N-CR 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil suppressor, label facility, 110/120 VAC</a>	13.59	EC001437	<a href="#">142429</a>	4536854363054	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N-CR 220/240VAC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil suppressor, label facility</a>	14.09	EC001437	<a href="#">114098</a>	4536854363061	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N-D2 12VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil suppressor, label facility, 12 VDC</a>	11.19	EC001437	<a href="#">152215</a>	4536854363016	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY2N-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 8-pin, DPDT, 10A, mech &amp; LED indicators, coil suppressor, label facility, 24 VDC</a>	10.70	EC001437	<a href="#">114095</a>	4536854363023	#	10	CC	CCE	JPN	8536.4900.99
<b>Endüstriyel Röle MY-S</b>											
<a href="#">MY4 100/110VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 100/110 VDC</a>	8.33	EC001437	<a href="#">114033</a>	4536854363559	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY4 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 110/120 VAC</a>	7.96	EC001437	<a href="#">145767</a>	4536854363498	10	CC	CCE	JPN		8536.4900.99
<a href="#">MY4 12VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 12 VAC</a>	7.82	EC001437	<a href="#">114028</a>	4536854363467	10	CC	CCE	JPN		8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">MY4 12VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 12 VDC</a>	7.61	EC001437	<a href="#">114031</a>	4536854363528		10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4 220/240VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 220/240 VAC</a>	8.09	EC001437	<a href="#">147900</a>	4536854363504	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4 24VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 24 VAC</a>	7.77	EC001437	<a href="#">103517</a>	4536854363474	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4 24VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 24 VDC</a>	7.59	EC001437	<a href="#">157842</a>	4536854363535	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4 48/50VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 48/50 VAC</a>	7.92	EC001437	<a href="#">114029</a>	4536854363481	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4 48VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 48 VDC</a>	7.79	EC001437	<a href="#">114032</a>	4536854363542	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 100/110VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 100/110 VDC</a>	9.85	EC001437	<a href="#">114054</a>	4536854363849	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5 A, mech &amp; LED indicators, test button, label facility</a>	8.89	EC001437	<a href="#">114050</a>	4536854363788	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 125VDC (S)</a>	<a href="#">Relay, plug-in, 4PDT, 5 A, mech. &amp; LED indicator, test button, 125 VDC (A2+)</a>	10.89	EC001437	<a href="#">231415</a>	4536854486012	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 12VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, lockable push to test button, label facility, 12 VAC</a>	8.89	EC001437	<a href="#">114047</a>	4536854363757	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 12VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 12 VDC</a>	8.89	EC001437	<a href="#">114053</a>	4536854363818	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 220/240VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 220/240 VAC</a>	9.85	EC001437	<a href="#">114051</a>	4536854363795	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 24VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 24 VAC</a>	8.89	EC001437	<a href="#">114048</a>	4536854363764	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 24VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 24 VDC</a>	8.89	EC001437	<a href="#">152216</a>	4536854363825	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 48/50VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5 A, mech &amp; LED indicators, lockable push to test button, label facility</a>	8.89	EC001437	<a href="#">114049</a>	4536854363771	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 48VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED &amp; kilitlenebilir test switchi, 48 VDC</a>	8.89	EC001437	<a href="#">103518</a>	4536854363832	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 100/110VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech &amp; LED indicators, lockable push to test button, label facility, 100/110 VDC</a>	9.85	EC001437	<a href="#">113970</a>	4536854364013	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN 124VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5 A, mech &amp; LED indicators, lockable push to test button, label facility, reversed polarity</a>	8.89	EC001437	<a href="#">143511</a>	4536854363993	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech &amp; LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC</a>	13.35	EC001437	<a href="#">113975</a>	4536854364099	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN-CR 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, lockable push to test button, label facility, 110/120 VAC</a>	10.95	EC001437	<a href="#">142432</a>	4536854363900	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN-CR 220/240VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC/VDC</a>	19.74	EC001437	<a href="#">113963</a>	4536854363917	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN-D2 12VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, lockable push to test button, label facility, 12 VDC</a>	13.35	EC001437	<a href="#">114056</a>	4536854363863	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4IN-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC</a>	13.35	EC001437	<a href="#">146835</a>	4536854363870	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 100/110VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 100/110 VDC</a>	9.40	EC001437	<a href="#">150066</a>	4536854363665	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, label facility, 110/120 VAC</a>	8.62	EC001437	<a href="#">155268</a>	4536854363603	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 125VDC (S)</a>	<a href="#">Relay, plug-in, 4PDT, 5 A, mech. &amp; LED indicator, 125 VDC (A2+)</a>	13.32	EC001437	<a href="#">167880</a>	4536854485855	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 12VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, label facility, 12 VAC</a>	8.43	EC001437	<a href="#">114035</a>	4536854363573	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 12VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 12 VDC</a>	8.43	EC001437	<a href="#">114039</a>	4536854363634	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 220/240VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 220/240 VAC</a>	9.40	EC001437	<a href="#">147901</a>	4536854363610	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 24VAC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 24 VAC</a>	8.43	EC001437	<a href="#">114036</a>	4536854363580	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 24VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 24 VDC</a>	8.43	EC001437	<a href="#">114040</a>	4536854363641	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 48/50VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, label facility, 48/50 VAC</a>	8.89	EC001437	<a href="#">114037</a>	4536854363597	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N 48VDC (S)</a>	<a href="#">Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör &amp; LED, 48 VDC</a>	8.62	EC001437	<a href="#">114041</a>	4536854363658	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N1 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech &amp; LED indicators, label facility, 24 VDC</a>	11.40	EC001437	<a href="#">113966</a>	4536854363948	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N-CR 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, label facility, 110/120 VAC</a>	14.80	EC001437	<a href="#">114044</a>	4536854363726	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N-CR 220/240VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, label facility, 220/240 VAC</a>	15.79	EC001437	<a href="#">114045</a>	4536854363733	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N-D2 12VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, label facility, 12 VDC</a>	12.37	EC001437	<a href="#">154453</a>	4536854363689	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4N-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, 5A, mech &amp; LED indicators, coil suppressor, label facility, 24 VDC</a>	11.87	EC001437	<a href="#">144683</a>	4536854363696	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4Z 220/240VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 220/240 VAC</a>	14.36	EC001437	<a href="#">103519</a>	4536854364171	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4Z 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 24 VDC</a>	13.85	EC001437	<a href="#">113980</a>	4536854364204	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4ZIN 24VDC (S)</a>	<a href="#">Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VDC (A2+)</a>	14.11	EC001437	<a href="#">113998</a>	4536854364471	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4ZIN 110/120VAC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech &amp; LED indicators, label facility, 110/120 VAC</a>	17.27	EC001437	<a href="#">113985</a>	4536854364273	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4ZIN 220/240VAC (S)</a>	<a href="#">Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC</a>	17.27	EC001437	<a href="#">113986</a>	4536854364280	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4ZIN 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech &amp; LED indicators, label facility, 24 VDC</a>	16.31	EC001437	<a href="#">113987</a>	4536854364310	#	10	CC	CCE	JPN	8536.4900.99
<a href="#">MY4ZIN-D2 24VDC (S)</a>	<a href="#">Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech &amp; LED indicators, coil suppressor, label facility, 24 VDC</a>	19.74	EC001437	<a href="#">114005</a>	4536854364570	#	10	CC	CCE	JPN	8536.4900.99
<b>Endüstriyel Röle G2RV</b>											
<a href="#">G2RV-1-S-AP-G 21VDC</a>	<a href="#">Yedek röle, giriş tip. SPDT, 50 mA, G2RV-SR***-AP 24VDC veya 24VAC/DC için</a>	6.47	EC001437	<a href="#">670565</a>	4548583793736	#	25	CC	CCF	MYS	8536.4900.99
<a href="#">G2RV-1-S-G 21VDC</a>	<a href="#">Yedek röle, SPDT, 6 A, G2RV-SR*00 24DC veya 24 VAC/DC için</a>	5.90	EC001437	<a href="#">670574</a>	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
<a href="#">G2RV-1-S-G DC11</a>	<a href="#">Yedek röle, SPDT, 6 A, G2RV-SR*00 12 VDC için</a>	5.90	EC001437	<a href="#">670573</a>	4548583793699	#	25	CC	CCF	MYS	8536.4900.99
<a href="#">G2RV-1-S-G DC 48</a>	<a href="#">Yedek röle, SPDT, 6 A, G2RV-SR*00 48 VAC/DC, 100VAC, 110 VAC, 200VAC veya 230 VAC için</a>	6.18	EC001437	<a href="#">670572</a>	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
<a href="#">G2RV-1-SL-G 21VDC</a>	<a href="#">Yedek röle, kilitlenebilir test switchli, SPDT, 6 A, G2RV-SR701/501 24VDC veya 24VAC/DC için</a>	6.31	EC001437	<a href="#">670567</a>	4548583793750	#	25	CC	CCF	MYS	8536.4900.99
<b>Endüstriyel Röle G2RV-SR</b>											
<a href="#">G2RV-SR500 110VAC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 110 VAC</a>	15.78	EC001437	<a href="#">678033</a>	4549734135887	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500 12VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 12 VDC</a>	15.16	EC001437	<a href="#">678027</a>	4549734135856	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500 230VAC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 230 VAC</a>	15.78	EC001437	<a href="#">678019</a>	4549734135900	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500 24VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC</a>	13.29	EC001437	<a href="#">678028</a>	4549734135917	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500 24VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC</a>	15.16	EC001437	<a href="#">678005</a>	4549734135863	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500 48VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 48 VAC/DC</a>	16.53	EC001437	<a href="#">678030</a>	4549734135924	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500-AP 230VAC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC</a>	18.89	EC001437	<a href="#">678039</a>	4549734135825	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500-AP 24VAC/DC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC</a>	16.55	EC001437	<a href="#">678038</a>	4549734135832	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR500-AP 24VDC</a>	<a href="#">Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC</a>	15.06	EC001437	<a href="#">678007</a>	4549734135788	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR501 24VAC/DC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC, Test switch</a>	17.06	EC001437	<a href="#">678017</a>	4549734135948	#	10	CC	CCG	MYS	8536.4900.99
<a href="#">G2RV-SR501 24VDC</a>	<a href="#">İnce röle &amp; sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC, Test switch</a>	14.21	EC001437	<a href="#">678015</a>	4549734135931	#	10	CC	CCG	MYS	8536.4900.99

Image	Catalog Description	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Endüstriyel Röle G2RV-SB</b>												
	G2RV-SB700-110VAC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 110 VAC	15.31	EC001437	<a href="#">678020</a>	4549734136068	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-12VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 12 VDC	14.65	EC001437	<a href="#">678006</a>	4549734136037	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-230VAC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 230 VAC	15.31	EC001437	<a href="#">678040</a>	4549734136082	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC	14.77	EC001437	<a href="#">678013</a>	4549734136099	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-24VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VDC	14.65	EC001437	<a href="#">678023</a>	4549734136044	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-48VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 48 VAC/DC	14.74	EC001437	<a href="#">678010</a>	4549734136105	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-AP-12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC	14.84	EC001437	<a href="#">678021</a>	4549734135955	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-AP-230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC	18.66	EC001437	<a href="#">678025</a>	4549734136006	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-AP-24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC	17.38	EC001437	<a href="#">678026</a>	4549734136013	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB700-AP-24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC	14.84	EC001437	<a href="#">678034</a>	4549734135962	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB701-24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC, test switch	13.74	EC001437	<a href="#">678016</a>	4549734136129	#	10	CC	CCG	MYS	8536.4900.99
	G2RV-SB701-24VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VDC, test switch	16.06	EC001437	<a href="#">678031</a>	4549734136112	#	10	CC	CCG	MYS	8536.4900.99
<b>Endüstriyel Röle MY-GS</b>												
	MY2-GS-100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 100/110 VDC	5.05	EC001437	<a href="#">686136</a>	4548583818101	#	10	CC	CCK	CHN	8536.4900.99
	MY2-GS-12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 12 VAC	5.98	EC001437	<a href="#">686133</a>	4548583818040	#	10	CC	CCK	CHN	8536.4900.99
	MY2-GS-220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 220/240 VAC	6.26	EC001437	<a href="#">686128</a>	4548583491250	#	10	CC	CCK	CHN	8536.4900.99
	MY2-GS-24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VDC	5.77	EC001437	<a href="#">686129</a>	4548583491267	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-D2-GS-24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	8.06	EC001437	<a href="#">686150</a>	4549734261470	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	7.17	EC001437	<a href="#">686144</a>	4549734261371	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	7.00	EC001437	<a href="#">686149</a>	4549734261432	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 12 VAC	7.00	EC001437	<a href="#">686147</a>	4549734261395	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	6.85	EC001437	<a href="#">686139</a>	4549734261456	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-220VDC	Relay, plug-in, 8-pin, DPDT, 5 A, mechanical & LED indicator, 220 VDC	11.51	EC001437	<a href="#">686130</a>	4549734261388	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VAC	6.85	EC001437	<a href="#">686148</a>	4549734261401	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VDC	11.51	EC001437	<a href="#">686143</a>	4549734261357	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-CR-GS-110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 100/110 VAC	6.66	EC001437	<a href="#">686140</a>	4548583818255	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-CR-GS-220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 220/240 VAC	6.43	EC001437	<a href="#">686141</a>	4548583818279	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-D2-GS-12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 12 VDC	7.47	EC001437	<a href="#">686145</a>	4548583818194	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-D2-GS-24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 24 VDC	6.43	EC001437	<a href="#">686146</a>	4548583818200	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 100/110 VAC	6.43	EC001437	<a href="#">686137</a>	4548583818132	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 12 VDC	12.47	EC001437	<a href="#">686138</a>	4548583818156	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 220/240 VAC	12.91	EC001437	<a href="#">686131</a>	4548583491304	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-220VDC	Relay, plug-in, 8-pin, DPDT, 5 A, Mechanical & LED indicators, lockable push test button, 220 VDC	15.11	EC001437	<a href="#">686132</a>	4548583818187	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VAC	10.26	EC001437	<a href="#">686130</a>	4548583491274	#	10	CC	CCK	CHN	8536.4900.99
	MY2IN-GS-24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VDC	9.81	EC001437	<a href="#">686132</a>	4548583491311	#	10	CC	CCK	CHN	8536.4900.99
<b>Endüstriyel Röle MY-GS</b>												
	MY4-GS-12VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC	7.05	EC001437	<a href="#">686157</a>	4548583818521	#	10	CC	CCK	CHN	8536.4900.99
	MY4-GS-220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	7.31	EC001437	<a href="#">686152</a>	4548583491359	#	10	CC	CCK	CHN	8536.4900.99
	MY4-GS-24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	6.98	EC001437	<a href="#">686151</a>	4548583491328	#	10	CC	CCK	CHN	8536.4900.99
	MY4-GS-24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	6.84	EC001437	<a href="#">686153</a>	4548583491366	#	10	CC	CCK	CHN	8536.4900.99
	MY4-GS-48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC	7.00	EC001437	<a href="#">686161</a>	4548583818576	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-CR-GS-220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 220/240 VAC	8.88	EC001437	<a href="#">686126</a>	4549734261760	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-D2-GS-24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	8.02	EC001437	<a href="#">686174</a>	4549734261692	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-D2-GS-48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 48 VDC	8.02	EC001437	<a href="#">686175</a>	4549734261708	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-100/110VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	8.88	EC001437	<a href="#">686170</a>	4549734261593	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	8.02	EC001437	<a href="#">686172</a>	4549734261654	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	8.02	EC001437	<a href="#">686167</a>	4549734261562	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	8.02	EC001437	<a href="#">686173</a>	4549734261678	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	17.76	EC001437	<a href="#">686171</a>	4549734261623	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	12.01	EC001437	<a href="#">686168</a>	4549734261579	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC	8.98	EC001437	<a href="#">686169</a>	4549734261586	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-CR-GS-220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 220/240 VAC	7.78	EC001437	<a href="#">686166</a>	4548583818750	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-D2-GS-12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 12 VDC	7.58	EC001437	<a href="#">686165</a>	4548583818675	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-D2-GS-24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 24 VDC	8.46	EC001437	<a href="#">686177</a>	4548583818682	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 110/120 VAC	7.58	EC001437	<a href="#">686163</a>	4548583818613	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 12 VDC	7.58	EC001437	<a href="#">686164</a>	4548583818637	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 220/240 VAC	8.02	EC001437	<a href="#">686155</a>	4548583491403	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-220VDC	Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical & LED indicators, 220 VDC	15.11	EC001437	<a href="#">689128</a>	4548583818668	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VAC	14.22	EC001437	<a href="#">686154</a>	4548583491373	#	10	CC	CCK	CHN	8536.4900.99
	MY4IN-GS-24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VDC	11.14	EC001437	<a href="#">686156</a>	4548583491410	#	10	CC	CCK	CHN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Endüstriyel Röleler için Aksesuarlar</b>											
Y92B-A100	Heat sink, economic model, for G3NA-205R-/210R-/D210B-/220B-/410B-/420B	28.38	EC002056	154222	4536853411190			CC	CCZ	JPN	8536.4900.99
Y92B-N100	Heat sink for G3NA-220/420B SSB	42.51	EC002056	107399	4536854247149	5		CC	CCZ	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-240/440B SSB	58.35	EC002056	107400	4536854247156			CC	CCZ	JPN	8536.4900.99
Y92B-N50	Heat sink for G3NA-205/210B SSB	25.09	EC002056	105361	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	6.18	EC002586	143184	4536853484668		50	CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G73Z-02Z-R	Auxiliary contact block, DPST-NC, for use with G7Z relay	24.75	EC002057	684173	4548583781573			CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
G70V-SID16P	16'lı G/C röle terminali, giriş tip, PNP (- common), Push-in Plus terminal, G2RV röleler üzerinde	203.80	EC002780	670255	4548583798168			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	16'lı G/C röle terminali, giriş tip, PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	203.80	EC002780	670254	4548583798151			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1-C16	16'lı G/C röle terminali, giriş tip, PNP (+ common), 16 nokta dahili bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	209.40	EC002780	675388	4549734144438			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P	16'lı G/C röle terminali, çıkış tip, PNP (- common), Push-in Plus terminal, G2RV röleler üzerinde	185.40	EC002780	670257	4548583798182			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	16'lı G/C röle terminali, çıkış tip, PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	185.40	EC002780	670256	4548583798175			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	16'lı G/C röle terminali, çıkış tip, PNP (- common), 4'er nokta dahili bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	173.40	EC002780	675390	4549734144452			CC	CCZ	JPN	8536.4900.99
<b>Endüstriyel Röleler için Aksesuarlar</b>											
P2RV-4-100FC	G2RV interface cable for use between C11W-OD232/OD262 and 4 P2RV-8-O-F modules, 1m	104.90	EC000237	379395	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100IFC	G2RV interface cable for use between C11W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1m	106.30	EC000237	379403	4548583493421			CC	CCZ	JPN	8544.4290.90
P2RV-4-100IMC	G2RV interface cable for use between C11W-ID233/ID262 and 4 P2RV-8-I-F modules, 1m	88.05	EC000237	379399	4548583493384			CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between C11W-OD232/OD262 and 4 P2RV-8-O-F modules, 2m	144.70	EC000237	379396	4548583493353			CC	CCZ	JPN	8544.4290.90
P2RV-4-200IFC	G2RV interface cable for use between C11W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2m	144.70	EC000237	379404	4548583493438			CC	CCZ	JPN	8544.4290.90
P2RV-4-200IMC	G2RV interface cable for use between C11W-ID233/ID262 and 4 P2RV-8-I-F modules, 2m	120.60	EC000237	379400	4548583493391			CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between C11W-OD232/OD262 and 4 P2RV-8-O-F modules, 3m	108.90	EC000237	379397	4548583493360			CC	CCZ	JPN	8544.4290.90
P2RV-A100C	P2RV-O-F'ye bağlamak için tek tarafı 10 kutuplu IDC konnektörlü 1 m kablo	31.32	EC000237	379407	4548583493469			CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1m	46.80	EC000237	379416	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2m	31.32	EC000237	379408	4548583493476			CC	CCZ	JPN	8538.9099.99
<b>Düşük Gerilim Anahtarlama Elemanı JZMN Motor Koruma</b>											
JZMN-3P-1	Motor koruma salteri, switch tip, 3 kutup, 0.63-1 A	34.34	EC000074	234279	4547648326957	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-10	Motor koruma salteri, switch tip, 3 kutup, 6-10 A	41.51	EC000074	234285	4547648327015	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-13	Motor koruma salteri, switch tip, 3 kutup, 9-13 A	41.51	EC000074	234286	4547648327022	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-17	Motor koruma salteri, switch tip, 3 kutup, 11-17 A	41.51	EC000074	234287	4547648327039	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-1F6	Motor koruma salteri, switch tip, 3 kutup, 1-1.6 A	38.30	EC000074	234280	4547648326964	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-22	Motor koruma salteri, switch tip, 3 kutup, 14-22 A	41.51	EC000074	234288	4547648327046	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-26	Motor koruma salteri, switch tip, 3 kutup, 18-26 A	41.51	EC000074	234289	4547648327053	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-2E5	Motor koruma salteri, switch tip, 3 kutup, 1.6-2.5 A	38.30	EC000074	234281	4547648326971	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-32	Motor koruma salteri, switch tip, 3 kutup, 22-32 A	45.51	EC000074	234290	4547648327060	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-4	Motor koruma salteri, switch tip, 3 kutup, 2.5-4 A	38.30	EC000074	234282	4547648326988	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-6	Motor koruma salteri, switch tip, 3 kutup, 4-6 A	38.30	EC000074	234283	4547648326995	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-8	Motor koruma salteri, switch tip, 3 kutup, 5-8 A	38.30	EC000074	234284	4547648327008	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-E25	Motor koruma salteri, switch tip, 3 kutup, 0.16-0.25 A	34.34	EC000074	234276	4547648326926	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-F4	Motor koruma salteri, switch tip, 3 kutup, 0.25-0.4 A	34.34	EC000074	234277	4547648326933	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-F63	Motor koruma salteri, switch tip, 3 kutup, 0.4 A-0.63 A	34.34	EC000074	234278	4547648326940	#		CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı JZMN Motor Koruma</b>											
JZMN-3R-1	Motor koruma salteri, döner switch tip, 3 kutup, 0.63-1 A	43.19	EC000074	234295	4547648327114	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-10	Motor koruma salteri, döner switch tip, 3 kutup, 6-10 A	50.65	EC000074	234301	4547648327176	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-13	Motor koruma salteri, döner switch tip, 3 kutup, 9-13 A	79.65	EC000074	234302	4547648327183	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-17	Motor koruma salteri, döner switch tip, 3 kutup, 11-17 A	51.45	EC000074	234303	4547648327190	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-1F6	Motor koruma salteri, döner switch tip, 3 kutup, 1-1.6 A	55.45	EC000074	234296	4547648327121	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-22	Motor koruma salteri, döner switch tip, 3 kutup, 14-22 A	52.85	EC000074	234304	4547648327206	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-26	Motor koruma salteri, döner switch tip, 3 kutup, 18-26 A	119.40	EC000074	234305	4547648327213	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-2E5	Motor koruma salteri, döner switch tip, 3 kutup, 1.6-2.5 A	43.66	EC000074	234297	4547648327138	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	65.80	EC000074	234306	4547648327220	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-4	Motor koruma salteri, döner switch tip, 3 kutup, 2.5-4 A	49.50	EC000074	234298	4547648327145	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-6	Motor koruma salteri, döner switch tip, 3 kutup, 4-6 A	46.02	EC000074	234299	4547648327152	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-8	Motor koruma salteri, döner switch tip, 3 kutup, 5-8 A	46.02	EC000074	234300	4547648327169	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-E25	Motor koruma salteri, döner switch tip, 3 kutup, 0.16-0.25 A	58.05	EC000074	234292	4547648327084	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-F4	Motor koruma salteri, döner switch tip, 3 kutup, 0.25-0.4 A	58.05	EC000074	234293	4547648327091	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-F63	Motor koruma salteri, döner switch tip, 3 kutup, 0.4-0.63 A	40.61	EC000074	234294	4547648327107	#		CD	CDA	KOR	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Düşük Gerilim Anahtarlama Elemanı J7MN Motor Koruma</b>											
J7MN-6R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	130.50	EC000074	234308	4547648327244	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-40	Motor koruma salteri, döner switch tip, 3 kutup, 28-40 A	206.90	EC000074	234309	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50	Motor koruma salteri, döner switch tip, 3 kutup, 34-50 A	218.10	EC000074	234310	4547648327268			CD	CDA	KOR	8536.4900.99
J7MN-6R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	232.80	EC000074	234311	4547648327275			CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7MN Motor Koruma</b>											
J7MN-9R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	171.80	EC000074	234312	4547648327282			CD	CDA	KOR	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7KNA-AR-22 110	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 110 VAC	18.96	EC000196	119093	4536854851193	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 230	Contactör,relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	25.95	EC000196	119094	4536854851216	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 24 VDC	23.76	EC000196	119016	4536854851469	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D	Contactör,relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC	20.28	EC000196	119023	4536854851544	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24V5	Contactör,relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	26.98	EC000196	119025	4536854851582	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 230	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 230 VAC	18.55	EC000196	158036	4536854851414	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC	26.16	EC000196	119029	4536854851629	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24V5	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC, diyot koruma	26.98	EC000196	119031	4536854851667	10		CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7KNA-09-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	16.71	EC000066	145970	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VAC	16.67	EC000066	119139	4536854850431	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	23.86	EC000066	119056	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	149193	4536854850653	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01B 24V5	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	58.40	EC000010	245056	4547648525664			CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	16.79	EC000066	158034	4536854850363	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	16.71	EC000066	119134	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	16.71	EC000066	119132	4536854850332	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	23.86	EC000066	119051	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	119054	4536854850578	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 400	Mini contactör, 3-pole, 4 kW, 9 A AC3 (400 VAC) + 1 NO, 400 VAC	17.01	EC000066	119136	4536854850400	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	21.35	EC000066	158035	4536854850745	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	20.62	EC000066	119076	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	21.15	EC000066	153496	4536854850905	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	29.40	EC000066	151253	4536854851087	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	32.04	EC000066	119087	4536854851124	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	20.71	EC000066	119068	4536854850851	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	20.62	EC000066	119065	4536854850806	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	29.40	EC000066	119080	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7KN-10D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	19.61	EC000066	367266	4548583135482			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	19.66	EC000066	367267	4548583135499			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24D	Contactör, 3-pole, 4 kW, 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	30.99	EC000066	367268	4548583135505			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	21.15	EC000066	367298	4548583135802			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	21.39	EC000066	367299	4548583135819			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	33.01	EC000066	367300	4548583135826			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	31.51	EC000066	367330	4548583136120			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	31.65	EC000066	367331	4548583136137			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	40.65	EC000066	367332	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	42.82	EC000066	367362	4548583136441			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	42.96	EC000066	367363	4548583136458			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	48.55	EC000066	367364	4548583136465			CD	CDB	AUT	8536.4900.99
J7KNG-10-01 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	37.50	EC000066	183546	4547648171069	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-01 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	39.68	EC000066	183554	4547648171144			CD	CDB	AUT	8536.4900.99
J7KNG-18-01 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	40.61	EC000066	183562	4547648171229	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-01 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	51.50	EC000066	183570	4547648171304			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7KN-10D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	19.59	EC000066	367274	4548583135567			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	19.51	EC000066	367278	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	19.59	EC000066	367279	4548583135611			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	30.85	EC000066	367280	4548583135628			CD	CDB	AUT	8536.4900.99
J7KN-14D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	21.26	EC000066	367310	4548583135925	#		CD	CDB	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">J7KN-14D-10 24</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC</a>	21.29	EC000066	<a href="#">367311</a>	4548583135932			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-14D-10 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC</a>	33.01	EC000066	<a href="#">367312</a>	4548583135949			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-18D-10 110</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC</a>	31.51	EC000066	<a href="#">367338</a>	4548583136205			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-18D-10 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC</a>	31.51	EC000066	<a href="#">367342</a>	4548583136243	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-18D-10 24</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC</a>	31.51	EC000066	<a href="#">367343</a>	4548583136250			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-18D-10 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC</a>	40.65	EC000066	<a href="#">367344</a>	4548583136267	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-18D-10 400</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 400 VAC</a>	32.15	EC000066	<a href="#">367345</a>	4548583136274			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-22D-10 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC</a>	42.82	EC000066	<a href="#">367374</a>	4548583136564			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-22D-10 24</a>	<a href="#">Contactor, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC</a>	42.96	EC000066	<a href="#">367375</a>	4548583136571			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-22D-10 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC</a>	48.55	EC000066	<a href="#">367376</a>	4548583136588	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-10-10 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary</a>	37.50	EC000066	<a href="#">183550</a>	4547648171106			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-14-10 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 14 A/5,5 kW AC3 + 1M auxiliary</a>	39.68	EC000066	<a href="#">183558</a>	4547648171182			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-18-10 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 18 A/7,5 kW AC3 + 1M auxiliary</a>	47.45	EC000066	<a href="#">183566</a>	4547648171267			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-22-10 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, enerji tasarruflu (3 W)</a>	60.85	EC000066	<a href="#">183574</a>	4547648171342	#		CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KNG-22-4 24D</a>	<a href="#">DC solenoid motor contactor, 4-pole, 22A, 24 VDC</a>	57.85	EC000066	<a href="#">197345</a>	4547648205979			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KN-24 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 230 VAC</a>	44.32	EC000066	<a href="#">148113</a>	4536854852794	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-24 24</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 24 VDC</a>	44.32	EC000066	<a href="#">152417</a>	4536854852749			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-24 24D</a>	<a href="#">Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC</a>	43.24	EC000066	<a href="#">151258</a>	4536854852824			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-32 110</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 110 VAC</a>	60.55	EC000066	<a href="#">104537</a>	4536854852893			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-32 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 230 VAC</a>	60.55	EC000066	<a href="#">158039</a>	4536854852916	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-32 24</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VAC</a>	60.55	EC000066	<a href="#">118897</a>	4536854852862			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-32 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VDC</a>	65.90	EC000066	<a href="#">118903</a>	4536854852947			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-40 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 230 VAC</a>	73.30	EC000066	<a href="#">118814</a>	4536854853036	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-40 24</a>	<a href="#">Contactor, 3-pole, 40 A/18,5 kW AC-3 (80 A AC1), 24 VAC</a>	73.85	EC000066	<a href="#">118810</a>	4536854852985			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-40 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 24 VDC</a>	77.30	EC000066	<a href="#">118816</a>	4536854853067			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-24 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 24 A/11 kW AC3</a>	64.05	EC000066	<a href="#">197786</a>	4547648206044			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-32 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 32 A/15 kW AC3</a>	91.30	EC000066	<a href="#">197792</a>	4547648206105			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNG-40 24D</a>	<a href="#">Contactor, DC-operated (3VA), 3-pole, 40 A/18,5 kW AC3</a>	106.50	EC000066	<a href="#">197798</a>	4547648206167			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KN-50 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 230 VAC</a>	92.80	EC000066	<a href="#">118823</a>	4536854853159	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-50 24</a>	<a href="#">Contactor, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC</a>	92.80	EC000066	<a href="#">118819</a>	4536854853104	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-50 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 24 VDC</a>	96.00	EC000066	<a href="#">118825</a>	4536854853180			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-62 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 230 VAC</a>	132.80	EC000066	<a href="#">150146</a>	4536854853272	#		CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-62 24D</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 24 VDC</a>	131.10	EC000066	<a href="#">118834</a>	4536854853302			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-74 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 37 kW, 74 A (AC3, 400 VAC), 230 VAC</a>	152.90	EC000066	<a href="#">118841</a>	4536854853395			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KN-115 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 55 kW, 115 A (AC3, 400 VAC), 230 VAC</a>	238.20	EC000066	<a href="#">245090</a>	4547648526005			CD	CDB	AUT	8536.4900.99
<a href="#">J7KN-90 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 45 kW, 90 A (AC3, 400 VAC), 230 VAC</a>	179.00	EC000066	<a href="#">245085</a>	4547648525954			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KN-151 230</a>	<a href="#">Güç kontaktörü, motor kontaktör, 3 kutup, 75 kW, 150 A (AC3, 400 VAC), 230 VAC</a>	337.20	EC000066	<a href="#">183524</a>	4547648170840			CD	CDB	ITA	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KC-12-01 24VDC</a>	<a href="#">Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm</a>	39.18	EC000066	<a href="#">690066</a>	4549734535656	10		CD	CDB	JPN	8536.4900.99
<a href="#">J7KC-12-10 24VDC</a>	<a href="#">Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm</a>	39.18	EC000066	<a href="#">690037</a>	4549734535649	10		CD	CDB	JPN	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KA-22 110VAC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm</a>	32.60	EC000196	<a href="#">690063</a>	4549734536394			CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-22 230VAC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm</a>	32.60	EC000196	<a href="#">690061</a>	4549734536516			CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-22 24VDC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm</a>	43.66	EC000196	<a href="#">690058</a>	4549734536721	10		CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-22 48VDC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm</a>	43.66	EC000196	<a href="#">690057</a>	4549734536752	10		CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-31 24VDC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67,5 x 45 x 46 mm</a>	43.66	EC000196	<a href="#">690059</a>	4549734536714	10		CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-40 230VAC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm</a>	32.60	EC000196	<a href="#">690062</a>	4549734536493			CD	CDB	JPN	8536.4900.99
<a href="#">J7KA-40 24VDC</a>	<a href="#">Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm</a>	43.66	EC000196	<a href="#">690060</a>	4549734536707	10		CD	CDB	JPN	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
<a href="#">J7KNU-05-4 110</a>	<a href="#">Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 110 VAC</a>	20.94	EC000066	<a href="#">668444</a>	4548583772373			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNU-05-4 180</a>	<a href="#">Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 180 VAC</a>	20.94	EC000066	<a href="#">668445</a>	4548583772380			CD	CDB	AUT	8536.4900.99
<a href="#">J7KNU-05-4 230</a>	<a href="#">Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 230 VAC</a>	20.94	EC000066	<a href="#">668443</a>	4548583772397	10		CD	CDB	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNU-05-4 24	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 24 VAC	20,94	EC000066	668442	4548583772403		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 48 VAC	20,94	EC000066	668446	4548583772410			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VAC	20,94	EC000196	668199	4548583765252			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VDC	25,97	EC000196	675305	4549734134095			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 180 VAC	20,94	EC000196	668221	4548583765269			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 230 VAC	20,94	EC000196	668193	4548583765276		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VAC	20,94	EC000196	668202	4548583765283			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VDC	25,97	EC000196	675309	4549734134064		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VAC	20,94	EC000196	668220	4548583765290			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VDC	25,97	EC000196	675308	4549734134071			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 60 VDC	25,97	EC000196	675299	4549734134088			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 90 VAC	20,94	EC000196	668214	4548583765306			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VAC	20,94	EC000196	668198	4548583765191			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VDC	25,97	EC000196	675311	4549734134132			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 180 VAC	20,94	EC000196	668210	4548583765207			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 230 VAC	20,94	EC000196	668205	4548583765214		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VAC	20,94	EC000196	668194	4548583765221		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VDC	25,97	EC000196	675310	4549734134101		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VAC	20,94	EC000196	668197	4548583765238			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VDC	25,97	EC000196	675304	4549734134118			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 60 VDC	25,97	EC000196	675295	4549734134125			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 90 VAC	20,94	EC000196	668201	4548583765245			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7KNU-05-01 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18,86	EC000066	668211	4548583765078			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23,46	EC000066	675301	4549734134170			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 180 VAC	18,86	EC000066	668195	4548583765085			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18,86	EC000066	668213	4548583765092		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18,86	EC000066	668219	4548583765108		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23,46	EC000066	675298	4549734134149		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18,86	EC000066	668222	4548583765115		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23,46	EC000066	675312	4549734134156			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23,46	EC000066	675302	4549734134163		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18,86	EC000066	668206	4548583765122			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VAC	50,20	EC000010	668207	4548583765313			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VDC	62,85	EC000010	675300	4549734134255		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 180	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 180 VAC	50,20	EC000010	668217	4548583765320			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 230	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 230 VAC	50,20	EC000010	668212	4548583765337		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VAC	50,20	EC000010	668196	4548583765344		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VDC	62,85	EC000010	675297	4549734134224		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VAC	50,20	EC000010	668200	4548583765351		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VDC	62,85	EC000010	675303	4549734134231			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 60D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 60 VDC	62,85	EC000010	675307	4549734134248			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 90	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 90 VAC	50,20	EC000010	668218	4548583765368			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18,86	EC000066	668208	4548583765139			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23,46	EC000066	675334	4549734134217			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 180 VAC	18,86	EC000066	668216	4548583765146			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18,86	EC000066	668215	4548583765153		# 10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18,86	EC000066	668203	4548583765160		# 10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23,46	EC000066	675294	4549734134187		#	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18,86	EC000066	668204	4548583765177		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23,46	EC000066	675296	4549734134194			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23,46	EC000066	675293	4549734134200			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18,86	EC000066	668209	4548583765184			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 90	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 90 VAC	20,94	EC000066	668441	4548583772427			CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör</b>											
J7SKN-P-1039	Bağlantı adaptörü, J7KNU için 35 mm DIN raya uyumlu	1,85	EC002498	675306	4549734137188		# 10	CD	CDB	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük</b>											
J7TKN-A-11	Termik röle, 3 kutup, 8-11 A, manuel reset, J7KNA ile uyumlu	30,91	EC000106	197815	4547648205658			CD	CDC	AUT	8536.4900.99
J7TKN-A-1F2	Termik röle, 3 kutup, 0.8-1.2 A, manuel reset, J7KNA ile uyumlu	27,29	EC000106	197809	4547648205597			CD	CDC	AUT	8536.4900.99
J7TKN-A-1E8	Termik röle, 3 kutup, 1.2-1.8 A, manuel reset, J7KNA ile uyumlu	25,82	EC000106	197810	4547648205603			CD	CDC	AUT	8536.4900.99
J7TKN-A-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel reset, J7KNA ile uyumlu	25,84	EC000106	197811	4547648205610			CD	CDC	AUT	8536.4900.99
J7TKN-A-4	Termik röle, 3 kutup, 2.7-4 A, manuel reset, J7KNA ile uyumlu	25,84	EC000106	197812	4547648205627			CD	CDC	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">J7KN-A-6</a>	<a href="#">Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset</a>	25,74	EC000106	<a href="#">197813</a>	4547648205634			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-9</a>	<a href="#">Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset</a>	25,74	EC000106	<a href="#">197814</a>	4547648205641			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-E6</a>	<a href="#">Termik röle, 3 kutup, 0.4-0.6 A, manuel reset, J7KNA ile uyumlu</a>	27,02	EC000106	<a href="#">197807</a>	4547648205573			CD	CDC	AUT	8536.4900.99
<a href="#">J7KN-A-E9</a>	<a href="#">Termik röle, 3 kutup, 0.6-0.9 A, manuel reset, J7KNA ile uyumlu</a>	27,02	EC000106	<a href="#">197808</a>	4547648205580			CD	CDC	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük</b>											
<a href="#">J7TKN-B-11</a>	<a href="#">Termik röle, 3 kutup, 8-11 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33,53	EC000106	<a href="#">148116</a>	4536854854606			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-14</a>	<a href="#">Termik röle, 3 kutup, 10-14 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33,53	EC000106	<a href="#">118708</a>	4536854854613			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-18</a>	<a href="#">Termik röle, 3 kutup, 13-18 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33,53	EC000106	<a href="#">118709</a>	4536854854620			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-1E2</a>	<a href="#">Termik röle, 3 kutup, 0.8-1.2 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">154263</a>	4536854854545			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-24</a>	<a href="#">Termik röle, 3 kutup, 1.7-2.4 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	33,53	EC000106	<a href="#">118710</a>	4536854854637			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-2E7</a>	<a href="#">Termik röle, 3 kutup, 1.8-2.7 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">148115</a>	4536854854569			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-32</a>	<a href="#">Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset</a>	52,25	EC000106	<a href="#">118711</a>	4536854854644			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-4</a>	<a href="#">Termik röle, 3 kutup, 2.7-4 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">118707</a>	4536854854576			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-6</a>	<a href="#">Termik röle, 3 kutup, 4-6 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">149068</a>	4536854854583			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-9</a>	<a href="#">Termik röle, 3 kutup, 6-9 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">142631</a>	4536854854590			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-B-E6</a>	<a href="#">Termik röle, 3 kutup, 0.4-0.6 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)</a>	28,44	EC000106	<a href="#">154762</a>	4536854854521			CD	CDC	AUT	8536.4900.99
<b>Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük</b>											
<a href="#">J7TKN-D-42</a>	<a href="#">Termik röle, 3 kutup, 28-42 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu</a>	53,70	EC000106	<a href="#">118712</a>	4536854854651			CD	CDC	AUT	8536.4900.99
<a href="#">J7TKN-D-52</a>	<a href="#">Termik röle, 3 kutup, 40-52 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu</a>	72,70	EC000106	<a href="#">118713</a>	4536854854668			CD	CDC	AUT	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlama Elemanları</b>											
<a href="#">J73KN-A-11</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA-AR ile uyumlu</a>	5,03	EC002498	<a href="#">119338</a>	4536854854736		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-A-22</a>	<a href="#">Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA-AR ile uyumlu</a>	8,64	EC002498	<a href="#">119340</a>	4536854854750		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-A-40</a>	<a href="#">Yardımcı kontak, 4 NA, önden montaj, J7KNA-AR ile uyumlu</a>	8,64	EC002498	<a href="#">119341</a>	4536854854767		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-02</a>	<a href="#">Yardımcı kontak, 2 NK, önden montaj, J7KNA ile uyumlu</a>	5,02	EC002498	<a href="#">119343</a>	4536854854781		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-11</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA ile uyumlu</a>	4,85	EC002498	<a href="#">119342</a>	4536854854774		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-AM-22</a>	<a href="#">Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA ile uyumlu</a>	8,64	EC002498	<a href="#">119344</a>	4536854854798		# 10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01</a>	<a href="#">Yardımcı kontak, 1 NK, 10 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu</a>	2,58	EC002498	<a href="#">119345</a>	4536854854804		# 10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01A</a>	<a href="#">Yardımcı kontak, 1 NK, 25 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu</a>	6,07	EC002498	<a href="#">183576</a>	4547648171366		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-01U</a>	<a href="#">Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74 (EM &amp; LM version)</a>	6,86	EC002498	<a href="#">191890</a>	4547648192057		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-10</a>	<a href="#">Yardımcı kontak, 1 NA, 10 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu</a>	2,58	EC002498	<a href="#">119346</a>	4536854854811		# 10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-B-10A</a>	<a href="#">Yardımcı kontak, 1 NA, 25 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu</a>	6,07	EC002498	<a href="#">183577</a>	4547648171373		10	CD	CDX	AUT	8536.4900.99
<a href="#">J73KN-C-115</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, yandan montaj, J7KNI(G)-24/-115 ile uyumlu</a>	7,41	EC002498	<a href="#">119347</a>	4536854854828		#	CD	CDX	AUT	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlama Elemanları</b>											
<a href="#">J74KN-B-M1</a>	<a href="#">Mekanik kilit, 2 adet J7KNI(G)-10(D)/-40 için</a>	3,46	EC002498	<a href="#">119358</a>	4536854854903			CD	CDX	AUT	8536.4900.99
<a href="#">J74KN-C2-RC230</a>	<a href="#">RC koruma ünitesi, 110-230 VAC/DC, J7KNI(G)-10(D)/-74 ile uyumlu</a>	15,29	EC002498	<a href="#">367394</a>	4548583137905		10	CD	CDX	CHN	8536.4900.99
<a href="#">J74KN-C2-RC24</a>	<a href="#">RC koruma ünitesi, 12-48 VAC/DC, J7KNI(G)-10(D)/-74 ile uyumlu</a>	14,26	EC002498	<a href="#">367395</a>	4548583137912		10	CD	CDX	CHN	8536.4900.99
<a href="#">J74KN-C-M1</a>	<a href="#">Mekanik kilit, 2 adet J7KNI(G)-24/-74 için</a>	7,36	EC002498	<a href="#">119359</a>	4536854854910			CD	CDX	AUT	8536.4900.99
<a href="#">J74KN-D-RC 24</a>	<a href="#">RC koruma ünitesi, 12-48 VAC/DC, J7KNA(-AR) ile uyumlu</a>	14,26	EC002498	<a href="#">169758</a>	4547648044073		10	CD	CDX	CZE	8536.4900.99
<a href="#">J74TK-SM</a>	<a href="#">Separate mounting sets for J7TKN-B</a>	4,53	EC002498	<a href="#">119375</a>	4536854855207			CD	CDX	AUT	8536.4900.99
<a href="#">J74-WKR-B2</a>	<a href="#">Busbars for reversing contactors (2 parts), J7KN-10 - J7KN-22</a>	10,83	EC002498	<a href="#">367391</a>	4548583137929			CD	CDX	CHN	8536.4900.99
<b>Diğer Düşük Gerilim Anahtarlama Elemanları</b>											
<a href="#">J77MN-11E</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, önden montaj, J77MN*/R*/P ile uyumlu</a>	7,80	EC002498	<a href="#">234316</a>	4547648327329		# 10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-11S</a>	<a href="#">Yardımcı kontak, 1 NA + 1 NK, yandan montaj, sol, J77MN*/R*/P ile uyumlu</a>	12,32	EC002498	<a href="#">234320</a>	4547648327367		# 2	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-20E</a>	<a href="#">Auxiliary contacts, standard, 2M, for top mounting for all J77MN*/R*/P</a>	9,33	EC002498	<a href="#">234318</a>	4547648327343		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-BTC-63-E</a>	<a href="#">Line side terminal 3-pole, IEC/EN 60949</a>	7,79	EC002498	<a href="#">355552</a>	4548583066458		10	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-BTC-63-SE</a>	<a href="#">Besleme barası çıkışı, 3 kutup, üstten montaj, IEC/EN 60950</a>	7,64	EC002498	<a href="#">355558</a>	4548583066519		4	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-2</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 2 adet J77MN-3P/-3R için</a>	6,29	EC002498	<a href="#">355560</a>	4548583066533		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-2S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 2 adet J77MN-3P/-3R için</a>	6,29	EC002498	<a href="#">355554</a>	4548583066472		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-3</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 3 adet J77MN-3P/-3R için</a>	8,05	EC002498	<a href="#">355561</a>	4548583066540		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-3S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 3 adet J77MN-3P/-3R için</a>	8,05	EC002498	<a href="#">355555</a>	4548583066489		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-4</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 4 adet J77MN-3P/-3R için</a>	10,02	EC002498	<a href="#">355562</a>	4548583066557		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-4S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 4 adet J77MN-3P/-3R için</a>	10,02	EC002498	<a href="#">355556</a>	4548583066496		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-CPM-3-45-5</a>	<a href="#">3 faz besleme barası, pin tip, 45 mm aralıklı, 5 adet J77MN-3P/-3R için</a>	10,69	EC002498	<a href="#">355563</a>	4548583066564		5	CD	CDX	ESP	8536.4900.99
<a href="#">J77MN-CPM-3-45-5S</a>	<a href="#">3 faz besleme barası, tırnak tip, 45 mm aralıklı, 5 adet J77MN-3P/-3R için</a>	10,69	EC002498	<a href="#">355557</a>	4548583066502		10	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-DC-3R-115-RY</a>	<a href="#">Door-coupling, red/yellow, with supporting bracket</a>	58,60	EC002498	<a href="#">265659</a>	4547648694209		#	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-DC-3R-315-B</a>	<a href="#">Uzatma saftı, kilit mekanizması, sivah</a>	73,30	EC002498	<a href="#">265650</a>	4547648637527		#	CD	CDX	KOR	8536.4900.99
<a href="#">J77MN-VKA-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KNA arasında, DIN ray montaj adaptörüne gerek yoktur</a>	4,89	EC002498	<a href="#">234344</a>	4547648327619			CD	CDX	AUT	8536.4900.99
<a href="#">J77MN-VKG-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KNG arasında, DIN ray montaj adaptörüne gerek yoktur</a>	5,83	EC002498	<a href="#">234346</a>	4547648327633			CD	CDX	AUT	8536.4900.99
<a href="#">J77MN-VKN-3</a>	<a href="#">Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KN arasında, DIN ray montaj adaptörüne gerek yoktur</a>	4,91	EC002498	<a href="#">234345</a>	4547648327626			CD	CDX	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Soket PF</b>											
<a href="#">PF083A-E</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminali</a>	3.51	EC001456	<a href="#">333396</a>	4547648825917	#	50	CF	CFA	CHN	8536.4900.99
<a href="#">PF083A(N)</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	6.47	EC001456	<a href="#">148890</a>	4536853723064			CF	CFA	JPN	8536.4900.99
<a href="#">PF113A-E</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)</a>	3.56	EC001456	<a href="#">333397</a>	4547648825931	#	50	CF	CFA	CHN	8536.4900.99
<b>Soket PE</b>											
<a href="#">PE083A-D</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminali</a>	6.66	EC001456	<a href="#">694129</a>	4549734994392	#	10	CF	CFA	HUN	8536.6990.99
<a href="#">PE113A-D</a>	<a href="#">Soket, DIN ray montajlı, 11 pinli, vida terminali</a>	6.11	EC001456	<a href="#">694130</a>	4549734994408	#	10	CF	CFA	HUN	8536.6990.99
<a href="#">PE113A-N</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/DF)</a>	8.53	EC001456	<a href="#">694131</a>	4549734994415	#	10	CF	CFA	HUN	8536.6990.99
<b>Soket PTF</b>											
<a href="#">PTF11A</a>	<a href="#">Soket, DIN ray montajlı, 11 pinli, vida terminali</a>	9.49	EC001456	<a href="#">113375</a>	4536853724580		10	CF	CFB	JPN	8536.4900.99
<a href="#">PTFZ-08-E</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminali</a>	4.65	EC001456	<a href="#">202173</a>	4549734715621	#	10	CF	CFB	CHN	8536.4900.99
<a href="#">PTFZ-14-E</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vida terminali</a>	8.25	EC001456	<a href="#">202174</a>	4549734715638	#	10	CF	CFB	CHN	8536.4900.99
<b>Soket PTF</b>											
<a href="#">PTF-08-PU</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals</a>	9.87	EC001456	<a href="#">690036</a>	4549734556002		10	CF	CFB	MYS	8536.4900.99
<a href="#">PTF-08-PU-L</a>	<a href="#">Socket, DIN ray montajlı, 8 pinli, vida terminali</a>	9.13	EC001456	<a href="#">690035</a>	4549734556019		10	CF	CFB	MYS	8536.4900.99
<a href="#">PTF-14-PU-L</a>	<a href="#">Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals</a>	12.33	EC001456	<a href="#">690034</a>	4549734556026	#	10	CF	CFB	MYS	8536.4900.99
<b>Soket PY</b>											
<a href="#">PY08-02</a>	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	1.73	EC001456	<a href="#">104360</a>	4536853725693		10	CF	CFC	JPN	8536.4900.99
<a href="#">PY14-02</a>	<a href="#">Socket, 14 pinli, PCB terminal</a>	2.23	EC001456	<a href="#">149949</a>	4536853725617		10	CF	CFC	JPN	8536.4900.99
<b>Soket PY</b>											
<a href="#">PY08</a>	<a href="#">Soket, 8 pinli, lehim terminal</a>	1.73	EC001456	<a href="#">154461</a>	4536853725259		10	CF	CFC	JPN	8536.4900.99
<b>Soket PY</b>											
<a href="#">PY14</a>	<a href="#">Soket, 14 pinli, lehim terminal</a>	2.23	EC001456	<a href="#">113299</a>	4536853725334		10	CF	CFC	JPN	8536.4900.99
<b>Soket PYE</b>											
<a href="#">PYE08A-N</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminali</a>	4.89	EC001456	<a href="#">168910</a>	4547648009232	#	50	CF	CFD	CHN	8536.4900.99
<a href="#">PYE11A</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals</a>	8.77	EC001456	<a href="#">154463</a>	4536853725594		10	CF	CFD	JPN	8536.6990.99
<a href="#">PYE14A-N</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vida terminali</a>	5.44	EC001456	<a href="#">168911</a>	4547648009256	#	50	CF	CFD	CHN	8536.4900.99
<a href="#">PYFZ-08-E</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)</a>	5.13	EC001456	<a href="#">684980</a>	4549734447713	#	50	CF	CFD	CHN	8536.6990.99
<a href="#">PYFZ-14-E</a>	<a href="#">Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)</a>	7.51	EC001456	<a href="#">684981</a>	4549734447720	#	50	CF	CFD	CHN	8536.6990.99
<b>Soket PYE</b>											
<a href="#">PYE-08-PU</a>	<a href="#">MY2 için 8 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket</a>	5.88	EC001456	<a href="#">685034</a>	4549734218375	#	10	CF	CFD	MYS	8536.6990.99
<a href="#">PYE-08-PU-L</a>	<a href="#">MY2 için 8 pinli, Push-in Plus terminali, DIN ray/yüzey montaj soket</a>	5.88	EC001456	<a href="#">685036</a>	4549734218399		10	CF	CFD	MYS	8536.6990.99
<a href="#">PYE-14-PU</a>	<a href="#">MY4 için 14 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket</a>	6.01	EC001456	<a href="#">685035</a>	4549734218382	#	10	CF	CFD	MYS	8536.6990.99
<a href="#">PYE-14-PU-L</a>	<a href="#">MY4 için 14 pinli, Push-in Plus terminali, DIN ray/yüzey montaj soket</a>	6.01	EC001456	<a href="#">685037</a>	4549734218405	#	10	CF	CFD	MYS	8536.6990.99
<b>Soket PYE</b>											
<a href="#">PYE14-ESN-B</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 2/2 seviye, vida terminali (NO/NC kontak terminaleri, ortak uç ve bobin terminalerinden ayrılmıştır)</a>	5.06	EC001456	<a href="#">694136</a>	4549734994460	#	10	CF	CFD	HUN	8536.6990.99
<a href="#">PYE14-FSS-B</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 1/3 seviye, vida terminali (NO/NC kontak terminaleri, ortak uç ve bobin terminalerinden ayrılmıştır)</a>	5.75	EC001456	<a href="#">694137</a>	4549734994477	#	10	CF	CFD	HUN	8536.6990.99
<b>Soket PYE</b>											
<a href="#">PYE08S</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vidasız terminal</a>	4.97	EC001456	<a href="#">113312</a>	4536854750762		10	CF	CFD	CHN	8536.6990.99
<b>Soket PYE</b>											
<a href="#">PYE14S</a>	<a href="#">Soket, DIN ray montajlı, 14 pinli, vidasız terminal</a>	5.96	EC001456	<a href="#">113313</a>	4536854750786		10	CF	CFD	CHN	8536.6990.99
<b>Soket P2RE</b>											
<a href="#">P2RF-05-ESS</a>	<a href="#">Soket, DIN ray montajlı, 5 pinli, vida terminali</a>	5.57	EC001456	<a href="#">695856</a>	4549734616140	#	10	CF	CFG	HUN	8536.6990.99
<a href="#">P2RF-08-ESS</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vida terminali</a>	5.21	EC001456	<a href="#">695858</a>	4549734616157	#	10	CF	CFG	HUN	8536.6990.99
<a href="#">P2RFZ-05-E</a>	<a href="#">Socket, DIN rail/surface mounting, 5-pin, screw terminals</a>	4.93	EC001456	<a href="#">690420</a>	4549734578530	#	50	CF	CFG	CHN	8536.6990.99
<a href="#">P2RFZ-08-E</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	7.86	EC001456	<a href="#">690419</a>	4549734578547	#	50	CF	CFG	CHN	8536.6990.99
<b>Soket P2RE</b>											
<a href="#">P2RF-05-PU</a>	<a href="#">G2R-1-S için 5 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket</a>	5.63	EC001456	<a href="#">685032</a>	4549734218450	#	20	CF	CFG	MYS	8536.4900.99
<a href="#">P2RF-08-PU</a>	<a href="#">G2R-2-S için 8 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket</a>	6.11	EC001456	<a href="#">685033</a>	4549734218467	#	20	CF	CFG	MYS	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Soket P2RF</b>											
<a href="#">P2RF-05-S</a>	<a href="#">Soket, DIN ray montajlı, 5 pinli, vidasız terminal</a>	5.44	EC001456	<a href="#">113546</a>	4536854883453		10	CF	CFG	CHN	8536.4900.99
<a href="#">P2RF-08-S</a>	<a href="#">Soket, DIN ray montajlı, 8 pinli, vidasız terminal</a>	8.63	EC001456	<a href="#">113547</a>	4536854883460		10	CF	CFG	CHN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">P2R-057P</a>	<a href="#">Socket, back-connecting, 5-pin, PCB terminals</a>	2.89	EC001456	<a href="#">113542</a>	4536854742507		10	CF	CFX	CHN	8536.4900.99
<a href="#">P2R-05P</a>	<a href="#">Socket, 5 pinli, PCB terminal</a>	2.04	EC001456	<a href="#">151502</a>	4536854742576	#	10	CF	CFX	CHN	8536.4900.99
<a href="#">P2R-087P</a>	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	3.59	EC001456	<a href="#">113541</a>	4536854742408		10	CF	CFX	CHN	8536.4900.99
<a href="#">P2R-08P</a>	<a href="#">Socket, 8 pinli, PCB terminal</a>	2.53	EC001456	<a href="#">113545</a>	4536854742569	#	10	CF	CFX	CHN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">P2R-05A</a>	<a href="#">Socket, back-connecting, 5-pin, solder terminals</a>	2.72	EC001456	<a href="#">113537</a>	4536853726430		10	CF	CFX	CHN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">PT08-0</a>	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	1.91	EC001456	<a href="#">113369</a>	4536853724399		10	CF	CFX	JPN	8536.4900.99
<a href="#">PT14-0</a>	<a href="#">Socket, back-connecting, 14-pin, PCB terminals</a>	3.78	EC001456	<a href="#">113372</a>	4536853724443		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">11PFA</a>	<a href="#">Socket, DIN rail/surface mounting, 11-pin, screw terminals</a>	9.50	EC001456	<a href="#">149957</a>	4536853722760		20	CF	CFX	JPN	8536.4900.99
<a href="#">14PFA</a>	<a href="#">Socket, DIN rail/surface mounting, 14-pin, screw terminals</a>	12.28	EC001456	<a href="#">113518</a>	4536853722777		20	CF	CFX	JPN	8536.4900.99
<a href="#">8PFA</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	5.60	EC001456	<a href="#">113516</a>	4536853722746		20	CF	CFX	JPN	8536.4900.99
<a href="#">8PFA1</a>	<a href="#">Socket, DIN rail/surface mounting, 8-pin, screw terminals</a>	5.90	EC001456	<a href="#">113517</a>	4536853722753		20	CF	CFX	JPN	8536.4900.99
<a href="#">P2CF-08-E</a>	<a href="#">Socket, DIN ray montajlı, 8 pinli, vida terminali</a>	9.35	EC001456	<a href="#">113612</a>	4536854821103		10	CF	CFX	JPN	8536.4900.99
<a href="#">P2CF-11-E</a>	<a href="#">Socket, DIN ray montajlı, 11 pinli, vida terminali</a>	12.01	EC001456	<a href="#">113613</a>	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
<a href="#">P3G-08</a>	<a href="#">Socket, back-connecting, 8-pin, screw terminals</a>	10.05	EC001456	<a href="#">142420</a>	4536854821035		10	CF	CFX	JPN	8536.6990.99
<a href="#">P3GA-11</a>	<a href="#">Socket, back-connecting, 11-pin, screw terminals</a>	12.78	EC001456	<a href="#">120939</a>	4536854821141		10	CF	CFX	JPN	8536.6990.99
<b>Diğer Soketler</b>											
<a href="#">PLE08-0</a>	<a href="#">Socket, back-connecting, 8-pin, PCB terminals</a>	3.77	EC001456	<a href="#">113442</a>	4536853723934		10	CF	CFX	JPN	8536.4900.99
<a href="#">PLE11-0</a>	<a href="#">Socket, 11 pinli, PCB terminal</a>	4.17	EC001456	<a href="#">154472</a>	4536853724016		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">PL08</a>	<a href="#">Soket, 8 pinli, lehim terminal</a>	2.64	EC001456	<a href="#">113440</a>	4536853723903		10	CF	CFX	JPN	8536.4900.99
<a href="#">PL11</a>	<a href="#">Socket, back-connecting, 11-pin, solder terminals</a>	2.90	EC001456	<a href="#">105709</a>	4536853723941		10	CF	CFX	JPN	8536.4900.99
<b>Diğer Soketler</b>											
<a href="#">PES-50</a>	<a href="#">Relay socket for PCB relays, DIN rail mounting, 2 stages, 1 or 2 PDT, rise-up screw connection</a>	7.14	EC001456	<a href="#">382986</a>	8020028273592		10	CF	CFX	ITA	8536.6990.99
<b>Özel Soketler</b>											
<a href="#">MS16MOLLE</a>	<a href="#">Thermoplastic release lever for PES 35-50-50/3 socket, relay height 16 mm</a>	0.53	EC002586	<a href="#">382980</a>	8020028144274		10	CF	CFY	ITA	8538.9099.99
<a href="#">MS25 MOLLE</a>	<a href="#">Thermoplastic release lever for relay securing for PES 35-50-50/3 socket, relay height 25 mm</a>	0.50	EC002586	<a href="#">382981</a>	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
<a href="#">PES-35</a>	<a href="#">G2R-1 serisi PCB röleler için soket, DIN ray montajlı, 5 pinli, vidalı terminal</a>	4.16	EC001456	<a href="#">382985</a>	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
<a href="#">PES50/3</a>	<a href="#">G2R-2 serisi PCB röleler için soket, DIN ray montajlı, 8 pinli, vidalı terminal</a>	4.99	EC001456	<a href="#">382987</a>	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
<a href="#">TYPE 22</a>	<a href="#">Module with diode, protection against polarity inversion, 6/230 Vdc</a>	2.06	EC002586	<a href="#">382991</a>	8020028142669		20	CF	CFY	ITA	8538.9099.99
<a href="#">TYPE 42</a>	<a href="#">Module with diode and Led, protection against polarity inversion plus signalling through Led, 6/24 Vdc</a>	3.35	EC002586	<a href="#">382992</a>	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
<a href="#">TYPE 42B</a>	<a href="#">Module with diode and Led, protection against polarity inversion plus signalling through Led, 24/60 Vdc</a>	3.43	EC002586	<a href="#">382993</a>	8020028144021		20	CF	CFY	ITA	8538.9099.99
<a href="#">TYPE 52C</a>	<a href="#">Module with "RC" group, without signalling, arc eliminator circuit, 110/230 Vac</a>	4.23	EC002586	<a href="#">382994</a>	8020028144083		20	CF	CFY	ITA	8538.9099.99
<a href="#">TYPE 62C</a>	<a href="#">Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 6/24 Vac/Vdc</a>	5.36	EC002586	<a href="#">382996</a>	8020028144120		20	CF	CFY	ITA	8538.9099.99
<a href="#">TYPE 92C</a>	<a href="#">Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 110/230 Vac/Vdc</a>	5.32	EC002586	<a href="#">382997</a>	8020028144175		20	CF	CFY	ITA	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">P2DN-15.7-100S</a>	<a href="#">Box of short bar for P2BEZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps. Color is blue.</a>	25.15	EC002586	690422	4549734578486	#	10	CF	CFZ	CHN	8536.6990.99
<a href="#">P2DN-6.8-100S</a>	<a href="#">Box of short bar for P2BEZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.</a>	25.15	EC002586	690423	4549734578479	#	10	CF	CFZ	CHN	8536.6990.99
<a href="#">P2DN-CP100</a>	<a href="#">Box of 100 caps for P2DN short bar, insulation cap for the short bar cut, blue color</a>	13.13	EC002586	690421	4549734578516	#	10	CF	CFZ	CHN	8536.6990.99
<a href="#">P2RM-SB</a>	<a href="#">Socket bridge (for use with P2BE-S)</a>	31.35	EC002586	<a href="#">113336</a>	4536854894480		10	CF	CFZ	JPN	8536.4900.99
<a href="#">P2RM-SB</a>	<a href="#">Socket bridge (for use with P2BE-S)</a>	32.24	EC002586	<a href="#">103463</a>	4536854894473		10	CF	CFZ	JPN	8536.4900.99
<a href="#">PYDM-08SR</a>	<a href="#">Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package</a>	49.27	EC002586	<a href="#">113332</a>	4536854737145		10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-15.5-080Y</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, kırmızı, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670377</a>	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-15.5-080S</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, mavimsi, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670366</a>	4548583798311		10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-15.5-080Y</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, sarı, A1 terminali için uygun değil</a>	7.17	EC002586	<a href="#">670356</a>	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-31.0-080R</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, kırmızı</a>	8.32	EC002586	<a href="#">670348</a>	4548583798274		10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-31.0-080S</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, mavimsi</a>	8.32	EC002586	<a href="#">670363</a>	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-31.0-080Y</a>	<a href="#">PYE-PU için bobin köprü aparatı, 8 kutup, sarı</a>	8.32	EC002586	<a href="#">670375</a>	4548583798298		10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-020R</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, kırmızı</a>	3.57	EC002586	<a href="#">670352</a>	4548583798458		10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-020S</a>	<a href="#">G2RV-SB/G3RV-SB için köprü aparatı, 2 kutup, mavimsi</a>	3.57	EC002586	<a href="#">670362</a>	4548583798465	#	10	CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-020Y</a>	<a href="#">G2RV-SB/G3RV-SB için köprü aparatı, 2 kutup, sarı</a>	3.57	EC002586	<a href="#">670370</a>	4548583798472		10	CF	CFZ	JPN	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">PYDN-6.2-030R</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, kırmızı</a>	5.29	EC002586	<a href="#">670350</a>	4548583798489	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-030S</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, mavı</a>	5.29	EC002586	<a href="#">670378</a>	4548583798496	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-030Y</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, sarı</a>	5.29	EC002586	<a href="#">670351</a>	4548583798502	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-040R</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, kırmızı</a>	7.02	EC002586	<a href="#">670365</a>	4548583798519	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-040S</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, mavı</a>	7.02	EC002586	<a href="#">670368</a>	4548583798526	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-040Y</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, sarı</a>	7.02	EC002586	<a href="#">670381</a>	4548583798533	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-100R</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, kırmızı</a>	7.33	EC002586	<a href="#">670360</a>	4548583798540	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-100S</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, mavı</a>	7.33	EC002586	<a href="#">670379</a>	4548583798557	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-100Y</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, sarı</a>	7.33	EC002586	<a href="#">670353</a>	4548583798564	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-200R</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, kırmızı</a>	8.40	EC002586	<a href="#">670349</a>	4548583798571	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-200S</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, mavı</a>	8.40	EC002586	<a href="#">670371</a>	4548583798588	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-6.2-200Y</a>	<a href="#">G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, sarı</a>	8.40	EC002586	<a href="#">670372</a>	4548583798595	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-020R</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, kırmızı</a>	4.65	EC002586	<a href="#">670369</a>	4548583798335	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-020S</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, mavı</a>	4.65	EC002586	<a href="#">670373</a>	4548583798342	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-020Y</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, sarı</a>	4.65	EC002586	<a href="#">670380</a>	4548583798359	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-030R</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, kırmızı</a>	5.79	EC002586	<a href="#">670385</a>	4548583798366	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-030S</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, mavı</a>	5.79	EC002586	<a href="#">670354</a>	4548583798373	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-030Y</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, sarı</a>	5.79	EC002586	<a href="#">670376</a>	4548583798380	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-040R</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, kırmızı</a>	7.17	EC002586	<a href="#">670384</a>	4548583798397	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-040S</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, mavı</a>	7.17	EC002586	<a href="#">670358</a>	4548583798403	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-040Y</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, sarı</a>	7.17	EC002586	<a href="#">670357</a>	4548583798410	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-200R</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, kırmızı</a>	8.55	EC002586	<a href="#">670374</a>	4548583798427	#		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-200S</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, mavı</a>	8.55	EC002586	<a href="#">670359</a>	4548583798434	10		CF	CFZ	JPN	8536.6990.99
<a href="#">PYDN-7.75-200Y</a>	<a href="#">PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, sarı</a>	8.55	EC002586	<a href="#">670382</a>	4548583798441	10		CF	CFZ	JPN	8536.6990.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">MG-CPM-04 41390N</a>	<a href="#">White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)</a>	214.30	EC001288	685974	8016692764306			CF	CFZ	ITA	8538.9099.99
<a href="#">MG-CPM-04 41391</a>	<a href="#">White modular sheet with 48 marker of size mm: 6x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 28 sheets, total markers 1344)</a>	185.20	EC001288	685975	8016692613079			CF	CFZ	ITA	8538.9099.99
<a href="#">MG-CPM-04 41392</a>	<a href="#">White modular sheet with 80 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 25 sheets, total markers 2000)</a>	236.20	EC001288	685976	8016692769400			CF	CFZ	ITA	8538.9099.99
<a href="#">MG-CPM-05 41490</a>	<a href="#">White modular sheet with 56 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1960)</a>	250.00	EC001288	685977	8016692482309			CF	CFZ	ITA	3403.1980.00
<a href="#">MG-CPM-07 41691</a>	<a href="#">White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total labels 1680)</a>	214.30	EC001288	685978	8016692570174			CF	CFZ	ITA	8538.9099.99
<a href="#">MG-CPM-07 41692</a>	<a href="#">White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)</a>	236.20	EC001288	685979	8016692887760			CF	CFZ	ITA	8538.9099.99
<a href="#">PYC-TR1</a>	<a href="#">Labels for PYF14-ESSN/ESS sockets, (1 pc = 1 bag including 10 labels)</a>	2.11	EC002586	<a href="#">694135</a>	4549734994453			CF	CFZ	HUN	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">P2CM-ESS</a>	<a href="#">P2BF-**-ESS soket için opsiyonel röle tutucu aparat (1 paket = 10 adet)</a>	4.17	EC002586	<a href="#">695857</a>	4549734616133	#		CF	CFZ	HUN	8536.4900.99
<a href="#">P2CM-S</a>	<a href="#">P2BF-S soket için opsiyonel röle tutucu aparat</a>	0.37	EC002586	<a href="#">145976</a>	4536854886522	50		CF	CFZ	CHN	8536.4900.99
<a href="#">PFC-A1</a>	<a href="#">MKS serisi röle tuturma aparatı</a>	1.10	EC002586	<a href="#">113525</a>	4536853723156	200		CF	CFZ	JPN	8536.4900.99
<a href="#">PFC-N8</a>	<a href="#">Retaining clips for 6TF-GP-N8 level controller &amp; PF083A-E socket</a>	2.63	EC002586	<a href="#">151994</a>	4536853385149			CF	CFZ	JPN	8538.9099.99
<a href="#">PYC-Q</a>	<a href="#">Metal retaining clip (wire spring clip) for use with PYF14-ESSN/ESS (for use with relays only). Sold in multiples of 10 per package, not available separately</a>	3.69	EC002586	<a href="#">694132</a>	4549734994422			CF	CFZ	HUN	8538.9099.99
<a href="#">PYC-35-R</a>	<a href="#">Hold-down clip, plastic, for PYF14-ESS-B/ES-B, sold in multiples of 10 per package</a>	5.65	EC002586	<a href="#">694133</a>	4549734994439	#		CF	CFZ	HUN	8538.9099.99
<a href="#">PYC-A1</a>	<a href="#">Retaining clips for LY/MY relay &amp; PTF/PYF E/N socket</a>	0.48	EC002586	<a href="#">113324</a>	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
<a href="#">PYC-E1</a>	<a href="#">Retaining clips for MY2IN(S) relay &amp; PYF E/N socket</a>	0.58	EC002586	<a href="#">156669</a>	4536854382406	100		CF	CFZ	JPN	8536.4900.99
<a href="#">PYCM-08S</a>	<a href="#">Clip and release lever for PYF08S socket</a>	0.37	EC002586	<a href="#">157441</a>	4536854750793	200		CF	CFZ	CHN	8536.4900.99
<a href="#">PYCM-14S</a>	<a href="#">Clip and release lever for PYF14S socket</a>	0.52	EC002586	<a href="#">142635</a>	4536854750816	50		CF	CFZ	CHN	8536.4900.99
<a href="#">PYC-P</a>	<a href="#">Retaining clip for LY/MY relay &amp; PT/PY socket</a>	0.30	EC002586	<a href="#">154464</a>	4536853726058	100		CF	CFZ	JPN	8536.4900.99
<a href="#">PYC-TR</a>	<a href="#">Plastik etiket, P2BF-ESS soket için, 1 pakette 10 adet plastik etiket</a>	3.16	EC002586	<a href="#">694134</a>	4549734994446			CF	CFZ	HUN	8538.9099.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">PFP-M</a>	<a href="#">End plate</a>	2.47	EC002586	<a href="#">147906</a>	4536853722715	100		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">PFP-S</a>	<a href="#">Spacer</a>	1.46	EC002848	<a href="#">148889</a>	4536853722722	10		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>											
<a href="#">PFP-100N</a>	<a href="#">DIN-rail mounting track, 35x7.3mm, 1m length</a>	19.97	EC001285	<a href="#">113513</a>	4536853722692	25		CF	CFZ	CHN	8536.4900.99
<a href="#">PFP-100N2</a>	<a href="#">DIN-rail mounting track, 35x16mm, 1m length</a>	25.65	EC001285	<a href="#">113515</a>	4536853722739			CF	CFZ	CHN	8536.4900.99
<a href="#">PFP-50N</a>	<a href="#">Din-rail track, 500mm</a>	14.42	EC001285	<a href="#">113514</a>	4536853722708			CF	CFZ	CHN	8536.4900.99

Image	Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Soketler için Aksesuarlar</b>												
	R99-04 FOR G5E	Surface mounting W-bracket for G71 relay	1.02	EC002586	112515	4536853729486	100		CF	CFZ	JPN	8536.4900.99
	R99-11	Nameplate for MY relay (packet of 100) (not PYF14ESN / ESS)	18.22	EC002586	114077	4536854445897			CF	CFZ	JPN	8536.4900.99
	R99-12 FOR G3NA	Mounting bracket for G3NA	18.22	EC002586	166375	4536854912924	10		CF	CFZ	JPN	8536.4900.99
<b>Soketler için Aksesuarlar</b>												
	P2RVC-8-I-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670367	4548583798649			CF	CFZ	JPN	8538.9099.99
	P2RVC-8-I-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670361	4548583798625			CF	CFZ	JPN	8538.9099.99
	P2RVC-8-I-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	50.70	EC002780	670364	4548583798632			CF	CFZ	JPN	8538.9099.99
	P2RVC-8-O-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670386	4548583798670			CF	CFZ	JPN	8538.9099.99
	P2RVC-8-O-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670383	4548583798656			CF	CFZ	JPN	8538.9099.99
	P2RVC-8-O-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.20	EC002780	670355	4548583798663	#		CF	CFZ	JPN	8538.9099.99
<b>Endüstriyel Switch Z15</b>												
	Z-15ESR	General purpose basic switch, slim sprung plunger, SPDT, 15A high capacity, solder terminals	14.96	EC000030	103031	4536854262500			CG	CGA	JPN	8536.5015.90
	Z-15EW29	General purpose basic switch	17.17	EC000030	224888	4547648247108	80		CG	CGA	JPN	8536.5015.90
	Z-15G-B	Genel amaçlı basit switch, üstten basmalı, SPDT, 15 A, vida terminalli	9.62	EC000030	382399	4548583364912	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GD	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, lehim terminal	10.58	EC000030	382406	4548583364981	20		CG	CGA	IDN	8536.5015.90
	Z-15GD55-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, sızdırmaz, vida terminalli	14.39	EC000030	382407	4548583364998	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GD-R	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, vida terminalli	10.58	EC000030	382398	4548583364905	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GK355-B	General purpose basic switch, plunger (high-operating point), SPDT, 15A, screw terminals	17.77	EC000030	105033	4536854263316	20		CG	CGA	JPN	8536.5015.90
	Z-15GK55	General purpose basic switch, plunger (mid-operating point), SPDT, 15A	14.88	EC000030	145324	4536854263354	20		CG	CGA	JPN	8536.5015.90
	Z-15GK55-B	Genel amaçlı basit switch, üstten basmalı (orta OP), SPDT, 15 A, sızdırmaz, vida terminalli	15.34	EC000030	106760	4536854263361	20		CG	CGA	JPN	8536.5015.90
	Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15A, screw terminals	11.92	EC000030	106644	4536854266126			CG	CGA	JPN	8536.5015.90
	Z-15GM	General purpose basic switch, reverse hinge lever, SPDT, 15A, solder terminals	10.58	EC000030	106609	4536854268359	20		CG	CGA	JPN	8536.5015.90
	Z-15GM22-B	General purpose basic switch, 15A, reverse short hinge roller lever, screw terminal	12.31	EC000030	152969	4536854268496	20		CG	CGA	JPN	8536.5015.90
	Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.59	EC000030	106613	4536854268427	20		CG	CGA	JPN	8536.5015.90
	Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.58	EC000030	106610	4536854268366	20		CG	CGA	JPN	8536.5015.90
	Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	21.64	EC000030	154125	4536854266003	#	10	CG	CGA	JPN	8536.5015.90
	Z-15GQ	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, lehim terminal	12.31	EC000030	382403	4548583364950	20		CG	CGA	IDN	8536.5015.90
	Z-15GQ21	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, lehim terminal	16.82	EC000030	106621	4536854265174	20		CG	CGA	JPN	8536.5015.90
	Z-15GQ21-B	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, vida terminalli	16.82	EC000030	156316	4536854265419	#	20	CG	CGA	JPN	8536.5015.90
	Z-15GQ22	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, lehim terminal	16.33	EC000030	382404	4548583364967	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, screw terminals	23.51	EC000030	145325	4536854265983	20		CG	CGA	JPN	8536.5015.90
	Z-15GQ22A55-B5V	General purpose basic switch, 15A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	31.64	EC000030	106686	4536854264016	#		CG	CGA	JPN	8536.5015.90
	Z-15GQ22-B	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, vida terminalli	16.82	EC000030	382397	4548583364899	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GQ55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	19.20	EC000030	106635	4536854265945	20		CG	CGA	JPN	8536.5015.90
	Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15A	16.33	EC000030	143082	4536854265433	20		CG	CGA	JPN	8536.5015.90
	Z-15GQ-B	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, vida terminalli	13.44	EC000030	382396	4548583364875	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	14.67	EC000030	106533	4536854269325	20		CG	CGA	JPN	8536.5015.90
	Z-15GS-B	Genel amaçlı basit switch, ince tip üstten basmalı, SPDT, 15, vida terminalli	11.53	EC000030	106694	4536854265559	#	20	CG	CGA	JPN	8536.5015.90
	Z-15GW	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, lehim terminal	9.14	EC000030	382401	4548583364936	20		CG	CGA	IDN	8536.5015.90
	Z-15GW2	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, lehim terminal	9.62	EC000030	382402	4548583364943	20		CG	CGA	IDN	8536.5015.90
	Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15A	8.65	EC000030	103033	4536854266553	20		CG	CGA	JPN	8536.5015.90
	Z-15GW22	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, lehim terminal	9.62	EC000030	382400	4548583364929	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	13.44	EC000030	144235	4536854266805	20		CG	CGA	JPN	8536.5015.90
	Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals	12.99	EC000030	382408	4548583365001	20		CG	CGA	IDN	8536.5015.90
	Z-15GW2277	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, SPDT, 15 A, lehim terminal	12.50	EC000030	106575	4536854266904	20		CG	CGA	JPN	8536.5015.90
	Z-15GW2277-B	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol (Düşük OF), SPDT, 15 A, vida terminalli	12.99	EC000030	377800	4548583364820	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	28.77	EC000030	143081	4536854263934	#	20	CG	CGA	JPN	8536.5015.90
	Z-15GW22-B	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, vida terminalli	9.62	EC000030	377795	4548583364745	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GW225	General purpose basic switch, short hinge steel roller lever, SPDT, 15A	9.63	EC000030	106571	4536854266768	20		CG	CGA	JPN	8536.5015.90
	Z-15GW2255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	11.07	EC000030	106587	4536854267130	20		CG	CGA	JPN	8536.5015.90
	Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	14.39	EC000030	151808	4536854267147	20		CG	CGA	JPN	8536.5015.90
	Z-15GW25-B	General purpose basic switch, hinge roller lever (large roller), SPDT, 15A, screw terminals	9.40	EC000030	377799	4548583364813	20		CG	CGA	IDN	8536.5015.90
	Z-15GW2A55-B5V	General purpose basic switch, hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	22.08	EC000030	106681	4536854263910	10		CG	CGA	JPN	8536.5015.90
	Z-15GW2-B	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, vida terminalli	9.62	EC000030	377796	4548583364752	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	10.58	EC000030	377801	4548583364851	10		CG	CGA	IDN	8536.5015.90
	Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106594	4536854267282	20		CG	CGA	JPN	8536.5015.90
	Z-15GW4A55-B	General purpose basic switch, long hinge lever, SPDT, 15A, drip proof, screw terminals	14.88	EC000030	149618	4536854267581	20		CG	CGA	JPN	8536.5015.90
	Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106595	4536854267499	20		CG	CGA	JPN	8536.5015.90
	Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals	9.62	EC000030	382409	4548583365018	20		CG	CGA	IDN	8536.5015.90
	Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	13.44	EC000030	106603	4536854267826	20		CG	CGA	JPN	8536.5015.90
	Z-15GW-B	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, vida terminalli	9.14	EC000030	377797	4548583364769	#	20	CG	CGA	IDN	8536.5015.90
	Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	15.92	EC000030	377802	4548583364868	20		CG	CGA	IDN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15HNJ55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	25.11	EC000030	<a href="#">143086</a>	4536854270505	10		CG	CGA	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	12.15	EC000030	<a href="#">106474</a>	4536854270871	10		CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	12.02	EC000030	<a href="#">155993</a>	4536854270888	#		CG	CGA	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	13.15	EC000030	<a href="#">106482</a>	4536854271298	10		CG	CGA	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	12.99	EC000030	<a href="#">106483</a>	4536854271304	10		CG	CGA	JPN	8536.5015.90
<b>Endüstriyel Switch D4MC</b>											
D4MC-1000	Kapalı switch, levye kol, SPDT, 10 A	18.32	EC000030	<a href="#">133872</a>	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-1020	Kapalı switch, kısa levye kol, SPDT, 10 A	19.15	EC000030	<a href="#">133873</a>	4536853225605	10		CG	CGB	JPN	8536.5015.90
D4MC-2000	Kapalı switch, makaralı levye kol, SPDT, 10 A	18.86	EC000030	<a href="#">150872</a>	4536853226510	10		CG	CGB	JPN	8536.5015.90
D4MC-2020	Kapalı switch, makaralı orta uzunlukta levye kol, SPDT, 10 A	17.88	EC000030	<a href="#">133874</a>	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	20.10	EC000030	<a href="#">104167</a>	4536853225933	10		CG	CGB	JPN	8536.5015.90
D4MC-5000	Kapalı switch, panel montajlı üstten basmalı, SPDT, 10 A	23.35	EC000030	<a href="#">156466</a>	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Kapalı switch, panel montajlı makaralı üstten basmalı, SPDT, 10 A	25.82	EC000030	<a href="#">133783</a>	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Kapalı switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 10 A	26.07	EC000030	<a href="#">133785</a>	4536853226244	10		CG	CGB	JPN	8536.5015.90
<b>Endüstriyel Switch WL</b>											
D4V-8108Z	Limit switch D4V, adjustable roller lever: R30 to 75 mm, DPDB, with ground terminal	62.95	EC000030	<a href="#">668126</a>	4547648271691	5		CG	CGC	CHN	8536.5015.90
WL-1A100	WL series limit switch replacement roller lever	9.07	EC002594	<a href="#">108305</a>	4536854171215			CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	11.56	EC002594	<a href="#">108307</a>	4536854171246			CG	CGC	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch: adjustable rod lever	27.19	EC002594	<a href="#">108308</a>	4536854171253			CG	CGC	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	19.24	EC001483	<a href="#">108323</a>	4536854171765	20		CG	CGC	JPN	9032.9000.90
WL-9H100-N	WL-N series limit switch replacement head with coil spring lever	25.61	EC001483	<a href="#">674185</a>	4548583547872	10		CG	CGC	JPN	9032.9000.90
WL-9H300-N	Head set for WL-N-2	43.69	EC001483	<a href="#">670508</a>	4548583547926	5		CG	CGC	JPN	9032.9000.90
WLCA12-2G-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 with ground terminal	91.90	EC000030	<a href="#">392898</a>	4548583477452	#		CG	CGC	JPN	8536.5015.90
WLCA12-2NG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	120.10	EC000030	<a href="#">392899</a>	4548583477520	#		CG	CGC	JPN	8536.5015.90
WLCA12-G-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	72.55	EC000030	<a href="#">392927</a>	4548583485198	#		CG	CGC	CHN	8536.5015.90
WLCA12-THG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	138.90	EC000030	<a href="#">392902</a>	4548583477858	#		CG	CGC	JPN	8536.5015.90
WLCA12-Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15+5°, DPDB, M20 with ground terminal	63.05	EC000030	<a href="#">392903</a>	4548583477896			CG	CGC	JPN	8536.5015.90
WLCA2-2G-N	Limit switch, roller lever: R38 mm, pretravel 15+5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	77.65	EC000030	<a href="#">392945</a>	4548583478077			CG	CGC	JPN	8536.5015.90
WLCA2-2NG-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	91.90	EC000030	<a href="#">392905</a>	4548583478152	#		CG	CGC	JPN	8536.5015.90
WLCA2-7G-N	Limit switch, makaralı kol R50, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	77.00	EC000030	<a href="#">392908</a>	4548583478367			CG	CGC	JPN	8536.5015.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	68.15	EC000030	<a href="#">154621</a>	4536854160745			CG	CGC	JPN	8536.5015.90
WLCA2-G1-N	Limit switch, roller lever: R38 mm, pretravel 15+5°, DPDB, G1/2 with ground terminal	58.90	EC000030	<a href="#">392893</a>	4548583478565			CG	CGC	JPN	8536.5015.90
WLCA2-G-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	68.15	EC000030	<a href="#">392932</a>	4548583485334	#		CG	CGC	CHN	8536.5015.90
WLCA2-THG-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	94.90	EC000030	<a href="#">392912</a>	4548583478862			CG	CGC	JPN	8536.5015.90
WLCA2-Y-N	Limit switch, adjustable roller lever: standard, DPDB, M20 with ground terminal	60.95	EC000030	<a href="#">392936</a>	4548583485402			CG	CGC	CHN	8536.5015.90
WLCA32-41G-N	Limit switch, lock fork roller lever, DPDB, 10A	85.85	EC000030	<a href="#">411084</a>	4548583543478			CG	CGC	CHN	8536.5015.90
WLCA32-43G-N	Limit switch, çatal kol, DPDB, 10 A	86.30	EC000030	<a href="#">393479</a>	4548583543515			CG	CGC	CHN	8536.5015.90
WLCA14-G11D-N	Limit switch, roller lever, DPDB, LED, G1/2 with ground terminal	140.00	EC000030	<a href="#">674239</a>	4548583478985	#		CG	CGC	JPN	8536.5015.90
WLCL-G-N	Limit switch, ayarlanabilir cubuk kol: 25 - 140 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	71.10	EC000030	<a href="#">392938</a>	4548583485440	#		CG	CGC	CHN	8536.5015.90
WLD18-G-N	Limit switch, üstten basmalı, DPDB, G1/2 Topraklama terminali	60.65	EC000030	<a href="#">393481</a>	4548583543546			CG	CGC	CHN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10A, Pg13.5 with ground terminal	64.25	EC000030	<a href="#">411106</a>	4548583543614	#		CG	CGC	CHN	8536.5015.90
WLD2-G	Limit switch, üstten basmalı, makaralı, DPDB, 10 A	60.65	EC000030	<a href="#">148955</a>	4536854167027			CG	CGC	JPN	8536.5015.90
WLD2-G1-N	Limit switch, roller top plunger, DPDB, 10 A, with ground terminal	60.05	EC000030	<a href="#">679497</a>	4548583539358			CG	CGC	JPN	8536.5015.90
WLG2-LDFS-DGJS03	Limit switch, roller lever, overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	116.10	EC000030	<a href="#">167202</a>	4536854940071			CG	CGC	JPN	8536.5015.90
WLN1-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10A	68.15	EC000030	<a href="#">411091</a>	4548583543720	#		CG	CGC	CHN	8536.5007.00
WLN1-G1-N	Limit switch, flexible rod, pretravel 20+10 mm, DPDB, G1/2 with ground terminal	51.55	EC000030	<a href="#">393477</a>	4548583542419			CG	CGC	JPN	8536.5007.00
WLN1-G-N	Limit switch, esnek bobin yaylı, pretravel 20+10 dkm, DPDB, G1/2 Topraklama terminali	50.60	EC000030	<a href="#">393483</a>	4548583543805	#		CG	CGC	CHN	8536.5007.00
WLN1-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20+10 mm, DPDB, Pg13.5 with ground terminal	59.20	EC000030	<a href="#">406411</a>	4548583543836	#		CG	CGC	CHN	8536.5007.00
WLN1-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15+5°, DPDB, M20 with ground terminal	56.65	EC000030	<a href="#">411096</a>	4548583543904			CG	CGC	CHN	8536.5007.00
WLS02-G-N	Limit switch, Horizontal-roller plunger, Pg13.5 with ground terminal	84.55	EC000030	<a href="#">411097</a>	4548583543911			CG	CGC	CHN	8536.5015.90
<b>Endüstriyel Switch ZC</b>											
ZC-D255	Enclosed basic switch, plunger, SPDT, 15A	32.50	EC000030	<a href="#">106416</a>	4536854251061	10		CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	49.25	EC000030	<a href="#">151806</a>	4536854252907	10		CG	CGD	JPN	8536.5015.90
ZC-O2155	Kapalı basit switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 15 A	38.66	EC000030	<a href="#">106332</a>	4536854251436	10		CG	CGD	JPN	8536.5015.90
ZC-O2255	Kapalı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A	39.09	EC000030	<a href="#">151804</a>	4536854252365	#		CG	CGD	JPN	8536.5015.90
ZC-O55	Kapalı basit switch, panel montajlı üstten basmalı, SPDT, 15 A	37.64	EC000030	<a href="#">106425</a>	4536854251276	#		CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A	29.98	EC000030	<a href="#">106351</a>	4536854253249	10		CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A	31.84	EC000030	<a href="#">106353</a>	4536854253416			CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	31.84	EC000030	<a href="#">106352</a>	4536854253409	10		CG	CGD	JPN	8536.5015.90
<b>Endüstriyel Switch ZE/ZV</b>											
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15A	86.75	EC000030	<a href="#">106372</a>	4536854255120			CG	CGE	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<a href="#">ZE-N22-2G</a>	<a href="#">Enclosed switch, sealed roller plunger, SPDT, 15A</a>	86.30	EC000030	<a href="#">104736</a>	4536854255151			CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-N-2G</a>	<a href="#">Kapalı switch, üstten basmalı, SPDT, 15 A</a>	46.59	EC000030	<a href="#">106370</a>	4536854255038			CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-NA2-2G</a>	<a href="#">Kapalı switch, makaralı kol, SPDT, 15 A</a>	58.45	EC000030	<a href="#">151525</a>	4536854255229	#		CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-O21-2G</a>	<a href="#">Kapalı switch, zıt makaralı üstten basmalı, SPDT, 15 A</a>	50.70	EC000030	<a href="#">149257</a>	4536854254840			CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-O22-2G</a>	<a href="#">Kapalı switch, makaralı üstten basmalı, SPDT, 15 A</a>	50.25	EC000030	<a href="#">150415</a>	4536854255496	#		CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-O-2G</a>	<a href="#">Kapalı switch, üstten basmalı, SPDT, 15 A</a>	45.78	EC000030	<a href="#">106359</a>	4536854254789			CG	CGE	JPN	8536.5015.90	
<a href="#">ZE-OA2-2G</a>	<a href="#">Enclosed switch, roller arm lever, SPDT, 15A</a>	51.15	EC000030	<a href="#">152689</a>	4536854254932			CG	CGE	JPN	8536.5015.90	
<a href="#">ZV2-N-2G</a>	<a href="#">Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15A</a>	55.20	EC000030	<a href="#">154929</a>	4536854260773			CG	CGE	JPN	8536.5015.90	
<b>Endüstriyel Switch D4C</b>												
<a href="#">D4C-1201</a>	<a href="#">Kompak kapalı limit switch, üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	56.05	EC000030	<a href="#">134459</a>	4536853210052	#		CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1202</a>	<a href="#">Kompak kapalı limit switch, makaralı üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF yağa dayanıklı kablolu</a>	55.70	EC000030	<a href="#">134460</a>	4536853210069	#		CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1203</a>	<a href="#">Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	59.70	EC000030	<a href="#">134461</a>	4536853210076			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1220</a>	<a href="#">Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	71.90	EC000030	<a href="#">105810</a>	4536853210113			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1224</a>	<a href="#">Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	74.05	EC000030	<a href="#">147957</a>	4536853210151			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1231</a>	<a href="#">Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	68.85	EC000030	<a href="#">134463</a>	4536853210182			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1232</a>	<a href="#">Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	71.90	EC000030	<a href="#">134464</a>	4536853210199			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1233</a>	<a href="#">Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	70.30	EC000030	<a href="#">134465</a>	4536853210205			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1243</a>	<a href="#">Compact enclosed limit switch, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	71.30	EC000030	<a href="#">134468</a>	4536853210236			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1250</a>	<a href="#">Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	71.10	EC000030	<a href="#">134469</a>	4536853210243			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1302</a>	<a href="#">Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable</a>	75.45	EC000030	<a href="#">134470</a>	4536853210274			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1320</a>	<a href="#">Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable</a>	82.60	EC000030	<a href="#">156713</a>	4536853210304			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1332</a>	<a href="#">Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable</a>	82.60	EC000030	<a href="#">134473</a>	4536853210342			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-1G01 5M</a>	<a href="#">Compact enclosed limit switch</a>	111.90	EC000030	<a href="#">289178</a>	4547648734493			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-3202</a>	<a href="#">Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable</a>	61.90	EC000030	<a href="#">105813</a>	4536853212865			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-4232</a>	<a href="#">Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCTF oil-resistant cable</a>	71.90	EC000030	<a href="#">134317</a>	4536853214043			CG	CGF	JPN	8536.5015.90	
<a href="#">D4C-4332</a>	<a href="#">Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable</a>	81.25	EC000030	<a href="#">144739</a>	4536853214203	#		CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-3002</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC, roller plunger</a>	73.75	EC000030	<a href="#">150121</a>	4536853208417			CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-3024</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever</a>	81.65	EC000030	<a href="#">153483</a>	4536853208448			CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-3032</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger</a>	84.70	EC000030	<a href="#">154611</a>	4536853208479			CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-3050</a>	<a href="#">Compact limit switch, connector type, 1 A 125 VAC, plastic rod</a>	99.65	EC000030	<a href="#">134526</a>	4536853208523	#		CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-4002</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC, roller plunger</a>	83.85	EC000030	<a href="#">134529</a>	4536853208561			CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-4024</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC</a>	88.15	EC000030	<a href="#">134532</a>	4536853208592			CG	CGF	JPN	8536.5015.90	
<a href="#">D4CC-4032</a>	<a href="#">Compact limit switch, connector type, 1 A 30 VDC, LFD, Sealed roller plunger</a>	86.20	EC000030	<a href="#">155420</a>	4536853208622			CG	CGF	JPN	8536.5015.90	
<b>Endüstriyel Switch HL</b>												
<a href="#">HL-5000G</a>	<a href="#">Limit switch, makaralı kol, Topraklama terminali</a>	47.85	EC000030	<a href="#">378665</a>	4548583439153	#		CG	CGH	CHN	8536.5015.90	
<a href="#">HL-5030G</a>	<a href="#">Limit switch, ayarlanabilir makaralı kol, Topraklama terminali</a>	49.25	EC000030	<a href="#">378666</a>	4548583439177	#		CG	CGH	CHN	8536.5015.90	
<a href="#">HL-5050G</a>	<a href="#">Limit switch, ayarlanabilir çubuk kol, Topraklama terminali</a>	48.94	EC000030	<a href="#">378667</a>	4548583439191			CG	CGH	CHN	8536.5015.90	
<a href="#">HL-5100G</a>	<a href="#">Limit switch, korumalı üstten basmalı, Topraklama terminali</a>	54.25	EC000030	<a href="#">378668</a>	4548583439214			CG	CGH	CHN	8536.5015.90	
<a href="#">HL-5200G</a>	<a href="#">Limit switch, korumalı makaralı üstten basmalı, Topraklama terminali</a>	57.10	EC000030	<a href="#">378654</a>	4548583439238	#		CG	CGH	CHN	8536.5015.90	
<a href="#">HL-5300G</a>	<a href="#">Limit switch, bobin yaylı, Topraklama terminali</a>	57.05	EC000030	<a href="#">378655</a>	4548583439252			CG	CGH	CHN	8536.5015.90	
<b>Endüstriyel Switch SHL</b>												
<a href="#">SHL-D55</a>	<a href="#">Subminiature enclosed switch, plunger actuator</a>	34.80	EC000030	<a href="#">111615</a>	4536853780425		10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-D55-01</a>	<a href="#">Subminiature enclosed switch, plunger actuator, 0.1A micro load</a>	42.92	EC000030	<a href="#">111705</a>	4536853779016	#		10	CG	CGI	JPN	8536.5015.90
<a href="#">SHL-O2155</a>	<a href="#">Enclosed switch, panel mount across roller plunger, SPDT, 10A</a>	38.89	EC000030	<a href="#">147187</a>	4536853780821	#	10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-O2155-01</a>	<a href="#">Enclosed switch, panel mount across roller plunger, SPDT, 10A micro voltage</a>	41.02	EC000030	<a href="#">111610</a>	4536853779450			CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-O2255</a>	<a href="#">Enclosed switch, panel mount roller plunger, SPDT, 10A</a>	39.90	EC000030	<a href="#">145031</a>	4536853781002	#	10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-O2255-01</a>	<a href="#">Enclosed switch, panel mount roller plunger, SPDT, 10A micro voltage</a>	40.64	EC000030	<a href="#">111611</a>	4536853779627		10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-O55</a>	<a href="#">Subminiature enclosed switch, panel mount plunger</a>	35.48	EC000030	<a href="#">106139</a>	4536853780623	5	CG	CGI	JPN	8536.5015.90		
<a href="#">SHL-W155</a>	<a href="#">Enclosed switch, hinge lever, SPDT, 10A</a>	35.99	EC000030	<a href="#">111621</a>	4536853781637		10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-W2155</a>	<a href="#">Enclosed switch, hinge roller lever, SPDT, 10A</a>	36.02	EC000030	<a href="#">153766</a>	4536853781651	#	10	CG	CGI	JPN	8536.5015.90	
<a href="#">SHL-W255</a>	<a href="#">Enclosed switch, short hinge roller lever, SPDT, 10A</a>	34.31	EC000030	<a href="#">104735</a>	4536853781408	#	10	CG	CGI	JPN	8536.5015.90	
<b>Endüstriyel Switch A22</b>												
<a href="#">A22NZ-2BM-01AA</a>	<a href="#">Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position ALL</a>	12.39	EC000222	<a href="#">662748</a>	4548583717596		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2BM-01BA</a>	<a href="#">Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position LEFT</a>	18.63	EC000222	<a href="#">664829</a>	4548583717602		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2BM-NBA</a>	<a href="#">Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK</a>	5.75	EC000222	<a href="#">660926</a>	4548583715486		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2BM-NRA</a>	<a href="#">Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR RED</a>	5.76	EC000222	<a href="#">660009</a>	4548583715431			CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2MM-01BA</a>	<a href="#">Selector A22NZ 022, Key type S, 2 position, bezel brushed M, MANUAL, RELEASE position LEFT</a>	15.98	EC000222	<a href="#">664883</a>	4548583717640		20	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2MM-NBA</a>	<a href="#">Selector A22NZ 022, 2 position, NON-lighted, bezel brushed metal, MANUAL, COLOR BLACK</a>	4.40	EC000222	<a href="#">660010</a>	4548583715721		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-2RM-NBA</a>	<a href="#">Selector A22NZ 022, 2 position, NON-lighted, bezel metal, MANUAL, COLOR BLACK</a>	4.40	EC000222	<a href="#">662174</a>	4548583715967		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-3BB-NBA</a>	<a href="#">Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, AUTO, RESET ON L/B, COLOR BLACK</a>	5.98	EC000222	<a href="#">666627</a>	4548583716568		10	CG	CGK	TWN	8536.5015.90	
<a href="#">A22NZ-3BM-NBA</a>	<a href="#">Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK</a>	5.98	EC000222	<a href="#">660930</a>	4548583716209		10	CG	CGK	TWN	8536.5015.90	



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">A22NZ-3MM-NBA</a>	<a href="#">Selector A22NZ 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK</a>	4.13	EC000222	<a href="#">664721</a>	4548583716681		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-NAA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.14	EC000221	<a href="#">666194</a>	4548583711877		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-NGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.14	EC000221	<a href="#">666481</a>	4548583711846		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-NRA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED</a>	4.14	EC000221	<a href="#">664461</a>	4548583711839		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-NWA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.14	EC000221	<a href="#">664548</a>	4548583711860		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-NYA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW</a>	4.14	EC000221	<a href="#">665917</a>	4548583711853		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BMM-NBA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.59	EC000221	<a href="#">662397</a>	4548583712065	#	10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BMM-NGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.14	EC000221	<a href="#">665233</a>	4548583712027		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BMM-NRA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED</a>	4.14	EC000221	<a href="#">662103</a>	4548583712010		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BMM-LGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN</a>	3.99	EC000221	<a href="#">661172</a>	4548583712140		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NAA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.59	EC000221	<a href="#">662116</a>	4548583711518		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NBA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.59	EC000221	<a href="#">661703</a>	4548583711525		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN</a>	4.59	EC000221	<a href="#">660475</a>	4548583711488		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NRA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED</a>	4.78	EC000221	<a href="#">664957</a>	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NWA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.78	EC000221	<a href="#">662117</a>	4548583711501		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-NYA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW</a>	4.60	EC000221	<a href="#">661170</a>	4548583711495		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-NAA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE</a>	4.72	EC000221	<a href="#">663145</a>	4548583712232		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-NBA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK</a>	4.74	EC000221	<a href="#">661179</a>	4548583712249		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-NWA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE</a>	4.72	EC000221	<a href="#">660246</a>	4548583712225		20	CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
<a href="#">A22NZ-2BM-TGA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel PLASTIC, MANUAL, COLOR GREEN</a>	5.77	EC000222	<a href="#">660011</a>	4548583715509		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-2BM-TBA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel PLASTIC, MANUAL, COLOR RED</a>	5.77	EC000222	<a href="#">663831</a>	4548583715493		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-2BM-TWA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel PLASTIC, MANUAL, COLOR WHITE</a>	5.77	EC000222	<a href="#">662172</a>	4548583715523		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-2BM-TYA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel PLASTIC, MANUAL, COLOR YELLOW</a>	4.13	EC000222	<a href="#">664707</a>	4548583715516		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-2MM-TGA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel brushed M, MANUAL, COLOR GREEN</a>	4.40	EC000222	<a href="#">666621</a>	4548583715745		4	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-2MM-TYA</a>	<a href="#">Selector A22NZ 022, 2 position, L ighted, bezel brushed M, MANUAL, COLOR YELLOW</a>	5.25	EC000222	<a href="#">660925</a>	4548583715752		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-3BM-TGA</a>	<a href="#">Selector A22NZ 022, 3 position, L ighted, bezel PLASTIC, MANUAL, COLOR GREEN</a>	6.51	EC000222	<a href="#">661886</a>	4548583716223		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-3BM-TBA</a>	<a href="#">Selector A22NZ 022, 3 position, L ighted, bezel PLASTIC, MANUAL, COLOR RED</a>	6.51	EC000222	<a href="#">664720</a>	4548583716216		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-TAA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	4.14	EC000221	<a href="#">662104</a>	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-TGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.14	EC000221	<a href="#">662398</a>	4548583711907		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-TBA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	4.14	EC000221	<a href="#">664971</a>	4548583711891		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-TWA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	4.19	EC000221	<a href="#">663373</a>	4548583711921	#	10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BGM-TYA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	4.19	EC000221	<a href="#">663382</a>	4548583711914		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-TAA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	2.90	EC000221	<a href="#">661165</a>	4548583711570		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-TGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	2.90	EC000221	<a href="#">662121</a>	4548583711549		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-TBA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	2.90	EC000221	<a href="#">660238</a>	4548583711532		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-TWA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	2.90	EC000221	<a href="#">663647</a>	4548583711563		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BNM-TYA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	2.90	EC000221	<a href="#">663117</a>	4548583711556		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-BPM-TGA</a>	<a href="#">Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.14	EC000221	<a href="#">665541</a>	4548583711723		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-TAA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED</a>	4.74	EC000221	<a href="#">666840</a>	4548583712294		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-TGA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED</a>	4.74	EC000221	<a href="#">665935</a>	4548583712263		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-TBA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED</a>	4.74	EC000221	<a href="#">664982</a>	4548583712256		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-TWA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED</a>	4.74	EC000221	<a href="#">665234</a>	4548583712287		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-MNM-TYA</a>	<a href="#">Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED</a>	4.74	EC000221	<a href="#">660245</a>	4548583712270		10	CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
<a href="#">A22NS-2BM-NBA-G100-NN</a>	<a href="#">Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO</a>	13.71	EC001029	<a href="#">661214</a>	4548583658059	#		CG	CGK	TWN	8536.5015.90
<b>Endüstriyel Switch A22</b>											
<a href="#">A22-01</a>	<a href="#">Contact block, SPST-NC, general-purpose load</a>	4.43	EC000041	<a href="#">150948</a>	4536854356452		50	CG	CGK	JPN	8536.5015.90
<a href="#">A22-02</a>	<a href="#">Contact block, DPST-NC, general-purpose load</a>	12.53	EC000041	<a href="#">160871</a>	4536854453397		30	CG	CGK	JPN	8536.5015.90
<a href="#">A22-10</a>	<a href="#">Contact block, SPST-NO, general-purpose load</a>	4.43	EC000041	<a href="#">157745</a>	4536854356469		50	CG	CGK	JPN	8536.5015.90
<a href="#">A22-24AR</a>	<a href="#">LED, 24 VAC/DC, red</a>	11.13	EC002498	<a href="#">145656</a>	4536853019488		20	CG	CGK	JPN	8536.5015.90
<a href="#">A22NZ-L-AC</a>	<a href="#">Pushbutton accessory A22NZ, Blue LED Lamp 24 VAC/DC</a>	4.10	EC002498	<a href="#">662694</a>	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-GB</a>	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC</a>	5.08	EC002498	<a href="#">666218</a>	4548583718166		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-GC</a>	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 24 VAC/DC</a>	4.10	EC002498	<a href="#">663627</a>	4548583718227		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-GF</a>	<a href="#">Pushbutton accessory A22NZ, Green LED Lamp 200/220/230 VAC</a>	4.63	EC002498	<a href="#">666451</a>	4548583718340		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-OC</a>	<a href="#">Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC</a>	4.10	EC002498	<a href="#">659820</a>	4548583718265		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-RC</a>	<a href="#">Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC</a>	4.10	EC002498	<a href="#">663615</a>	4548583718210		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-RE</a>	<a href="#">Pushbutton accessory A22NZ, Red LED Lamp 200/220/230 VAC</a>	4.29	EC002498	<a href="#">666442</a>	4548583718333		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-WA</a>	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 6 VDC</a>	4.29	EC002498	<a href="#">672751</a>	4548583718135		10	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-WC</a>	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC</a>	4.48	EC002498	<a href="#">664307</a>	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-WF</a>	<a href="#">Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC</a>	4.62	EC002498	<a href="#">660761</a>	4548583718371		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-L-YC</a>	<a href="#">Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC</a>	4.10	EC002498	<a href="#">662716</a>	4548583718234		50	CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">A22NZ-L-YE</a>	<a href="#">Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC</a>	4.29	EC002498	<a href="#">665251</a>	4548583718357		50	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-G1A</a>	<a href="#">Pushbutton A22NZ, Contact Block SPST-NO (blue)</a>	3.26	EC000041	<a href="#">667274</a>	4548583718012		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-G1B</a>	<a href="#">Pushbutton A22NZ, Contact Block SPST-NC (orange)</a>	3.26	EC000041	<a href="#">661432</a>	4548583718029		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P1A</a>	<a href="#">A22N Kontak bloklar, SPST-NO, push-in terminali</a>	6.22	EC000041	<a href="#">672599</a>	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P1B</a>	<a href="#">A22N Kontak bloklar, SPST-NC, push-in terminali</a>	6.22	EC000041	<a href="#">672624</a>	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2A</a>	<a href="#">A22N Kontak bloklar, DPST-NO, push-in terminali</a>	12.08	EC000041	<a href="#">672593</a>	4548583920927		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2B</a>	<a href="#">A22N kontak bloklar, DPST-NC, push-in terminali</a>	11.95	EC000041	<a href="#">672587</a>	4548583920934		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-S-P2C</a>	<a href="#">A22N Kontak bloklar, SPST-NO + SPST-NC, push-in terminali</a>	16.01	EC000041	<a href="#">672619</a>	4548583920941		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-B</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 12 VAC/DC</a>	3.74	EC000204	<a href="#">662692</a>	4548583718043		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-C</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 24 VAC/DC</a>	3.16	EC000204	<a href="#">665524</a>	4548583718050		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-CP</a>	<a href="#">A22N Aydınlatma Üniteleri, 24 VAC / DC, push-in terminali</a>	6.01	EC000204	<a href="#">672613</a>	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-E</a>	<a href="#">Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC</a>	3.74	EC000204	<a href="#">662693</a>	4548583718074		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22NZ-T-FP</a>	<a href="#">A22N Aydınlatma Üniteleri, 200/220/230/240 VAC, push-in terminali</a>	10.87	EC000204	<a href="#">672620</a>	4548583920996		20	CG	CGK	TWN	8536.5015.90
<a href="#">A22-TN</a>	<a href="#">Lamp socket, direct lighting</a>	2.60	EC000204	<a href="#">160858</a>	4536854408274		50	CG	CGK	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16L-JR</a>	<a href="#">Pushbutton, illuminated, rectangular, IP40, red</a>	3.61	EC001072	<a href="#">106052</a>	4536853010171		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-JW</a>	<a href="#">Pushbutton, illuminated, rectangular, IP40, white</a>	3.61	EC001072	<a href="#">160064</a>	4536853010188		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TG</a>	<a href="#">Pushbutton, illuminated, round, IP40, green</a>	3.74	EC001072	<a href="#">160065</a>	4536853010218		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TR</a>	<a href="#">Pushbutton, illuminated, round, IP40, red</a>	3.72	EC001072	<a href="#">160066</a>	4536853010232		10	CG	CGL	JPN	8536.5015.90
<a href="#">A16L-TW</a>	<a href="#">Pushbutton, illuminated, round, IP40, white</a>	3.72	EC001072	<a href="#">160067</a>	4536853010249		10	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165L-AR</a>	<a href="#">Pushbutton, illuminated, square, IP65, red</a>	4.77	EC001072	<a href="#">160046</a>	4536853009939		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-AY</a>	<a href="#">Pushbutton, illuminated, square, IP65, yellow</a>	4.40	EC001072	<a href="#">160047</a>	4536853009953		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JA</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, blue</a>	4.86	EC001072	<a href="#">154779</a>	4536853009960		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JB</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, black</a>	4.77	EC001072	<a href="#">160043</a>	4536853009885		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JG</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, green</a>	4.86	EC001072	<a href="#">144900</a>	4536853009977		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JY</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, green for LED only</a>	3.70	EC001072	<a href="#">160048</a>	4536853009984		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JR</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, red</a>	4.86	EC001072	<a href="#">160049</a>	4536853009991		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JW</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, white</a>	4.86	EC001072	<a href="#">160050</a>	4536853010003		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-JY</a>	<a href="#">Pushbutton, illuminated, rectangular, IP65, yellow</a>	4.86	EC001072	<a href="#">160051</a>	4536853010010		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TG</a>	<a href="#">Pushbutton, illuminated, round, IP65, green</a>	4.80	EC001072	<a href="#">160053</a>	4536853010034		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TGY</a>	<a href="#">Pushbutton, illuminated, round, IP65, green for LED only</a>	4.16	EC001072	<a href="#">160054</a>	4536853010041		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TR</a>	<a href="#">Pushbutton, illuminated, round, IP65, red</a>	4.72	EC001072	<a href="#">160055</a>	4536853010058		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165L-TY</a>	<a href="#">Pushbutton, illuminated, round, IP65, yellow</a>	4.77	EC001072	<a href="#">160057</a>	4536853010072		10	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16-CAM</a>	<a href="#">IP40 case for pushbutton unit, square, momentary or indicator</a>	3.90	EC000221	<a href="#">160028</a>	4536853009731		5	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CJA</a>	<a href="#">IP40 case for pushbutton unit, rectangular, latching</a>	4.89	EC000221	<a href="#">160029</a>	4536853009748		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CJM</a>	<a href="#">IP40 case for pushbutton unit, rectangular, momentary or indicator</a>	3.90	EC000221	<a href="#">160030</a>	4536853009755		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CTA</a>	<a href="#">IP40 case for pushbutton unit, round, latching</a>	4.89	EC000221	<a href="#">160031</a>	4536853009762		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-CTM</a>	<a href="#">IP40 case for pushbutton unit, round, momentary or indicator</a>	3.90	EC000221	<a href="#">160032</a>	4536853009779		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165-CAM</a>	<a href="#">IP65 case for pushbutton unit, square, momentary or indicator</a>	4.96	EC000221	<a href="#">144899</a>	4536853009793		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CJA</a>	<a href="#">IP65 case for pushbutton unit, rectangular, latching</a>	6.87	EC000221	<a href="#">160033</a>	4536853009809		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CJM</a>	<a href="#">IP65 case for pushbutton unit, rectangular, momentary or indicator</a>	5.50	EC000221	<a href="#">160034</a>	4536853009816		50	CG	CGL	JPN	8536.5015.90
<a href="#">A165-CTM</a>	<a href="#">IP65 case for pushbutton unit, round, momentary or indicator</a>	4.96	EC000221	<a href="#">160036</a>	4536853009830		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16-1</a>	<a href="#">Switch unit, SPDT, 5 A (125 VAC) / 3 A (230VAC), solder terminal</a>	6.97	EC000041	<a href="#">160076</a>	4536853010263		50	CG	CGL	JPN	8536.5015.90
<a href="#">A16-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC) / 3 A (230 VAC), solder terminal</a>	10.95	EC000041	<a href="#">160077</a>	4536853010270		50	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165S-A2M</a>	<a href="#">Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">152141</a>	4536854345654		30	CG	CGL	JPN	8536.5015.90
<a href="#">A165S-A3M</a>	<a href="#">Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">160700</a>	4536854345685		30	CG	CGL	JPN	8536.5015.90
<a href="#">A165S-J2M</a>	<a href="#">Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65</a>	20.81	EC000222	<a href="#">160702</a>	4536854345715		10	CG	CGL	JPN	8536.5015.90
<a href="#">A165S-J3M</a>	<a href="#">Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65</a>	21.33	EC000222	<a href="#">152142</a>	4536854345746		30	CG	CGL	JPN	8536.5015.90
<a href="#">A165S-T2M</a>	<a href="#">Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65</a>	22.81	EC000222	<a href="#">160707</a>	4536854345777		30	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165K-T2ML</a>	<a href="#">Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only</a>	42.93	EC000222	<a href="#">160670</a>	4536854345081		30	CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">A165-2N-1</a>	<a href="#">Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal</a>	6.94	EC000041	<a href="#">160741</a>	4536854346385	50		CG	CGL	JPN	8536.5015.90
<a href="#">A165-2N-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal</a>	11.92	EC002498	<a href="#">160743</a>	4536854346408	50		CG	CGL	JPN	8536.5015.90
<a href="#">A165-2N-2L</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal</a>	10.95	EC000041	<a href="#">155154</a>	4536854346415			CG	CGL	JPN	8536.5015.90
<a href="#">A165-2N-2P</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB terminal</a>	52.85	EC000041	<a href="#">148178</a>	4536854375330			CG	CGL	JPN	8536.5015.90
<a href="#">A165-3N-2</a>	<a href="#">Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, solder terminal</a>	9.01	EC002498	<a href="#">160744</a>	4536854346446	50		CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165S-A2M-2</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal</a>	25.27	EC001029	<a href="#">160755</a>	4536854346521	5		CG	CGL	JPN	8536.5015.90
<a href="#">A165S-J2M-2</a>	<a href="#">Knob-type selector switch, 16mm mounting, non-illuminated, rectangular, 2 position, manual reset, DPDT</a>	25.75	EC001029	<a href="#">105652</a>	4536854346576	5		CG	CGL	JPN	8536.5015.90
<a href="#">A165S-T2M-1</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal</a>	21.69	EC001029	<a href="#">160760</a>	4536854346613			CG	CGL	JPN	8536.5015.90
<a href="#">A165S-T2M-2</a>	<a href="#">Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal</a>	25.27	EC001029	<a href="#">160761</a>	4536854346620	5		CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A16-12DY</a>	<a href="#">LED, 12 VDC, yellow</a>	4.94	EC002498	<a href="#">160006</a>	4536853009618	100		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DG</a>	<a href="#">LED, 24 VDC, green</a>	7.75	EC002498	<a href="#">160007</a>	4536853009632	100		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DR</a>	<a href="#">LED, 24 VDC, red</a>	7.12	EC002498	<a href="#">149210</a>	4536853009649	100		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DSG</a>	<a href="#">LED, 24 VDC, green, superbright</a>	7.55	EC002498	<a href="#">160020</a>	4536854589089			CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DSR</a>	<a href="#">LED, 24 VDC, red, superbright</a>	7.55	EC002498	<a href="#">143445</a>	4536854589096	18		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DSW</a>	<a href="#">LED, 24 VDC, white, superbright</a>	6.49	EC002498	<a href="#">105995</a>	4536854589102	30		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DSY</a>	<a href="#">LED, 24 VDC, yellow, superbright</a>	7.55	EC002498	<a href="#">160021</a>	4536854589119	20		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DW</a>	<a href="#">LED, 24 VDC, white</a>	8.74	EC002498	<a href="#">160008</a>	4536853009656	100		CG	CGL	JPN	8536.5015.90
<a href="#">A16-24DY</a>	<a href="#">LED, 24 VDC, yellow</a>	7.55	EC002498	<a href="#">160009</a>	4536853009663	100		CG	CGL	JPN	8536.5015.90
<b>Endüstriyel Switch A16</b>											
<a href="#">A165K-KEY</a>	<a href="#">Spare key for A165K switches</a>	7.09	EC002024	<a href="#">160654</a>	4536854480225			CG	CGL	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">DZ-10G-1B</a>	<a href="#">Basic switch, pin plunger, 10 A, DPDT, screw terminals</a>	20.63	EC000030	<a href="#">133557</a>	4536853181819	20		CG	CGX	JPN	8536.5015.90
<a href="#">DZ-10GW-1B</a>	<a href="#">Basic switch, hinge lever, 10 A, DPDT, screw terminals</a>	24.64	EC000030	<a href="#">133564</a>	4536853181994	20		CG	CGX	JPN	8536.5015.90
<a href="#">DZ-10GW22-1B</a>	<a href="#">Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals</a>	24.64	EC000030	<a href="#">133569</a>	4536853182052	20		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">TZ-1GV</a>	<a href="#">High temperature basic switch, hinge lever, 1 A</a>	230.90	EC000030	<a href="#">156285</a>	4536854126833	20		CG	CGX	JPN	8536.5015.90
<a href="#">TZ-1GV2</a>	<a href="#">High temperature basic switch, hinge lever, 1 A</a>	239.20	EC000030	<a href="#">109865</a>	4536854126840	20		CG	CGX	JPN	8536.5015.90
<a href="#">TZ-1GV22</a>	<a href="#">High temperature basic switch, short hinge roller lever, 1 A</a>	250.30	EC000030	<a href="#">109866</a>	4536854126857	20		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">X-10GM-B</a>	<a href="#">Basic switch, general purpose, reverse hinge lever, 10A, screw terminals</a>	20.64	EC000030	108112	4536854245558	20		CG	CGX	JPN	8536.5015.90
<a href="#">X-10GQ22-B</a>	<a href="#">Basic switch, panel mount roller plunger, SPDT, 10A</a>	17.99	EC000030	108195	4536854244636	20		CG	CGX	JPN	8536.5015.90
<a href="#">X-10GW22-B</a>	<a href="#">Basic switch, general purpose, short hinge roller lever, 10A, screw terminals</a>	15.26	EC000030	108200	4536854245084	20		CG	CGX	JPN	8536.5015.90
<a href="#">X-10GW-B</a>	<a href="#">Basic switch, general purpose, hinge lever, 10A, screw terminals</a>	14.14	EC000030	144219	4536854244926	20		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">Z-10FM22Y-B</a>	<a href="#">General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals</a>	25.75	EC000030	<a href="#">150638</a>	4536854262173			CG	CGX	JPN	8536.5015.90
<a href="#">Z-10FO22Y-B</a>	<a href="#">General purpose basic switch, panel mount roller plunger, 10A split contact, screw terminals</a>	33.20	EC000030	<a href="#">106726</a>	4536854261886	20		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">AP-B</a>	<a href="#">Screw Terminal Use (Phenol Resin) for Z15 switch</a>	0.59	EC002594	<a href="#">137468</a>	4536853004736	20		CG	CGX	JPN	8536.5015.90
<a href="#">AP-DV</a>	<a href="#">Z-15 serisi için koruma altlığı</a>	5.32	EC002594	<a href="#">239600</a>	4536853004903			CG	CGX	JPN	8536.5015.90
<a href="#">AP-Z</a>	<a href="#">Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch</a>	3.68	EC002594	<a href="#">148140</a>	4536853004880	20		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">D4A-1101N</a>	<a href="#">Limit switch, double-pole, double-break, without indicator, standard roller lever</a>	138.90	EC000030	<a href="#">142473</a>	4536853200633			CG	CGX	JPN	8536.5015.90
<a href="#">D4A-2501N</a>	<a href="#">Limit switch, four-pole, double-break, without indicator, top roller plunger</a>	221.00	EC000030	<a href="#">105809</a>	4536853201401			CG	CGX	JPN	8536.5015.90
<a href="#">D4A-2918N</a>	<a href="#">Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever</a>	213.10	EC000030	<a href="#">134828</a>	4536853201753			CG	CGX	JPN	8536.5015.90
<a href="#">D4A-5101N</a>	<a href="#">Limit switch, double-pole, double-break, without indicator, standard roller lever</a>	136.20	EC000030	<a href="#">134742</a>	4536853202576			CG	CGX	JPN	8536.5015.90
<a href="#">D4A-A00</a>	<a href="#">Replacement lever, roller lever type</a>	27.47	EC002594	<a href="#">134865</a>	4536853198121			CG	CGX	JPN	8536.5015.90
<a href="#">D4A-C00</a>	<a href="#">Replacement lever, adjustable roller lever type</a>	31.48	EC002594	<a href="#">103625</a>	4536853198268			CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">D4E-1A10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, roller plunger</a>	50.65	EC000030	<a href="#">155720</a>	4536853222949	#	10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1A20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller plunger</a>	55.35	EC000030	<a href="#">134060</a>	4536853222956	#	10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1B10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, cross roller plunger</a>	50.65	EC000030	<a href="#">134063</a>	4536853222987	#	10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1B20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger</a>	59.65	EC000030	<a href="#">134064</a>	4536853222994	#	10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1C10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, plunger</a>	56.80	EC000030	<a href="#">134062</a>	4536853223021	#	10	CG	CGX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4E-1C20N	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, plunger</a>	45.24	EC000030	<a href="#">155721</a>	4536853223038			CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1D10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, sealed roller plunger</a>	85.25	EC000030	<a href="#">133989</a>	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1D20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger</a>	89.00	EC000030	<a href="#">133990</a>	4536853223830			CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1E10N</a>	<a href="#">Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger</a>	103.20	EC000030	<a href="#">236316</a>	4536853224073			CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1E20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger</a>	91.80	EC000030	<a href="#">133993</a>	4536853224042			CG	CGX	JPN	8536.5015.90
<a href="#">D4E-1G20N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller lever</a>	55.85	EC000030	<a href="#">133974</a>	4536853223076			CG	CGX	JPN	8536.5015.90
<a href="#">D4FR-1A21N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant</a>	68.40	EC000030	<a href="#">674830</a>	4548583868571	2	CG	CGX	JPN	8536.5015.90	
<a href="#">D4ER-1L21N</a>	<a href="#">Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant</a>	83.55	EC000030	<a href="#">674859</a>	4548583868816	#	2	CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">D5A-1100</a>	<a href="#">Limit switch</a>	140.80	EC000030	<a href="#">105958</a>	4536853227272			CG	CGX	JPN	8536.5015.90
<a href="#">D5A-3200</a>	<a href="#">Limit switch</a>	164.90	EC000030	<a href="#">133692</a>	4536853227364			CG	CGX	JPN	8536.5015.90
<a href="#">D5A-3300</a>	<a href="#">High-precision switch</a>	177.80	EC000030	<a href="#">133701</a>	4536853227425			CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">D5B-1013</a>	<a href="#">Limit switch</a>	74.65	EC000030	<a href="#">133715</a>	4536853227692			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-1023</a>	<a href="#">Limit switch</a>	86.85	EC000030	<a href="#">133717</a>	4536853227722			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-1511</a>	<a href="#">Tactile Limit switch, M10 body, short spring wobble stick actuator, 1m prewired</a>	73.75	EC000030	<a href="#">133719</a>	4536853227746			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-1513</a>	<a href="#">Limit switch</a>	74.30	EC000030	<a href="#">133720</a>	4536853227753	#		CG	CGX	JPN	8536.5015.90
<a href="#">D5B-1515</a>	<a href="#">Tactile Limit switch, M10 body, short spring wobble stick actuator, 5m prewired</a>	80.60	EC000030	<a href="#">133721</a>	4536853227760	#		CG	CGX	JPN	8536.5015.90
<a href="#">D5B-1533</a>	<a href="#">Tactile Limit switch, M10 body, long spring wobble stick actuator, 3m prewired</a>	74.65	EC000030	<a href="#">151368</a>	4536853227784			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-5011</a>	<a href="#">Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired</a>	68.40	EC000030	<a href="#">133724</a>	4536853227807			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-5013</a>	<a href="#">Tactile Limit switch, M5 body, hemispheric actuator, 3m prewired</a>	73.75	EC000030	<a href="#">133725</a>	4536853227814			CG	CGX	JPN	8536.5015.90
<a href="#">D5B-8513</a>	<a href="#">Limit switch</a>	87.35	EC000030	<a href="#">133641</a>	4536853227982			CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">D5C-1D40</a>	<a href="#">Touch switch, free attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3m cable</a>	170.60	EC000030	<a href="#">133644</a>	4536853228033	#		CG	CGX	JPN	8536.5015.90
<b>Diğer Endüstriyel Switchler</b>											
<a href="#">W-10FB3</a>	<a href="#">Limit switch</a>	15.50	EC000030	108330	4536854172540		50	CG	CGX	JPN	9032.9000.90
<b>Özel Endüstriyel Switchler</b>											
<a href="#">M2B-1B24</a>	<a href="#">Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply</a>	33.29	EC001026	<a href="#">116058</a>	4536853684693		10	CG	CGY	JPN	8536.5015.90
<a href="#">M2B-1BH24D</a>	<a href="#">Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply</a>	55.45	EC001026	<a href="#">153015</a>	4536853684822		10	CG	CGY	JPN	8536.5015.90
<a href="#">M2B-1BH24E</a>	<a href="#">Panel mount buzzer, intermittent (short/long) high sound, 12-24 VAC/DC supply</a>	55.45	EC001026	<a href="#">116065</a>	4536853684846			CG	CGY	JPN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
<a href="#">M16-0</a>	<a href="#">Solder terminal socket for use with M16 range of indicators</a>	1.40	EC002498	<a href="#">103150</a>	4536854350689		80	CG	CGY	JPN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
<a href="#">M22N-BC-TGA-GC</a>	<a href="#">Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660568</a>	4548583711198		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TGA-GC-P</a>	<a href="#">M22N Gösterge, Plastik yassı yüzeyli, Yeşil, Yeşil, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672578</a>	4549734088077		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TGA-GE</a>	<a href="#">Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC</a>	18.73	EC000272	<a href="#">662879</a>	4548583711211		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TGA-GE-P</a>	<a href="#">M22N Indicator, Plastik flat etched, Green, Green, 220/230/240 V AC, push-in terminal</a>	20.35	EC000272	<a href="#">672607</a>	4549734088091		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TRA-BC</a>	<a href="#">Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC</a>	16.67	EC000272	<a href="#">662885</a>	4548583711143		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TRA-BC-P</a>	<a href="#">M22N Göstergesi, Plastik yassı kazınmış, Kırmızı, Kırmızı, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672579</a>	4549734088022		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TRA-BE</a>	<a href="#">Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC</a>	14.18	EC000272	<a href="#">664398</a>	4548583711167		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TRA-BE-P</a>	<a href="#">M22N Indicator, Plastik flat etched, Red, Red, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672592</a>	4549734088046		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TWA-WC</a>	<a href="#">Indicator M22N flat etched, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660932</a>	4548583711297		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TWA-WC-P</a>	<a href="#">M22N Göstergesi, Plastik yassı fırınlanmış, Beviz, Beviz, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672612</a>	4549734088176			CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TWA-WF-P</a>	<a href="#">M22N Gösterge, Plastik yassı fırınlanmış, Beviz, Beviz, 220/230/240 V AC, push-in terminal</a>	20.44	EC000272	<a href="#">672576</a>	4549734088190		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TYA-YC</a>	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC</a>	14.80	EC000272	<a href="#">660935</a>	4548583711242		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TYA-YC-P</a>	<a href="#">M22N Indicator, Plastik flat etched, Yellow, Yellow, 24 V, push-in terminal</a>	18.49	EC000272	<a href="#">672582</a>	4549734088121		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TYA-YD</a>	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC</a>	14.18	EC000272	<a href="#">660559</a>	4548583711259			CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TYA-YE</a>	<a href="#">Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC</a>	14.18	EC000272	<a href="#">662878</a>	4548583711266		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BC-TYA-YE-P</a>	<a href="#">M22N Indicator, Plastik flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672598</a>	4549734088145		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TGA-GC</a>	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC</a>	14.98	EC000272	<a href="#">662881</a>	4548583710146		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TGA-GC-P</a>	<a href="#">M22N Gösterge, Plastik düz, Yeşil, Yeşil, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672611</a>	4549734087025		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TGA-GD</a>	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC</a>	17.35	EC000272	<a href="#">660931</a>	4548583710153		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TGA-GE</a>	<a href="#">Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC</a>	18.73	EC000272	<a href="#">662880</a>	4548583710160		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TGA-GE-P</a>	<a href="#">M22N Indicator, Plastik flat, Green, Green, 220/230/240 V AC, push-in terminal</a>	20.35	EC000272	<a href="#">672605</a>	4549734087049		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TRA-BC</a>	<a href="#">Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC</a>	16.26	EC000272	<a href="#">661890</a>	4548583710092		5	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TRA-BC-P</a>	<a href="#">M22N Göstergesi, Plastik düz, Kırmızı, Kırmızı, 24 V, push-in terminali</a>	18.03	EC000272	<a href="#">672594</a>	4549734086974		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TRA-RE</a>	<a href="#">Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC</a>	14.14	EC000272	<a href="#">664399</a>	4548583710115			CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TRA-RE-P</a>	<a href="#">M22N Indicator, Plastik flat, Red, Red, 220/230/240 V AC, push-in terminal</a>	19.77	EC000272	<a href="#">672596</a>	4549734086998		10	CG	CGY	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TWA-WC	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	15.05	EC000272	<a href="#">662492</a>	4548583710245		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TWA-WC-P</a>	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 24 V, qiris terminali	18.03	EC000272	<a href="#">672622</a>	4549734087124	#	10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TWA-WF-P</a>	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 220/230/240 V AC, push-in terminali	20.44	EC000272	<a href="#">672603</a>	4549734087148		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	14.98	EC000272	<a href="#">662491</a>	4548583710191		10	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TYA-YC-P</a>	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	12.80	EC000272	<a href="#">672581</a>	4549734087070		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	14.14	EC000272	<a href="#">666629</a>	4548583710214		2	CG	CGY	TWN	8536.5015.90
<a href="#">M22N-BN-TYA-YE-P</a>	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	19.77	EC000272	<a href="#">672609</a>	4549734087094		10	CG	CGY	TWN	8536.5015.90
<b>Özel Endüstriyel Switchler</b>											
A3AT-90K1-00R	Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, red LED	9.70	EC001028	141165	4536853027445		6	CG	CGY	JPN	8536.5015.90
<a href="#">A3CT-7011</a>	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	12.29	EC001028	140773	4536853046682		10	CG	CGY	JPN	8536.5015.90
<a href="#">A3CT-500G</a>	Pushbutton, illuminated, round, green	3.45	EC000221	140785	4536853047894		50	CG	CGY	JPN	8536.5015.90
<a href="#">A3CT-7011</a>	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	14.50	EC001028	140698	4536853048006		10	CG	CGY	JPN	8536.5015.90
<a href="#">A3CT-7021</a>	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, alternate	12.68	EC001028	140699	4536853048013		10	CG	CGY	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
<a href="#">APB-PG</a>	Terminal cover for Z15 switch, plastic	2.80	EC002594	<a href="#">186943</a>	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
<a href="#">A16Z-3004</a>	Tightening tool	10.38	EC002498	<a href="#">160086</a>	4536854540950			CG	CGZ	JPN	8536.5015.90
<a href="#">A16Z-5070</a>	Yellow E-stop name plate	4.43	EC000624	<a href="#">160087</a>	4536854540981		10	CG	CGZ	JPN	8536.5015.90
<a href="#">A16Z-5080</a>	Switch and lamp extractor	4.43	EC002024	<a href="#">149866</a>	4536854381386		20	CG	CGZ	JPN	8536.5015.90
<a href="#">A16ZJ-5050</a>	Switch Guard, For rectangular models	6.89	EC000202	<a href="#">160080</a>	4536854540080		25	CG	CGZ	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
<a href="#">A22-3200</a>	Mounting latch, momentary models	1.64	EC002498	<a href="#">160836</a>	4536854356476		10	CG	CGZ	JPN	8536.5015.90
<a href="#">A22NZ-A-301</a>	Pushbutton accessory A22NZ, Tightening Wrench	19.74	EC002032	<a href="#">659819</a>	4548583718395			CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-302</a>	Pushbutton accessory A22NZ, LED Lamp Extractor	3.89	EC002032	<a href="#">661690</a>	4548583718401		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-303</a>	Pushbutton accessory A22NZ, Protective Cover	3.89	EC002040	<a href="#">664306</a>	4548583718418			CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-50103</a>	Pushbutton accessory A22NZ Ø22, Small Legend Plate Frame	3.89	EC001032	<a href="#">663413</a>	4548583718463		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-50501</a>	Pushbutton accessory A22NZ Ø22, Lock Ring	3.89	EC002024	<a href="#">665523</a>	4548583718487		50	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-51103</a>	Pushbutton accessory A22NZ Ø22, Large Legend Plate Frame	3.89	EC001032	<a href="#">666229</a>	4548583718470		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-801Y</a>	Pushbutton accessory A22NZ Ø22, Control Box	10.56	EC002000	<a href="#">660760</a>	4548583718456	#		CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-A-C01</a>	Pushbutton accessory A22NZ, Reinforcement Plate	4.04	EC002024	<a href="#">666228</a>	4548583718500		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-H-01</a>	Pushbutton accessory A22NZ, Mounting Collar	3.32	EC002024	<a href="#">662415</a>	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-H-02</a>	E-Stop, Ime Montaj mandali	5.64	EC002498	<a href="#">679759</a>	4549734144896		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22NZ-K-01</a>	Pushbutton accessory A22NZ, Key	11.90	EC002024	<a href="#">661431</a>	4548583718494		20	CG	CGZ	TWN	8536.5015.90
<a href="#">A22Z-3380</a>	Security bracket, lever stopper, for A22E emergency stop switch	1.52	EC002024	<a href="#">160888</a>	4536854474569		20	CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-3466-1</a>	Legend plate, emergency stop, 60mm dia., round, yellow	5.97	EC000624	<a href="#">160837</a>	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-3905</a>	Tightening wrench	17.18	EC002032	<a href="#">160841</a>	4536854356537		20	CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-B101</a>	Control box enclosure, one hole	29.57	EC002000	<a href="#">160842</a>	4536854375415			CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-B101Y</a>	Control box enclosure, one hole, yellow, for emergency stop	32.55	EC002000	<a href="#">160843</a>	4536854375422	#		CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-B102</a>	Control box enclosure, two holes	30.98	EC002000	<a href="#">160844</a>	4536854375439			CG	CGZ	JPN	8536.5015.90
<a href="#">A22Z-B103</a>	Control box enclosure, three holes	37.61	EC002000	<a href="#">160845</a>	4536854375446			CG	CGZ	JPN	8536.5015.90
<b>Endüstriyel Switchler için Aksesuarlar</b>											
<a href="#">VAQ-4-L</a>	Pushbutton switch, panel cutout dia. 10.5 mm, momentary operation, without operation unit	4.58	EC001028	146451	4536854130106		20	CG	CGZ	JPN	8536.5015.90
<b>Solid State Röle G3N</b>											
<a href="#">G3NA-205B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 5 A, 264 VAC max	32.62	EC002055	<a href="#">690649</a>	4549734591126		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-205B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 5 A, maks. 264 VAC	23.63	EC002055	<a href="#">690651</a>	4548583569638		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-210B-UTU-100-240VAC</a>	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage	32.11	EC002055	<a href="#">690648</a>	4549734591133			CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-210B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 264 VAC	26.96	EC002055	<a href="#">377386</a>	4536854807954	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-220B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 20 A, 264 VAC max	38.29	EC002055	<a href="#">690647</a>	4549734591140			CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-220B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 20 A, maks. 264 VAC	34.61	EC002055	<a href="#">377387</a>	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-225B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 25 A, 264 VAC max	37.37	EC002055	<a href="#">690646</a>	4549734591157			CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-225B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 264 VAC	31.05	EC002055	<a href="#">690650</a>	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-240B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 40 A, 264 VAC max	70.15	EC002055	<a href="#">690645</a>	4549734591164		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-240B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 40 A, maks. 264 VAC	63.15	EC002055	<a href="#">377388</a>	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-250B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	75.55	EC002055	<a href="#">690643</a>	4549734591188			CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-250B-UTU-5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 264 VAC	71.95	EC002055	<a href="#">690644</a>	4549734591171		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-275B-UTU-2 100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max	84.30	EC002055	<a href="#">690641</a>	4549734591201			CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-275B-UTU-2 5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 264 VAC	77.40	EC002055	<a href="#">690642</a>	4549734591195		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-290B-UTU-2 5-24VDC</a>	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 264 VAC	82.25	EC002055	<a href="#">690640</a>	4549734591218		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-410B-UTU-100-240VAC</a>	Solid state relay, surface mounting, 1-pole, 10 A, 528 VAC max	70.35	EC002055	<a href="#">690637</a>	4549734591249		10	CI	CIC	CHN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G3NA-4108-UTU-5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 528 VAC</a>	63.75	EC002055	<a href="#">690638</a>	4549734591232		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-425B-UTU-2 100-240VAC</a>	<a href="#">Solid state relay, surface mounting, 1-pole, 25 A, 528 VAC max</a>	79.80	EC002055	<a href="#">690636</a>	4549734591270		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-425B-UTU-2 5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 528 VAC</a>	68.90	EC002055	<a href="#">377389</a>	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-450B-UTU-2 100-240VAC</a>	<a href="#">Solid state relay, surface mounting, 1-pole, 50 A, 528 VAC max</a>	87.10	EC002055	<a href="#">690635</a>	4549734591300		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-450B-UTU-2 5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 528 VAC</a>	90.65	EC002055	<a href="#">377390</a>	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-475B-UTU-2 5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 528 VAC</a>	93.20	EC002055	<a href="#">690634</a>	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-490B-UTU-2 5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 528 VAC</a>	111.90	EC002055	<a href="#">690632</a>	4549734591331		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-D210B-UTU-100-240VAC</a>	<a href="#">Solid state relay, surface mounting, 1-pole, 10 A, 220 VDC max</a>	58.85	EC002055	<a href="#">690629</a>	4549734591362		10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NA-D210B-UTU-5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 220 VDC</a>	54.30	EC002055	<a href="#">690630</a>	4549734591355	#	10	CI	CIC	CHN	8536.4900.99
<a href="#">G3NE-210T-US 12VDC</a>	<a href="#">SSR (hızlı bağlantı), 1 ph. w/ 0 soğutucu, 10 A (100-240 VAC), sıfır çapraz, 12 VDC</a>	37.42	EC002055	<a href="#">679635</a>	4547648016223		10	CI	CIC	JPN	8536.4900.99
<a href="#">G3NE-220T-US 24VDC</a>	<a href="#">Compact SSR, 20A, 264 VAC max, zero cross over</a>	26.02	EC002055	<a href="#">230921</a>	4536854921360		10	CI	CIC	JPN	8536.4900.99
<a href="#">G3PH-5075B-5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, maks. yük akımı: 75 A, 180-480 VAC</a>	705.00	EC002055	<a href="#">355575</a>	4548583055605		10	CI	CIC	JPN	8536.4900.99
<a href="#">G3PH-5150B-5-24VDC</a>	<a href="#">Solid state röle, yüzey montajlı, maks. yük akımı: 150 A, 180-480 VAC</a>	1,058.00	EC002055	<a href="#">355576</a>	4548583055612		10	CI	CIC	JPN	8536.4900.99
<b>Solid State Röle G3PA</b>											
<a href="#">G3PA-240R-VD-5-24VDC</a>	<a href="#">Solid state röle, DIN ray/yüzey montajlı, tek faz, 40 A, maks. 264 VAC</a>	100.80	EC002055	<a href="#">376268</a>	4536854864407	#	10	CI	CID	CHN	8536.4900.99
<a href="#">G3PA-260R-VD-5-24VDC</a>	<a href="#">Solid state röle, DIN ray/yüzey montajlı, tek faz, 60 A, maks. 264 VAC</a>	145.80	EC002055	<a href="#">376269</a>	4536854864414	#	10	CI	CID	CHN	8536.4900.99
<a href="#">G3PA-420R-VD-12-24VDC</a>	<a href="#">Solid state röle, DIN ray/yüzey montajlı, tek faz, 20 A, maks. 440 VAC</a>	99.65	EC002055	<a href="#">376270</a>	4536854864568	#	10	CI	CID	CHN	8536.4900.99
<a href="#">G3PA-420R-VD-2 12-24VDC</a>	<a href="#">Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max</a>	128.90	EC002055	<a href="#">124813</a>	4536854487217		10	CI	CID	JPN	8536.4900.99
<a href="#">G3PA-430R-VD-12-24VDC</a>	<a href="#">Solid state röle, DIN ray/yüzey montajlı, tek faz, 30 A, maks. 440 VAC</a>	162.50	EC002055	<a href="#">376271</a>	4536854864575		10	CI	CID	CHN	8536.4900.99
<a href="#">G3PA-430R-VD-2 12-24VDC</a>	<a href="#">Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max</a>	217.70	EC002055	<a href="#">124815</a>	4536854515484		10	CI	CID	JPN	8536.4900.99
<a href="#">G3PA-450R-VD-2 12-24VDC</a>	<a href="#">Solid state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max</a>	289.20	EC002055	<a href="#">124814</a>	4536854515477		10	CI	CID	JPN	8536.4900.99
<b>Solid State Röle G3PW</b>											
<a href="#">G3PW-A220FC-C-FLK</a>	<a href="#">Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vidasız terminali, RS-485 haberleşme</a>	523.50	EC002055	<a href="#">260085</a>	4547648600422		10	CI	CIE	JPN	8536.4900.99
<a href="#">G3PW-A220FC-S-FLK</a>	<a href="#">Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vida terminali, RS-485 haberleşme</a>	519.50	EC002055	<a href="#">260076</a>	4547648600460		10	CI	CIE	JPN	8536.4900.99
<a href="#">G3PW-A220FU-S</a>	<a href="#">Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vida terminali</a>	447.80	EC002055	<a href="#">260082</a>	4547648600361		10	CI	CIE	JPN	8536.4900.99
<a href="#">G3PW-A245FU-S</a>	<a href="#">Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 45 A, 100-240 VAC, vida terminali</a>	588.50	EC002055	<a href="#">260083</a>	4547648600378		10	CI	CIE	JPN	8536.4900.99
<b>Solid State Röle G3PB</b>											
<a href="#">G3PE-215B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 264 VAC</a>	52.65	EC002055	<a href="#">376272</a>	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
<a href="#">G3PE-215B-2 12-24VDC</a>	<a href="#">Solid State relay, 2-pole, screw mounting, 15A, 264VAC max</a>	139.40	EC002055	<a href="#">375402</a>	4548583409750		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-215B-3N 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, DIN-track mounting, 15A, 264VAC max</a>	190.30	EC002055	<a href="#">375422</a>	4548583409958		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-225B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 264 VAC</a>	60.35	EC002055	<a href="#">376273</a>	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
<a href="#">G3PE-225B-2 12-24VDC</a>	<a href="#">Solid State relay, 2-pole, screw mounting, 25A, 264VAC max</a>	156.10	EC002055	<a href="#">375403</a>	4548583409767		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-225B-3N 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, DIN-track mounting, 25A, 264VAC max</a>	242.40	EC002055	<a href="#">375423</a>	4548583409965		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-225B-1 12-24VDC</a>	<a href="#">Solid state relay, 1 phase, 25A 100-240VAC, with heat sink, DIN rail mount, non zero cross switching function</a>	57.90	EC002055	<a href="#">376275</a>	4547648524940		10	CI	CIG	CHN	8536.4900.99
<a href="#">G3PE-235B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 35 A, maks. 264 VAC</a>	70.50	EC002055	<a href="#">375391</a>	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-245B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 45 A, maks. 264 VAC</a>	88.30	EC002055	<a href="#">375392</a>	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-245B-2 12-24VDC</a>	<a href="#">Solid State relay, 2-pole, screw mounting, 45A, 264VAC max</a>	201.30	EC002055	<a href="#">375405</a>	4548583409781		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-245B-1 12-24VDC</a>	<a href="#">Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 264 VAC max</a>	171.30	EC002055	<a href="#">375394</a>	4548583409668		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-515B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 528 VAC</a>	85.25	EC002055	<a href="#">375395</a>	4548583409675		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-515B-2N 12-24VDC</a>	<a href="#">Solid state relay, 2-pole, DIN-track mounting, 15A, 528VAC max</a>	171.10	EC002055	<a href="#">375426</a>	4548583409996		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-515B-3 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, screw mounting, 15A, 528VAC max</a>	212.20	EC002055	<a href="#">375414</a>	4548583409873		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-515B-3N 12-24VDC</a>	<a href="#">Solid state röle, 3 faz, DIN ray montajlı, 15 A, maks. 528 VAC</a>	205.20	EC002055	<a href="#">375430</a>	4548583410039	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-525B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 528 VAC</a>	90.15	EC002055	<a href="#">375396</a>	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-525B-2N 12-24VDC</a>	<a href="#">Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max</a>	183.00	EC002055	<a href="#">375427</a>	4548583410008	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-525B-3 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, screw mounting, 25A, 528VAC max</a>	252.30	EC002055	<a href="#">375415</a>	4548583409880		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-525B-3N 12-24VDC</a>	<a href="#">Solid state röle, 3 faz, DIN ray montajlı, 25 A, maks. 528 VAC</a>	252.30	EC002055	<a href="#">375431</a>	4548583410046	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-535B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 35 A, maks. 528 VAC</a>	102.20	EC002055	<a href="#">375397</a>	4548583409699		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-535B-2N 12-24VDC</a>	<a href="#">Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max</a>	233.90	EC002055	<a href="#">375428</a>	4548583410015		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-535B-3 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, screw mounting, 35A, 528VAC max</a>	303.30	EC002055	<a href="#">375416</a>	4548583409897		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-535B-3N 12-24VDC</a>	<a href="#">Solid state röle, 3 faz, DIN ray montajlı, 35 A, maks. 528 VAC</a>	303.30	EC002055	<a href="#">375432</a>	4548583410053	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-545B-12-24VDC</a>	<a href="#">Solid state röle, tek faz, DIN ray montajlı, 45 A, maks. 528 VAC</a>	104.10	EC002055	<a href="#">375390</a>	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-545B-2N 12-24VDC</a>	<a href="#">Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max</a>	247.60	EC002055	<a href="#">375429</a>	4548583410022		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-545B-3 12-24VDC</a>	<a href="#">Solid State relay, 3-pole, screw mounting, 45A, 528VAC max</a>	287.50	EC002055	<a href="#">375417</a>	4548583409903		10	CI	CIG	JPN	8536.4900.99
<a href="#">G3PE-545B-3N 12-24VDC</a>	<a href="#">Solid state röle, 3 faz, DIN ray montajlı, 45 A, maks. 528 VAC</a>	329.70	EC002055	<a href="#">375433</a>	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
<b>Solid State Röle G3BR</b>											
<a href="#">G3RV-2025L 24VDC</a>	<a href="#">Yedek, AC tip, solid state röle, 2 A, 24 VDC</a>	24.62	EC002055	<a href="#">323541</a>	4547648741071		20	CI	CIH	JPN	8536.4900.99
<a href="#">G3RV-D03SL 12VDC</a>	<a href="#">Solid State Relay, plug-in, 5-pin, 3 A, 5 - 24 VDC</a>	21.77	EC002055	<a href="#">323546</a>	4547648741125		20	CI	CIH	JPN	8536.4900.99
<a href="#">G3RV-D03SL 24VDC</a>	<a href="#">Yedek, DC tip, solid state röle, 3 A, 24 VDC</a>	21.77	EC002055	<a href="#">323547</a>	4547648741132	#	20	CI	CIH	JPN	8536.4900.99
<a href="#">G3RV-D03SL 48VDC</a>	<a href="#">Solid State Relay, plug-in, 5-pin, 3 A, 5 - 24 VDC</a>	21.77	EC002055	<a href="#">323548</a>	4547648741149		20	CI	CIH	JPN	8536.4900.99
<b>Solid State Röle G3RR</b>											
<a href="#">G3RR-D2R15N-1-UTU-12-24VDC</a>	<a href="#">SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12-24 VDC</a>	31.17	EC002055	<a href="#">124672</a>	4536854686917		10	CI	CIH	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3R-IDZ1SN-UTU 12-24VDC	Solid state relay (input, plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	25.53	EC002055	124671	4536853418625		20	CI	CIH	JPN	8536.4900.99
G3R-IDZ1SN-UTU 5VDC	SSR (input, plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	23.73	EC002055	145210	4536854686894		12	CI	CIH	JPN	8536.4900.99
G3R-OA202SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.60	EC002055	124673	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
G3R-OA202SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.60	EC002055	124674	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
G3R-OD201SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	28.84	EC002055	124676	4536853418663		10	CI	CIH	JPN	8536.4900.99
G3R-ODX02SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	27.93	EC002055	124675	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
<b>Solid State Röle G3RV-SR</b>											
G3RV-SR500-A 230VAC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	48.97	EC002055	669903	4548583797802		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VAC/DC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	41.73	EC002055	669868	4548583797819		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VDC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.73	EC002055	669922	4548583797765	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-AL 24VAC/DC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	42.17	EC002055	669886	4548583797895		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 12VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	42.09	EC002055	669888	4548583797673		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 230VAC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	53.85	EC002055	669890	4548583797727		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VAC/DC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	42.23	EC002055	669860	4548583797734	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.02	EC002055	669870	4548583797680	#	10	CI	CIK	JPN	8536.4900.99
<b>Solid State Röle G3RV-SR</b>											
G3RV-SR700-A 230VAC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 230 VAC	48.04	EC002055	669907	4548583798045		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VAC/DC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	41.61	EC002055	669916	4548583798052	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VDC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VDC	40.50	EC002055	669865	4548583798007	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-AL 24VAC/DC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	42.11	EC002055	669856	4548583798137		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-AL 24VDC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	42.86	EC002055	669899	4548583798083		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 230VAC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 230 VAC	47.20	EC002055	669882	4548583797963		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VAC/DC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	42.19	EC002055	669894	4548583797970	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VDC	40.02	EC002055	669919	4548583797925	#	10	CI	CIK	JPN	8536.4900.99
<b>Solid State Röle G3PJ</b>											
G3PJ-L15B-DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	52.05	EC002055	669862	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-PU-DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	58.70	EC002055	669912	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	64.50	EC002055	669893	4548583783348	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-PU-DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	70.65	EC002055	669857	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	80.70	EC002055	669945	4548583783355	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-PU-DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	87.40	EC002055	669883	4548583783393		10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	93.65	EC002055	669932	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-PU-DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	99.40	EC002055	669913	4548583783409		10	CI	CIL	JPN	8536.4900.99
<b>Solid State Röleler için Aksesuarlar</b>											
G32A-A40-VD 5-24VDC	Yedek kartuş G3PA-240B 5-24 VDC için, sadece 'VD' kodu olanlara uyumludur.	76.30	EC002055	377393	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Yedek kartuş G3PA-420B-VD 12-24 VDC ile uyumludur.	113.30	EC002055	377395	4536854866784		10	CI	CIZ	CHN	8536.4900.99
G32A-A430-VD 12-24VDC	Yedek kartuş G3PA-430B-VD 12-24 VDC ile uyumludur.	133.90	EC002055	377396	4536854866791		10	CI	CIZ	CHN	8536.4900.99
G32A-A60-VD 5-24VDC	Yedek kartuş G3PA-260B 5-24 VDC için, sadece 'VD' kodu olanlara uyumludur.	124.90	EC002055	377394	4536854866739		10	CI	CIZ	CHN	8536.4900.99
G32A-FA 100-240VAC	Cycle controller for use with SSR's	128.60	EC002586	125216	4536853420246		10	CI	CIZ	JPN	8536.4900.99
G32X-V2K	Harici direnc, 2kW, G3PW güç kontrolörü için	55.50	EC002586	125222	4536853420321		10	CI	CIZ	JPN	8544.4290.90
<b>Vidalı Terminal Bloğu</b>											
XW5G-S10-1-1-1	Topraklama klemensi, 10 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	3.70	EC000901	669285	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S16-1-1-1	Topraklama klemensi, 16 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	5.56	EC000901	669277	4548583794351	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S25-1-1-1	Topraklama klemensi, 25 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	1.98	EC000901	669252	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S35-1-1-1	Topraklama klemensi, 35 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	7.90	EC000901	669331	4548583794382		20	CL	CLA	DEU	8536.9010.00
XW5G-S40-1-1-1	Topraklama klemensi, 40 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.07	EC000901	669324	4548583794269		100	CL	CLA	DEU	8536.9010.00
XW5G-S60-1-1-1	Topraklama klemensi, 60 mm <sup>2</sup> , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.87	EC000901	669340	4548583794290		100	CL	CLA	DEU	8536.9010.00
XW5T-S10-1-1-1	Geçiş klemensi, 10 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.50	EC000897	669337	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S10-1-1-1BL	Geçiş klemensi, 10 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	1.50	EC000897	669342	4548583794313		50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1-1-1	Geçiş klemensi, 16 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	1.98	EC000897	669316	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1-1-1BL	Geçiş klemensi, 16 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	1.98	EC000897	669263	4548583794344	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S25-1-1-1	Geçiş klemensi, 25 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.53	EC000897	669329	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S25-1-1-1BL	Geçiş klemensi, 25 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	0.53	EC000897	669291	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S35-1-1-1	Geçiş klemensi, 35 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	4.26	EC000897	669254	4548583794368		20	CL	CLA	DEU	8536.9010.00
XW5T-S35-1-1-1BL	Geçiş klemensi, 35 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	4.26	EC000897	669266	4548583794375		20	CL	CLA	DEU	8536.9010.00
XW5T-S40-1-1-1	Geçiş klemensi, 40 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.72	EC000897	669265	4548583794245		100	CL	CLA	DEU	8536.9010.00
XW5T-S40-1-1-1BL	Geçiş klemensi, 40 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	0.72	EC000897	669336	4548583794252		100	CL	CLA	DEU	8536.9010.00
XW5T-S60-1-1-1	Geçiş klemensi, 60 mm <sup>2</sup> , koyu gri, vidalı, 1 giriş-1 çıkış	0.99	EC000897	669323	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S60-1-1-1BL	Geçiş klemensi, 60 mm <sup>2</sup> , mavimsi, vidalı, 1 giriş-1 çıkış	0.99	EC000897	669304	4548583794283	#	100	CL	CLA	DEU	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Vidalı Terminal Bloğu</b>											
<a href="#">XW5G-S4.0-2-2-1</a>	<a href="#">Topraklama klemensi, 4.0 mm<sup>2</sup>, san-yeşil, Vidalı, 2 qiris-2 cıkıs</a>	4.32	EC000901	<a href="#">669341</a>	4548583794498	100		CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S2.5-1-1-2</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, siyah, koyu gri, 2 katlı</a>	2.00	EC000897	<a href="#">669326</a>	4548583794535	100		CL	CLA	CHN	8536.9010.00
<a href="#">XW5T-S4.0-1-1-2</a>	<a href="#">Geçis klemensi, 4.0 mm<sup>2</sup>, siyah, Vidalı, 2 katlı</a>	2.20	EC000897	<a href="#">669311</a>	4548583794559	100		CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S4.0-2-2-1</a>	<a href="#">Geçis klemensi, 4.0 mm<sup>2</sup>, koyu gri, Vidalı, 2 qiris-2 cıkıs</a>	1.77	EC000897	<a href="#">669281</a>	4548583794474	100		CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S4.0-2-2-1BL</a>	<a href="#">Geçis klemensi, 4.0 mm<sup>2</sup>, mavi, Vidalı, 2 qiris-2 cıkıs</a>	1.77	EC000897	<a href="#">669290</a>	4548583794481	100		CL	CLA	DEU	8536.9010.00
<b>Vidalı Terminal Bloğu</b>											
<a href="#">XW5T-S4.0-FU5</a>	<a href="#">Sigortalı (5x20_5x25_5x30), 4.0 mm<sup>2</sup>, koyu gri, Vidalı</a>	4.08	EC000899	<a href="#">669283</a>	4548583794504	50		CL	CLA	DEU	8536.9010.00
<a href="#">XW5T-S4.0-FU6</a>	<a href="#">Sigortalı (6.3x32), 4.0 mm<sup>2</sup>, koyu gri, Vidalı</a>	5.23	EC000899	<a href="#">669249</a>	4548583794511	50		CL	CLA	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XW5G-P1.5-1-1-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 1 qiris-1 cıkıs</a>	1.53	EC000901	<a href="#">669962</a>	4548583796324	#	5	CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P1.5-1-1-2</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 2 katlı</a>	2.93	EC000901	<a href="#">670015</a>	4548583796331	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P1.5-1-2-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 1 qiris-2 cıkıs</a>	1.84	EC000901	<a href="#">669956</a>	4548583796348			CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P1.5-2-2-1</a>	<a href="#">Topraklama klemensi, 1.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 2 qiris-2 cıkıs</a>	1.93	EC000901	<a href="#">670000</a>	4548583796355	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P2.5-1-1-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 1 qiris-1 cıkıs</a>	1.68	EC000901	<a href="#">669959</a>	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P4.0-1-1-1</a>	<a href="#">Topraklama klemensi, 4.0 mm<sup>2</sup>, san-yeşil, Push-in Plus, 1 qiris-1 cıkıs</a>	1.76	EC000901	<a href="#">669987</a>	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-1-1-1</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 qiris-1 cıkıs</a>	0.63	EC000897	<a href="#">669988</a>	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-1-1-1BL</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 1 qiris-1 cıkıs</a>	0.63	EC000897	<a href="#">669995</a>	4548583796263	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-1-1-2</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 katlı</a>	1.37	EC000897	<a href="#">669999</a>	4548583796218	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-1-1-2BL</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 katlı</a>	1.37	EC000897	<a href="#">670003</a>	4548583796270	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-1-2-1</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 qiris-2 cıkıs</a>	0.90	EC000897	<a href="#">669976</a>	4548583796225	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-2-2-1</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 qiris-2 cıkıs</a>	0.97	EC000897	<a href="#">669980</a>	4548583796232	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P1.5-2-2-1BL</a>	<a href="#">Geçis klemensi, 1.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 qiris-2 cıkıs</a>	0.97	EC000897	<a href="#">670008</a>	4548583796294	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-1-1-1</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 qiris-1 cıkıs</a>	0.71	EC000897	<a href="#">669950</a>	4548583796249	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-1-1-1BL</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 1 qiris-1 cıkıs</a>	0.72	EC000897	<a href="#">669968</a>	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P4.0-1-1-1</a>	<a href="#">Geçis klemensi, 4.0 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 qiris-1 cıkıs</a>	0.77	EC000897	<a href="#">670007</a>	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P4.0-1-1-1BL</a>	<a href="#">Geçis klemensi, 4.0 mm<sup>2</sup>, mavi, Push-in Plus, 1 qiris-1 cıkıs</a>	0.77	EC000897	<a href="#">669953</a>	4548583796317	#	50	CL	CLB	CHN	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XW5G-P2.5-1-2-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 1 qiris-2 cıkıs</a>	1.64	EC000901	<a href="#">676103</a>	4549734137881	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5G-P2.5-2-2-1</a>	<a href="#">Topraklama klemensi, 2.5 mm<sup>2</sup>, san-yeşil, Push-in Plus, 2 qiris-2 cıkıs</a>	1.79	EC000901	<a href="#">676104</a>	4549734137898	50		CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-1-1-2</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 katlı</a>	2.37	EC000897	<a href="#">676108</a>	4549734137751	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-1-1-2BL</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 katlı</a>	2.37	EC000897	<a href="#">676121</a>	4549734137782	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-1-2-1</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 1 qiris-2 cıkıs</a>	1.17	EC000897	<a href="#">676107</a>	4549734137768	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-2-2-1</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, koyu gri, Push-in Plus, 2 qiris-2 cıkıs</a>	1.38	EC000897	<a href="#">676116</a>	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
<a href="#">XW5T-P2.5-2-2-1BL</a>	<a href="#">Geçis klemensi, 2.5 mm<sup>2</sup>, mavi, Push-in Plus, 2 qiris-2 cıkıs</a>	1.38	EC000897	<a href="#">676100</a>	4549734137805	#	50	CL	CLB	CHN	8536.9010.00
<b>Yaylı Terminal Bloğu</b>											
<a href="#">XW6T-COM1.5X12BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, blue short bar</a>	6.70	EC000897	<a href="#">687932</a>	4549734509190			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X12RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, red short bar</a>	6.70	EC000897	<a href="#">687933</a>	4549734509183			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X12YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 12 pins, yellow short bar</a>	6.82	EC000897	<a href="#">687931</a>	4549734509206			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X16BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 16 pins, blue short bar</a>	8.91	EC000897	<a href="#">687929</a>	4549734509220			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X16RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 16 pins, red short bar</a>	8.91	EC000897	<a href="#">687930</a>	4549734509213			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, blue short bar</a>	11.14	EC000897	<a href="#">687926</a>	4549734509251			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, red short bar</a>	11.14	EC000897	<a href="#">687927</a>	4549734509244			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X20YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 20 pins, yellow short bar</a>	11.35	EC000897	<a href="#">687925</a>	4549734509268	7		CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X40RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 40 pins, red short bar</a>	22.26	EC000897	<a href="#">687924</a>	4549734509275			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, blue short bar</a>	4.47	EC000897	<a href="#">687935</a>	4549734509169			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, red short bar</a>	4.47	EC000897	<a href="#">687922</a>	4549734509152			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM1.5X8YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm<sup>2</sup>, 8 pins, yellow short bar</a>	4.55	EC000897	<a href="#">687934</a>	4549734509176			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, blue short bar</a>	7.21	EC000897	<a href="#">687944</a>	4549734509343			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, red short bar</a>	7.21	EC000897	<a href="#">687942</a>	4549734509336			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X12YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 12 pins, yellow short bar</a>	7.34	EC000897	<a href="#">687941</a>	4549734509350			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, blue short bar</a>	9.70	EC000897	<a href="#">687939</a>	4549734509374			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, red short bar</a>	9.70	EC000897	<a href="#">687940</a>	4549734509367			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X16YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 16 pins, yellow short bar</a>	9.88	EC000897	<a href="#">687938</a>	4549734509381			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X20BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 20 pins, blue short bar</a>	12.12	EC000897	<a href="#">687936</a>	4549734509404			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X20RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 20 pins, red short bar</a>	12.12	EC000897	<a href="#">687937</a>	4549734509398			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X40YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 40 pins, yellow short bar</a>	24.67	EC000897	<a href="#">687918</a>	4549734509442	5		CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8BL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, blue short bar</a>	4.95	EC000897	<a href="#">687945</a>	4549734509312			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8RD</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, red short bar</a>	4.86	EC000897	<a href="#">687946</a>	4549734509305			CL	CLB	JPN	8536.9010.00
<a href="#">XW6T-COM2.5X8YL</a>	<a href="#">Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm<sup>2</sup>, 8 pins, yellow short bar</a>	4.95	EC000897	<a href="#">687943</a>	4549734509329			CL	CLB	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Vidalı Terminal Bloğu Aksesuar</b>											
XW55-S2.5-10	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.33	EC000489	669284	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XW55-S2.5-10N	Üst köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 10 vidalı, sarı	4.91	EC000489	669312	4548583794788		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-2	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.42	EC000489	669280	4548583794580		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-3	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 3 bacaklı, sarı	0.75	EC000489	669256	4548583794597		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-5	Köprü aparatı, 2.5 mm <sup>2</sup> vidalı klemens ile uyumlu, 5 bacaklı, sarı	1.50	EC000489	669262	4548583794610		10	CL	CLC	DEU	8536.9010.00
XW55-S4.0-10	Köprü aparatı, 4.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.51	EC000489	669255	4548583794672		20	CL	CLC	DEU	8536.9010.00
XW55-S4.0-2	Köprü aparatı, 4.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.44	EC000489	669301	4548583794634		10	CL	CLC	DEU	8536.9010.00
XW55-S4.0-5	Köprü aparatı, 4.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 5 bacaklı, sarı	1.58	EC000489	669303	4548583794665		10	CL	CLC	DEU	8536.9010.00
XW55-S6.0-2	Köprü aparatı, 6.0 mm <sup>2</sup> vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.81	EC000489	669328	4548583794689		10	CL	CLC	DEU	8536.9010.00
XW52-S2.5PT	Ayrıca, 2.5 mm <sup>2</sup> , 4.0 mm <sup>2</sup> , 6.0 mm <sup>2</sup> ve 10 mm <sup>2</sup> vidalı klemens ile uyumlu	0.49	EC000886	669300	4548583794856		10	CL	CLC	DEU	8536.9010.00
<b>Vidalı Terminal Bloğu Aksesuar</b>											
XW5E-S16	Kapak, 16 mm <sup>2</sup> , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.67	EC000886	669282	4548583794801		10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5	Kapak, 2.5 mm <sup>2</sup> , 4.0 mm <sup>2</sup> , 6.0 mm <sup>2</sup> ve 10 mm <sup>2</sup> , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.38	EC000886	669267	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5N	Kapak, 2.5 mm <sup>2</sup> , 2 katlı, vidalı klemens ile uyumlu	0.67	EC000886	669317	4548583794849		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1-1-2	Kapak, 4.0 mm <sup>2</sup> , 2 katlı, vidalı klemens ile uyumlu	0.53	EC000886	669270	4548583794832		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1-2-1	Kapak, 4.0 mm <sup>2</sup> , 1 giriş-2 çıkış, vidalı klemens ile uyumlu	0.49	EC000886	669250	4548583794818		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-2-1	Kapak, 4.0 mm <sup>2</sup> , 2 giriş-2 çıkış, vidalı klemens ile uyumlu	0.53	EC000886	669339	4548583794825		10	CL	CLC	DEU	8536.9010.00
<b>Yaylı Terminal Bloğu Aksesuarı</b>											
XW5S-P1.5-10BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	3.86	EC000489	670046	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	3.86	EC000489	670043	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	3.86	EC000489	670049	4548583796720		20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.70	EC000489	669972	4548583796539		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.70	EC000489	669954	4548583796386		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.70	EC000489	669996	4548583796683		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, mavimsi	0.88	EC000489	669981	4548583796546		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	0.88	EC000489	669966	4548583796393		3	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, sarı	0.88	EC000489	669971	4548583796690		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, mavimsi	1.08	EC000489	669974	4548583796553		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.08	EC000489	669998	4548583796409		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, sarı	1.08	EC000489	669986	4548583796706		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5BL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.62	EC000489	669989	4548583796560		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5RD	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.62	EC000489	669991	4548583796416		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5YL	Köprü aparatı, 1.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, sarı	1.62	EC000489	669964	4548583796713		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	3.86	EC000489	670047	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	3.86	EC000489	670044	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10YL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	3.86	EC000489	670050	4548583796775		20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.79	EC000489	670006	4548583796584		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.79	EC000489	670009	4548583796430		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2YL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.79	EC000489	669952	4548583796737		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, mavimsi	1.04	EC000489	669983	4548583796591		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	1.04	EC000489	669979	4548583796447		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, mavimsi	1.23	EC000489	670014	4548583796607		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.23	EC000489	670001	4548583796454		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5BL	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.44	EC000489	670012	4548583796614		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5RD	Köprü aparatı, 2.5 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.44	EC000489	669963	4548583796461		CL	CLD	CHN	8536.9010.00	
XW5S-P4.0-10BL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	4.00	EC000489	670048	4548583796676	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10RD	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.00	EC000489	670045	4548583796522		20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10YL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.00	EC000489	670051	4548583796829		20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-2BL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.93	EC000489	670004	4548583796638		50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5BL	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.87	EC000489	669997	4548583796669		50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5RD	Köprü aparatı, 4.0 mm <sup>2</sup> Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.87	EC000489	669985	4548583796515		CL	CLD	CHN	8536.9010.00	
<b>Yaylı Terminal Bloğu Aksesuarı</b>											
XW5E-P1.5-1-1-1	Kapak, 1.5 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	669955	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1-1-2	Kapak, 1.5 mm <sup>2</sup> , iki katlı, Push-in Plus klemens ile uyumlu	0.31	EC000886	669973	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1-2-1	Kapak, 1.5 mm <sup>2</sup> , 1 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	670011	4548583796850		3	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-2-2-1	Kapak, 1.5 mm <sup>2</sup> , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	669967	4548583796867		50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1-1-1	Kapak, 2.5 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.31	EC000886	669949	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1-1-2	Kapak, 2.5 mm <sup>2</sup> , iki katlı, Push-in Plus klemens ile uyumlu	0.58	EC000886	676114	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-2-2-1	Kapak, 2.5 mm <sup>2</sup> , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.59	EC000886	676112	4549734137959	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-1-1-1	Kapak, 4.0 mm <sup>2</sup> , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.31	EC000886	669960	4548583796881	#	50	CL	CLD	CHN	8536.9010.00
XW5E-EP12	Durdurucu, 6 mm	3.77	EC000886	669994	4548583796898		3	CL	CLD	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XW5Z-EP6</a>	<a href="#">Durdurucu, 12 mm</a>	0.58	EC000886	<a href="#">670013</a>	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
<b>Sayıcı H7EC/R/T</b>											
<a href="#">H7EC-N</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, gerilimsiz giriş, gri kasa</a>	83.90	EC002300	<a href="#">672687</a>	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-N-B</a>	<a href="#">Toplam sayacı, 1/32DIN (48 x 24 mm), kendi kendine çalışır, LCD, 8 basamaklı, 30cps / 1kcps, no-V girişi, siyah kutu</a>	83.90	EC002300	<a href="#">672677</a>	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NEV</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 20cps, VAC/DC giriş, gri kasa</a>	122.00	EC002300	<a href="#">672659</a>	4548583755697	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NEV-B</a>	<a href="#">Toplam sayacı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 8 basamaklı, 20cps, VAC / DC girişi, siyah kutu</a>	137.40	EC002300	<a href="#">672683</a>	4548583755703	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa</a>	86.80	EC002300	<a href="#">672660</a>	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-B</a>	<a href="#">Toplam sayıcı, 1/32DIN (48 x 24 mm), kendi kendine çalışır, LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu</a>	88.30	EC002300	<a href="#">672691</a>	4548583755666	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-BH</a>	<a href="#">Toplam sayacı, 1/32DIN (48 x 24 mm), kendinden güç, arka aydınlatmalı, LCD, 8 basamaklı, 30cps / 1kcps, VDC giriş, siyah kutu</a>	93.00	EC002300	<a href="#">672661</a>	4548583755680	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7EC-NV-H</a>	<a href="#">Toplam Sayıcı, DIN 48x24 mm, dahili pilli, arka ışıklı LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa</a>	93.45	EC002300	<a href="#">672690</a>	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ER-N</a>	<a href="#">Takometre, DIN 48x24 mm, dahili pilli, LCD, 4 hane, 1/60 ppr, gerilimsiz giriş, gri kasa</a>	91.05	EC002294	<a href="#">672673</a>	4548583755734	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV</a>	<a href="#">Takometre, DIN 48x24 mm, dahili pilli, LCD, 4 hane, 1/60 ppr, VDC giriş, gri kasa</a>	99.70	EC002294	<a href="#">672680</a>	4548583755758	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV1</a>	<a href="#">Takometre, DIN 48x24 mm, dahili pilli, LCD, 5 hane, 1/60 ppr, VDC giriş, gri kasa</a>	99.70	EC002294	<a href="#">672678</a>	4548583755796	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ER-NV-H</a>	<a href="#">Takometre, 1/32DIN (48 x 24mm), dahili pilli, arka ışıklı LCD, 4 hane, 1/60 ppr, VDC giriş, gri kasa</a>	108.50	EC002294	<a href="#">672669</a>	4548583755772	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, gerilimsiz giriş, gri kasa</a>	86.50	EC001641	<a href="#">672656</a>	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N1</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, gerilimsiz giriş, gri kasa</a>	101.70	EC001641	<a href="#">672657</a>	4548583755857	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N1-B</a>	<a href="#">Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, black case</a>	89.90	EC001641	<a href="#">672662</a>	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
<a href="#">H7ET-N-B</a>	<a href="#">Zaman sayacı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 haneli, 999999.9h / 3999d23.9h, no-V girişi, siyah kutu</a>	89.90	EC001641	<a href="#">672672</a>	4548583755840	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NEV</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VAC/DC giriş, gri kasa</a>	138.80	EC001641	<a href="#">672681</a>	4548583755956	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NEV1</a>	<a href="#">Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VAC/DC giriş, gri kasa</a>	131.20	EC001641	<a href="#">672674</a>	4548583755970	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NEV-B</a>	<a href="#">Zaman sayacı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VAC / DC girişi, siyah kutu</a>	125.50	EC001641	<a href="#">672663</a>	4548583755963	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa</a>	89.55	EC001641	<a href="#">672665</a>	4548583755871	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VDC giriş, gri kasa</a>	108.70	EC001641	<a href="#">672658</a>	4548583755918	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV1-BH</a>	<a href="#">Zaman sayacı, 1/32DIN (48 x 24 mm), kendinden güç, arka ışıklı LCD, 7 basamaklı, 999h59m59s / 9999h59.9m, VDC giriş, siyah kutu</a>	131.20	EC001641	<a href="#">672670</a>	4548583755949	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV-B</a>	<a href="#">Zaman sayacı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VDC giriş, siyah kutu</a>	94.05	EC001641	<a href="#">672692</a>	4548583755888	10	DA	DAA	DAA	IDN	9029.1000.90
<a href="#">H7ET-NV-H</a>	<a href="#">Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, arka ışıklı LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa</a>	95.30	EC001641	<a href="#">672664</a>	4548583755895	#	10	DA	DAA	IDN	9029.1000.90
<b>Sayıcı H8PS</b>											
<a href="#">H8PS-16RFP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)</a>	1,059.00	EC002301	<a href="#">169011</a>	4547648042628			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-16RP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)</a>	1,055.00	EC002301	<a href="#">169010</a>	4547648042611			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-32RFP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)</a>	1,447.00	EC002301	<a href="#">169015</a>	4547648042703			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-32RP</a>	<a href="#">Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)</a>	1,447.00	EC002301	<a href="#">169014</a>	4547648042697			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8RP</a>	<a href="#">Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)</a>	614.00	EC002301	<a href="#">142010</a>	4536853532451			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8RFP</a>	<a href="#">Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)</a>	630.50	EC002301	<a href="#">119516</a>	4536853532482			DA	DAB	JPN	9029.1000.90
<a href="#">H8PS-8RP</a>	<a href="#">Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)</a>	619.00	EC002301	<a href="#">119515</a>	4536853532475			DA	DAB	JPN	9029.1000.90
<b>Sayıcı H7GP/HP</b>											
<a href="#">H7GP-C</a>	<a href="#">Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	199.40	EC002300	<a href="#">243926</a>	4547648353571			DA	DAC	CHN	9029.1000.90
<a href="#">H7GP-CD</a>	<a href="#">Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	180.70	EC002300	<a href="#">243927</a>	4547648353588			DA	DAC	CHN	9029.1000.90
<a href="#">H7GP-TD</a>	<a href="#">Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	181.20	EC001641	<a href="#">243929</a>	4547648353601			DA	DAC	CHN	9029.1000.90
<b>Sayıcı H7GP/HP</b>											
<a href="#">H7HP-A</a>	<a href="#">Total/time counter, DIN72x36mm, 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	231.80	EC002300	<a href="#">243933</a>	4547648353885			DA	DAC	CHN	9029.1000.90
<a href="#">H7HP-AD</a>	<a href="#">Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	211.40	EC002300	<a href="#">243934</a>	4547648353892			DA	DAC	CHN	9029.1000.90
<a href="#">H7HP-C8D</a>	<a href="#">Total counter, DIN72x36mm, 12-24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset</a>	253.60	EC002300	<a href="#">243936</a>	4547648353915			DA	DAC	CHN	9029.1000.90
<b>Sayıcı H7CX</b>											
<a href="#">H7CC-A</a>	<a href="#">Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700355</a>	4549734670043			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700351</a>	4549734670005			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11D</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700353</a>	4549734670029			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11S</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700352</a>	4549734670012			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A11SD</a>	<a href="#">Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700354</a>	4549734670036			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A8</a>	<a href="#">Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply</a>	293.50	EC002300	<a href="#">700369</a>	4549734670180			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-A8D</a>	<a href="#">Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	293.50	EC002300	<a href="#">700370</a>	4549734670197			DA	DAE	CHN	9029.1000.90
<a href="#">H7CC-AD</a>	<a href="#">Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage &amp; total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply</a>	287.20	EC002300	<a href="#">700357</a>	4549734670067			DA	DAE	CHN	9029.1000.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700356	4549734670050			DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700358	4549734670074			DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700363	4549734670128			DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700364	4549734670135			DA	DAE	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700359	4549734670081			DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700361	4549734670104			DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700360	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700362	4549734670111			DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700365	4549734670142			DA	DAE	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700366	4549734670159			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700367	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700368	4549734670173			DA	DAE	CHN	9029.1000.90
H7CC-A114D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3A relay output, 12-24VDC/24VAC supply, 12VDC aux supply	367.40	EC002300	668600	4548583745353			DA	DAE	IDN	8536.4900.99
H7CC-A114-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	316.00	EC002300	668637	4548583745339			DA	DAE	IDN	8536.4900.99
H7CC-A11D1-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	316.00	EC002300	668595	4548583745315			DA	DAE	IDN	8536.4900.99
H7CC-A11-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	312.00	EC002300	668611	4548583745292			DA	DAE	IDN	8536.4900.99
H7CC-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	265.00	EC002300	668621	4548583745421	#		DA	DAE	IDN	9029.1000.90
H7CC-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	367.90	EC002300	668623	4548583745407			DA	DAE	IDN	9029.1000.90
H7CC-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	250.90	EC002300	668601	4548583745438			DA	DAE	IDN	9029.1000.90
H7CC-A4W-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 2-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	451.50	EC002300	668590	4548583745490			DA	DAE	IDN	9029.1000.90
H7CC-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 12-24 VDC/24 VAC supply, includes colour change display function	284.70	EC002300	668630	4548583745506			DA	DAE	IDN	9029.1000.90
H7CC-AD-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO 3 A röle çıkışı, 12-24 VDC/24 VAC supply	308.50	EC002300	668628	4548583745384	#		DA	DAE	IDN	9029.1000.90
H7CC-A-N	Sayıcı, soketli, vida terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO 3 A röle çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	308.00	EC002300	668633	4548583745360			DA	DAE	IDN	9029.1000.90
H7CC-AUD1-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO 3 A röle & 100 mA, 30 VDC NPN transistör çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	324.20	EC002300	311858	4547648642712	#		DA	DAE	CHN	9029.1000.90
H7CC-AU-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO 3 A röle & 100 mA, 30 VDC NPN transistör çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	323.90	EC002300	311857	4547648642705	#		DA	DAE	CHN	9029.1000.90
H7CC-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, 2x 100mA 30VDC NPN transistor outputs, 12-24VDC/24VAC supply, 12 VDC aux supply, includes color change display function	381.00	EC002300	311859	4547648642729			DA	DAE	CHN	9029.1000.90
H7CC-AWD1-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, 2 röle çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668634	4548583745469			DA	DAE	IDN	9029.1000.90
H7CC-AW-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, 2 röle çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668588	4548583745445			DA	DAE	IDN	9029.1000.90
H7CC-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	407.30	EC002300	668643	4548583745452			DA	DAE	IDN	9029.1000.90
<b>Diğer Sayıcılar</b>											
H7AN-4DM 100-240VAC	Preset 4 digit counter, DIN72x72mm, battery back-up	739.00	EC002300	243906	4547648355223			DA	DAX	CHN	9029.1000.90
<b>Diğer Sayıcılar</b>											
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	639.00	EC002300	241306	4547648453615			DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	639.00	EC002300	241308	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	684.00	EC002300	241307	4547648453622			DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	684.00	EC002300	241309	4547648453646			DA	DAX	CHN	9029.1000.90
<b>Sayıçılar için Aksesuarlar</b>											
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic	14.30	EC002586	142011	4536853532512		4	DA	DAZ	JPN	8536.4900.99
Y92F-35	Flush panel mounting adapter for H7E	6.06	EC002295	107355	4536854819872		10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm	4.86	EC002295	154955	4536853531324		10	DA	DAZ	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Y92F-76	Flush mounting adapter for H7E, panel cut-out 52.5x27.5mm	5.73	EC002295	119559	4536853531331			DA	DAZ	JPN	8536.4900.99	
Y92F-77B	Flush panel mounting adapter for H7E	4.12	EC002295	119562	4536854478239			DA	DAZ	JPN	8536.4900.99	
Y92F-91	DIN rail mounting base for H8P5 rotary positioner	33.02	EC002295	156348	4536853532529			DA	DAZ	JPN	8544.4999.00	
Y92S-36	Battery for H7E-N	14.78	EC002295	119560	4536854478277			DA	DAZ	JPN	8536.4900.99	
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	97.35	EC002295	169367	4547648043861			DA	DAZ	JPN	8544.4999.00	
<b>İzleme Ürünü 61E</b>												
61F-GP-N 110VAC	Floatless level controller	98.45	EC001447	159892	4536854333163			DB	DBA	JPN	9032.1080.90	
61F-GP-N 230VAC	Floatless level controller	85.85	EC001447	159981	4536854336119			DB	DBA	JPN	9032.1080.90	
61F-GP-N 240VAC	Floatless level controller, 240 VAC	109.10	EC001447	159975	4536854335891			DB	DBA	JPN	9032.1080.90	
61F-GP-N2 110VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC	94.35	EC001447	159968	4536854335792			DB	DBA	JPN	9032.1080.90	
61F-GP-N2 220VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 220 VAC	97.20	EC001447	159970	4536854335815		10	DB	DBA	JPN	9032.1080.90	
61F-GP-N2 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir)	97.20	EC001447	159971	4536854335822		#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 24VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC	92.80	EC001447	159972	4536854335846			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 110VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC, 8-pin	94.05	EC001447	159911	4536854333828			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir), 8 pinli	91.50	EC001447	159913	4536854333866		#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 24VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC, 8-pin	93.25	EC001447	159915	4536854333880			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8D 230VAC	Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	91.50	EC001447	151827	4536854333941			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 220 VAC	75.75	EC001447	159921	4536854334016			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, hassas alölama, (PF083A-E soket gereklidir), 8 pinli	110.00	EC001447	105293	4536854334023			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 24VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 24 VAC	105.00	EC001447	157405	4536854334047			DB	DBA	JPN	9032.1080.90	
61F-GP-N8HY 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity reverse-acting, relay, LED indicator (requires PF083A-E socket)	106.50	EC001447	159923	4536854334085			10	DB	DBA	JPN	9032.1080.90
61F-GP-N 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, relay output, LED indicator (requires PF113A-E socket), 24VDC	188.20	EC001447	143687	4536854845468			DB	DBA	JPN	9032.1080.90	
61F-GP-N1 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, transistor output, LED indicator (requires PF113A-E socket), 24VDC	182.00	EC001447	159956	4536854728013			10	DB	DBA	JPN	9032.1080.90
61F-IS-CP08-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	207589	4549734726214			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-ARB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 24 VAC	91.80	EC001447	207590	4549734726207			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-NBA	Floatless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	81.00	EC001447	207600	4549734697125			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	207598	4549734697149			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-SRB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC	91.80	EC001447	207597	4549734697156			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207591	4549734726191			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BBC	Floatless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	207595	4549734697170			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BTC	Floatless level switch, plug-in, DC power supply type, 11 pins, transistor output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	207596	4549734697163			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BNE	Floatless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	135.00	EC001447	207592	4549734697255			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-NBA	Floatless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	102.60	EC001447	207601	4549734697118			10	DB	DBA	JPN	9032.1080.90
61F-IS-CP11-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207599	4549734697132			DB	DBA	JPN	9032.1080.90	
61F-WL-CP08-NBA	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	102.60	EC001447	207593	4549734697194			DB	DBA	JPN	9032.1080.90	
61F-WL-CP11-NBA	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207594	4549734697187			DB	DBA	JPN	9032.1080.90	
<b>İzleme Ürünü K7L</b>												
K7L-ATS0	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, bej kasa	288.20	EC001447	117007	4536854465079			DB	DBB	JPN	9031.9000.00	
K7L-ATS0B	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, siyah kasa	320.60	EC001447	669530	4548583792883			DB	DBB	JPN	9031.9000.00	
K7L-ATS0D	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, sensör arıza tespiti, bej kasa	348.00	EC001447	163294	4536854616099			DB	DBB	JPN	9031.9000.00	
K7L-UD	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolama, sensör arıza tespiti, bej kasa	427.70	EC001447	231842	4547648292610			DB	DBB	JPN	9031.9000.00	
<b>İzleme Ürünü K8AK</b>												
K8AK-AS1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC	39.37	EC001440	378158	4548583402225			DB	DBK	CHN	9031.9000.00	
K8AK-AS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC	41.09	EC001440	378159	4548583402232			DB	DBK	CHN	9031.9000.00	
K8AK-AS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 100-240 VAC	42.79	EC001440	378160	4548583402249			DB	DBK	CHN	9031.9000.00	
K8AK-AS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 24VAC/DC	44.49	EC001440	378161	4548583402256			DB	DBK	CHN	9031.9000.00	
K8AK-AS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC	47.22	EC001440	378162	4548583402263			DB	DBK	CHN	9031.9000.00	
K8AK-AS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC	47.22	EC001440	378163	4548583402270			DB	DBK	CHN	9031.9000.00	
K8AK-AW1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 100-240 VAC	34.21	EC001440	378164	4548583402287			DB	DBK	CHN	9031.9000.00	
K8AK-AW1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001440	378165	4548583402294			DB	DBK	CHN	9031.9000.00	
K8AK-AW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001440	378166	4548583402300			DB	DBK	CHN	9031.9000.00	
<b>İzleme Ürünü K8AK</b>												
K8AK-VS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC	34.21	EC001438	378170	4548583402348			DB	DBK	CHN	9031.9000.00	
K8AK-VS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC	34.21	EC001438	378171	4548583402355			DB	DBK	CHN	9031.9000.00	
K8AK-VS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC	35.96	EC001438	378172	4548583402362			DB	DBK	CHN	9031.9000.00	
K8AK-VS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC	35.96	EC001438	378173	4548583402379			DB	DBK	CHN	9031.9000.00	
K8AK-VW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 100-240 VAC	34.33	EC001438	378174	4548583402386			DB	DBK	CHN	9031.9000.00	
K8AK-VW2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001438	378175	4548583402393			DB	DBK	CHN	9031.9000.00	
K8AK-VW3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001438	378176	4548583402409		#	DB	DBK	CHN	9031.9000.00	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>İzleme Ürünü K8AK</b>											
<a href="#">K8AK-PA1</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 1 SPDT</a>	31.83	EC001441	<a href="#">378179</a>	4548583402430	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PA2</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 1 SPDT</a>	32.56	EC001441	<a href="#">378180</a>	4548583402447	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PH1</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 DPDT</a>	26.36	EC001441	<a href="#">378178</a>	4548583402423	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PM1</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 2 SPDT</a>	36.97	EC001441	<a href="#">378181</a>	4548583402454	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PM2</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 2 SPDT</a>	42.61	EC001441	<a href="#">378182</a>	4548583402461	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PW1</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 115 - 240 VAC, 2 SPDT</a>	28.83	EC001441	<a href="#">378183</a>	4548583402478	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-PW2</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 220 - 480 V AC, 2 SPDT</a>	42.17	EC001441	<a href="#">378184</a>	4548583402485	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
<a href="#">K8AK-LS1 100-240VAC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC</a>	27.51	EC001447	<a href="#">378185</a>	4548583402492	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-LS1 24VAC/DC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC</a>	28.04	EC001447	<a href="#">378186</a>	4548583402508	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8AK</b>											
<a href="#">K8AK-PT1 100-240VAC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT</a>	39.93	EC001446	<a href="#">387480</a>	4548583506657	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TH115 100-240VAC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC</a>	62.30	EC001446	<a href="#">378187</a>	4548583402515	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TH115 24VAC/DC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC</a>	62.30	EC001446	<a href="#">378188</a>	4548583402522	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TH125 100-240VAC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC</a>	62.30	EC001446	<a href="#">378189</a>	4548583402539	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TH125 24VAC/DC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC</a>	62.30	EC001446	<a href="#">378190</a>	4548583402546	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TS1 100-240VAC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, motor sıcaklık koruması, termistör girişi, 100 - 240VAC, 1 SPDT</a>	24.46	EC001446	<a href="#">387478</a>	4548583506633	#		DB	DBK	CHN	9031.9000.00
<a href="#">K8AK-TS1 24VAC/DC</a>	<a href="#">İzleme rölesi 22.5mm genişlik, 3 faz, motor sıcaklık koruması, termistör girişi, 24VAC/DC, 1 SPDT</a>	24.41	EC001446	<a href="#">387479</a>	4548583506640	#		DB	DBK	CHN	9031.9000.00
<b>İzleme Ürünü K8DS</b>											
<a href="#">K8DS-PA2</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT</a>	26.97	EC001441	<a href="#">387486</a>	4548583481589	#		DB	DBS	CHN	9031.9000.00
<a href="#">K8DS-PH1</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT</a>	23.95	EC001441	<a href="#">378191</a>	4548583402553	#		DB	DBS	CHN	9031.9000.00
<a href="#">K8DS-PM2</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT</a>	32.59	EC001441	<a href="#">387484</a>	4548583481565	#		DB	DBS	CHN	9031.9000.00
<a href="#">K8DS-PU1</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT</a>	26.94	EC001441	<a href="#">387481</a>	4548583481534	#		DB	DBS	CHN	9031.9000.00
<a href="#">K8DS-PU2</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT</a>	32.59	EC001441	<a href="#">387482</a>	4548583481541	#		DB	DBS	CHN	9031.9000.00
<a href="#">K8DS-PZ2</a>	<a href="#">İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT</a>	44.73	EC001441	<a href="#">387488</a>	4548583508286	#		DB	DBS	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
<a href="#">K8DT-AS1CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	46.57	EC001440	<a href="#">669469</a>	4548583773455	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS1CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	46.57	EC001440	<a href="#">669484</a>	4548583773516	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS1TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	46.57	EC001440	<a href="#">669473</a>	4548583773486	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS1TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	46.57	EC001440	<a href="#">669518</a>	4548583773547	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS2CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001440	<a href="#">669480</a>	4548583773462	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS2CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001440	<a href="#">669498</a>	4548583773523	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS2TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001440	<a href="#">669522</a>	4548583773493	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS2TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001440	<a href="#">669494</a>	4548583773554	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS3CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669458</a>	4548583773479	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS3CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669453</a>	4548583773530	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS3TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669489</a>	4548583773509	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AS3TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669512</a>	4548583773561	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW1CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669460</a>	4548583773578	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW1CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669501</a>	4548583773639	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW1TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669525</a>	4548583773608	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW1TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001440	<a href="#">669520</a>	4548583773660	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW2CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	51.55	EC001440	<a href="#">669493</a>	4548583773585	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW2CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	51.55	EC001440	<a href="#">669515</a>	4548583773646	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW2TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	51.55	EC001440	<a href="#">669513</a>	4548583773615	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW2TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	51.55	EC001440	<a href="#">669516</a>	4548583773677	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW3CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	53.20	EC001440	<a href="#">669495</a>	4548583773592	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW3CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	53.20	EC001440	<a href="#">669514</a>	4548583773653	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW3TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	53.20	EC001440	<a href="#">669482</a>	4548583773622	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-AW3TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	53.20	EC001440	<a href="#">669483</a>	4548583773684	#		DB	DBT	CHN	9031.9000.00
<b>İzleme Ürünü K8DT</b>											
<a href="#">K8DT-VS2CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	44.87	EC001438	<a href="#">669478</a>	4548583773691	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS2CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	44.87	EC001438	<a href="#">669470</a>	4548583773738	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS2TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	44.87	EC001438	<a href="#">669488</a>	4548583773714	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS2TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	44.87	EC001438	<a href="#">669512</a>	4548583773752	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS3CA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	46.57	EC001438	<a href="#">669457</a>	4548583773707	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS3CD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	46.57	EC001438	<a href="#">669504</a>	4548583773745	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS3TA</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	46.57	EC001438	<a href="#">669463</a>	4548583773721	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VS3TD</a>	<a href="#">İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	46.57	EC001438	<a href="#">669490</a>	4548583773769	#		DB	DBT	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">K8DT-VW2CA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669474</a>	4548583773776			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2CD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669507</a>	4548583773813			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2TA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669454</a>	4548583773790			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW2TD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	48.23	EC001438	<a href="#">669499</a>	4548583773837			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3CA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669452</a>	4548583773783			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3CD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669449</a>	4548583773820			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3TA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669524</a>	4548583773806			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-VW3TD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	49.86	EC001438	<a href="#">669456</a>	4548583773844			DB	DBT	CHN	9031.9000.00
<b>Izleme Ürünü K8DT</b>											
<a href="#">K8DT-PH1CN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT, Push-in Plus terminal</a>	33.25	EC001441	<a href="#">669476</a>	4548583773851	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PH1TN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 transistör, Push-in Plus terminal</a>	33.25	EC001441	<a href="#">669485</a>	4548583773868			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM1CN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669523</a>	4548583773875	#		DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM1TN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669481</a>	4548583773899			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM2CN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669510</a>	4548583773882			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PM2TN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 transistör, Push-in Plus terminal</a>	43.24	EC001441	<a href="#">669496</a>	4548583773905			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ1CN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal</a>	39.90	EC001441	<a href="#">669491</a>	4548583773912			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ1TN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal</a>	39.90	EC001441	<a href="#">669472</a>	4548583773936			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ2CN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT, Push-in Plus terminal</a>	46.57	EC001441	<a href="#">669497</a>	4548583773929			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-PZ2TN</a>	<a href="#">Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 transistör, Push-in Plus terminal</a>	46.57	EC001441	<a href="#">669475</a>	4548583773943			DB	DBT	CHN	9031.9000.00
<b>Izleme Ürünü K8DT</b>											
<a href="#">K8DT-LS1CA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669486</a>	4548583773950			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-LS1CD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669464</a>	4548583773974			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-LS1TA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669487</a>	4548583773967			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-LS1TD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	43.24	EC001447	<a href="#">669450</a>	4548583773981			DB	DBT	CHN	9031.9000.00
<b>Izleme Ürünü K8DT</b>											
<a href="#">K8DT-TH1CA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669503</a>	4548583773998			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1CD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669467</a>	4548583774032			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1TA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669506</a>	4548583774018			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH1TD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669451</a>	4548583774056			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2CA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669461</a>	4548583774001			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2CD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669505</a>	4548583774049			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2TA</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669462</a>	4548583774025			DB	DBT	CHN	9031.9000.00
<a href="#">K8DT-TH2TD</a>	<a href="#">Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal</a>	59.90	EC001446	<a href="#">669459</a>	4548583774063			DB	DBT	CHN	9031.9000.00
<b>Diğer İzleme Ürünleri</b>											
<a href="#">F03-16PE-10M</a>	<a href="#">Floatless level controller accessory</a>	285.40	EC002586	<a href="#">695006</a>	4549734593687			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-1M</a>	<a href="#">Electrode band, 1m, stainless steel with polyethylene cover</a>	28.64	EC002586	<a href="#">695009</a>	4549734593656			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-25M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	876.00	EC002586	<a href="#">695003</a>	4549734593717			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-2M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	67.95	EC002586	<a href="#">695008</a>	4549734593663			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-50M</a>	<a href="#">Electrode band, stainless steel with polyethylene cover</a>	1,434.00	EC002586	<a href="#">695002</a>	4549734593748			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PE-5M</a>	<a href="#">Sensing band sticker, polyethylene, greater durability and condensation resistance</a>	167.60	EC002586	<a href="#">695007</a>	4549734593670			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PS</a>	<a href="#">Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material</a>	101.40	EC002586	<a href="#">175703</a>	4547648088015			DB	DBX	JPN	9032.1080.90
<a href="#">F03-16PS-E</a>	<a href="#">Point Sensor, electrodes have fluoroplastic coating to resist chemicals</a>	136.70	EC002586	<a href="#">175704</a>	4547648088022	#		DB	DBX	JPN	9032.1080.90
<a href="#">F03-16SFC-5M</a>	<a href="#">Liquid Leakage Sensing Band (with color indication), 5m length. Greater flexibility and enables visual confirmation when the inner color appears</a>	271.30	EC002586	<a href="#">182849</a>	4547648143882			DB	DBX	JPN	9032.1080.90
<b>Diğer İzleme Ürünleri</b>											
<a href="#">K8AC-H22CC-FLK</a>	<a href="#">Accessory</a>	587.00	EC001440	351514	4547648569859			DB	DBX	JPN	9031.9000.00
<b>Izleme Ürünleri için Aksesuarlar</b>											
<a href="#">K8AC-C200L</a>	<a href="#">K8AK-A*3 için 200 A akım transformatörü</a>	72.10	EC002048	<a href="#">184037</a>	4547648140492			DB	DBZ	JPN	9031.9000.00
<b>Izleme Ürünleri için Aksesuarlar</b>											
<a href="#">F03-26PES</a>	<a href="#">Mounting bracket and sticker, sensing band sticker. Used for F03-16PE (adhesive tape).</a>	49.21	EC002586	<a href="#">165136</a>	4536854718342		10	DB	DBZ	JPN	9032.1080.90
<b>Izleme Ürünleri için Aksesuarlar</b>											
<a href="#">61F-11</a>	<a href="#">Floatless level controller</a>	48.44	EC001447	160000	4536854337161			DB	DBZ	JPN	9032.1080.90
<a href="#">BE-1</a>	<a href="#">Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance</a>	30.60	EC002586	<a href="#">132182</a>	4536853143343			DB	DBZ	JPN	9032.1080.90
<a href="#">BE-3</a>	<a href="#">Electrode holder, 3-way, standard type (150°C)</a>	62.75	EC002586	<a href="#">132183</a>	4536853143350			DB	DBZ	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
BS-1	Electrode holder, 1-pool electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	58.20	EC002586	<a href="#">137186</a>	4536853143695		10	DB	DBZ	JPN	9032.1080.90
F03-01 SUS201	Sivi seviye elektrodu, paslanmaz çelik, SUS201, 1 m, 6 mm çap, ek yapilabilir, kesilebilir	10.89	EC002586	<a href="#">155001</a>	4536853384531		100	DB	DBZ	JPN	9032.1080.90
F03-01 SUS316	Sivi seviye elektrodu, paslanmaz çelik, SUS316, 1 m, 6 mm çap, ek yapilabilir, kesilebilir	21.72	EC002586	<a href="#">153056</a>	4536853384548	#	25	DB	DBZ	JPN	9032.1080.90
F03-02 SUS201	Electrode connecting nut	2.72	EC002586	<a href="#">127405</a>	4536853384586			DB	DBZ	JPN	8538.9099.99
F03-02 SUS316	Electrode lock nut, with 1 number of parts in an set	4.54	EC002586	<a href="#">127406</a>	4536853384593		15	DB	DBZ	JPN	8538.9099.99
F03-03 SUS304	Electrode lock nut	0.59	EC002586	<a href="#">127409</a>	4536853384630		5	DB	DBZ	JPN	8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.40	EC002586	<a href="#">156416</a>	4536853384647		20	DB	DBZ	JPN	8538.9099.99
F03-11	Floatless level controller accessory	33.78	EC002586	<a href="#">144315</a>	4536853384739			DB	DBZ	JPN	8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	18.22	EC002586	<a href="#">127411</a>	4536853384746			DB	DBZ	JPN	8538.9099.99
F03-14 1P	Electrode separator, 1 electrode, ceramic, 250°C max, 15g	2.40	EC002586	<a href="#">127416</a>	4536853384760		10	DB	DBZ	JPN	8538.9099.99
F03-14 3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	3.40	EC002586	<a href="#">153057</a>	4536853384777		10	DB	DBZ	JPN	8538.9099.99
F03-14 5P	Electrode separator, 5 way	4.53	EC002586	<a href="#">150824</a>	4536853385132		10	DB	DBZ	JPN	8538.9099.99
F03-20	Terminal block, liquid leakage sensor	134.00	EC002586	<a href="#">143275</a>	4536854479267			DB	DBZ	JPN	9032.1080.90
F03-20T	Floatless level controller accessory	56.70	EC002586	<a href="#">196359</a>	4536854616129			DB	DBZ	JPN	9032.1080.90
F03-31	Floatless level controller accessory	14.78	EC002586	<a href="#">127425</a>	4536853384876		10	DB	DBZ	JPN	8538.9099.99
F03-60 SUS316	Liquid leakage detector accessory	29.07	EC002586	<a href="#">127420</a>	4536853384821		25	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 1000MM	Sivi seviye röleleri için elektrot, 1 m uzunluk, istenilen uzunlukta kesilebilir	41.15	EC002586	<a href="#">143136</a>	4536853724153		20	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	37.47	EC002586	<a href="#">157459</a>	4536853724160			DB	DBZ	JPN	9032.1080.90
PS-3S	3'lu elektrot tutucusu	32.06	EC002586	<a href="#">176624</a>	4547648047791			DB	DBZ	CHN	9032.1080.90
PS-4S	Electrode holder, 4 way	37.47	EC002586	<a href="#">176625</a>	4547648047814			DB	DBZ	CHN	9032.1080.90
PS-5S	Electrode holder, 5 way	41.94	EC002586	<a href="#">176626</a>	4547648047838			DB	DBZ	CHN	9032.1080.90
<b>Panel İndikatörleri K3MA</b>											
K3MA-FA2 100-240VAC	Frekans/Oran metre, DIN 96x48 mm, pulse girişi, 2NO röle çıkışı, 100-240 VAC	321.00	EC002301	<a href="#">227985</a>	4547648238793			DC	DCA	CHN	9031.9000.00
K3MA-FA2 24VAC/DC	Frekans/Oran metre, DIN 96x48 mm, pulse girişi, 2NO röle çıkışı, 24 VAC/DC	317.50	EC002301	<a href="#">228009</a>	4547648238809			DC	DCA	CHN	9031.9000.00
<b>Panel İndikatörleri K3MA</b>											
K3MA-J 100-240VAC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	303.20	EC002301	<a href="#">228010</a>	4547648238694			DC	DCA	CHN	9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	277.10	EC002301	<a href="#">227976</a>	4547648238700			DC	DCA	CHN	9031.9000.00
K3MA-JA2 100-240VAC	Proses metre, DIN 96x48 mm, DC gerilim/ akım girişi, 2NO röle çıkışı, 100-240 VAC	305.60	EC002301	<a href="#">227977</a>	4547648238717	#		DC	DCA	CHN	9031.9000.00
K3MA-JA2 24VAC/DC	Proses metre, DIN 96x48 mm, DC gerilim/ akım girişi, 2NO röle çıkışı, 24 VAC/DC	291.50	EC002301	<a href="#">227978</a>	4547648238724	#		DC	DCA	CHN	9031.9000.00
<b>Panel İndikatörleri K3MA</b>											
K3MA-L-C 100-240VAC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD girişi, 1C/O röle çıkışı, 100-240 VAC	305.50	EC002301	<a href="#">227981</a>	4547648238755			DC	DCA	CHN	9031.9000.00
K3MA-L-C 24VAC/DC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD girişi, 1C/O röle çıkışı, 24 VAC/DC	291.50	EC002301	<a href="#">227982</a>	4547648238762			DC	DCA	CHN	9031.9000.00
<b>Panel İndikatörleri K3GN</b>											
K3GN-NDC 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN girişi, 2x röle çıkışı	327.80	EC002301	<a href="#">227823</a>	4547648238328			DC	DCC	CHN	9031.9000.00
K3GN-PDC 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 2x röle çıkışı	328.50	EC002301	<a href="#">227824</a>	4547648238342	#		DC	DCC	CHN	9031.9000.00
K3GN-PDT2 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 3x PNP transistör çıkışı	294.90	EC002301	<a href="#">227825</a>	4547648238359			DC	DCC	CHN	9031.9000.00
<b>Panel İndikatörleri K3HB</b>											
K3HB-CNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Yukarı/Aşağı saymak için pulse, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kollektör, 100-240 VAC	521.50	EC002301	<a href="#">180120</a>	4547648109864			DC	DCD	JPN	9031.9000.00
K3HB-CPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 100-240 VAC supply	525.00	EC002301	<a href="#">181447</a>	4547648140331			DC	DCD	JPN	9031.9000.00
K3HB-CPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 24 VAC/VDC supply	525.00	EC002301	<a href="#">181448</a>	4547648140348			DC	DCD	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi, PT100K, J, T, E, I, U, N, R, S, B, W, 100-240 VAC	696.50	EC002301	<a href="#">168448</a>	4547648022651			DC	DCD	JPN	9031.9000.00
K3HB-RNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 100-240 VAC	521.50	EC002301	<a href="#">180112</a>	4547648109789			DC	DCD	JPN	9031.9000.00
K3HB-RNB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No. voltage, voltage or NPN open collector, 24 VAC/VDC supply	537.50	EC002301	<a href="#">180113</a>	4547648109796			DC	DCD	JPN	9031.9000.00
K3HB-RPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 100-240 VAC	533.50	EC002301	<a href="#">180114</a>	4547648109802			DC	DCD	JPN	9031.9000.00
K3HB-RPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 24 VAC/VDC	509.50	EC002301	<a href="#">180115</a>	4547648109819			DC	DCD	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5V, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 24 VAC/DC, sanivede 2000, sıvı vakalama özelliği	987.00	EC002301	<a href="#">118207</a>	4547648008501			DC	DCD	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 100-240 VAC	517.50	EC002301	<a href="#">168446</a>	4547648022477	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 24 VAC/DC	517.50	EC002301	<a href="#">168447</a>	4547648022484			DC	DCD	JPN	9031.9000.00
K3HB-XAA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC akım girişi, 0-19.999mA - 0-10 A, 100-240 VAC	586.00	EC002301	<a href="#">168496</a>	4547648021814			DC	DCD	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 100-240 VAC	505.50	EC002301	<a href="#">168444</a>	4547648021777			DC	DCD	JPN	9031.9000.00
K3HB-XAD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 24 VAC/VDC	533.50	EC002301	<a href="#">168445</a>	4547648021784			DC	DCD	JPN	9031.9000.00
K3HB-XVA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC gerilim girişi, 0.0 - 400.0V - 0.0000 - 1.999V, 100-240 VAC	586.00	EC002301	<a href="#">168494</a>	4547648021791			DC	DCD	JPN	9031.9000.00
K3HB-XVD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 100-240 VAC	521.50	EC002301	<a href="#">168442</a>	4547648021753			DC	DCD	JPN	9031.9000.00
K3HB-XVD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 24 VAC/VDC	525.00	EC002301	<a href="#">168443</a>	4547648021760			DC	DCD	JPN	9031.9000.00

**Diğer Panel İndikatörleri**



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K33-A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 12 VDC 80mA sensör güç kaynağı	61.75	EC002295	147813	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 10 VDC 100mA sensör güç kaynağı	63.40	EC002295	168451	4547648022842			DC	DCX	JPN	9031.9000.00
K33-CPA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 12 VDC 80mA sensör güç kaynağı	73.85	EC002295	105740	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 10 VDC 100mA sensör güç kaynağı	76.95	EC002295	168450	4547648022835			DC	DCX	JPN	9031.9000.00
K33-FLK3A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	132.90	EC002295	168458	4547648022910			DC	DCX	JPN	9031.9000.00
K33-FLK3B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	156.80	EC002295	168459	4547648022927			DC	DCX	JPN	9031.9000.00
K33-11A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC (0/4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168452	4547648022859			DC	DCX	JPN	9031.9000.00
K33-11B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC (0/4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	282.90	EC002295	168453	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-12A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC(0)1-5V ya da 0-10V çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168454	4547648022873			DC	DCX	JPN	9031.9000.00
K33-12B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC(0)1-5V ya da 0-10V çıkış ve 12 VDC 80mA sensör güç kaynağı	294.90	EC002295	168455	4547648022880			DC	DCX	JPN	9031.9000.00
K34-C1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 2 röle çıkışı (H/L) SPDT	89.00	EC002295	155312	4536854927195			DC	DCX	JPN	9031.9000.00
K34-C2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 4 röle çıkışı (H/H/L/L1) SPNO	112.50	EC002295	118248	4536854927201			DC	DCX	JPN	9031.9000.00
K34-DRT	Opsiyon kartı (Slot B), Devicenet haberleşme	393.20	EC002295	168460	4547648025607			DC	DCX	JPN	9031.9000.00
K34-T1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 5 NPN açık kolektör çıkışı (H/H/PASS/L/L1)	103.70	EC002295	118249	4536854927218			DC	DCX	JPN	9031.9000.00
K35-1	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, NPN açık kolektör, event giriş, 5 noktalı, M3 terminal bloğu	79.45	EC002295	118251	4536854927232			DC	DCX	JPN	9031.9000.00
K35-3	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, PNP açık kolektör, event giriş, 5 noktalı, M3 terminal bloğu	96.75	EC002295	144606	4536854927249			DC	DCX	JPN	9031.9000.00
<b>Diğer Panel İndikatörleri</b>											
K32-49HC	Hard cover for use with 96x48mm panel meter	8.08	EC002295	118244	4536853597092			DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	27.71	EC002295	146531	4536853597153			DC	DCX	JPN	9031.9000.00
<b>Güç Kaynağı SBVS</b>											
SBVS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	122.50	EC002540	324848	4547648711555			DD	DDH	CHN	8504.4030.00
SBVS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	122.50	EC002540	324268	4547648711562			DD	DDH	CHN	8504.4030.00
SBVS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	122.50	EC002540	307948	4547648711579			DD	DDH	CHN	8504.4030.00
SBVS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	154.70	EC002540	324849	4547648711586			DD	DDH	CHN	8504.4030.00
SBVS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	155.90	EC002540	323512	4547648711593			DD	DDH	CHN	8504.4030.00
SBVS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	155.90	EC002540	325147	4547648711609			DD	DDH	CHN	8504.4030.00
SBVS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	213.70	EC002540	247532	4547648419352			DD	DDH	CHN	8504.4030.00
SBVS-06024A	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	289.40	EC002540	281052	4547648639927			DD	DDH	CHN	8504.4030.00
SBVS-06024B	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	232.40	EC002540	281059	4547648639941			DD	DDH	CHN	8504.4030.00
SBVS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	279.30	EC002540	247534	4547648419369			DD	DDH	CHN	8504.4030.00
SBVS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor, function with settable alarm point	328.90	EC002540	281069	4547648640046			DD	DDH	CHN	8504.4030.00
SBVS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	335.30	EC002540	247535	4547648419376			DD	DDH	CHN	8504.4030.00
SBVS-12024A	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	419.60	EC002540	281061	4547648639965			DD	DDH	CHN	8504.4030.00
SBVS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring, function with settable alarm point	340.50	EC002540	281071	4547648640060			DD	DDH	CHN	8504.4030.00
SBVS-12024B	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	386.60	EC002540	281062	4547648639972			DD	DDH	CHN	8504.4030.00
SBVS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function, with settable alarm point	377.90	EC002540	281072	4547648640077			DD	DDH	CHN	8504.4030.00
SBVS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	467.70	EC002540	247536	4547648419383			DD	DDH	CHN	8504.4030.00
SBVS-18024A	Güç kaynağı, 180 W, 100-240 VAC giriş, 24 VDC, 7.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	552.00	EC002540	281065	4547648640008			DD	DDH	CHN	8504.4030.00
SBVS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor, function with settable alarm point	593.50	EC002540	281073	4547648640084			DD	DDH	CHN	8504.4030.00
SBVS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	415.70	EC002540	201367	4548583020221			DD	DDH	CHN	8504.4030.00
SBVS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	582.50	EC002540	247537	4547648419390			DD	DDH	CHN	8504.4030.00
SBVS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function, with settable alarm point	680.50	EC002540	281067	4547648640022			DD	DDH	CHN	8504.4030.00
SBVS-24024B	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	585.00	EC002540	281064	4547648639996			DD	DDH	CHN	8504.4030.00
SBVS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function, with settable alarm point	593.50	EC002540	281068	4547648640039			DD	DDH	CHN	8504.4030.00
SBVS-48024A	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	721.50	EC002540	333444	4547648711661			DD	DDH	CHN	8504.4030.00
SBVS-48024B	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	685.50	EC002540	333445	4547648711678			DD	DDH	CHN	8504.4030.00
<b>Güç Kaynağı SBVS</b>											
SBAS-24006	Power supply, 240W, 24VDC, 6 branch output	1,893.00	EC002540	356597	4547648711289			DD	DDH	CHN	8504.4030.00
SBAS-24006N	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, no communication function, not changeable parameter setting	1,678.00	EC002540	324220	4547648711296			DD	DDH	CHN	8504.4030.00
SBAS-48008	Power supply, 480W, 24VDC, 8 branch output	2,260.00	EC002540	324222	4547648711319			DD	DDH	CHN	8504.4030.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Güç Kaynağı S8VK-G</b>											
S8VK-G01505	Kitap tipi güç kaynağı, PRO, 15 W, 5VDC, 3 A, DIN ray montaj	34.27	EC002540	374164	4548583357648	#		DD	DDL	CHN	8504.4030.00
S8VK-G01512	Kitap tipi güç kaynağı, PRO, 15 W, 12 VDC, 1.2A, DIN ray montaj	33.33	EC002540	374165	4548583357655	#		DD	DDL	CHN	8504.4030.00
S8VK-G01524	Kitap tipi güç kaynağı, PRO, 15 W, 24VDC, 0.65 A, DIN ray montaj	34.33	EC002540	374166	4548583357662	#		DD	DDL	CHN	8504.4030.00
S8VK-G03005	Kitap tipi güç kaynağı, PRO, 30 W, 5VDC, 5 A, DIN ray montaj	42.58	EC002540	374167	4548583357679	#		DD	DDL	CHN	8504.4030.00
S8VK-G03012	Kitap tipi güç kaynağı, PRO, 30 W, 12 VDC, 2.5 A, DIN ray montaj	41.09	EC002540	374168	4548583357686	#		DD	DDL	CHN	8504.4030.00
S8VK-G03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3A, DIN ray montaj	41.09	EC002540	374169	4548583357693	#		DD	DDL	CHN	8504.4030.00
S8VK-G06012	Kitap tipi güç kaynağı, PRO, 60 W, 12 VDC, 4.5 A, DIN ray montaj	47.87	EC002540	374170	4548583357709	#		DD	DDL	CHN	8504.4030.00
S8VK-G06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj	47.87	EC002540	374171	4548583357716	#		DD	DDL	CHN	8504.4030.00
S8VK-G12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj	72.70	EC002540	374869	4548583357723	#		DD	DDL	CHN	8504.4030.00
S8VK-G24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj	121.70	EC002540	374870	4548583357730	#		DD	DDL	CHN	8504.4030.00
S8VK-G24048	Kitap tipi güç kaynağı, PRO, 240 W, 48VDC, 5 A, DIN ray montaj	121.70	EC002540	374871	4548583357747	#		DD	DDL	CHN	8504.4030.00
S8VK-G48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj	169.10	EC002540	374872	4548583357754	#		DD	DDL	CHN	8504.4030.00
S8VK-G48048	Kitap tipi güç kaynağı, PRO, 480 W, 48VDC, 10 A, DIN ray montaj	169.10	EC002540	374873	4548583357761	#		DD	DDL	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-C</b>											
S8VK-C12024	Kitap tipi güç kaynağı, LITE, 120 W, 24VDC, 5 A, DIN ray montaj	44.49	EC002540	375667	4548583357914	#		DD	DDM	CHN	8504.4030.00
S8VK-C24024	Kitap tipi güç kaynağı, LITE, 240 W, 24VDC, 10 A, DIN ray montaj	79.80	EC002540	375668	4548583357921	#	2	DD	DDM	CHN	8504.4030.00
S8VK-C48024	Kitap tipi güç kaynağı, LITE, 480 W, 24VDC, 20A, DIN ray montaj	140.10	EC002540	375669	4548583357938	#		DD	DDM	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-S</b>											
S8VK-S03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	44.01	EC002540	675333	4549734134620	#		DD	DDN	CHN	8504.4030.00
S8VK-S06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	51.60	EC002540	669508	4548583761117	#		DD	DDN	CHN	8504.4030.00
S8VK-S12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	74.45	EC002540	669511	4548583761124	#		DD	DDN	CHN	8504.4030.00
S8VK-S24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	144.70	EC002540	672485	4548583761131	#		DD	DDN	CHN	8504.4030.00
S8VK-S48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	221.00	EC002540	672486	4548583761148	#		DD	DDN	CHN	8504.4030.00
<b>Güç Kaynağı S8VK accessory</b>											
S82Y-VK10F	Front-mounting bracket for S8VK (120, 240 and 480 W models)	11.34	EC002498	377521	4548583415911		100	DD	DDO	JPN	8504.4030.00
S82Y-VK90F	Front-mounting bracket for S8VK-T (480 W and 960 W models)	31.71	EC002498	203192	4549734674379			DD	DDO	CHN	8504.4030.00
S8VK-R10	Yedekleme ünitesi, PRO PLUS (giriz 5-30VDC, çıkış 10 A)	46.78	EC002498	377513	4548583425613	#		DD	DDO	CHN	8504.4030.00
S8VK-R20	Yedekleme ünitesi, PRO PLUS (giriz 10-60VDC, çıkış 20 A)	70.45	EC002498	377514	4548583425620	#		DD	DDO	CHN	8504.4030.00
S8V-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	38.87	EC002025	680674	4549734175876			DD	DDO	CHN	8529.9097.90
S8V-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	40.77	EC002025	680575	4549734172707	#		DD	DDO	CHN	8529.9097.90
<b>Güç Kaynağı S8FS</b>											
S8FS-C015051	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 5 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668800	4548583751286	#		DD	DDP	CHN	8504.4030.00
S8FS-C015121	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 12 VDC, 1.3 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668734	4548583751293	#		DD	DDP	CHN	8504.4030.00
S8FS-C015241	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 24 VDC, 0.7 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668755	4548583751316	#		DD	DDP	CHN	8504.4030.00
S8FS-C025121	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 12 VDC, 2.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	668777	4548583741522	#		DD	DDP	CHN	8504.4030.00
S8FS-C025241	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 24 VDC, 1.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	668782	4548583741546	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 24 VDC, 1.1 A çıkış, DIN ray montaj seçeneği	15.36	EC002540	668760	4548583751361	#		DD	DDP	CHN	8504.4030.00
S8FS-C035121	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 12 VDC, 3.0 A çıkış, yüzey montaj seçeneği	16.53	EC002540	668770	4548583741560	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 12 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	668764	4548583751392	#		DD	DDP	CHN	8504.4030.00
S8FS-C035241	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 24 VDC, 1.5 A çıkış, yüzey montaj seçeneği	16.53	EC002540	668793	4548583741584	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 24 VDC, 1.5 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	668731	4548583751415	#		DD	DDP	CHN	8504.4030.00
S8FS-C050121	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 12 VDC, 4.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	668722	4548583741607	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 12 VDC, 4.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	668802	4548583751446	#		DD	DDP	CHN	8504.4030.00
S8FS-C050241	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 24 VDC, 2.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	668798	4548583741621	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 24 VDC, 2.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	668786	4548583751460	#		DD	DDP	CHN	8504.4030.00
S8FS-C075121	Güç kaynağı, LITE, 75 W, 100-240 VAC giriz, 12 VDC, 6.2 A çıkış, yüzey montaj seçeneği	23.05	EC002540	668750	4548583741652	#		DD	DDP	CHN	8504.4030.00
S8FS-C07512J	Güç kaynağı, LITE, 75 W, 100-240 VAC giriz, 12 VDC, 6.2 A çıkış, DIN ray montaj seçeneği	21.12	EC002540	668754	4548583751514	#		DD	DDP	CHN	8504.4030.00
S8FS-C100121	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 8.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	668771	4548583741706	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 8.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	668756	4548583751545	#		DD	DDP	CHN	8504.4030.00
S8FS-C100241	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 4.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	668804	4548583741720	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 4.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	668732	4548583751569	#		DD	DDP	CHN	8504.4030.00
S8FS-C150121	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 12.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	668780	4548583741768	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 12.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	668737	4548583751613	#		DD	DDP	CHN	8504.4030.00
S8FS-C150241	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 6.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	668785	4548583741782	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 6.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	668751	4548583751637	#		DD	DDP	CHN	8504.4030.00
S8FS-C200121	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 17.0 A çıkış, yüzey montaj seçeneği	42.19	EC002540	668784	4548583741829	#		DD	DDP	CHN	8504.4030.00
S8FS-C200241	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 8.8 A çıkış, yüzey montaj seçeneği	42.19	EC002540	668729	4548583741836	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 8.8 A çıkış, DIN ray montaj seçeneği	42.19	EC002540	668762	4548583751682	#		DD	DDP	CHN	8504.4030.00
S8FS-C350121	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668803	4548583741874	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668766	4548583751729	#		DD	DDP	CHN	8504.4030.00
S8FS-C350241	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668810	4548583741881	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668733	4548583751736	#		DD	DDP	CHN	8504.4030.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-C35048	Güç kaynağı, LITE, 350 W, 100-240 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668718	4548583741904	#		DD	DDP	CHN	8504.4030.00
S8FS-C35048I	Güç kaynağı, LITE, 350 W, 100-240 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668813	4548583751750	#		DD	DDP	CHN	8504.4030.00
S8FS-G01505CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 5 VDC, 3 A çıkış, DIN ray montaj	47.67	EC002540	677992	4549734104333			DD	DDP	CHN	8504.4030.00
S8FS-G01512CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj	47.67	EC002540	677965	4549734104357			DD	DDP	CHN	8504.4030.00
S8FS-G01524CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 24 VDC, 0.65 A çıkış, DIN ray montaj	47.67	EC002540	678163	4549734104395			DD	DDP	CHN	8504.4030.00
S8FS-G03005CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 5 VDC, 6 A çıkış, DIN ray montaj	58.50	EC002540	677983	4549734104432			DD	DDP	CHN	8504.4030.00
S8FS-G03012CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 12 VDC, 3 A çıkış, DIN ray montaj	58.50	EC002540	677974	4549734104456			DD	DDP	CHN	8504.4030.00
S8FS-G03015CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 15 VDC, 2.4 A çıkış, DIN ray montaj	58.50	EC002540	677963	4549734104470			DD	DDP	CHN	8504.4030.00
S8FS-G03024CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj	58.50	EC002540	677972	4549734104494			DD	DDP	CHN	8504.4030.00
S8FS-G05005CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 5 VDC, 8 A çıkış, DIN ray montaj	73.85	EC002540	677957	4549734104531			DD	DDP	CHN	8504.4030.00
S8FS-G05012CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 12 VDC, 4.3 A çıkış, DIN ray montaj	73.85	EC002540	677962	4549734104555			DD	DDP	CHN	8504.4030.00
S8FS-G05015CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 15 VDC, 3.5 A çıkış, DIN ray montaj	73.85	EC002540	678174	4549734104579			DD	DDP	CHN	8504.4030.00
S8FS-G05024C	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj	69.30	EC002540	677981	4549734104586			DD	DDP	CHN	8504.4030.00
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj	73.85	EC002540	677969	4549734104593			DD	DDP	CHN	8504.4030.00
S8FS-G10005CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 5 VDC, 16 A çıkış, DIN ray montaj	97.00	EC002540	677985	4549734104630			DD	DDP	CHN	8504.4030.00
S8FS-G10012CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj	97.00	EC002540	677960	4549734104654			DD	DDP	CHN	8504.4030.00
S8FS-G10024C	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj	92.30	EC002540	677984	4549734104685			DD	DDP	CHN	8504.4030.00
S8FS-G10024CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj	97.00	EC002540	677977	4549734104692			DD	DDP	CHN	8504.4030.00
S8FS-G15012CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 12 VDC, 13 A çıkış, DIN ray montaj	119.90	EC002540	677958	4549734104791			DD	DDP	CHN	8504.4030.00
S8FS-G15024C	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj	115.50	EC002540	677994	4549734104821			DD	DDP	CHN	8504.4030.00
S8FS-G15024CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj	119.90	EC002540	677986	4549734104838			DD	DDP	CHN	8504.4030.00
S8FS-G30012CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 12 VDC, 25 A çıkış, DIN ray montaj	220.30	EC002540	677980	4549734104937			DD	DDP	CHN	8504.4030.00
S8FS-G30024C	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, yüzey montaj	215.70	EC002540	675283	4549734104968	#		DD	DDP	CHN	8504.4030.00
S8FS-G30024CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, DIN ray montaj	220.30	EC002540	677975	4549734104975	#		DD	DDP	CHN	8504.4030.00
S8FS-G60012CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 12 VDC, 50 A çıkış, DIN ray montaj	351.20	EC002540	678150	4549734105057			DD	DDP	CHN	8504.4030.00
S8FS-G60024C	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, yüzey montaj	346.20	EC002540	675284	4549734105125	#		DD	DDP	CHN	8504.4030.00
S8FS-G60024CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, DIN ray montaj	351.20	EC002540	678170	4549734105132	#		DD	DDP	CHN	8504.4030.00
S8FS-G60048CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 48 VDC, 13 A çıkış, DIN ray montaj	351.20	EC002540	678148	4549734105217	#		DD	DDP	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-T</b>											
S8VK-T12024	Kitap tipi güç kaynağı, PRO, 3 faz, 120 W, 24VDC, 5 A, DIN ray montaj	89.05	EC002540	382729	4548583357983	#		DD	DDQ	CHN	8504.4030.00
S8VK-T12024-400	Coated version, Book type power supply, Pro, Three-phase, 120 W, 24VDC, 5A, DIN rail mounting	102.60	EC002540	659380	4548583721234			DD	DDQ	CHN	8504.4030.00
S8VK-T24024	Kitap tipi güç kaynağı, PRO, 3 faz, 240 W, 24VDC, 10 A, DIN ray montaj	133.80	EC002540	382730	4548583357990	#		DD	DDQ	CHN	8504.4030.00
S8VK-T24024-400	Coated version, Book type power supply, Pro, Three-phase, 240 W, 24VDC, 10A, DIN rail mounting	132.50	EC002540	659384	4548583564589			DD	DDQ	CHN	8504.4030.00
S8VK-T48024	Kitap tipi güç kaynağı, PRO, 3 faz, 480 W, 24VDC, 20A, DIN ray montaj	247.20	EC002540	386429	4548583358003	#		DD	DDQ	CHN	8504.4030.00
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24VDC, 20A, DIN rail mounting	282.00	EC002540	659385	4548583564596			DD	DDQ	CHN	8504.4030.00
S8VK-T96024	Kitap tipi güç kaynağı, PRO, 3 faz, 960 W, 24VDC, 40A, DIN ray montaj	333.00	EC002540	386430	4548583358010	#		DD	DDQ	CHN	8504.4030.00
S8VK-T96024-400	Coated version, Book type power supply, Pro, Three-phase, 960 W, 24VDC, 40A, DIN rail mounting	370.60	EC002540	659379	4548583564602			DD	DDQ	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-T</b>											
S8VK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	277.80	EC002540	688154	4549734449083		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	378.90	EC002540	688155	4549734449090		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	569.00	EC002540	688156	4549734449106			DD	DDQ	CHN	8504.4030.00
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	234.20	EC002540	699600	4549734674799			DD	DDQ	CHN	8504.4030.00
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	234.20	EC002540	699603	4549734674829			DD	DDQ	CHN	8504.4030.00
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	332.60	EC002540	699601	4549734674805			DD	DDQ	CHN	8504.4030.00
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	332.60	EC002540	699604	4549734674836			DD	DDQ	CHN	8504.4030.00
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	480.40	EC002540	699602	4549734674812			DD	DDQ	CHN	8504.4030.00
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	480.40	EC002540	699605	4549734674843			DD	DDQ	CHN	8504.4030.00
<b>Güç Kaynağı S8VK-X</b>											
S8VK-X03005-FIP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	148.20	EC002540	680581	4549734172752			DD	DDR	CHN	8504.4030.00
S8VK-X06012-FIP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680586	4549734172769			DD	DDR	CHN	8504.4030.00
S8VK-X06024-FIP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680578	4549734172776			DD	DDR	CHN	8504.4030.00
S8VK-X09024A-FIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	210.00	EC002540	680584	4549734172714			DD	DDR	CHN	8504.4030.00
S8VK-X12024A-FIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	230.80	EC002540	680585	4549734172721			DD	DDR	CHN	8504.4030.00
S8VK-X12024-FIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	195.90	EC002540	680579	4549734172790			DD	DDR	CHN	8504.4030.00
S8VK-X24024A-FIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	331.90	EC002540	680577	4549734172738			DD	DDR	CHN	8504.4030.00
S8VK-X24024-FIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	297.30	EC002540	680583	4549734172806			DD	DDR	CHN	8504.4030.00
S8VK-X48024A-FIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	436.90	EC002540	680580	4549734172745			DD	DDR	CHN	8504.4030.00
S8VK-X48024-FIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	402.20	EC002540	680576	4549734172813			DD	DDR	CHN	8504.4030.00
<b>S8V Elektronik Sigorta</b>											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	172.50	EC002498	689505	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	196.00	EC002498	689504	4549734494113			DD	DDT	DEU	8536.2010.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>S8V Elektronik Sigorta</b>											
<a href="#">S8V-CP0824</a>	<a href="#">Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC</a>	295.80	EC002498	<a href="#">689503</a>	4549734494120	#		DD	DDT	DEU	8536.2010.90
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8JX-P30024CD</a>	<a href="#">Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)</a>	645.00	EC002540	<a href="#">364918</a>	4548583103719			DD	DDX	CHN	8504.4030.00
<a href="#">S8JX-P30024N</a>	<a href="#">Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output</a>	460.60	EC002540	<a href="#">364916</a>	4548583103696			DD	DDX	CHN	8504.4030.00
<a href="#">S8JX-P60024N</a>	<a href="#">Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output</a>	738.50	EC002540	<a href="#">364919</a>	4548583103726			DD	DDX	CHN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8T-DCBU-02</a>	<a href="#">DC backup block for S8TS PSU of 500 ms at an output current of 2.5A</a>	243.70	EC002498	<a href="#">324267</a>	4547648711401			DD	DDX	CHN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S82S-7705</a>	<a href="#">Power supply, 7.5W, 12-24 VDC input, 5 VDC, 1.5A output, DIN rail mounting</a>	144.70	EC002540	<a href="#">149574</a>	4536854104688			DD	DDX	JPN	8504.4030.00
<b>Diğer Güç Kaynağı</b>											
<a href="#">S8M-CP04</a>	<a href="#">Çoklu devre koruyucu, maks. giriş akımı 17 A, 4 x 4.0 A her çıkış için, kollara ayırmak için ideal, 24 VDC</a>	366.10	EC002498	<a href="#">324847</a>	4547648711371			DD	DDX	CHN	8504.4030.00
<a href="#">S8M-CP04-R5</a>	<a href="#">Çoklu devre koruyucu, maks. giriş akımı 16 A, 4 x 3.8 A her çıkış için (UL class 2 uyumlu), R5-232C haberleşme, kollara ayırmak için ideal, 24 VDC</a>	526.50	EC002498	<a href="#">323509</a>	4547648711364			DD	DDX	CHN	8504.4030.00
<b>Güç Kaynağı için Aksesuarlar</b>											
<a href="#">S82Y-FSC015DIN</a>	<a href="#">Mounting bracket, DIN-rail, 15W</a>	3.69	EC002498	<a href="#">668799</a>	4548583758049	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC050DIN</a>	<a href="#">Mounting bracket, DIN-rail, 35W, 50W</a>	3.69	EC002498	<a href="#">668745</a>	4548583758063	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC150DIN</a>	<a href="#">Mounting bracket, DIN-rail, 75W, 100W, 150W</a>	3.69	EC002498	<a href="#">668768</a>	4548583758070	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC350DIN</a>	<a href="#">Mounting bracket, DIN-rail, 75W, 200W, 350W</a>	3.69	EC002498	<a href="#">668791</a>	4548583758087	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC-C5</a>	<a href="#">Terminal Cover for upper terminal, 25W, 35W, 50W, 75W</a>	1.23	EC002498	<a href="#">668749</a>	4548583758162	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC-C5MF</a>	<a href="#">Terminal Cover for front terminal, 15W</a>	1.23	EC002498	<a href="#">668744</a>	4548583758193	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC-C7</a>	<a href="#">Terminal Cover for upper terminal, 100W, 150W</a>	1.23	EC002498	<a href="#">668769</a>	4548583758179	#		DD	DDZ	CHN	8504.9090.00
<a href="#">S82Y-FSC-C7F</a>	<a href="#">Terminal Cover for front terminal, 100W, 150W</a>	1.33	EC002498	<a href="#">668720</a>	4548583758216	#		DD	DDZ	CHN	8504.9090.00
<b>Programlanabilir Röle ZEN</b>											
<a href="#">ZEN-10C1AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı, 5 A, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240972</a>	4547648391047	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C1DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı, 5 A, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240974</a>	4547648391061	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C1DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x transistör çıkışı, RTC, LCD ekran</a>	313.90	EC001417	<a href="#">240979</a>	4547648391115	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C2AR-A-V2</a>	<a href="#">Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A</a>	263.50	EC001417	<a href="#">240973</a>	4547648391054	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C2DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı, 5 A</a>	263.50	EC001417	<a href="#">240975</a>	4547648391078	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C3AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı, 5 A, RTC, LCD ekran, genişletilemez</a>	246.30	EC001417	<a href="#">240983</a>	4547648391160	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C3DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı, 5 A, RTC, LCD ekran, genişletilemez</a>	246.30	EC001417	<a href="#">240984</a>	4547648391177	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C4AR-A-V2</a>	<a href="#">Programmable relay, 24 VDC supply, 6x 100-240 VAC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable</a>	361.80	EC001417	<a href="#">240987</a>	4547648391207	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-10C4DR-D-V2</a>	<a href="#">Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable</a>	361.80	EC001417	<a href="#">240988</a>	4547648391214	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı, 5 A, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240989</a>	4547648391221	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı, 5 A, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240991</a>	4547648391245	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C1DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı, RTC, LCD ekran</a>	406.20	EC001417	<a href="#">240993</a>	4547648391269	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2AR-A-V2</a>	<a href="#">Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı, 5 A</a>	378.60	EC001417	<a href="#">240990</a>	4547648391238	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı, 5 A</a>	378.60	EC001417	<a href="#">240992</a>	4547648391252	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C2DT-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı</a>	378.60	EC001417	<a href="#">240994</a>	4547648391276	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C3AR-A-V2</a>	<a href="#">Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5A, unexpandable</a>	361.80	EC001417	<a href="#">240985</a>	4547648391184	#		DE	DEA	CHN	8536.5080.90
<a href="#">ZEN-20C3DR-D-V2</a>	<a href="#">Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı, 5 A, genişletilemez</a>	361.80	EC001417	<a href="#">240986</a>	4547648391191	#		DE	DEA	CHN	8536.5080.90
<b>Programlanabilir Röle ZEN</b>											
<a href="#">ZEN-8E1DT</a>	<a href="#">Genişletme ünitesi, 4 x 24 VDC giriş, 4 x transistör çıkışı</a>	128.00	EC001419	<a href="#">240981</a>	4547648391139	#		DE	DEA	CHN	8536.5080.90
<b>Diğer Programlanabilir Röleler</b>											
<a href="#">ZEN-8E1AR</a>	<a href="#">Genişletme ünitesi, 4 x 100-240 VAC giriş, 4 x röle çıkışı, 5 A</a>	147.20	EC001419	<a href="#">240976</a>	4547648391085	#		DE	DEX	CHN	8536.5080.90
<a href="#">ZEN-8E1DR</a>	<a href="#">Genişletme ünitesi, 4 x 24 VDC giriş, 4 x röle çıkışı, 5 A</a>	134.30	EC001419	<a href="#">240977</a>	4547648391092	#		DE	DEX	CHN	8536.5080.90
<b>Programlanabilir Röleler için Aksesuarlar</b>											
<a href="#">ZEN-BA101</a>	<a href="#">ZEN programlanabilir röle için pil</a>	73.85	EC002584	<a href="#">240970</a>	4547648391023	#		DE	DEZ	CHN	8506.5090.90
<a href="#">ZEN-CIF01</a>	<a href="#">PC-Zen arasında bağlantıyı sağlayan 2 m kablo</a>	173.00	EC001423	<a href="#">240969</a>	4547648391016	#		DE	DEZ	CHN	8536.5080.90
<a href="#">ZEN-MFD01</a>	<a href="#">Hafıza kartı, EEPROM</a>	68.85	EC000192	<a href="#">240971</a>	4547648391030	#		DE	DEZ	CHN	8536.5080.90
<a href="#">ZEN-SOFT01-V4</a>	<a href="#">ZEN programlanabilir röle için yazılım, CD-ROM</a>	104.20	EC000809	<a href="#">240995</a>	4547648391283	#		DE	DEZ	JPN	8523.8090.00
<b>Sıcaklık &amp; Proses ESC2</b>											
<a href="#">ESC2-R201-100-240VAC-0-200</a>	<a href="#">Basic Temp. Controller, 1/16 DIN, 48x48mm Dial knob, On-Off Control, I-Thermocouple, 0-200deg, 100-240V AC</a>	132.00	EC001446	<a href="#">378350</a>	4548583418264	#		DF	DFD	CHN	9032.1080.90
<a href="#">ESC2-R201-100-240VAC-0-400</a>	<a href="#">Basic Temp. Controller, 1/16 DIN, 48x48mm Dial knob, On-Off Control, I-Thermocouple, 0-400deg, 100-240V AC</a>	107.20	EC001446	<a href="#">378352</a>	4548583418288	#		DF	DFD	CHN	9032.1080.90
<a href="#">ESC2-R20K-100-240VAC-0-1200</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-1200deg, 100-240V AC</a>	119.50	EC001446	<a href="#">378343</a>	4548583418134	#		DF	DFD	CHN	9032.1080.90
<a href="#">ESC2-R20K-100-240VAC-0-200</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-200deg, 100-240V AC</a>	131.70	EC001446	<a href="#">378359</a>	4548583418073	#		DF	DFD	CHN	9032.1080.90
<a href="#">ESC2-R20K-100-240VAC-0-400</a>	<a href="#">Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-400deg, 100-240V AC</a>	133.40	EC001446	<a href="#">378360</a>	4548583418097	#		DF	DFD	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E5C2-R20K-100-240VAC-0-600</a>	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-600deg., 100-240V AC	133.40	EC001446	<a href="#">378361</a>	4548583418103			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-100</a>	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-100deg., 100-240V AC	133.70	EC001446	<a href="#">378363</a>	4548583418240			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-200</a>	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-200deg., 100-240V AC	138.20	EC001446	<a href="#">378364</a>	4548583418325			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-0-300</a>	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-300deg., 100-240V AC	133.40	EC001446	<a href="#">378355</a>	4548583418332			DF	DFD	CHN	9032.1080.90
<a href="#">E5C2-R20P-D-100-240VAC-50-50</a>	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 50-50deg., 100-240V AC	138.20	EC001446	<a href="#">378353</a>	4548583418295			DF	DFD	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses Termo Sensör</b>											
<a href="#">E52-ELP4-50-2-A</a>	Temperature sensor, Pro, smooth tube, PT100, class B, dia 4, 50, AISI 316, pre-wired with open cable ends 2m	36.90	EC002081	<a href="#">374422</a>	4547648954815			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP5-100-2-A</a>	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m	29.05	EC002081	<a href="#">374644</a>	4547648955591			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP5-50-2-A</a>	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 50mm, 304SS, pre-wired with cable end shoes 2m	28.63	EC002081	<a href="#">374643</a>	4547648955584	13		DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP6-100-2-A</a>	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100, SUS 304, pre-wired with open cable ends 2m	35.44	EC002081	<a href="#">374423</a>	4547648954822			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELP6-50-2-A</a>	Temperature sensor, Lite, smooth tube, PT100, class B, dia 6, 50mm, 304SS, pre-wired with cable end shoes 2m	35.44	EC002081	<a href="#">374645</a>	4547648955607			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ELTJ6-100-2-A</a>	Temperature sensor, Lite, smooth tube, Thermocouple, J, dia 6, 100mm, 304SS, pre-wired with cable end shoes 2m	22.04	EC002081	<a href="#">374412</a>	4547648954716			DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP3-250-2-B</a>	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	103.30	EC002081	<a href="#">374342</a>	4547648954013			DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-100-2-B</a>	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m	42.47	EC002081	<a href="#">374350</a>	4547648954099	5		DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-200-T2-CG1/2G-B</a>	Temperature sensor, Pro, enclosed terminals, G1/2" mounting, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals	137.00	EC002081	<a href="#">374361</a>	4547648954204	15		DF	DFL	ITA	8544.4993.90
<a href="#">E52-EP6-35-2-BG1/4G-B</a>	Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	64.15	EC002081	<a href="#">374352</a>	4547648954112	10		DF	DFL	ITA	8544.4993.90
<a href="#">E52-EJT51-B</a>	Temperature sensor, Pro Plus, Surface temp. Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends	25.72	EC002081	<a href="#">374348</a>	4547648954075			DF	DFL	ITA	8544.4993.90
<a href="#">E52-ETK3-100-2-A</a>	Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	51.20	EC002081	<a href="#">374416</a>	4547648954754			DF	DFL	ITA	8544.4993.90
<a href="#">E52-P20C-N-D=8</a>	Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg, dia. 3,2mm, 200mm, SUS 304	257.40	EC002081	<a href="#">375791</a>	4548583324510			DF	DFL	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses Termo Sensör</b>											
<a href="#">E51B-10-70C</a>	Kızılötesi sıcaklık sensörü, 10 - 70°C	435.20	EC002081	<a href="#">171655</a>	4547648047654	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51B-140-260C</a>	Kızılötesi sıcaklık sensörü, 140 - 260°C	447.20	EC002081	<a href="#">171658</a>	4547648047685	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51B-60-120C</a>	Kızılötesi sıcaklık sensörü, 60 - 120°C	439.20	EC002081	<a href="#">171656</a>	4547648047661	#		DF	DFL	JPN	9032.1080.90
<a href="#">E51C-A40</a>	Kızılötesi sıcaklık sensörü, M18, 0 - 400°C	846.00	EC002081	<a href="#">267944</a>	4547648644242	#		DF	DFL	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses ES5CS-V</b>											
<a href="#">E5CSV-O1T-500-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC	191.50	EC001446	<a href="#">229456</a>	4547648223201	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-O1TD-500-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24 VAC/DC	194.80	EC001446	<a href="#">229458</a>	4547648223171	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-R1T-500-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC	192.10	EC001446	<a href="#">229455</a>	4547648223195	#		DF	DFM	CHN	9032.1080.90
<a href="#">E5CSV-R1TD-500-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24VAC/DC	195.50	EC001446	<a href="#">229457</a>	4547648223218	#		DF	DFM	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses ES5CS-V</b>											
<a href="#">E5CB-OTP-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	<a href="#">352128</a>	4548583012882			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-O1PD-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	<a href="#">352130</a>	4548583012905			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-O1TC-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	<a href="#">352127</a>	4548583012875			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-O1TCD-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	<a href="#">352129</a>	4548583012899			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1P-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	<a href="#">352124</a>	4548583012844			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1PD-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	<a href="#">352126</a>	4548583012868			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1TC-100-240 VAC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	<a href="#">352123</a>	4548583012820			DF	DFM	CHN	9032.1080.90
<a href="#">E5CB-R1TCD-24VAC/DC</a>	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	<a href="#">352125</a>	4548583012851			DF	DFM	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses ES5AN-H</b>											
<a href="#">E5AN-HAA2HBM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, Terminal cov., 100-240V AC	564.00	EC001446	<a href="#">246790</a>	4547648451826			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA2HBM-500-24VAC/DC</a>	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, Terminal cov., 24V AC/DC	579.50	EC001446	<a href="#">246764</a>	4547648451901			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA2HHBFM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	591.00	EC001446	<a href="#">246791</a>	4547648451840			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HAA3BFM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 3 x Aux OUT, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	713.50	EC001446	<a href="#">246760</a>	4547648451864			DF	DFN	CHN	9032.1080.90
<a href="#">E5AN-HPRB2BM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, Terminal cov., 100-240V AC	610.50	EC001446	<a href="#">246762</a>	4547648451888			DF	DFN	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses ES5EN-H</b>											
<a href="#">E5EN-HAA2HBM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, 100-240V AC	616.00	EC001446	<a href="#">246796</a>	4547648453424			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HAA2HBM-500-24VAC/DC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, 24V AC/DC	631.00	EC001446	<a href="#">246782</a>	4547648453509			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HAA2HHBFM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, 100-240V AC	685.50	EC001446	<a href="#">246777</a>	4547648453448			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRB2BFM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, Event I/P & Transf. OUT option unit, 100-240V AC	693.50	EC001446	<a href="#">246781</a>	4547648453493			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRB2BM-500-100-240 VAC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, 100-240V AC	668.00	EC001446	<a href="#">246797</a>	4547648453486			DF	DFO	CHN	9032.1080.90
<a href="#">E5EN-HPRB2BMD-500-24VAC/DC</a>	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, 24V AC/DC	685.00	EC001446	<a href="#">246788</a>	4547648453561			DF	DFO	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses ES5CN-H</b>											
<a href="#">E5CN-HC2M-500-100-240 VAC</a>	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT 2 x Aux OUT option unit, 100-240V AC	443.70	EC001446	<a href="#">246794</a>	4547648452724			DF	DFP	CHN	9032.1080.90
<a href="#">E5CN-HC2MD-500-24VAC/DC</a>	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT 2 x Aux OUT option unit, 24V AC/DC	479.50	EC001446	<a href="#">246774</a>	4547648452762			DF	DFP	CHN	9032.1080.90
<a href="#">E5CN-HQ2M-500-100-240 VAC</a>	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT 2 x Aux OUT option unit, 100-240V AC	385.70	EC001446	<a href="#">246793</a>	4547648452717	#		DF	DFP	CHN	9032.1080.90
<a href="#">E5CN-HQ2MD-500-24VAC/DC</a>	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT 2 x Aux OUT option unit, 24V AC/DC	385.70	EC001446	<a href="#">246773</a>	4547648452755			DF	DFP	CHN	9032.1080.90
<a href="#">E5CN-HR2M-500-100-240 VAC</a>	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out 2 x Aux OUT option unit, 100-240V AC	386.10	EC001446	<a href="#">246792</a>	4547648452700			DF	DFP	CHN	9032.1080.90



Image	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay, Out, 2 x Aux OUT, option unit, 24V AC/DC	387.80	EC001446	246795	4547648452748			DF	DFP	CHN	9032.1080.90
	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16 DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 100-240 VAC	392.00	EC001446	352173	4548583000520			DF	DFP	CHN	9032.1080.90
	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16 DIN (48x48mm), universal input (TC, RTD, Linear), relay output, 100-240 VAC	419.00	EC001446	352172	4548583000513			DF	DFP	CHN	9032.1080.90
	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 100-240V AC	479.50	EC001446	246772	4547648452731			DF	DFP	CHN	9032.1080.90
	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 24V AC/DC	479.50	EC001446	246775	4547648452779			DF	DFP	CHN	9032.1080.90
<b>Sicaklik &amp; Proses ES_C</b>											
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	193.50	EC001446	377939	4548583422247			DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, RS-485 haberleşme, 24 VAC/DC	211.00	EC001446	377942	4548583422278	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377933	4548583422186			DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377934	4548583422193	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, 100-240 VAC	118.10	EC001446	377929	4548583422148			DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 100-240 VAC	164.30	EC001446	377931	4548583422162	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	144.00	EC001446	377935	4548583422209			DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, 24 VAC/DC	118.10	EC001446	377930	4548583422155	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 24 VAC/DC	164.30	EC001446	377932	4548583422179	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377925	4548583422100	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377926	4548583422117	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC	118.10	EC001446	377921	4548583422063	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 100-240 VAC	164.30	EC001446	377923	4548583422087	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	144.00	EC001446	377927	4548583422124	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC	118.10	EC001446	377922	4548583422070	#		DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 24 VAC/DC	164.30	EC001446	377924	4548583422094	#		DF	DFQ	CHN	9032.1080.90
<b>Sicaklik &amp; Proses ES_C</b>											
	Temp. controller, PRO, DIN Bül. 22.5 mm, Ünj. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	209.30	EC001446	687799	4549734493390			DF	DFQ	CHN	9032.1080.90
<b>Sicaklik &amp; Proses ES_C</b>											
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 100-240 VAC	240.00	EC001446	689379	4549734266758	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 100-240 VAC	346.50	EC001446	689382	4549734266833	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	327.40	EC001446	689383	4549734266796	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 24 VAC/DC	240.00	EC001446	689380	4549734266765	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 24 VAC/DC	305.20	EC001446	689388	4549734266840	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	273.00	EC001446	689382	4549734266789	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	327.40	EC001446	689384	4549734266802	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	307.80	EC001446	689386	4549734266826	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	176.60	EC001446	689367	4549734266635	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	176.60	EC001446	689368	4549734266642	#		DF	DFQ	IDN	9032.1020.90
	Temp. Contr. 1/16 DIN (48x48mm), 1 x 12 VDC pulse OUT, 2 AUX, No cov., 100-240VAC	159.00	EC001446	689400	4549734267335	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689366	4549734266512	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	196.40	EC001446	689417	4549734266536	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	240.00	EC001446	689419	4549734266550	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689421	4549734266574	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689423	4549734266598	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689416	4549734266529	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 24 VAC/DC	196.40	EC001446	689418	4549734266543	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689420	4549734266567	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689422	4549734266581	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC, gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	229.60	EC001446	689426	4549734266628	#		DF	DFQ	IDN	9032.1020.90
	Temp. Contr. 1/16 DIN (48x48mm), 1 x Bel. OUT, 2 AUX, No cov., 100-240VAC	137.80	EC001446	689427	4549734266994	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689406	4549734266390	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	196.40	EC001446	689406	4549734266413	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	240.00	EC001446	689408	4549734266437	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689410	4549734266451	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689412	4549734266475	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689403	4549734266406	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 24 VAC/DC	196.40	EC001446	689407	4549734266420	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689409	4549734266444	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689411	4549734266468	#		DF	DFQ	IDN	9032.1020.90
	Sicaklik kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	229.60	EC001446	689413	4549734266482	#		DF	DFQ	IDN	9032.1020.90
<b>Sicaklik &amp; Proses ES_C</b>											
	Sicaklik kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş, 4 alarm çıkışı, 2 x 0-20/4-20mA akım çıkışı, 6 event girişi, uzaktan set değeri, transfer çıkışı, 100-240 VAC	558.50	EC001446	374743	4548583350397			DF	DFQ	CHN	9032.1080.90
	Sicaklik kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş, 4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 100-240 VAC	359.20	EC001446	374727	4548583350236	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E5AC-CX4A5M-004</a>	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	432.50	EC001446	<a href="#">374729</a>	4548583350250			DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-CX4D5M-000</a>	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 24 VAC/DC	358.80	EC001446	<a href="#">374728</a>	4548583350243			DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-PR4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 2 röle çıkışı, oransal vana kontrolü, 100/240 VAC	421.10	EC001446	<a href="#">374747</a>	4548583350434			DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-OX4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), 1x12 gerilim çıkışı, t/c & Pt100 & analog giriş/4 alarm çıkışı, 100-240 VAC	258.80	EC001446	<a href="#">374695</a>	4548583349919	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-RX4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 100-240 VAC	269.40	EC001446	<a href="#">374687</a>	4548583349834	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-RX4A5M-010</a>	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	317.50	EC001446	<a href="#">374691</a>	4548583349872			DF	DFQ	CHN	9032.1080.90
<a href="#">E5AC-RX4D5M-000</a>	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 24 VAC/DC	269.40	EC001446	<a href="#">374688</a>	4548583349841			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5EC-CQ4D5M-011</a>	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC pulse OUT, 4 AUX. EVT. I/P 6. SSR fail det./1-PH. Transf. OUT, 24 VAC/DC	361.60	EC001446	<a href="#">680588</a>	4548583367180	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-CX4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 100-240 VAC	313.90	EC001446	<a href="#">356345</a>	4548583091900			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-CX4A5M-004</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	384.70	EC001446	<a href="#">356347</a>	4548583091924			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-CX4D5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 24 VAC/DC	313.90	EC001446	<a href="#">356346</a>	4548583091917			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-PR4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 100-240 VAC	388.10	EC001446	<a href="#">374773</a>	4548583351073			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-PR4A5M-004</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	436.40	EC001446	<a href="#">374774</a>	4548583351080			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-PR4A5M-014</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 4 event girişi, RS-485 haberleşme, uzaktan set değeri, 100-240 VAC	554.50	EC001446	<a href="#">374775</a>	4548583351097			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OR4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 1 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	237.90	EC001446	<a href="#">356337</a>	4548583091825	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OR4D5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 1 x röle çıkışı, 4 alarm çıkışı, 24 VAC/DC	237.90	EC001446	<a href="#">356338</a>	4548583091832			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OX4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 100-240 VAC	218.40	EC001446	<a href="#">356313</a>	4548583091580	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OX4A5M-009</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	272.20	EC001446	<a href="#">356315</a>	4548583091603			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OX4A5M-010</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	272.00	EC001446	<a href="#">356317</a>	4548583091627			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OX4D5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 24 VAC/DC	218.40	EC001446	<a href="#">356314</a>	4548583091597			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-OX4D5M-009</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	289.70	EC001446	<a href="#">356316</a>	4548583091610			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-RR4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 2 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	237.90	EC001446	<a href="#">356321</a>	4548583091665			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-RX4A5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	229.60	EC001446	<a href="#">356305</a>	4548583091504	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-RX4D5M-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x röle çıkışı, 4 alarm çıkışı, 24 VAC/DC	229.60	EC001446	<a href="#">356306</a>	4548583091511			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-RX4D5M-010</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x röle çıkışı, 4 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	274.70	EC001446	<a href="#">356310</a>	4548583091559			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5GC-XX1A6M-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screw terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	213.70	EC001446	<a href="#">392093</a>	45485833505124			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-XX1ACM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	218.80	EC001446	<a href="#">392095</a>	45485833505148			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-XX1DCM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	218.80	EC001446	<a href="#">392103</a>	45485833505155			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-XX2ACM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	237.60	EC001446	<a href="#">392127</a>	45485833505186			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-XX2DCM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	237.60	EC001446	<a href="#">392128</a>	45485833505193			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-RX1ACM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 1 AUX, 1 x relay OUT, 100-240 VAC	208.10	EC001446	<a href="#">392088</a>	45485833504820			DF	DFQ	CHN	9032.1080.90
<a href="#">E5GC-RX1DCM-000</a>	Temp. controller, PRO, 1/32 DIN (24x48 mm), screwless terminals, 1 AUX, 1 x relay OUT, 24V AC/DC	201.40	EC001446	<a href="#">392102</a>	45485833504837			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5CC-XX2AUM-000</a>	Temp. controller, PRO, 1/16 DIN (48x48 mm), Plug-in type, 2 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	160.40	EC001446	<a href="#">386704</a>	4548583466678			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-RW2AUM-000</a>	Temp. controller, PRO, 1/16 DIN (48x48 mm), Plug-in type, 2 AUX, SPDT, Rel., 100-240 VAC	138.80	EC001446	<a href="#">386699</a>	4548583466616			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-RW2DUM-000</a>	Temp. controller, PRO, 1/16 DIN (48x48 mm), Plug-in type, 2 AUX, SPDT, Rel., 24V AC/DC	147.20	EC001446	<a href="#">386700</a>	4548583466623			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5CC-XX2ABM-000</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	169.90	EC001446	<a href="#">669546</a>	4548583762343	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-XX2ABM-001</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC, Push-in Plus terminal	201.00	EC001446	<a href="#">669542</a>	4548583762367			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-XX2DBM-000</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	169.90	EC001446	<a href="#">669543</a>	4548583762350	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-XX2DBM-004</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 24 VAC/DC, Push-in Plus terminal	233.70	EC001446	<a href="#">669550</a>	4548583762411			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-RX2ABM-000</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	169.90	EC001446	<a href="#">669534</a>	4548583762244	#		DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-RX2DBM-000</a>	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	169.90	EC001446	<a href="#">669552</a>	4548583762251	#		DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5EC-XX2DBM-010</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	276.30	EC001446	<a href="#">669579</a>	4548583762695			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-XX4ABM-008</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 100-240 VAC, Push-in Plus terminal	192.70	EC001446	<a href="#">669582</a>	4548583762749			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-XX4DBM-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	158.60	EC001446	<a href="#">669563</a>	4548583762732			DF	DFQ	CHN	9032.1080.90
<a href="#">E5EC-RX4ABM-000</a>	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48 mm), 1 röle çıkışı, 4 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	234.80	EC001446	<a href="#">669584</a>	4548583762565			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5AC-TOX4A5M-008</a>	Programlanabilir sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), 4 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, RS-485, 100-240 VAC	338.70	EC001446	<a href="#">385188</a>	4548583470774			DF	DFQ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses E5_C</b>											
<a href="#">E5CC-TOX3A5M-000</a>	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 3 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 100-240 VAC	200.00	EC001446	<a href="#">385252</a>	4548583473010			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-TOX3A5M-003</a>	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 3 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 3 faz ısıtıcı alarmı, RS-485 haberleşme, 100-240 VAC	248.00	EC001446	<a href="#">385256</a>	4548583473058			DF	DFQ	CHN	9032.1080.90
<a href="#">E5CC-TRX3A5M-000</a>	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48 mm), 3 alarm çıkışı, 1 x röle çıkışı, 100-240 VAC	200.00	EC001446	<a href="#">385242</a>	4548583472914			DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Sıcaklık &amp; Proses E5_D</b>											
<a href="#">E5CD-OX2A6M-000</a>	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm röle çıkışı, 100-240 VAC	191.50	EC001446	<a href="#">676834</a>	4549734126267			DF	DFR	CHN	9032.1080.90
<a href="#">E5CD-OX2D6M-000</a>	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm röle çıkışı, 24 VAC/DC	191.50	EC001446	<a href="#">676837</a>	4549734126298			DF	DFR	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-C3</a>	Output unit for E5A/E J/K, linear 4-20mA, 600 Ohm, 12-bit	96.95	EC002586	<a href="#">129680</a>	4536853362560			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-C3N</a>	Output unit for E5A/EN-H, 4-20 mA linear output	86.75	EC002586	<a href="#">246554</a>	4547648476881			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-O4</a>	Output unit for E5A/E J/K, 20mA, 24VDC, PNP	27.83	EC002586	<a href="#">142183</a>	4536853362553			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-R</a>	Output unit for E5A/E J/K/X, SPST-NO, 5A relay	13.01	EC002586	<a href="#">129678</a>	4536853362508			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-RN</a>	Output unit for E5A/EN-H, relay output	13.61	EC002586	<a href="#">246558</a>	4547648488488			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-V34</a>	Output unit for E5A/E J/K, linear 0-10VDC, 12-bit	122.50	EC002586	<a href="#">148624</a>	4536853362614			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-V34N</a>	Output unit for E5A/EN-H, 0-10 V linear output	87.05	EC002586	<a href="#">246556</a>	4547648476904			DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-AKB</a>	option unit for E5AK/EK/EN, event input, 2 points	106.20	EC002586	<a href="#">129693</a>	4536853362850			DF	DFZ	JPN	9032.1080.90
<a href="#">E53-CNBN2</a>	E5CN-H option board- Event inputs, **only compatible with new E5CN-H models**	36.65	EC002586	<a href="#">243808</a>	4547648463478			DF	DFZ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-CN01N2</a>	E5CN-H option board- RS-232C communications, **only compatible with new E5CN-H models**	77.45	EC002586	<a href="#">243821</a>	4547648463607			DF	DFZ	CHN	9032.1080.90
<a href="#">E53-CN03N2</a>	E5CN-H option board- RS-485 communications, **only compatible with new E5CN-H models**	77.20	EC002586	<a href="#">243809</a>	4547648463485			DF	DFZ	CHN	9032.1080.90
<a href="#">E53-EN03</a>	Communication unit for E5AK/EK/AN/EN, RS-485	109.70	EC002586	<a href="#">182424</a>	4547648142410	#		DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-COV17</a>	Terminal cover	6.88	EC002586	<a href="#">243805</a>	4547648476072			DF	DFZ	CHN	8536.4900.99
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-CNBN2</a>	E5CN-H plug-in option card, event input & transfer output	187.30	EC002586	<a href="#">243819</a>	4547648463584			DF	DFZ	CHN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E5T2-C-MI/4</a>	CX-Thermo yazılımı ile programlama (E5_C, E5_D, E5_N (version 5 & 6), E5ZN ve CelciuX (EJ1))	167.40	EC000809	<a href="#">242527</a>	4547648504447			DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E54-CT1</a>	5,8 mm iç çaplı akım transformatörü	35.88	EC002048	<a href="#">103241</a>	4536853363079	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E54-CT3</a>	12,0 mm iç çaplı akım transformatörü	64.25	EC002048	<a href="#">129612</a>	4536853363086	#		DF	DFZ	JPN	9032.1080.90
<b>Sıcaklık &amp; Proses'ler için Aksesuarlar</b>											
<a href="#">E53-COV19</a>	E5CB Terminal cover	16.16	EC002586	<a href="#">353953</a>	4547648841894			DF	DFZ	CHN	3926.9097.90
<a href="#">E58-CIFQ1</a>	E5_N ve CelciuX (EJ1) için USB programlama kablosu	425.40	EC000310	<a href="#">176286</a>	4547648103459	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E58-CIFQ2</a>	E5CB, E5_C, E5_D için USB programlama kablosu	376.20	EC000310	<a href="#">353471</a>	4548583020627	#		DF	DFZ	JPN	9032.1080.90
<a href="#">E58-CIFQ2-F</a>	Kolay ön yüzev USB kablo aparatı (E5CB, E5CC, E5CD ile kullanılabilir)	125.20	EC000310	<a href="#">356821</a>	4548583097667			DF	DFZ	CHN	9032.9000.90
<a href="#">E5DC-SCT1S</a>	Socket for E5DC	34.92	EC001456	<a href="#">414645</a>	4548583546004			DF	DFZ	CHN	9032.1080.90
<a href="#">Y92F-45</a>	Panel adaptor, 48x48 device into 67x67 hole	45.49	EC002586	<a href="#">104661</a>	4536854618567			DF	DFZ	JPN	9032.1080.90
<a href="#">Y92F-52</a>	DIN mounting adapter for E5CC	19.27	EC002586	<a href="#">372111</a>	4548583318373	#		DF	DFZ	CHN	9032.1080.90
<b>Zaman Rölesi H3CR</b>											
<a href="#">H3CR-A 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 100-240VAC, 100-125VDC	66.00	EC001439	<a href="#">667919</a>	4548583553262	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A AC24-48/DC12-48</a>	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	66.00	EC001439	<a href="#">667950</a>	4548583553279	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A-301 100-240AC/100-125DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667945</a>	4548583553361			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-A-301 AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667930</a>	4548583553378			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AB 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	<a href="#">667944</a>	4548583553316	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AB AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	<a href="#">667924</a>	4548583553323	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AB-301 100-240AC/DC100DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	64.50	EC001439	<a href="#">667939</a>	4548583553385			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-ABE 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	80.50	EC001439	<a href="#">667916</a>	4548583553330	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-ABE 24-48VAC/DC</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	83.95	EC001439	<a href="#">667957</a>	4548583553347			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-ABS AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	68.00	EC001439	<a href="#">667943</a>	4548583553354			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AP 100-240VAC/100-125VDC</a>	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	78.10	EC001439	<a href="#">667928</a>	4548583553286			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AP AC24-48/DC12-48</a>	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	68.50	EC001439	<a href="#">667907</a>	4548583553293			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-AS AC24-48/DC12-48</a>	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	62.55	EC001439	<a href="#">667962</a>	4548583553309			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	<a href="#">667935</a>	4548583552845			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F AC24-48/DC12-48</a>	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	104.10	EC001439	<a href="#">667910</a>	4548583552852			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8 100-240VAC/100-125VDC</a>	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	103.00	EC001439	<a href="#">667955</a>	4548583552807	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8 24-48VAC/12-48VDC</a>	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	103.00	EC001439	<a href="#">667922</a>	4548583552814	#		DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8N 100-240VAC/100-125VDC</a>	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	102.50	EC001439	<a href="#">667913</a>	4548583552821			DG	DGB	IDN	8536.4900.99
<a href="#">H3CR-F8N AC24-48/DC12-48</a>	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	71.95	EC001439	<a href="#">667950</a>	4548583552838			DG	DGB	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	667915	4548583552869				DG	DGB	IDN	8536.4900.99
H3CR-GBFL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	105.70	EC001439	667925	4548583552913				DG	DGB	IDN	8536.4900.99
H3CR-GBL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	96.30	EC001439	667923	4548583552890				DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	115.00	EC001439	667931	4548583552968				DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	98.75	EC001439	667933	4548583553019				DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	97.05	EC001439	667908	4548583552975				DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	97.05	EC001439	667921	4548583553026				DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	100.30	EC001439	667946	4548583552982				DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	95.10	EC001439	667952	4548583553033				DG	DGB	IDN	8536.4900.99
H3CR-H8RL 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	93.25	EC001439	667911	4548583553118				DG	DGB	IDN	8536.4900.99
<b>Zaman Rölesi H3DK</b>												
H3DK-F 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, çift zamanlı (ikiz), flicker on & off-delay, 0.1 sn-12 saat, SPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668599	4548583745001	#		DG	DGD	IDN	9107.0000.90	
H3DK-G 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, yıldız-üçgen, 1-120 sn, DPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668604	4548583745018	#		DG	DGD	IDN	9107.0000.90	
H3DK-GF 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	72.80	EC001439	352023	4548583002418			DG	DGD	CHN	9107.0000.90	
H3DK-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668624	4548583745025			DG	DGD	IDN	9107.0000.90	
H3DK-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668618	4548583745032			DG	DGD	IDN	9107.0000.90	
H3DK-HCS 100-120VAC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	72.80	EC001439	668587	4548583745056			DG	DGD	IDN	9107.0000.90	
H3DK-HDL AC200-240V	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	72.80	EC001439	668644	4548583745063	#		DG	DGD	IDN	9107.0000.90	
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	72.80	EC001439	668617	4548583745070			DG	DGD	IDN	9107.0000.90	
H3DK-M1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 1 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668642	4548583744967	#		DG	DGD	IDN	9107.0000.90	
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	52.70	EC001439	668610	4548583745087			DG	DGD	IDN	9107.0000.90	
H3DK-M2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 2 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668641	4548583744974	#		DG	DGD	IDN	9107.0000.90	
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	55.65	EC001439	668594	4548583745094			DG	DGD	IDN	9107.0000.90	
H3DK-S1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 1 çıkış röle, 24 - 240 VAC/DC	36.51	EC001439	668605	4548583744981	#		DG	DGD	IDN	9107.0000.90	
H3DK-S2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 2 çıkış röle, 24 - 240 VAC/DC	42.27	EC001439	668622	4548583744998	#		DG	DGD	IDN	9107.0000.90	
<b>Zaman Rölesi H3DS</b>												
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available, A single operating mode, screw terminal type	46.87	EC001439	670944	4548583753006	#		DG	DGE	IDN	8536.4900.99	
H3DS-ALC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SPDT, 5 A, kilitlenebilen ayar mekanizması, vidalı terminal, tek çalışma modu	44.91	EC001439	670938	4548583752948			DG	DGE	IDN	8536.4900.99	
H3DS-FL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilen ayar mekanizması, vidalı terminal tipi	76.05	EC001439	670935	4548583752917			DG	DGE	IDN	9107.0000.90	
H3DS-F1C	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilen ayar mekanizması, vidalı terminal	85.05	EC001439	670940	4548583752979			DG	DGE	IDN	9107.0000.90	
H3DS-GL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1-120 s, DPST-NO, 5 A, kilitlenebilen ayar mekanizması, vidalı terminal tipi	76.05	EC001439	670937	4548583752931	#		DG	DGE	IDN	8536.4900.99	
H3DS-ML AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilen ayar mekanizması, vidalı terminal	57.90	EC001439	670946	4548583753020	#		DG	DGE	IDN	8536.4900.99	
H3DS-M1C	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, multifonksiyonlu, 0.1 s-120 h, SPDT, 5 A, kilitlenebilen ayar mekanizması, vidalı terminal	53.60	EC001439	670941	4548583752962	#		DG	DGE	IDN	8536.4900.99	
H3DS-SL AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilen ayar mekanizması	53.25	EC001439	670945	4548583753013			DG	DGE	IDN	8536.4900.99	
H3DS-XL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilen ayar mekanizması	40.21	EC001439	670936	4548583752924			DG	DGE	IDN	8536.4900.99	
<b>Zaman Rölesi H3Y</b>												
H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	63.95	EC001439	671634	4548583753068			DG	DGG	IDN	8536.4900.99	
H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	65.15	EC001439	671552	4548583753136			DG	DGG	IDN	8536.4900.99	
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	58.60	EC001439	671567	4548583753075	10		DG	DGG	IDN	8536.4900.99	
H3Y-2 AC200-230 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	57.10	EC001439	671614	4548583753082			DG	DGG	IDN	8536.4900.99	
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	50.55	EC001439	184690	4547648114226			DG	DGG	CHN	8536.4900.99	
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	52.40	EC001439	671620	4548583753587	10		DG	DGG	IDN	8536.4900.99	
H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	72.70	EC001439	671563	4548583753594			DG	DGG	IDN	8536.4900.99	
H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	51.15	EC001439	671689	4548583753570	10		DG	DGG	IDN	8536.4900.99	
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	82.00	EC001439	671578	4548583754812	10		DG	DGG	IDN	8536.4900.99	
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	56.70	EC001439	671655	4548583754829	10		DG	DGG	IDN	8536.4900.99	
H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bej kasa	55.30	EC001439	671716	4548583755307	10		DG	DGG	IDN	8536.4900.99	
H3YN-2 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bej kasa	56.55	EC001439	671573	4548583755291	#	10	DG	DGG	IDN	8536.4900.99	
H3YN-2 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bej kasa	53.30	EC001439	671718	4548583755314	#	10	DG	DGG	IDN	8536.4900.99	
H3YN-2 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 12 VDC, bej kasa	51.80	EC001439	671626	4548583755369	10		DG	DGG	IDN	8536.4900.99	
H3YN-2 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bej kasa	51.60	EC001439	671562	4548583755352	#	10	DG	DGG	IDN	8536.4900.99	
H3YN-2 DC48	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 48 VDC, bej kasa	61.30	EC001439	671646	4548583755345	10		DG	DGG	IDN	8536.4900.99	
H3YN-21 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 100-120 VAC, bej kasa	59.95	EC001439	671570	4548583755383	10		DG	DGG	IDN	8536.4900.99	
H3YN-21 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bej kasa	66.80	EC001439	671683	4548583755376	10		DG	DGG	IDN	8536.4900.99	
H3YN-21 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bej kasa	68.00	EC001439	671630	4548583755390	10		DG	DGG	IDN	8536.4900.99	
H3YN-21 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 12 VDC, bej kasa	62.30	EC001439	671617	4548583755444	10		DG	DGG	IDN	8536.4900.99	
H3YN-21 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bej kasa	59.95	EC001439	671651	4548583755437	10		DG	DGG	IDN	8536.4900.99	



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
H3YN-21-B-DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 dk-10 saat, DPDT, 5 A, 24 VDC, bobin tarafı üstte, sıyah kasa	60,75	EC001439	669612	4548583780965				DG	DGG	CHN	8536.4900.99
H3YN-2-B-100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 100-120 VAC, bobin tarafı üstte, sıyah kasa	65,85	EC001439	669602	4548583780842				DG	DGG	CHN	8536.4900.99
H3YN-2-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, sıyah kasa	68,05	EC001439	669610	4548583780859	#	10		DG	DGG	CHN	8536.4900.99
H3YN-2-B AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 24 VAC, bobin tarafı üstte, sıyah kasa	62,85	EC001439	669606	4548583780866				DG	DGG	CHN	8536.4900.99
H3YN-2-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 24 VDC, bobin tarafı üstte, sıyah kasa	60,75	EC001439	669626	4548583780880	#	10		DG	DGG	CHN	8536.4900.99
H3YN-4-100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 100-120 VAC, bej kasa	60,50	EC001439	671690	4548583755468				DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bej kasa	61,85	EC001439	671591	4548583755451	#	10		DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VAC, bej kasa	58,50	EC001439	671644	4548583755475				DG	DGG	IDN	8536.4900.99
H3YN-4 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VDC, bej kasa	56,85	EC001439	671695	4548583755512	#	10		DG	DGG	IDN	8536.4900.99
H3YN-41-100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 100-120 VAC, bej kasa	60,50	EC001439	671595	4548583755543				DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 200-230 VAC, bej kasa	66,65	EC001439	671602	4548583755536				DG	DGG	IDN	8536.4900.99
H3YN-41 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 24 VAC, bej kasa	69,00	EC001439	671717	4548583755550				DG	DGG	IDN	8536.4900.99
H3YN-41 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 24 VDC, bej kasa	68,30	EC001439	671660	4548583755598				DG	DGG	IDN	8536.4900.99
H3YN-4-B AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bobin tarafı üstte, sıyah kasa	73,10	EC001439	669624	4548583781016				DG	DGG	CHN	8536.4900.99
H3YN-4-B DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VDC, bobin tarafı üstte, sıyah kasa	65,45	EC001439	669615	4548583781047	#			DG	DGG	CHN	8536.4900.99
<b>Zaman Rölesi H5CX</b>												
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24VDC/24 VAC supply	243,00	EC001439	668627	4548583745247				DG	DGH	IDN	8536.4900.99
H5CX-A11-N	Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	243,00	EC001439	668597	4548583745223				DG	DGH	IDN	8536.4900.99
H5CX-A11SD-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24 VDC/24 VAC supply	243,30	EC001439	668603	4548583745254				DG	DGH	IDN	8536.4900.99
H5CX-AD-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0,01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 12-24 VDC/24 VAC	212,40	EC001439	668625	4548583745162	#			DG	DGH	IDN	8536.4900.99
H5CX-A-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0,01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 100-240 VAC	255,70	EC001439	668585	4548583745148	#			DG	DGH	IDN	8536.4900.99
H5CX-ASD-N	Zaman rölesi, DIN48x48mm, IP66, 4 haneli, çoklu zaman aralığı 0,01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 12-24VDC	212,40	EC001439	668609	4548583745179				DG	DGH	IDN	8536.4900.99
H5CX-AS-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0,01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 100-240 VAC	241,40	EC001439	668592	4548583745155				DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	204,50	EC001439	668620	4548583745209	#			DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 12-24 VDC/24 VAC supply	269,00	EC001439	668593	4548583745285				DG	DGH	IDN	8536.5080.90
H5CX-L8E-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	269,00	EC001439	668636	4548583745278				DG	DGH	IDN	8536.5080.90
H5CX-L8-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	211,90	EC001439	668607	4548583745186				DG	DGH	IDN	8536.4900.99
H5CX-L8SD-N	Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply	218,70	EC001439	668614	4548583745216				DG	DGH	IDN	8536.4900.99
<b>Zaman Rölesi H3DT</b>												
H3DT-A1-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	49,52	EC001439	669477	4548583773356	#			DG	DGT	CHN	9107.0000.90
H3DT-A2-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	52,15	EC001439	669509	4548583773363				DG	DGT	CHN	9107.0000.90
H3DT-F-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Cift (iki) zamanlı, Flaşor AÇIK/KAPALI başlangıç, 1-120 s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77,50	EC001439	669468	4548583773370	#			DG	DGT	CHN	9107.0000.90
H3DT-G-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Yıldız-Üçgen, 1 s-120 s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77,50	EC001439	669479	4548583773387	#			DG	DGT	CHN	9107.0000.90
H3DT-HBL-24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73,40	EC001439	669466	4548583773424				DG	DGT	CHN	9107.0000.90
H3DT-HBS-24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0,1 s-12 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73,40	EC001439	669492	4548583773394				DG	DGT	CHN	9107.0000.90
H3DT-HDL-200-240VAC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73,40	EC001439	669455	4548583773448				DG	DGT	CHN	9107.0000.90
H3DT-HDS-200-240VAC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0,1 s-12 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73,40	EC001439	669521	4548583773417				DG	DGT	CHN	9107.0000.90
H3DT-L-1-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59,15	EC001439	669519	4548583773349				DG	DGT	CHN	9107.0000.90
H3DT-L-2-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61,60	EC001439	669500	4548583773332	#			DG	DGT	CHN	9107.0000.90
H3DT-N1-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59,05	EC001439	669502	4548583773325				DG	DGT	CHN	9107.0000.90
H3DT-N2-24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61,40	EC001439	669448	4548583773318	#			DG	DGT	CHN	9107.0000.90
<b>Diğer Zaman Röleleri</b>												
H3RN-1-12VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 12 VDC, bej kasa	56,20	EC001439	147546	4536853509699		10		DG	DGX	JPN	8536.4900.99
H3RN-1-24VAC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VAC, bej kasa	58,90	EC001439	145454	4536853509712		10		DG	DGX	JPN	8536.4900.99
H3RN-1-24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VDC, bej kasa	56,60	EC001439	120361	4536853509705		10		DG	DGX	JPN	8536.4900.99
H3RN-1-1-24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 dk-10 sa, SPDT, 3 A, 24 VDC, bej kasa	56,55	EC001439	148556	4536853509736		10		DG	DGX	JPN	8536.4900.99
H3RN-1-B-24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VDC, bobin tarafı üstte, sıyah kasa	65,15	EC001439	669638	4548583782952		10		DG	DGX	JPN	8536.4900.99
H3RN-2-24VAC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT-NO, 3 A, 24 VAC, bej kasa	65,90	EC001439	150751	4536853509774				DG	DGX	JPN	8536.4900.99



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">H3RN-2.24VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk. DPDT-NO, 3 A, 24 VDC, bej kasa</a>	63.00	EC001439	<a href="#">156331</a>	4536853509767		10	DG	DGX	JPN	8536.4900.99
<a href="#">H3RN-21.12VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 dk-10 sa. DPDT-NO, 3 A, 12 VDC, bej kasa</a>	64.25	EC001439	<a href="#">120365</a>	4536853509781			DG	DGX	JPN	8536.4900.99
<a href="#">H3RN-2.8.24VDC</a>	<a href="#">Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk. DPDT-NO, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa</a>	66.30	EC001439	<a href="#">669644</a>	4548583783010			DG	DGX	JPN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">H3FA-BU.24DC</a>	<a href="#">Control Components, Timers, Other Timers, H3FA-BU.24DC</a>	67.25	EC001439	120571	4536853505622			DG	DGX	JPN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">HSAN-4DM.100-240VAC</a>	<a href="#">Digital Timer, 72 x 72 mm, 4 digit display, time limit and integrating operation, time range 0.01 to 99 h, with memory backup, screw terminals</a>	620.00	EC001439	372095	4547648354332			DG	DGX	CHN	8536.4900.99
<b>Diğer Zaman Röleleri</b>											
<a href="#">HSF-B</a>	<a href="#">Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified)</a>	261.50	EC001439	<a href="#">243646</a>	4547648354080			DG	DGX	CHN	8536.4900.99
<a href="#">HSF-KB</a>	<a href="#">Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified)</a>	320.80	EC001439	<a href="#">243648</a>	4547648354134			DG	DGX	CHN	8536.4900.99
<a href="#">H5S-WB2</a>	<a href="#">Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC</a>	582.50	EC001439	<a href="#">243986</a>	4547648356350			DG	DGX	CHN	8536.4900.99
<a href="#">H5S-WFB2</a>	<a href="#">Digital Time Switch, Weekly, Surface mounting/track mounting, 2 circuits, 100 to 240 VAC</a>	564.00	EC001439	243987	4547648356589			DG	DGX	CHN	8536.4900.99
<b>Zaman Röleleri için Aksesuarlar</b>											
<a href="#">Y92A-48</a>	<a href="#">Protective cover for DIN48x48mm device, hard plastic (shallow)</a>	6.13	EC002586	<a href="#">120050</a>	4536853523268		10	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-48B</a>	<a href="#">Protective cover for DIN 48x48 mm device, hard plastic</a>	5.76	EC002586	<a href="#">120938</a>	4536853494049			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-48D</a>	<a href="#">Protective cover for DIN48x48mm device, soft plastic</a>	6.09	EC002586	<a href="#">156312</a>	4536854247040			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-48F1</a>	<a href="#">Protective cover for H5/7CR timer/counter, soft plastic</a>	16.30	EC002586	<a href="#">151801</a>	4536854247088		10	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92A-48G</a>	<a href="#">Protective cover for DIN48x48mm device</a>	3.49	EC002586	<a href="#">142439</a>	4536854506420			DG	DGZ	JPN	8536.4900.99
<a href="#">Y92A-48N</a>	<a href="#">Watertight cover for DIN 48x48 mm device, IP66, plastic</a>	64.80	EC002586	<a href="#">154196</a>	4536853362935	#		DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-49N</a>	<a href="#">Watertight cover for DIN48x96mm device, IP66, plastic</a>	83.00	EC002586	<a href="#">129704</a>	4536853362942			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-72N</a>	<a href="#">Watertight cover for DIN72x72mm device, IP66, plastic</a>	88.80	EC002586	<a href="#">142057</a>	4536853362959			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92A-96N</a>	<a href="#">Watertight cover for DIN 96x96 mm device, IP66, plastic</a>	103.80	EC002586	<a href="#">148625</a>	4536853362966			DG	DGZ	JPN	9032.1080.90
<a href="#">Y92F-30</a>	<a href="#">Flush panel mounting adapter for DIN 48x48 mm device</a>	4.86	EC002586	<a href="#">332154</a>	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
<a href="#">Y92F-78</a>	<a href="#">Flush panel mounting adapter for H3Y(N) timer</a>	5.28	EC002586	<a href="#">120088</a>	4536854478291		8	DG	DGZ	JPN	3926.9097.90
<a href="#">Y92H-3</a>	<a href="#">Clips for H3Y(N) timer &amp; PYF socket</a>	1.14	EC002586	<a href="#">120086</a>	4536853521516			DG	DGZ	JPN	3926.9097.90
<a href="#">Y92S-29</a>	<a href="#">Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter</a>	5.21	EC002586	<a href="#">107361</a>	4536854248833		25	DG	DGZ	JPN	8536.4900.99
<a href="#">Y92S-38</a>	<a href="#">Adjustment and locking tool for H3DS</a>	14.30	EC002586	<a href="#">235530</a>	4536854577819			DG	DGZ	CHN	3926.9097.90
<b>Güç İzleme</b>											
<a href="#">KM1-PMU11A-FLK</a>	<a href="#">Power monitor, master unit, single system, three-phase / 4-wire, Compoway/E and Modbus</a>	313.10	EC001506	<a href="#">380518</a>	4548583998674			DQ	DQA	JPN	9031.9000.00
<b>Güç İzleme</b>											
<a href="#">KM50-F1-FLK</a>	<a href="#">Power monitor, on-panel 48x96mm with LED display, single phase / 2-wire three-phase / 3-wire, Compoway/E and Modbus</a>	216.70	EC001506	<a href="#">380520</a>	4547648822220			DQ	DQA	JPN	9031.9000.00
<a href="#">KM50-OPT-ED1</a>	<a href="#">Mounting form for KM50 E-version (DIN rail mounting type)</a>	76.55	EC002498	380511	4548583998056			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-N2-FLK</a>	<a href="#">Çoklu devre, kompakt, DIN ray montajlı, pano içi, sebecke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal</a>	234.10	EC001506	<a href="#">669418</a>	4548583795624	#		DQ	DQA	CHN	9031.9000.00
<a href="#">KM-N3-FLK</a>	<a href="#">Çoklu devre, 96 x 96 mm, kompakt, pano üstü, sebecke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal</a>	225.00	EC001506	<a href="#">672546</a>	4548583800199	#		DQ	DQA	CHN	9031.9000.00
<b>Güç İzleme</b>											
<a href="#">KM20-CTF-100A</a>	<a href="#">Maks. 14.5 mm çaplı kablolar için saha montaj, 100 A akım trafosu</a>	41.00	EC002048	<a href="#">380506</a>	4547648706247			DQ	DQA	JPN	9031.9000.00
<a href="#">KM20-CTF-50A</a>	<a href="#">Maks. 9.5 mm çaplı kablolar için saha montaj, 50 A akım trafosu</a>	27.99	EC002048	<a href="#">380519</a>	4547648706223			DQ	DQA	JPN	9031.9000.00
<a href="#">KM20-CTF-CB3</a>	<a href="#">Akım trafosu için 3 m bağlantı kablosu</a>	20.51	EC002498	<a href="#">380509</a>	4547648706780			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-E100A</a>	<a href="#">Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A</a>	110.40	EC002048	<a href="#">687721</a>	4549734440967			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-E250A</a>	<a href="#">Split-type Current Transformers, rated primary current 250 A, rated secondary current 1 A</a>	116.60	EC002048	<a href="#">687720</a>	4549734440943			DQ	DQA	JPN	9031.9000.00
<a href="#">KM-NCT-E500A</a>	<a href="#">Split-type Current Transformers, rated primary current 500 A</a>	122.80	EC002048	<a href="#">687719</a>	4549734440950			DQ	DQA	JPN	9031.9000.00
<b>Kesintiz Güç Kaynağı S8BA</b>											
<a href="#">S8BA-24D24D120LE</a>	<a href="#">UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 5 A, 120 W, min. 6 dk. - maks. 29 dk. besleme süresi</a>	977.50	EC000382	<a href="#">668093</a>	4547648846608	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D240LE</a>	<a href="#">UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 10 A, 240 W, min. 6 dk. - maks. 58 dk. besleme süresi</a>	1,107.00	EC000382	<a href="#">668092</a>	4547648846615	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D360LE</a>	<a href="#">UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 15 A, 360 W, min. 6 dk. - maks. 87 dk. besleme süresi</a>	1,365.00	EC000382	<a href="#">668096</a>	4547648846622			DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D480LE</a>	<a href="#">UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 20 A, 480 W, min. 6 dk. - maks. 119 dk. besleme süresi</a>	1,590.00	EC000382	<a href="#">668091</a>	4547648846639	#		DU	DUA	JPN	8504.4030.00
<a href="#">S8BA-24D24D480SBE</a>	<a href="#">UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W</a>	340.20	EC000382	<a href="#">683502</a>	4548583941724			DU	DUA	CHN	8504.4030.00
<a href="#">S8BA-24D24D960SBE</a>	<a href="#">UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W</a>	483.90	EC000382	<a href="#">683500</a>	4548583941731			DU	DUA	CHN	8504.4030.00
<b>Kesintiz Güç Kaynağı S8BA</b>											
<a href="#">S8BA-S480L</a>	<a href="#">UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3.9 Ah</a>	677.50	EC000382	<a href="#">683501</a>	4548583941748			DU	DUA	CHN	8507.6000.90
<a href="#">S8BA-S960L</a>	<a href="#">UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7.8 Ah</a>	1,046.00	EC000382	<a href="#">683499</a>	4548583941755			DU	DUA	CHN	8507.6000.90
<b>Kesintiz Güç Kaynağı BU</b>											
<a href="#">BU1002SWG</a>	<a href="#">UPS, Kule tipi, AC-AC, 1000 VA, 700 W</a>	1,944.00	EC000382	<a href="#">678549</a>	4547648849623			DU	DUB	TWN	8504.4030.00
<b>Kesintiz Güç Kaynağı Aksesuarı</b>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">S8BW-C02</a>	<a href="#">RJ45 - açık uç alarm kablosu</a>	69,70	EC002850	<a href="#">668098</a>	4547648846660	#		DU	DUW	JPN	8544.4290.90
<b>Kesintiz Güç Kaynağı Aksesuarı</b>											
<a href="#">S8BA-B120L</a>	<a href="#">S8BA için yedek akü paketi</a>	586,00	EC002850	<a href="#">671160</a>	4547648846646			DU	DUW	JPN	8506.5090.90
<b>Kesintiz Güç Kaynağı Aksesuarı</b>											
<a href="#">RP100XSĞ</a>	<a href="#">BU1002SWG için yedek pil paketi</a>	487,20	EC002850	<a href="#">678554</a>	4547648849760			DU	DUW	TWN	8506.5090.90
<a href="#">RP150XSĞ</a>	<a href="#">BU3002SWG için yedek pil paketi</a>	456,20	EC002850	<a href="#">678555</a>	4547648849777			DU	DUW	TWN	8506.5090.90
<a href="#">RUB2002RW</a>	<a href="#">BU2002RWLG için yedek akü paketi</a>	1,645,00	EC002850	<a href="#">671158</a>	4547648845397			DU	DUW	JPN	8506.5090.90
<a href="#">RUB3002RW</a>	<a href="#">BU3002RWLG ve BU5002RWL için yedek akü paketi</a>	1,998,00	EC002850	<a href="#">671159</a>	4547648845403			DU	DUW	JPN	8506.5090.90
<b>Inverter Q2V</b>											
<a href="#">Q2V-A2001-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	488,20	EC001857	<a href="#">688470</a>	4549734972130	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2002-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	492,60	EC001857	<a href="#">688471</a>	4549734972147	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2004-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	715,00	EC001857	<a href="#">688472</a>	4549734972154	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2006-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	828,50	EC001857	<a href="#">688473</a>	4549734972161	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2010-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,004,00	EC001857	<a href="#">688474</a>	4549734972178	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2012-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,122,00	EC001857	<a href="#">688475</a>	4549734972185	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2021-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	1,224,00	EC001857	<a href="#">688476</a>	4549734972192	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2030-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,280,00	EC001857	<a href="#">688477</a>	4549734972208	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2042-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,293,00	EC001857	<a href="#">688478</a>	4549734972215	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2056-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	2,847,00	EC001857	<a href="#">688479</a>	4549734972222	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2070-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	3,668,00	EC001857	<a href="#">688480</a>	4549734972239	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2082-AAA</a>	<a href="#">Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz</a>	5,415,00	EC001857	<a href="#">688449</a>	4549734971928	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4001-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	786,00	EC001857	<a href="#">688450</a>	4549734971935	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4002-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	877,00	EC001857	<a href="#">688451</a>	4549734971942	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4004-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	991,00	EC001857	<a href="#">688452</a>	4549734971959	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4005-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,106,00	EC001857	<a href="#">688453</a>	4549734971966	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4007-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,237,00	EC001857	<a href="#">688454</a>	4549734971973	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4009-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,379,00	EC001857	<a href="#">688455</a>	4549734971980	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4012-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,545,00	EC001857	<a href="#">688456</a>	4549734971997	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4018-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	1,987,00	EC001857	<a href="#">688457</a>	4549734972000	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4023-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	2,250,00	EC001857	<a href="#">688458</a>	4549734972017	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4031-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	2,537,00	EC001857	<a href="#">688459</a>	4549734972024	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4038-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	3,247,00	EC001857	<a href="#">688460</a>	4549734972031	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4044-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	4,293,00	EC001857	<a href="#">688461</a>	4549734972048	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4060-AAA</a>	<a href="#">Inverter Q2V 400V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz</a>	5,100,00	EC001857	<a href="#">688462</a>	4549734972055	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8001-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	548,50	EC001857	<a href="#">688463</a>	4549734972062	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8002-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	560,50	EC001857	<a href="#">688464</a>	4549734972079	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8004-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	587,50	EC001857	<a href="#">688465</a>	4549734972086	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8006-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	697,50	EC001857	<a href="#">688466</a>	4549734972093	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8010-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	819,50	EC001857	<a href="#">688467</a>	4549734972109	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8012-AAA</a>	<a href="#">Inverter Q2V 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz</a>	956,00	EC001857	<a href="#">688468</a>	4549734972116	#		EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A8018-BAA</a>	<a href="#">Inverter Q2V 1x200V, HD: 17.6 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,088,00	EC001857	<a href="#">688469</a>	4549734972123	#		EA	EA	GBR	8504.4090.90
<b>Inverter Q2V</b>											
<a href="#">Q2V-A2001-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter, max. output freq. 590Hz</a>	430,90	EC001857	<a href="#">702677</a>	4549734794619			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2002-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter, max. output freq. 590Hz</a>	434,80	EC001857	<a href="#">702676</a>	4549734794602			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2004-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, without integrated EMC filter, max. output freq. 590Hz</a>	630,50	EC001857	<a href="#">702675</a>	4549734794596			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2006-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, without integrated EMC filter, max. output freq. 590Hz</a>	731,00	EC001857	<a href="#">702674</a>	4549734794589			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2010-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	885,50	EC001857	<a href="#">702673</a>	4549734794572			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2012-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, without integrated EMC filter, max. output freq. 590Hz</a>	990,00	EC001857	<a href="#">702672</a>	4549734794565			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2021-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EMC filter, max. output freq. 590Hz</a>	1,079,00	EC001857	<a href="#">702671</a>	4549734794558			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2030-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,011,00	EC001857	<a href="#">702670</a>	4549734794541			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2042-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 42.0 A / 11 kW, HD: 33.0 A / 7.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,023,00	EC001857	<a href="#">702669</a>	4549734794534			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2056-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 56.0 A / 15 kW, HD: 47.0 A / 11 kW, without integrated EMC filter, max. output freq. 590Hz</a>	2,513,00	EC001857	<a href="#">702668</a>	4549734794527			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2070-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15 kW, without integrated EMC filter, max. output freq. 590Hz</a>	3,236,00	EC001857	<a href="#">702667</a>	4549734794510			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A2082-BAA</a>	<a href="#">Inverter Q2V 200V, ND: 82.0 A / 22 kW, HD: 75.0 A / 18.5 kW, without integrated EMC filter, max. output freq. 590Hz</a>	4,774,00	EC001857	<a href="#">702666</a>	4549734794503			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4001-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	692,50	EC001857	<a href="#">702696</a>	4549734794800			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4002-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	773,50	EC001857	<a href="#">702695</a>	4549734794794			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4004-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	873,50	EC001857	<a href="#">702694</a>	4549734794787			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4005-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	975,50	EC001857	<a href="#">702693</a>	4549734794770			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4007-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,091,00	EC001857	<a href="#">702692</a>	4549734794763			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4009-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,216,00	EC001857	<a href="#">702691</a>	4549734794756			EA	EA	GBR	8504.4090.90
<a href="#">Q2V-A4012-BAA</a>	<a href="#">Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,362,00	EC001857	<a href="#">702690</a>	4549734794749			EA	EA	GBR	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">Q2V-A4018-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,753.00	EC001857	<a href="#">202689</a>	4549734794732			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-A4023-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	1,986.00	EC001857	<a href="#">202688</a>	4549734794725			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-A4031-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	2,239.00	EC001857	<a href="#">202687</a>	4549734794718			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-A4038-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	2,864.00	EC001857	<a href="#">202686</a>	4549734794701			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-A4044-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	3,788.00	EC001857	<a href="#">202685</a>	4549734794695			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-A4060-BAA</a>	<a href="#">Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	4,497.00	EC001857	<a href="#">202684</a>	4549734794688			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB001-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	483.70	EC001857	<a href="#">202683</a>	4549734794671			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB002-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	494.60	EC001857	<a href="#">202682</a>	4549734794664			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB004-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	518.00	EC001857	<a href="#">202681</a>	4549734794657			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB006-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	615.50	EC001857	<a href="#">202680</a>	4549734794640			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB010-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	723.50	EC001857	<a href="#">202679</a>	4549734794633			EA	EAF	GBR	8504.4090.90
<a href="#">Q2V-AB012-BAA</a>	<a href="#">Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz</a>	843.50	EC001857	<a href="#">202678</a>	4549734794626			EA	EAF	GBR	8504.4090.90
<b>Inverter V1000</b>											
<a href="#">VZA2011FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 11 kW, 47 A, sensorless vector</a>	2,703.00	EC001857	<a href="#">352965</a>	4547648898171			EA	EAG	GBR	8504.4090.90
<a href="#">VZA2015FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 15 kW, 60 A, sensorless vector</a>	3,482.00	EC001857	<a href="#">352966</a>	4547648898188			EA	EAG	GBR	8504.4090.90
<a href="#">VZA20P1BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.12 kW, 0.8 A, sensorless vector</a>	463.60	EC001857	<a href="#">234265</a>	4547648389020			EA	EAG	JPN	8504.4090.90
<a href="#">VZA20P2BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.25 kW, 1.6 A, sensorless vector</a>	468.00	EC001857	<a href="#">234266</a>	4547648389037			EA	EAG	JPN	8504.4090.90
<a href="#">VZA20P4BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 0.55 kW, 3.0 A, sensorless vector</a>	679.00	EC001857	<a href="#">234267</a>	4547648389044	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA20P7BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 1.1 kW, 5.0 A, sensorless vector</a>	786.50	EC001857	<a href="#">234268</a>	4547648389051	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA21P5BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 1.5 kW, 8.0 A, sensorless vector</a>	954.00	EC001857	<a href="#">234269</a>	4547648389068			EA	EAG	JPN	8504.4090.90
<a href="#">VZA22P2BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 2.2 kW, 11 A, sensorless vector</a>	1,066.00	EC001857	<a href="#">234270</a>	4547648389075			EA	EAG	JPN	8504.4090.90
<a href="#">VZA24P0BAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 4 W, 17.5 A, sensorless vector</a>	1,162.00	EC001857	<a href="#">234271</a>	4547648389082	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA25P5FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 5.5 kW, 25 A, sensorless vector</a>	2,166.00	EC001857	<a href="#">352963</a>	4547648898157			EA	EAG	GBR	8504.4090.90
<a href="#">VZA27P5FAA</a>	<a href="#">V1000 inverter, 3~ 200 VAC, 7.5 kW, 33 A, sensorless vector</a>	2,177.00	EC001857	<a href="#">352964</a>	4547648898164			EA	EAG	GBR	8504.4090.90
<a href="#">VZA4011FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 11 kW, 24 A, sensörsüz vektör</a>	2,411.00	EC001857	<a href="#">240694</a>	4547648463812	#		EA	EAG	GBR	8504.4090.90
<a href="#">VZA4015FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 15 kW, 31 A, sensörsüz vektör</a>	3,082.00	EC001857	<a href="#">240695</a>	4547648463829	#		EA	EAG	GBR	8504.4090.90
<a href="#">VZA40P2BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 0.37 kW, 1.2 A, sensörsüz vektör</a>	745.50	EC001857	<a href="#">234251</a>	4547648388887		3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA40P4BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 0.55 kW, 1.8 A, sensörsüz vektör</a>	833.00	EC001857	<a href="#">234252</a>	4547648388894	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA40P7BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 1.1 kW, 3.4 A, sensörsüz vektör</a>	940.50	EC001857	<a href="#">234253</a>	4547648388900	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA41P5BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 1.5 kW, 4.8 A, sensörsüz vektör</a>	1,050.00	EC001857	<a href="#">234254</a>	4547648388917	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA42P2BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 2.2 kW, 5.5 A, sensörsüz vektör</a>	1,175.00	EC001857	<a href="#">234255</a>	4547648388924	#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA43P0BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 3.0 kW, 7.2 A, sensörsüz vektör</a>	1,309.00	EC001857	<a href="#">234256</a>	4547648388931	#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZA44P0BAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 4.0 kW, 9.2 A, sensörsüz vektör</a>	1,467.00	EC001857	<a href="#">234257</a>	4547648388948	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZA45P5FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 5.5 kW, 14.8 A, sensörsüz vektör</a>	1,888.00	EC001857	<a href="#">240692</a>	4547648463799	#		EA	EAG	GBR	8504.4090.90
<a href="#">VZA47P5FAA</a>	<a href="#">V1000 inverter, 3~ 400 VAC, 7.5 kW, 18 A, sensörsüz vektör</a>	2,139.00	EC001857	<a href="#">240693</a>	4547648463805	#		EA	EAG	GBR	8504.4090.90
<a href="#">VZAB0P1BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.12 kW, 0.8 A, sensörsüz vektör</a>	521.00	EC001857	<a href="#">234258</a>	4547648388955			EA	EAG	JPN	8504.4090.90
<a href="#">VZAB0P2BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.25 kW, 1.6 A, sensörsüz vektör</a>	532.50	EC001857	<a href="#">234259</a>	4547648388962	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZAB0P4BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 0.55 kW, 3.0 A, sensörsüz vektör</a>	558.00	EC001857	<a href="#">234260</a>	4547648388979	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZAB0P7BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 1.1 kW, 5.0 A, sensörsüz vektör</a>	662.50	EC001857	<a href="#">234261</a>	4547648388986	#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZAB1P5BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 1.5 kW, 8.0 A, sensörsüz vektör</a>	779.00	EC001857	<a href="#">234262</a>	4547648388993	#	3	EA	EAG	JPN	8504.4090.90
<a href="#">VZAB2P2BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 2.2 kW, 11.0 A, sensörsüz vektör</a>	907.50	EC001857	<a href="#">234263</a>	4547648389006	#		EA	EAG	JPN	8504.4090.90
<a href="#">VZAB4P0BAA</a>	<a href="#">V1000 inverter, 1~ 200 VAC, 4.0 kW, 17.5 A, sensörsüz vektör</a>	1,033.00	EC001857	<a href="#">234264</a>	4547648389013	#		EA	EAG	JPN	8504.4090.90
<b>Inverter V1000</b>											
<a href="#">CIMR-VC4A0005JAB</a>	<a href="#">Variable Frequency Drive, max. output freq. 400 Hz</a>	984.50	EC001857	<a href="#">352952</a>	4547648898041			EA	EAG	GBR	8504.4090.90
<a href="#">CIMR-VC4A0009JAB</a>	<a href="#">V1000 Finless type Inverter, IP20, 3/4kW(HD/ND), 7.2/8.8A(HD/ND), 3~400VAC, sensorless vector, LED operator, max. output freq. 400Hz</a>	1,664.00	EC001857	<a href="#">352360</a>	4547648895903	#		EA	EAG	GBR	8504.4090.90
<a href="#">CIMR-VC4A0011JAB</a>	<a href="#">Inverter V1000, 400 V, ND: 11.1 A / 5.5 kW, HD: 9.2 A / 4 kW, Finless, max. output freq. 400Hz</a>	1,395.00	EC001857	<a href="#">352954</a>	4547648898065			EA	EAG	GBR	8504.4090.90
<a href="#">CIMR-VCBA0003JAB</a>	<a href="#">V1000 Inverter drive, Finless, 0.4/0.55kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, single phase input, sensorless vector</a>	426.60	EC001857	<a href="#">352358</a>	4547648895880			EA	EAG	JPN	8504.4090.90
<a href="#">CIMR-VCBA0010JAB</a>	<a href="#">V1000 Finless type Inverter, IP20, 1.5/2.2 kW(HD/ND), 8.0/9.6A(HD/ND), 1~200 VAC, sensorless vector, LED operator, max. output freq. 400Hz</a>	581.00	EC001857	<a href="#">352962</a>	4547648898140			EA	EAG	JPN	8504.4090.90
<b>Inverter V1000</b>											
<a href="#">JVOP-180</a>	<a href="#">LCD operatör paneli</a>	179.00	EC002025	241589	4547648851626			EA	EAG	JPN	8471.6070.00
<b>Inverter V1000</b>											
<a href="#">S=485/J</a>	<a href="#">RS-422/485 haberleşme kartı, CIMR-J1000 inverter</a>	87.30	EC002025	<a href="#">251861</a>	4547648860802			EA	EAG	JPN	8517.6200.00
<b>Inverter V1000</b>											
<a href="#">JVOP-181</a>	<a href="#">USB dönüştürücü ünitesi, kopyalama ve yedekleme fonksiyonu ile birlikte</a>	330.00	EC002025	239699	4536853913854			EA	EAG	JPN	8471.6070.00
<b>Inverter J1000</b>											
<a href="#">JZA20P1BAA</a>	<a href="#">Inverter sürücü, 0.1kW, 0.8A, 200 VAC, 3-faz</a>	271.70	EC001857	<a href="#">246651</a>	4547648550659			EA	EAH	JPN	8504.4090.90
<a href="#">JZA20P4BAA</a>	<a href="#">Inverter sürücü, 0.55kW, 3.0A, 200 VAC, 3-faz</a>	390.40	EC001857	<a href="#">246653</a>	4547648550673	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZA20P7BAA</a>	<a href="#">Inverter sürücü, 1.1kW, 5.0A, 200 VAC, 3-faz</a>	457.20	EC001857	<a href="#">246654</a>	4547648550680	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZA21P5BAA</a>	<a href="#">Inverter sürücü, 1.5kW, 8.0A, 200 VAC, 3-faz</a>	561.00	EC001857	<a href="#">246655</a>	4547648550697	#		EA	EAH	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">JZA2P2BAA</a>	<a href="#">Inverter sürücü, 2,2kW, 11.0A, 200 VAC, 3-faz</a>	592,00	EC001857	<a href="#">246656</a>	4547648550703	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZA24P0BAA</a>	<a href="#">Inverter sürücü, 4.0kW, 9.2A, 200 VAC, 3-faz</a>	680,50	EC001857	<a href="#">246657</a>	4547648550710			EA	EAH	JPN	8504.4090.90
<a href="#">JZA40P2BAA</a>	<a href="#">J1000 Inverter sürücü, 0.37kW, 1.2A, 415 VAC, 3-faz</a>	627,50	EC001857	<a href="#">246658</a>	4547648550727			EA	EAH	JPN	8504.4090.90
<a href="#">JZA40P4BAA</a>	<a href="#">J1000 Inverter sürücü, 0.55kW, 1.8A, 415 VAC, 3-faz</a>	639,50	EC001857	<a href="#">246659</a>	4547648550734		3	EA	EAH	JPN	8504.4090.90
<a href="#">JZA40P7BAA</a>	<a href="#">J1000 Inverter sürücü, 1.1kW, 3.4A, 415 VAC, 3-faz</a>	736,00	EC001857	<a href="#">246660</a>	4547648550741	#	3	EA	EAH	JPN	8504.4090.90
<a href="#">JZA41P5BAA</a>	<a href="#">J1000 Inverter sürücü, 1.5kW, 4.8A, 415 VAC, 3-faz</a>	867,00	EC001857	<a href="#">246661</a>	4547648550758	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZA42P2BAA</a>	<a href="#">J1000 Inverter sürücü, 2.2kW, 5.5A, 415 VAC, 3-faz</a>	1,030,00	EC001857	<a href="#">246662</a>	4547648550765		3	EA	EAH	JPN	8504.4090.90
<a href="#">JZA43P0BAA</a>	<a href="#">J1000 Inverter sürücü, 3.0kW, 7.2A, 415 VAC, 3-faz</a>	1,098,00	EC001857	<a href="#">246663</a>	4547648550772	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZA44P0BAA</a>	<a href="#">J1000 Inverter sürücü, 4.0kW, 9.2A, 415 VAC, 3-faz</a>	1,251,00	EC001857	<a href="#">246664</a>	4547648550789	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZAR0P1BAA</a>	<a href="#">J1000 Inverter sürücü, 0.1kW, 0.8A, 240 VAC, tek-faz</a>	322,40	EC001857	<a href="#">246646</a>	4547648550604			EA	EAH	JPN	8504.4090.90
<a href="#">JZAR0P2BAA</a>	<a href="#">J1000 Inverter sürücü, 0.25kW, 1.6A, 240 VAC, tek-faz</a>	355,50	EC001857	<a href="#">246647</a>	4547648550611	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZAR0P4BAA</a>	<a href="#">J1000 Inverter sürücü, 0.55kW, 3A, 240 VAC, tek-faz</a>	395,30	EC001857	<a href="#">246648</a>	4547648550628	#		EA	EAH	JPN	8504.4090.90
<a href="#">JZAR0P7BAA</a>	<a href="#">J1000 Inverter sürücü, 1.1kW, 5A, 240 VAC, tek-faz</a>	478,60	EC001857	<a href="#">246649</a>	4547648550635	#	3	EA	EAH	JPN	8504.4090.90
<a href="#">JZAB1P5BAA</a>	<a href="#">J1000 Inverter sürücü, 1.5kW, 8A, 240 VAC, tek-faz</a>	639,50	EC001857	<a href="#">246650</a>	4547648550642	#	3	EA	EAH	JPN	8504.4090.90
<b>Inverter J1000</b>											
<a href="#">JYOP-182</a>	<a href="#">LED operatör paneli</a>	85,75	EC002025	<a href="#">252658</a>	4547648861502			EA	EAH	JPN	8471.6070.00
<b>Inverter Q2A</b>											
<a href="#">Q2A-A2004-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz</a>	1,032,00	EC001857	<a href="#">684659</a>	4549734959230	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2006-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz</a>	1,231,00	EC001857	<a href="#">684657</a>	4549734959216	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2010-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 9 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz</a>	1,296,00	EC001857	<a href="#">684698</a>	4549734959322	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2012-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz</a>	1,898,00	EC001857	<a href="#">684699</a>	4549734959339	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2021-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz</a>	1,987,00	EC001857	<a href="#">684700</a>	4549734959346	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2030-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz</a>	2,087,00	EC001857	<a href="#">684701</a>	4549734959353	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2042-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz</a>	2,516,00	EC001857	<a href="#">684702</a>	4549734959360	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2056-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz</a>	2,984,00	EC001857	<a href="#">684703</a>	4549734959377	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2070-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz</a>	4,726,00	EC001857	<a href="#">684704</a>	4549734959384	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2082-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz</a>	5,825,00	EC001857	<a href="#">684705</a>	4549734959391	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2110-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz</a>	5,755,00	EC001857	<a href="#">684706</a>	4549734959407	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2138-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz</a>	9,720,00	EC001857	<a href="#">684707</a>	4549734959414	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2169-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz</a>	11,140,00	EC001857	<a href="#">684708</a>	4549734959421	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2211-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz</a>	12,350,00	EC001857	<a href="#">684709</a>	4549734959438	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2257-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz</a>	13,130,00	EC001857	<a href="#">684710</a>	4549734959445	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2313-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz</a>	23,700,00	EC001857	<a href="#">684711</a>	4549734959452	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2360-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz</a>	26,700,00	EC001857	<a href="#">684696</a>	4549734959308	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A2415-AAA</a>	<a href="#">Inverter Q2A, 200 V, ND: 415 A / 110 kW, IP20, max. output freq. 590 Hz</a>	30,640,00	EC001857	<a href="#">684697</a>	4549734959315	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4002-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz</a>	1,010,00	EC001857	<a href="#">681122</a>	4549734944120	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4004-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 4.1 A / 1.50 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz</a>	1,133,00	EC001857	<a href="#">681131</a>	4549734944212	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4005-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz</a>	1,263,00	EC001857	<a href="#">681133</a>	4549734944236	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4007-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz</a>	1,402,00	EC001857	<a href="#">681128</a>	4549734944182	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4009-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz</a>	1,540,00	EC001857	<a href="#">681117</a>	4549734944076	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4012-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz</a>	1,652,00	EC001857	<a href="#">681123</a>	4549734944137	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4018-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz</a>	2,035,00	EC001857	<a href="#">681116</a>	4549734944069	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4023-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz</a>	2,420,00	EC001857	<a href="#">681124</a>	4549734944144	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4031-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz</a>	2,879,00	EC001857	<a href="#">681125</a>	4549734944151	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4038-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz</a>	3,706,00	EC001857	<a href="#">681126</a>	4549734944168	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4044-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz</a>	4,361,00	EC001857	<a href="#">681127</a>	4549734944175	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4060-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz</a>	5,170,00	EC001857	<a href="#">681120</a>	4549734944106	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4075-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz</a>	5,925,00	EC001857	<a href="#">681118</a>	4549734944083	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4089-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz</a>	7,285,00	EC001857	<a href="#">681121</a>	4549734944113	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4103-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz</a>	7,775,00	EC001857	<a href="#">681115</a>	4549734944052	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4140-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz</a>	9,165,00	EC001857	<a href="#">681132</a>	4549734944229	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4168-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz</a>	11,060,00	EC001857	<a href="#">681129</a>	4549734944199	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4208-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz</a>	13,560,00	EC001857	<a href="#">681130</a>	4549734944205	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4250-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz</a>	14,360,00	EC001857	<a href="#">681114</a>	4549734944045	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4296-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz</a>	17,930,00	EC001857	<a href="#">681119</a>	4549734944090	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4371-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz</a>	25,830,00	EC001857	<a href="#">682306</a>	4549734947848	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4389-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz</a>	38,980,00	EC001857	<a href="#">682307</a>	4549734947855	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4453-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz</a>	43,250,00	EC001857	<a href="#">682308</a>	4549734947862	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4568-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz</a>	48,110,00	EC001857	<a href="#">682309</a>	4549734947879	#		EA	EAJ	GBR	8504.4090.90
<a href="#">Q2A-A4675-AAA</a>	<a href="#">Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz</a>	51,350,00	EC001857	<a href="#">682310</a>	4549734947886	#		EA	EAJ	GBR	8504.4090.90
<b>Inverter A1000</b>											
<a href="#">CIMR-AC2A0004FAA</a>	<a href="#">A1000 inverter, 3~ 200 V, HD: 0.4 kW, 3.2 A, ND: 0.75 kW, 3.5 A</a>	1,011,00	EC001857	<a href="#">254864</a>	4547648861960			EA	EAK	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CIMR-AC2A0006FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 0.75 kW 5.0 A, ND: 1.1 kW 6.0 A</a>	1,204.00	EC001857	<a href="#">254865</a>	4547648861977			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0010FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 1.5 kW 8.0 A, ND: 2.2 kW 9.6 A</a>	1,259.00	EC001857	<a href="#">254866</a>	4547648861984			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0021FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 4.0 kW 17.5 A, ND: 5.5 kW 21.0 A</a>	1,757.00	EC001857	<a href="#">254868</a>	4547648862004			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0030FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 5.5 kW 25.0 A, ND: 7.5 kW 30.0 A</a>	2,247.00	EC001857	<a href="#">254869</a>	4547648862011			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0040FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 7.5 kW 33.0 A, ND: 11.0 kW 40.0 A</a>	2,708.00	EC001857	<a href="#">254870</a>	4547648862028			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0056FAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 11 kW 47.0 A, ND: 15.0 kW 56.0 A</a>	3,221.00	EC001857	<a href="#">254871</a>	4547648862035			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0312AAA	<a href="#">A1000 inverter: 3~ 200 V, HD: 75 kW 283 A, ND: 90 kW 312 A</a>	20,940.00	EC001857	<a href="#">280386</a>	4547648865319			EA	EAK	JPN	8504.4090.90
CIMR-AC4A0002FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 0.4 kW 1.8 A, ND: 0.75 kW 2.1 A</a>	970.50	EC001857	<a href="#">324899</a>	4547648877268			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0004FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 0.75 kW 3.4 A, ND: 1.5 kW 4.1 A</a>	1,237.00	EC001857	<a href="#">324900</a>	4547648877275			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0005FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A</a>	1,386.00	EC001857	<a href="#">324901</a>	4547648877282			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0007FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A</a>	1,562.00	EC001857	<a href="#">324902</a>	4547648877299			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0009FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A</a>	1,664.00	EC001857	<a href="#">332487</a>	4547648883474			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0011FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A</a>	1,730.00	EC001857	<a href="#">324903</a>	4547648877305			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0018FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A</a>	2,115.00	EC001857	<a href="#">324904</a>	4547648877312			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0023FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A</a>	2,655.00	EC001857	<a href="#">301573</a>	4547648870047			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0031FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A</a>	2,832.00	EC001857	<a href="#">301574</a>	4547648870054			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0038FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A</a>	3,429.00	EC001857	<a href="#">301575</a>	4547648870061			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0044FAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 18.5 kW 39 A, ND: 22 kW 44 A</a>	5,545.00	EC001857	<a href="#">301576</a>	4547648870078			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0058AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 22 kW 45 A, ND: 30 kW 58 A</a>	5,500.00	EC001857	<a href="#">324905</a>	4547648877329			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0072AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 30 kW 60 A, ND: 37 kW 72 A</a>	6,200.00	EC001857	<a href="#">324906</a>	4547648877336			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0088AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A</a>	7,205.00	EC001857	<a href="#">324907</a>	4547648877343			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0103AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A</a>	8,545.00	EC001857	<a href="#">324908</a>	4547648877350	#		EA	EAK	GBR	8504.4090.90
CIMR-AC4A0139AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 55 kW 112 A, ND: 75 kW 139 A</a>	9,330.00	EC001857	<a href="#">324909</a>	4547648877367			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0165AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A</a>	12,010.00	EC001857	<a href="#">324910</a>	4547648877374			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0208AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 90 kW 180 A, ND: 110 kW 208 A</a>	15,560.00	EC001857	<a href="#">355206</a>	4547648909655			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0250AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 110 kW 216 A, ND: 132 kW 250 A</a>	17,300.00	EC001857	<a href="#">355207</a>	4547648909662			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0296AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 132 kW 296 A, ND: 160 kW 304 A</a>	20,670.00	EC001857	<a href="#">355208</a>	4547648909679			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0362AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 160 kW 304 A, ND: 185 kW 362 A</a>	26,610.00	EC001857	<a href="#">355209</a>	4547648909686			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0414AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 185 kW 370 A, ND: 220 kW 414 A</a>	40,120.00	EC001857	<a href="#">375334</a>	4547648958370			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0515AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 220 kW 450 A, ND: 250 kW 515 A</a>	44,550.00	EC001857	<a href="#">375335</a>	4547648958387			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0675AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 315 kW 605 A, ND: 355 kW 675 A</a>	52,900.00	EC001857	<a href="#">375336</a>	4547648958394			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0930AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 450 kW 810 A, ND: 500 kW 930 A</a>	82,400.00	EC001857	<a href="#">351794</a>	4547648894388			EA	EAK	JPN	8504.4090.90
CIMR-AC4A1200AAA	<a href="#">A1000 inverter: 3~ 400 V, HD: 560 kW 1090 A, ND: 630 kW 1200 A, max. output freq. 400Hz</a>	91,250.00	EC001857	<a href="#">351795</a>	4547648894395			EA	EAK	JPN	8504.4090.90

Inverters MX2											
3G3MX2-A2001-F	<a href="#">MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 3~ input, sensorless vector</a>	321.50	EC001857	<a href="#">379062</a>	4548583484146			EA	EAP	CHN	8504.4090.90
3G3MX2-A2002-F	<a href="#">MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3~ input, sensorless vector</a>	321.50	EC001857	<a href="#">379063</a>	4548583484153			EA	EAP	CHN	8504.4090.90
3G3MX2-A2004-F	<a href="#">MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	340.90	EC001857	<a href="#">379064</a>	4548583484160			EA	EAP	CHN	8504.4090.90
3G3MX2-A2007-F	<a href="#">MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	454.40	EC001857	<a href="#">379065</a>	4548583484177	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2015-F	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	440.90	EC001857	<a href="#">379066</a>	4548583484184	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2022-F	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	498.70	EC001857	<a href="#">379067</a>	4548583484191	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2037-F	<a href="#">MX inverter sürücü, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	576.00	EC001857	<a href="#">379068</a>	4548583484207	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2055-F	<a href="#">MX inverter sürücü, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	1,370.00	EC001857	<a href="#">379069</a>	4548583484214	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2075-F	<a href="#">MX inverter sürücü, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	1,589.00	EC001857	<a href="#">379070</a>	4548583484221	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2110-F	<a href="#">MX inverter sürücü, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	2,273.00	EC001857	<a href="#">379071</a>	4548583484238	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2150-F	<a href="#">MX inverter sürücü, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector</a>	2,937.00	EC001857	<a href="#">379072</a>	4548583484245	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4004-F	<a href="#">MX inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	706.50	EC001857	<a href="#">379073</a>	4548583484252	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4007-F	<a href="#">MX inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	792.00	EC001857	<a href="#">378477</a>	4548583484276	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4015-F	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	889.00	EC001857	<a href="#">379076</a>	4548583484290	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4022-F	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	995.50	EC001857	<a href="#">379078</a>	4548583484313	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4030-F	<a href="#">MX inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	1,029.00	EC001857	<a href="#">379080</a>	4548583484337	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4040-F	<a href="#">MX inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	1,244.00	EC001857	<a href="#">379082</a>	4548583484351	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4055-F	<a href="#">MX inverter sürücü, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	1,597.00	EC001857	<a href="#">379084</a>	4548583484375	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4075-F	<a href="#">MX inverter sürücü, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	1,808.00	EC001857	<a href="#">379085</a>	4548583484382	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4110-F	<a href="#">MX inverter sürücü, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	2,001.00	EC001857	<a href="#">378478</a>	4548583484399	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4150-F	<a href="#">MX inverter sürücü, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector</a>	2,605.00	EC001857	<a href="#">379086</a>	4548583484405	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB001-F	<a href="#">MX inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	397.60	EC001857	<a href="#">379087</a>	4548583484412	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB002-F	<a href="#">MX inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	409.80	EC001857	<a href="#">379089</a>	4548583484436	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB004-F	<a href="#">MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	424.90	EC001857	<a href="#">379091</a>	4548583484450	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB007-F	<a href="#">MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	506.50	EC001857	<a href="#">379093</a>	4548583484474	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB015-F	<a href="#">MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	599.50	EC001857	<a href="#">379095</a>	4548583484498	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB022-F	<a href="#">MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector</a>	698.00	EC001857	<a href="#">379097</a>	4548583484511	#		EA	EAP	CHN	8504.4090.90

Inverters MX2											
3G3MX2-A4007-P-E	<a href="#">3G3MX2 inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector, w/o heatsink</a>	635.50	EC001857	<a href="#">377379</a>	4548583379725			EA	EAP	JPN	8504.4090.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">3G3MX2-A4022-P-E</a>	<a href="#">3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ sensorless vector, w/o heatsink</a>	1,157.00	EC001857	<a href="#">377381</a>	4548583379749			EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-A4030-P-E</a>	<a href="#">3G3MX2 inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ sensorless vector, w/o heatsink</a>	924.00	EC001857	<a href="#">377392</a>	4548583442801	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AB004-P-E</a>	<a href="#">MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink</a>	476.40	EC001857	<a href="#">377385</a>	4548583442795			EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AB007-P-E</a>	<a href="#">3G3MX2 inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink</a>	476.40	EC001857	<a href="#">377375</a>	4548583379688	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AB015-P-E</a>	<a href="#">MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink</a>	588.50	EC001857	<a href="#">377376</a>	4548583379695	#		EA	EAP	JPN	8504.4090.90
<a href="#">3G3MX2-AB022-P-E</a>	<a href="#">3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink</a>	687.50	EC001857	<a href="#">377377</a>	4548583379701	#		EA	EAP	JPN	8504.4090.90
<b>Invertörler RX / RX2</b>											
<a href="#">3G3RX2-A2004</a>	<a href="#">Inverter RX2, 200 V, VLD: 4.4 A / 0.75 kW, LD: 3.7 A / 0.75 kW, ND: 3.7 A / 0.4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,344.00	EC001857	<a href="#">687637</a>	4549734281386	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2007</a>	<a href="#">Inverter RX2, 200 V, VLD: 8.0 A / 1.5 kW, LD: 6.3 A / 1.5 kW, ND: 5.0 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,397.00	EC001857	<a href="#">687638</a>	4549734281393	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2015</a>	<a href="#">Inverter RX2, 200 V, VLD: 10.4 A / 2.2 kW, LD: 9.4 A / 2.2 kW, ND: 8.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,518.00	EC001857	<a href="#">687639</a>	4549734281409	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2022</a>	<a href="#">Inverter RX2, 200 V, VLD: 15.6 A / 3.7 kW, LD: 12 A / 3.7 kW, ND: 11 A / 2.2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,592.00	EC001857	<a href="#">687640</a>	4549734281416	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2037</a>	<a href="#">Inverter RX2, 200 V, VLD: 22.8 A / 5.5 kW, LD: 19.6 A / 5.5 kW, ND: 17.5 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,605.00	EC001857	<a href="#">687641</a>	4549734281423	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2075</a>	<a href="#">Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	2,168.00	EC001857	<a href="#">687643</a>	4549734281447	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2110</a>	<a href="#">Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	2,522.00	EC001857	<a href="#">687644</a>	4549734281454	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2150</a>	<a href="#">Inverter RX2, 200 V, VLD: 80 A / 18.5 kW, LD: 73 A / 18.5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	3,253.00	EC001857	<a href="#">687645</a>	4549734281461	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2185</a>	<a href="#">Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	4,084.00	EC001857	<a href="#">687646</a>	4549734281478	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2220</a>	<a href="#">Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	4,853.00	EC001857	<a href="#">687647</a>	4549734281485	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2300</a>	<a href="#">Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	6,175.00	EC001857	<a href="#">687648</a>	4549734281492	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2370</a>	<a href="#">Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	7,455.00	EC001857	<a href="#">687649</a>	4549734281508	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2450</a>	<a href="#">Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	8,615.00	EC001857	<a href="#">687650</a>	4549734281515	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A2550</a>	<a href="#">Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	10,770.00	EC001857	<a href="#">687651</a>	4549734281522	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4007</a>	<a href="#">Inverter RX2, 400 V, VLD: 4.1 A / 1.5 kW, LD: 3.1 A / 1.5 kW, ND: 2.5 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,377.00	EC001857	<a href="#">687652</a>	4549734281539	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4015</a>	<a href="#">Inverter RX2, 400 V, VLD: 5.4 A / 2.2 kW, LD: 4.8 A / 2.2 kW, ND: 4.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,522.00	EC001857	<a href="#">687653</a>	4549734281546	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4022</a>	<a href="#">Inverter RX2, 400 V, VLD: 8.3 A / 3.7 kW, LD: 6.7 A / 3.7 kW, ND: 5.5 A / 2.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,609.00	EC001857	<a href="#">687654</a>	4549734281553	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4037</a>	<a href="#">Inverter RX2, 400 V, VLD: 12.6 A / 5.5 kW, LD: 11.1 A / 5.5 kW, ND: 9.2 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	1,748.00	EC001857	<a href="#">687655</a>	4549734281560	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4055</a>	<a href="#">Inverter RX2, 400 V, VLD: 17.5 A / 7.5 kW, LD: 16 A / 7.5 kW, ND: 14.8 A / 5.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	2,089.00	EC001857	<a href="#">687656</a>	4549734281577	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4075</a>	<a href="#">Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	2,513.00	EC001857	<a href="#">687657</a>	4549734281584	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4110</a>	<a href="#">Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	2,852.00	EC001857	<a href="#">687658</a>	4549734281591	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4150</a>	<a href="#">Inverter RX2, 400 V, VLD: 40 A / 18.5 kW, LD: 37 A / 18.5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	3,488.00	EC001857	<a href="#">687659</a>	4549734281607	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4185</a>	<a href="#">Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	4,021.00	EC001857	<a href="#">687660</a>	4549734281614	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4220</a>	<a href="#">Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	4,679.00	EC001857	<a href="#">687661</a>	4549734281621	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4300</a>	<a href="#">Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	6,030.00	EC001857	<a href="#">687662</a>	4549734281638	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4370</a>	<a href="#">Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	6,855.00	EC001857	<a href="#">687663</a>	4549734281645	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4450</a>	<a href="#">Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	7,885.00	EC001857	<a href="#">687664</a>	4549734281652	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-A4550</a>	<a href="#">Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.</a>	8,715.00	EC001857	<a href="#">687665</a>	4549734281669	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B411K</a>	<a href="#">Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.</a>	15,140.00	EC001857	<a href="#">687668</a>	4549734281690	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B413K</a>	<a href="#">Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.</a>	19,410.00	EC001857	<a href="#">687635</a>	4549734281706	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B4750</a>	<a href="#">Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.</a>	11,410.00	EC001857	<a href="#">687666</a>	4549734281676	#		EA	EAQ	JPN	8504.4090.90
<a href="#">3G3RX2-B4900</a>	<a href="#">Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.</a>	13,930.00	EC001857	<a href="#">687667</a>	4549734281683	#		EA	EAQ	JPN	8504.4090.90
<b>Inverter SX</b>											
<a href="#">SX-A6030-EV44</a>	<a href="#">SX inverter IP20, 30 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz</a>	10,710.00	EC001857	<a href="#">692982</a>	4549734988209			EA	EAT	SWE	8504.4090.90
<b>Inverterler için Aksesuarlar</b>											
<a href="#">AX-CUSBM002-E</a>	<a href="#">Mini USB'den USB'ye bağlantı kablosu</a>	53.70	EC001681	<a href="#">322128</a>	4547648872188			EA	EAZ	ITA	8503.0099.99
<b>Inverterler için Aksesuarlar</b>											
<a href="#">3G3AX-OP01</a>	<a href="#">LED operatör paneli, kablo uzunluğu max. 3m olabılır</a>	98.05	EC002025	335480	4547648489751			EA	EAZ	JPN	8523.8090.00
<a href="#">3G3AX-OP03</a>	<a href="#">LED operatör paneli, kablo uzunluğu max. 3m olabılır</a>	326.20	EC002025	<a href="#">357295</a>	4548583121751	#		EA	EAZ	JPN	8503.0099.99
<a href="#">3G3AX-OP05</a>	<a href="#">5 satır LCD dijital operatör paneli, kopyalama fonksiyonu</a>	415.10	EC002025	<a href="#">376184</a>	4548583096110			EA	EAZ	JPN	8523.8090.00
<b>Inverterler için Aksesuarlar</b>											
<a href="#">3G3AX-MX2-CR1-E</a>	<a href="#">CompoNet option card</a>	200.60	EC002025	<a href="#">335663</a>	4547648767910			EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-MX2-DRT-E</a>	<a href="#">DeviceNet opsiyon kartı</a>	200.30	EC002025	<a href="#">329211</a>	4547648767903			EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-MX2-ECT</a>	<a href="#">MX2 EtherCAT opsiyon kartı</a>	486.90	EC002025	<a href="#">343139</a>	4547648834803	#		EA	EAZ	JPN	8517.6200.00
<a href="#">3G3AX-MX2-EIO15-E</a>	<a href="#">Extra I/O opsiyon kartı, 1 analog voltaj girişi, 1 analog akım girişi, 1 analog voltaj çıkışı, 8 bağımsız dijital girişi, 4 bağımsız dijital çıkışı</a>	159.00	EC002025	<a href="#">324112</a>	4548583372382			EA	EAZ	NLD	9032.8900.90
<a href="#">3G3AX-MX2-PRT-E</a>	<a href="#">MX2 opsiyon kartı, Profibus</a>	295.20	EC002025	<a href="#">327340</a>	4547648767897	#		EA	EAZ	NLD	8517.6200.00
<a href="#">3G3AX-RX2-ECT</a>	<a href="#">RX2 Series EtherCAT option board</a>	650.50	EC002025	703077	4549734714921			EA	EAZ	JPN	8517.6200.00
<a href="#">3G3AX-RX2-PG01</a>	<a href="#">RX2 PG speed controller option board</a>	241.10	EC002025	<a href="#">687957</a>	4549734281362	#		EA	EAZ	JPN	8523.8090.00
<a href="#">PG-B3</a>	<a href="#">A1000 Open collector PG, A, B, Z pulse, fmax 50 kHz</a>	185.40	EC002025	262489	4547648863605			EA	EAZ	JPN	8523.8090.00
<a href="#">PG-E3</a>	<a href="#">FnDat PG interface for A1000, For speed feedback input by connection a motor encoder type: ERN1387 (HEIDENHAIN)</a>	466.20	EC002025	<a href="#">329710</a>	4547648880787			EA	EAZ	JPN	8471.6070.00
<a href="#">PG-F3</a>	<a href="#">FnDat PG interface for A1000 and O2A inverters, For speed feedback input by connection a motor encoder type: FnDat 2.1/01, FnDat 2.2/01, FnDat 2.2/22 (HEIDENHAIN)</a>	402.60	EC002025	323403	4547648872522			EA	EAZ	JPN	8471.6070.00
<a href="#">PG-X3</a>	<a href="#">A1000 PG Linedriver, A, B, Z differential (RS422) girişi, fmax 300 kHz</a>	185.40	EC002025	256633	4547648862806			EA	EAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PS-A10HB	<a href="#">A1000 24V DC Control board Power Supply option 400V class</a>	324.20	EC002025	<a href="#">355602</a>	4547648915878			EA	EAZ	JPN	8471.6070.00
PS-V10S	<a href="#">24 VDC control board power supply for 5.5-15 kW</a>	299.50	EC002025	240837	4547648850049			EA	EAZ	JPN	8471.6070.00
SI-232/J	<a href="#">RS-232C comms interface for use with LED operator JVOP-182</a>	111.50	EC002025	<a href="#">249034</a>	4547648856799			EA	EAZ	JPN	8517.6200.00
SI-232/JC	<a href="#">RS-232C haberleşme kartı, CIMR-J1000 inverter</a>	105.20	EC002025	<a href="#">249035</a>	4547648856805			EA	EAZ	JPN	8517.6200.00
SI-EN3	<a href="#">EtherNet/IP option board for A1000 inverter</a>	387.50	EC002025	<a href="#">330846</a>	4547648882859	#		EA	EAZ	USA	8517.6200.00
SI-EN3/V	<a href="#">EtherNet/IP option board for V1000 inverter</a>	553.50	EC002025	264659	4547648864237			EA	EAZ	USA	8517.6200.00
SI-EN3D	<a href="#">Dual Port EtherNet/IP option board for A1000, Q2A and Q2V inverters.</a>	336.50	EC002025	<a href="#">414636</a>	4547648997201			EA	EAZ	USA	8517.6200.00
SI-EN3DV	<a href="#">EtherNet/IP option board for V1000 inverter (dual)</a>	461.10	EC002025	<a href="#">414637</a>	4547648997218			EA	EAZ	USA	8517.6200.00
SI-EP3	<a href="#">A1000 option card - PROFINET</a>	804.50	EC002025	<a href="#">373019</a>	4547648949842			EA	EAZ	DEU	8517.6200.00
SI-EP3/V	<a href="#">V1000 option card - PROFINET</a>	643.00	EC002025	373020	4547648949859			EA	EAZ	DEU	8517.6200.00
SI-E53	<a href="#">EtherCAT option board for A1000, Q2A and Q2V inverters.</a>	367.90	EC002025	683366	4549734951203	#		EA	EAZ	GBR	8517.6200.00
SI-E53/Q2V	<a href="#">Q2V EtherCAT option board with JOHR-Q2V option card enclosure mounted from factory.</a>	601.00	EC002025	695540	4549734996938	#		EA	EAZ	SWE	8517.6200.00
SI-E53/V	<a href="#">Ethercat option board for V1000</a>	731.00	EC002025	<a href="#">690265</a>	4549734980753	#		EA	EAZ	GBR	8517.6200.00
SI-N3	<a href="#">DeviceNet opsiyon kartı for A1000 inverter</a>	275.50	EC002025	<a href="#">278325</a>	4547648864978			EA	EAZ	JPN	8517.6200.00
SI-N3/V	<a href="#">DeviceNet opsiyon kartı, V1000 inverter</a>	266.10	EC002025	241427	4547648850384			EA	EAZ	JPN	8517.6200.00
SI-P3	<a href="#">Profibus opsiyon kartı, A1000 inverter</a>	480.70	EC002025	<a href="#">274269</a>	4547648864831			EA	EAZ	JPN	8517.6200.00
SI-P3/V	<a href="#">Profibus opsiyon kartı, V1000 inverter</a>	428.90	EC002025	240836	4547648850032			EA	EAZ	JPN	8517.6200.00
SI-S3	<a href="#">CAN open option board for A1000 inverter</a>	314.00	EC002025	<a href="#">274270</a>	4547648864848			EA	EAZ	JPN	8517.6200.00
SI-S3/V	<a href="#">CANopen opsiyon kartı, V1000 inverter</a>	325.60	EC002025	240835	4547648850025			EA	EAZ	JPN	8517.6200.00
SI-T3/V	<a href="#">MECHATROLINK II option board for V1000 inverter</a>	714.00	EC002025	256634	4547648862813			EA	EAZ	JPN	8517.6200.00
<b>Inverterler için Aksesuarlar</b>											
AX-BCR4015045-TE	<a href="#">Frenleme ünitesi 400 V, süreklil 15 A/11 KVA, anlık 45 A/33 KVA, 16 ohm min</a>	1,008.00	EC002025	<a href="#">324034</a>	4547648873956			EA	EAZ	DEU	8533.2900.00
AX-BCR4017068-TE	<a href="#">Frenleme ünitesi 400 V, süreklil 17 A/13 KVA, anlık 68 A/51 KVA, 11 ohm min</a>	993.00	EC002025	<a href="#">324035</a>	4547648873963			EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TE	<a href="#">Frenleme ünitesi 400 V, süreklil 35 A/26 KVA, anlık 90 A/67 KVA, 8.5 ohm min</a>	1,740.00	EC002025	<a href="#">324036</a>	4547648873970			EA	EAZ	DEU	8533.2900.00
AX-BCR4070130-TE	<a href="#">Frenleme ünitesi 400 V, süreklil 70 A/52 KVA, anlık 130 A/97 KVA, 5.5 ohm min</a>	2,262.00	EC002025	<a href="#">324037</a>	4547648873987			EA	EAZ	DEU	8533.2900.00
AX-BCR4090240-TE	<a href="#">Frenleme ünitesi 400V, süreklil 90A/67KVA, anlık 240A/180KVA, 3.2 ohm min</a>	3,329.00	EC002025	<a href="#">325091</a>	4547648877442			EA	EAZ	DEU	8533.2900.00
<b>Inverterler için Aksesuarlar</b>											
A1000-REJ0K15100-JE	<a href="#">Braking Resistor for J1000, 100 Ohms</a>	39.18	EC002025	<a href="#">250563</a>	4547648859806	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15200-JE	<a href="#">Braking Resistor for J1000, 200 Ohms</a>	51.70	EC002025	<a href="#">250562</a>	4547648859813	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15300-JE	<a href="#">Frenleme direnci, J1000, 300 Ohms</a>	28.27	EC002025	<a href="#">250561</a>	4547648859820	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15400-JE	<a href="#">Frenleme direnci, J1000, 400 Ohms</a>	29.34	EC002025	<a href="#">250560</a>	4547648859837	10		EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-JE	<a href="#">Braking Resistor, 30 ohm</a>	43.60	EC002025	241659	4547648851268			EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-JE	<a href="#">Frenleme direnci, 100 ohm</a>	48.03	EC002025	239854	4536853913878			EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-JE	<a href="#">Frenleme direnci, 75 ohm</a>	50.90	EC002025	239855	4536853913885			EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-JE	<a href="#">Frenleme direnci, 50 ohm</a>	70.30	EC002025	239856	4536853913892			EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-JE	<a href="#">Braking Resistor, 40 ohm</a>	117.00	EC002025	239857	4536853913908			EA	EAZ	ITA	9032.8900.90
AX-REM00K1200-JE	<a href="#">Frenleme direnci, 200 ohm, 110 W nominal</a>	29.45	EC002025	<a href="#">324011</a>	4547648873727			EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-JE	<a href="#">Frenleme direnci, 400 ohm, 190 W nominal</a>	32.99	EC002025	<a href="#">324010</a>	4547648873710			EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-JE	<a href="#">Braking resistor, 70 ohm, 200 W nominal</a>	34.53	EC002025	<a href="#">324012</a>	4547648873734	10		EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-JE	<a href="#">Frenleme direnci, 120 ohm, 200 W nominal</a>	42.07	EC002025	<a href="#">324017</a>	4547648873789			EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-JE	<a href="#">Braking resistor, 200 ohm, 200 W nominal</a>	42.07	EC002025	<a href="#">324015</a>	4547648873765	10		EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-JE	<a href="#">Frenleme direnci, 35 ohm, 400 W nominal</a>	45.80	EC002025	<a href="#">324014</a>	4547648873758			EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-JE	<a href="#">Frenleme direnci, 70 ohm, 400 W nominal</a>	50.75	EC002025	<a href="#">324013</a>	4547648873741			EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-JE	<a href="#">Frenleme direnci, 120 ohm, 500 W nominal</a>	53.65	EC002025	<a href="#">324016</a>	4547648873772			EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-JE	<a href="#">Frenleme direnci, 35 ohm, 600 W nominal</a>	82.90	EC002025	<a href="#">324023</a>	4547648873840			EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-JE	<a href="#">Frenleme direnci, 100 ohm, 600 W nominal</a>	66.45	EC002025	<a href="#">324018</a>	4547648873796			EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-JE	<a href="#">Braking resistor, 20 ohm, 900 W nominal</a>	145.30	EC002025	<a href="#">324024</a>	4547648873857			EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-JE	<a href="#">Frenleme direnci, 70 ohm, 900 W nominal</a>	145.30	EC002025	<a href="#">324019</a>	4547648873802			EA	EAZ	ITA	8533.2900.00
AX-REM01K9017-JE	<a href="#">Frenleme direnci, 17 ohm, 1900 W nominal</a>	340.00	EC002025	324025	4547648873864			EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-JE	<a href="#">Frenleme direnci, 70 ohm, 1900 W nominal</a>	340.00	EC002025	<a href="#">324020</a>	4547648873819			EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-JE	<a href="#">Frenleme direnci, 70 ohm, 2100 W nominal</a>	527.50	EC002025	<a href="#">324021</a>	4547648873826			EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-JE	<a href="#">Frenleme direnci, 35 ohm, 3500 W nominal</a>	636.50	EC002025	<a href="#">324022</a>	4547648873833			EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-JE	<a href="#">Frenleme direnci, 20ohm, 19kW</a>	735.00	EC002025	<a href="#">324030</a>	4547648873918			EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-JE	<a href="#">Frenleme direnci, 20ohm, 19kW</a>	618.50	EC002025	<a href="#">324029</a>	4547648873901			EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-JE	<a href="#">Frenleme direnci, 12 ohm, 38 kW (ton 30sec, Duty 10%)/(5500 W (ton 300sec, Duty 25%, 50%))</a>	928.00	EC002025	<a href="#">324031</a>	4547648873925			EA	EAZ	ITA	8533.2900.00
ERF-150WJ101	<a href="#">Frenleme direnci, 100 Ohm, 200 VAC sürücü (1.5kW) (3G3IV-PERF150WJ101 ile eşdeğer)</a>	40.94	EC002025	<a href="#">138124</a>	4536853834982			EA	EAZ	JPN	9032.8900.90
ERF-150WJ201	<a href="#">Frenleme direnci, 200 Ohm, 200VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ201 ile eşdeğer)</a>	52.85	EC002025	<a href="#">138125</a>	4536853834999	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ301	<a href="#">Frenleme direnci, 300 Ohm, 400 VAC sürücü (2.2kW) (3G3IV-PERF150WJ301 ile eşdeğer)</a>	40.94	EC002025	<a href="#">138126</a>	4536853835002			EA	EAZ	JPN	9032.8900.90
ERF-150WJ401	<a href="#">Frenleme direnci, 400 Ohm, 400VAC sürücü (1.5kW) (3G3IV-PERF150WJ401 ile eşdeğer)</a>	40.94	EC002025	<a href="#">147919</a>	4536853835019	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ620	<a href="#">Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150WJ620)</a>	40.90	EC002025	<a href="#">143539</a>	4536853835026			EA	EAZ	JPN	9032.8900.90
ERF-150WJ700	<a href="#">Frenleme direnci, 70 Ohm, 200 VAC sürücü (2.2kW) (3G3IV-PERF150WJ700 ile eşdeğer)</a>	47.29	EC002025	<a href="#">148902</a>	4536853835033			EA	EAZ	JPN	9032.8900.90
ERF-150WJ751	<a href="#">Frenleme direnci, 750 Ohm, 400VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ751 ile eşdeğer)</a>	40.94	EC002025	<a href="#">138127</a>	4536853835040			EA	EAZ	JPN	9032.8900.90
INV-BR15040-Type A	<a href="#">Resistor, aluminum, 1000 Watt, 40 Ohm</a>	143.40	EC002025	187849	4549734983808			EA	EAZ	ITA	8504.4082.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Inverterler için Aksesuarlar</b>											
3G3RV-PF13010-SE	E7Z/E7Z footprint RFI filter, 10A, 415VAC, 3-faz, for 0.4 - 2.2kW units (equivalent to FS5972-10-07)	163.10	EC002025	139178	4536853864668			EA	EAZ	THA	8529.9097.90
3G3RV-PF13018-SE	E7Z/E7Z footprint RFI filter, 18A, 415VAC, 3-faz, for 3.7 - 5.5kW units (equivalent to FS59721-8-07)	196.10	EC002025	139179	4536853864669			EA	EAZ	THA	8529.9097.90
3G3RV-PF13035-F	E7Z/E7Z/L7Z footprint RFI filter, 35A, 400VAC, 3-phase, for 7.5 & 11kW units	292.60	EC002025	139050	4536853866570			EA	EAZ	GBR	8529.9097.90
3G3RV-PF13035-SE	E7Z/E7Z/L7Z footprint RFI filter, 35A, 415VAC, 3-faz, for 7.5 & 11kW units (equivalent to FS5972-35-07)	276.50	EC002025	139180	4536853864712			EA	EAZ	THA	8529.9097.90
3G3RV-PF13060-F	E7Z/E7Z/L7Z footprint RFI filter, 60A, 415 VAC, 3-faz, for 15 & 18.5kW units	403.10	EC002025	139051	4536853866594			EA	EAZ	GBR	8529.9097.90
3G3RV-PF13060-SE	E7Z/E7Z/L7Z footprint RFI filter, 60A, 415VAC, 3-faz, for 15 & 18.5kW units (equivalent to FS5972-60-07)	437.40	EC002025	202556	4549734799380			EA	EAZ	THA	8529.9097.90
3G3RV-PF13070-F	E7Z/E7Z/L7Z RFI filter, 20A, 400VAC, 3-phase, for 2.2 & 3.0kW units	507.50	EC002025	139052	4536853866617			EA	EAZ	GBR	8529.9097.90
3G3RV-PF13100-SE	E7Z/E7Z RFI filter, 100A, 415 VAC, 3-faz	585.50	EC002025	202551	4549734793759			EA	EAZ	THA	8529.9097.90
A1000-FIA3024-SE	A1000 ayak izi RFI filtresi, 24 A, 3-200 VAC; 2A0004 - 2A0021, 3 ~ 400 VAC; 4A0002 - 4A0023	122.50	EC002025	679458	4549734932608			EA	EAZ	THA	8529.9097.90
A1000-FIA3044-SE	A1000 ayak izi RFI filtresi, 44 A, 3 ~ 400 VAC; 4A0031 - 4A0038	248.60	EC002025	679456	4549734932585			EA	EAZ	THA	8529.9097.90
A1000-FIA3052-SE	A1000 ayak izi RFI filtresi, 52 A, 3 ~ 400 VAC; 4A0044	306.80	EC002025	679457	4549734932592			EA	EAZ	THA	8529.9097.90
A1000-FIA3071-RE	A1000 footprint RFI filtre, 71 A, 3 ~ 400 VAC; 4A0058 - 4A0088	466.90	EC002025	328911	4547648880367			EA	EAZ	GBR	8529.9097.90
A1000-FIA3105-RE	A1000 footprint RFI filtre, 105 A, 3 ~ 400 VAC; 4A0088 - 4A0139	587.50	EC002025	328912	4547648880374			EA	EAZ	GBR	8529.9097.90
A1000-FIA3170-RE	A1000 footprint RFI filtre, 170 A, 3 ~ 400 VAC; 4A0139 - 4A0208	1,175.00	EC002025	328913	4547648880381			EA	EAZ	GBR	8529.9097.90
A1000-FIA3300-RE	A1000 footprint RFI filtre, 300 A, 3 ~ 400 VAC; 4A0208 - 4A0362	1,892.00	EC002025	328914	4547648880398			EA	EAZ	GBR	8529.9097.90
A1000-FIV1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	246710	4547648855013	#		EA	EAZ	THA	8529.9097.90
A1000-FIV1010-SE-LL	Accessory inverter A1000 EMC filter	56.90	EC002025	386159	4547648975322			EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-LL-Q	Accessory inverter A1000 EMC filter	51.55	EC002025	693907	4549734993272			EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-Q	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	693906	4549734993265			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-LL-Q	Accessory inverter A1000 EMC filter	66.70	EC002025	693909	4549734993296			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-Q	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	693908	4549734993289			EA	EAZ	THA	8529.9097.90
A1000-FIV1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	246713	4547648855044			EA	EAZ	THA	8529.9097.90
A1000-FIV2010-SE-V1	Accessory inverter A1000 EMC filter	113.60	EC002025	385715	4547648974936			EA	EAZ	THA	8529.9097.90
A1000-FIV2020-SE	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, three phase, for 1.5 to 2.2KW drives	165.80	EC002025	246720	4547648855068			EA	EAZ	THA	8529.9097.90
A1000-FIV2030-SE	J1000/V1000 footprint RFI filtre, 30A, 200 VAC, three phase, for 4.0KW drives	165.80	EC002025	246721	4547648855075			EA	EAZ	THA	8529.9097.90
A1000-FIV2060-SE-V1	Q2V/V1000 footprint RFI filtre, 52 A, 3-phase 200 VAC, for 5.5 to 7.5 kW drives	234.40	EC002025	392487	4547648980470			EA	EAZ	THA	8529.9097.90
A1000-FIV3005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	246714	4547648855112	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-LL-Q	Accessory inverter A1000 EMC filter	85.90	EC002025	693911	4549734993319			EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-Q	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	693910	4549734993302	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-LL-Q	Accessory inverter A1000 EMC filter	107.10	EC002025	693913	4549734993333			EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-Q	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	693912	4549734993326			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-LL	Accessory inverter A1000 EMC filter	125.70	EC002025	386169	4547648975421			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-V1	Accessory inverter A1000 EMC filter	108.40	EC002025	385718	4547648974967			EA	EAZ	THA	8529.9097.90
A1000-FIV3050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	386170	4547648975438			EA	EAZ	THA	8529.9097.90
A1000-FIV3050-SE-V2	Accessory inverter A1000 EMC filter	186.00	EC002025	685947	4549734965385			EA	EAZ	THA	8529.9097.90
AX-FIC1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	701949	4549734790918			EA	EAZ	THA	8529.9097.90
AX-FIC1010-SE-LL	Accessory inverter A1000 EMC filter	68.55	EC002025	701953	4549734790956			EA	EAZ	THA	8529.9097.90
AX-FIC1020-SE	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	701950	4549734790925			EA	EAZ	THA	8529.9097.90
AX-FIC1020-SE-LL	Accessory inverter A1000 EMC filter	51.55	EC002025	701954	4549734790963			EA	EAZ	THA	8529.9097.90
AX-FIC1030-SE	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	701951	4549734790932			EA	EAZ	THA	8529.9097.90
AX-FIC1030-SE-LL	Accessory inverter A1000 EMC filter	66.70	EC002025	701955	4549734790970			EA	EAZ	THA	8529.9097.90
AX-FIC1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	701952	4549734790949			EA	EAZ	THA	8529.9097.90
AX-FIC1040-SE-LL	Accessory inverter A1000 EMC filter	93.10	EC002025	701956	4549734790987			EA	EAZ	THA	8529.9097.90
AX-FIC4005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	701957	4549734790994			EA	EAZ	THA	8529.9097.90
AX-FIC4005-SE-LL	Accessory inverter A1000 EMC filter	68.25	EC002025	701963	4549734791052			EA	EAZ	THA	8529.9097.90
AX-FIC4010-SE	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	701958	4549734791007			EA	EAZ	THA	8529.9097.90
AX-FIC4010-SE-LL	Accessory inverter A1000 EMC filter	85.90	EC002025	701964	4549734791069			EA	EAZ	THA	8529.9097.90
AX-FIC4015-SE	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	701959	4549734791014			EA	EAZ	THA	8529.9097.90
AX-FIC4015-SE-LL	Accessory inverter A1000 EMC filter	107.10	EC002025	701965	4549734791076			EA	EAZ	THA	8529.9097.90
AX-FIC4030-SE	Accessory inverter A1000 EMC filter	108.40	EC002025	701960	4549734791021			EA	EAZ	THA	8529.9097.90
AX-FIC4030-SE-LL	Accessory inverter A1000 EMC filter	125.70	EC002025	701966	4549734791083			EA	EAZ	THA	8529.9097.90
AX-FIC4050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	701967	4549734791090			EA	EAZ	THA	8529.9097.90
AX-FIC4080-SE	Common footprint RFI filter for Compact series (Q2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives	680.00	EC002025	701962	4549734791045			EA	EAZ	HUN	8529.9097.90
AX-FIM1010-SE-LL	Accessory inverter MX2 EMC filter	35.31	EC002025	386171	4547648975445			EA	EAZ	THA	8529.9097.90
AX-FIM1010-SE-V1	MX footprint RFI filtre, 10A, 200VAC, tek faz	31.48	EC002025	354492	4547648905985			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-LL	Accessory inverter MX2 EMC filter	50.15	EC002025	386172	4547648975452			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-V1	MX footprint RFI filtre, 14 A, 1 ~ 200 VAC, 0.75 kW modeli	46.59	EC002025	392486	4547648908463	#		EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	54.85	EC002025	386173	4547648975469			EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-V1	MX footprint RFI filtre, 24A, 200VAC, tek faz, 1.5 ila 2.2KW modeli	51.95	EC002025	354493	4547648905992	#		EA	EAZ	THA	8529.9097.90
AX-FIM2030-SE-LL	MX footprint RFI filtre, 30A, 200VAC, three phase	132.70	EC002025	354496	4547648906029			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-LL	Accessory inverter MX2 EMC filter	77.35	EC002025	386177	4547648975506			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-V1	MX footprint RFI filtre, 5A, 400VAC, üç faz, 0.37 ila 1.1KW modeli	79.70	EC002025	354500	4547648906067			EA	EAZ	THA	8529.9097.90
AX-FIM3010-RE-LL	MX footprint RFI filtre, 10A, 400VAC, three phase, for 1.5 to 3.0KW models, low leakage current	114.80	EC002025	324545	4547648876056			EA	EAZ	GBR	8529.9097.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FIM3010-SE-LL <a href="#">AX-FIM3010-SE-V1</a>	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 10A, 400VAC, üç faz, 1.5 ila 3.0kW modeli	92.85	EC002025	<a href="#">386178</a>	4547648975513			EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-LL <a href="#">AX-FIM3014-SE-V1</a>	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 14A, 400VAC, üç faz, 4.0kW modeli	104.50	EC002025	<a href="#">386179</a>	4547648975520	#		EA	EAZ	THA	8529.9097.90
AX-FIM3030-SE-LL <a href="#">AX-FIM3030-SE-V1</a>	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 50A, 400VAC, üç faz, 11 ila 15kW modeli	107.90	EC002025	<a href="#">354502</a>	4547648906081	#		EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-LL <a href="#">AX-FIM3050-SE-V1</a>	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 90 A, 3~ 400 VAC, for 0.75-3.7 kW models	113.70	EC002025	<a href="#">386180</a>	4547648975537			EA	EAZ	THA	8529.9097.90
AX-FIR4011-SE	RX2 footprint RFI filter, 11 A, 3~ 400 VAC, for 0.75-3.7 kW models	238.50	EC002025	<a href="#">386181</a>	4547648975544			EA	EAZ	THA	8529.9097.90
AX-FIR4030-SE	RX2 foot print RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	212.30	EC002025	<a href="#">354504</a>	4547648906104	#		EA	EAZ	THA	8529.9097.90
AX-FIR4058-SE	RX2 foot print RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models	113.70	EC002025	<a href="#">689170</a>	4549734976091			EA	EAZ	THA	8529.9097.90
AX-FIR4079-SE	RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	176.80	EC002025	<a href="#">689171</a>	4549734976107			EA	EAZ	THA	8529.9097.90
AX-FIR4090-SE	RX2 book type RFI filter, 90 A, 3~ 400 VAC, for 37 kW models	279.20	EC002025	<a href="#">689172</a>	4549734976114			EA	EAZ	THA	8529.9097.90
AX-FIR4146-SE	RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	399.00	EC002025	<a href="#">702548</a>	4549734793728			EA	EAZ	CHN	8529.9097.90
AX-FIR4310-SE	RX2 bush bar type RFI filter, 310 A, 3~ 400 VAC, for 75-132 kW models	454.40	EC002025	<a href="#">702549</a>	4549734793735			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4010-SE</a>	O2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	632.00	EC002025	<a href="#">702546</a>	4549734793704			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4020-SE</a>	O2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models	1,308.00	EC002025	<a href="#">702547</a>	4549734793711			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4035-SE</a>	O2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	230.90	EC002025	<a href="#">682622</a>	4549734949200			EA	EAZ	THA	8529.9097.90
<a href="#">O2-FIA4050-SE</a>	O2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models	274.10	EC002025	<a href="#">682631</a>	4549734949293	#		EA	EAZ	THA	8529.9097.90
<a href="#">O2-FIA4080-SE</a>	O2A Book end style RFI filter, 80 A, 3~ 400 VAC, for O2A-A4044/O2A-A4060/O2A-A4075/O2A-A2042/O2A-A2056/O2A-A2070/O2V-A4044/O2V-A4060 models.	321.50	EC002025	<a href="#">682630</a>	4549734949286	#		EA	EAZ	THA	8529.9097.90
<a href="#">O2-FIA4100-SE</a>	O2A/O2V Book end style RFI filter, 100 A, 3~ 400 VAC, for O2A-A4089/O2A-A2082/O2V-A2082 models	509.00	EC002025	<a href="#">682629</a>	4549734949279	#		EA	EAZ	THA	8529.9097.90
<a href="#">O2-FIA4170-SE</a>	O2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	680.00	EC002025	<a href="#">702544</a>	4549734793681			EA	EAZ	THA	8529.9097.90
<a href="#">O2-FIA4410-SE</a>	O2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	850.50	EC002025	<a href="#">702540</a>	4549734793643			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4600-SE</a>	O2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,254.00	EC002025	<a href="#">702541</a>	4549734793650			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4600-SE</a>	O2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,364.00	EC002025	<a href="#">702542</a>	4549734793667			EA	EAZ	CHN	8529.9097.90
<a href="#">O2-FIA4600-SE</a>	O2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1,492.00	EC002025	<a href="#">702543</a>	4549734793674			EA	EAZ	CHN	8529.9097.90
<b>Inverterler için Aksesuarlar</b>											
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	11.70	EC002025	684893	4549734960939			EA	EAZ	CHN	8529.9097.90
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	14.52	EC002025	<a href="#">684894</a>	4549734960946	#		EA	EAZ	CHN	8529.9097.90
AX-FER5045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	60.70	EC002025	684895	4549734960953	#		EA	EAZ	CHN	8529.9097.90
AX-FER5255-PE	Ferrite choke, 52mm diameter, for 45kW inverters and above	72.20	EC002025	684896	4549734960960			EA	EAZ	CHN	8529.9097.90
AX-RAI0191150-DE	AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400VAC, 3 phase	11,160.00	EC002025	319011	4547648871570			EA	EAZ	ESP	8529.9097.90
AX-RAI0290780-DE	AC giriş reaktör, RX serisi, 78A, 0.29mH, 30 ila 37kW boyutlarında, 400VAC, 3 faz	848.50	EC002025	319010	4547648871563			EA	EAZ	ESP	8529.9097.90
AX-RAI0360500-DE	AC giriş reaktör, RX serisi, 50A, 0.36mH, 18.5 ila 22kW boyutlarında, 400VAC, 3 faz	576.00	EC002025	<a href="#">319009</a>	4547648871556			EA	EAZ	ESP	8529.9097.90
AX-RAI0740335-DE	AC giriş reaktör, MX2/RX serisi, 33.5A, 0.74mH, 11 ve 15kW boyutlarında, 400VAC, 3 faz	497.40	EC002025	<a href="#">319005</a>	4547648871525			EA	EAZ	ESP	8529.9097.90
AX-RAI01300170-DE	AC giriş reaktör, JX/ MX2/ RX serisi, 17A, 1.3mH, 5.5 ve 7.5kW boyutlarında, 400VAC, 3 faz	400.20	EC002025	<a href="#">318999</a>	4547648871464			EA	EAZ	ESP	8529.9097.90
AX-RAI03500100-DE	AC giriş reaktör, MX2/ RX serisi, 10A, 3.5mH, 2.2, 3 ve 4.0kW boyutlarında, 400VAC, 3 faz	270.70	EC002025	<a href="#">319004</a>	4547648871518			EA	EAZ	ESP	8529.9097.90
AX-RAI07700050-DE	AC giriş reaktör, MX2/ RX serisi, 5A, 7.7mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz	259.00	EC002025	<a href="#">319003</a>	4547648871501			EA	EAZ	ESP	8529.9097.90
AX-RAO02000320-DE	AC output reactor, 32 A, 2 mH, for 15 kW, 400VAC, 3 phase	708.50	EC002025	<a href="#">319461</a>	4547648871969			EA	EAZ	ESP	8529.9097.90
AX-RAO02500220-DE	AC çıkış reaktör, MX2/ RX serisi, 22A, 2.5mH, 11kW üç faz, 400VAC	645.00	EC002025	<a href="#">319462</a>	4547648871976			EA	EAZ	ESP	8529.9097.90
AX-RAO03600160-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC	475.50	EC002025	<a href="#">319464</a>	4547648871990			EA	EAZ	ESP	8529.9097.90
AX-RAO04600110-DE	AC output reactor, 11 A, 4.6 mH, for 5.5 kW, 400VAC, 3 phase	416.90	EC002025	<a href="#">319466</a>	4547648872010			EA	EAZ	ESP	8529.9097.90
AX-RAO07300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400VAC, 3 phase	503.00	EC002025	<a href="#">319467</a>	4547648872027			EA	EAZ	ESP	8529.9097.90
AX-RAO11800053-DE	AC output reactor, 5.3 A, 11.8 mH, for 2.2 kW, 400VAC, 3 phase	267.90	EC002025	354528	4547648906326			EA	EAZ	ESP	8529.9097.90
AX-RAO16300038-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 3.8A, 16.3mH, 0.4, 0.7 ve 1.5kW üç faz, 400VAC	261.40	EC002025	<a href="#">319471</a>	4547648872065			EA	EAZ	ESP	8529.9097.90
<b>Inverterler için Aksesuarlar</b>											
<a href="#">3G3AX-CA/JOP300-EE</a>	3 metre operatör panel kablosu	5.50	EC002025	<a href="#">324009</a>	4547648873703			EA	EAZ	ITA	8503.0099.99
3G3AX-PCACN2	R145 TO USB converter/ connection cable	430.80	EC002025	283120	4547648623186			EA	EAZ	JPN	9032.8900.90
<a href="#">A1000-CVWP232-EE</a>	Bağlantı kablosu, RS-232C, 3G3V/MV(V7)/E7/E7A/1000 ila PC. (equivalent ila 3G3V-PCN329-F) 3m	19.65	EC001681	241953	4547648850759			EA	EAZ	ITA	8544.4290.90
<b>Inverterler için Aksesuarlar</b>											
900-192-933-001	Door mounting kit for keypad JVOP-KPLxxxxxxx, screw mountin	56.75	EC002025	684852	4549734960557			EA	EAZ	JPN	8471.6070.00
JOH8-Q2V	O2V option card enclosure	38.21	EC002025	<a href="#">690245</a>	4549734980562	#		EA	EAZ	CHN	8517.6200.00
JVOP-KPBCH04AAZ	Blank cover kit for Q2V	38.21	EC002025	690779	4549734983976			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCA04AEZ	O2 LCD Keypad (w/o Bluetooth)	248.40	EC002025	<a href="#">690347</a>	4549734981323			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCC04ABZ	O2 LCD Keypad (with Bluetooth)	791.00	EC002025	<a href="#">691138</a>	4549734989046	#		EA	EAZ	GBR	8528.5291.00
ZPSA-GA50V5-1	Heatsink External Mounting Kit Q2V 2030~2042, 4018~4023	128.20	EC002025	690261	4549734980715			EA	EAZ	JPN	8531.9000.00
<b>Inverterler için Aksesuarlar</b>											
<a href="#">CX-DRIVE 2.9</a>	CX-Drive configuration software for inverters and servos	78.30	EC000809	<a href="#">379897</a>	4547648970013			EA	EAZ	NLD	8523.8090.00
<b>Servo G Serisi</b>											
<a href="#">R88D-GT01H</a>	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 100 W	1,836.00	EC002572	<a href="#">346799</a>	4547648475266			EB	EBK	CHN	9032.8900.90
<a href="#">R88D-GT02H</a>	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 200 W	1,955.00	EC002572	<a href="#">346800</a>	4547648475273			EB	EBK	CHN	9032.8900.90
<a href="#">R88D-GT04H</a>	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 400 W	1,836.00	EC002572	<a href="#">346801</a>	4547648475280	#		EB	EBK	CHN	9032.8900.90
<a href="#">R88D-GT08H</a>	G-serisi servo sürücü, 1~ 200 VAC, Analog/Pulse tipi, 800 W	2,099.00	EC002572	<a href="#">346802</a>	4547648475297	#		EB	EBK	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88D-GT1SH</a>	<a href="#">G-serisi servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW</a>	2,993.00	EC002572	<a href="#">364998</a>	4547648475310			EB	EBK	CHN	9032.8900.90
<b>Servo G Serisi</b>											
<a href="#">R88D-GN01H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 100 W</a>	1,929.00	EC002572	<a href="#">285522</a>	4547648493284			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN02H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 200 W</a>	1,979.00	EC002572	<a href="#">285523</a>	4547648493291			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN04H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 400 W</a>	2,008.00	EC002572	<a href="#">285524</a>	4547648493307	#		EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN08H-ML2</a>	<a href="#">G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 750 W</a>	2,466.00	EC002572	<a href="#">285525</a>	4547648493314			EB	EBK	CHN	8501.4020.80
<a href="#">R88D-GN10H-ML2</a>	<a href="#">G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1 kW</a>	3,450.00	EC002572	<a href="#">355422</a>	4547648493321			EB	EBK	CHN	9032.8900.90
<a href="#">R88D-GN15H-ML2</a>	<a href="#">G-serisi servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW</a>	3,721.00	EC002572	<a href="#">355423</a>	4547648493338			EB	EBK	CHN	9032.8900.90
<b>Servo G Serisi</b>											
<a href="#">R88M-G0503QH-BS2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli</a>	727.50	EC001851	<a href="#">322925</a>	4547648493635			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G0503QH-S2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental</a>	492.70	EC001851	<a href="#">322924</a>	4547648493437			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1003QH-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, frenli</a>	832.00	EC001851	<a href="#">285893</a>	4547648493642			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1003QH-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm</a>	537.50	EC001851	<a href="#">285890</a>	4547648493444			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1003QH-S2-D</a>	<a href="#">G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector</a>	611.50	EC001851	<a href="#">378071</a>	4548583414815			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G2003QH-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, frenli</a>	983.50	EC001851	<a href="#">285894</a>	4547648493659			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G2003QH-BS2-D</a>	<a href="#">G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli, silindirik konnektör</a>	991.00	EC001851	<a href="#">378066</a>	4548583415195			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G2003QH-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm</a>	665.00	EC001851	<a href="#">285891</a>	4547648493451			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G2003QH-S2-D</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, yuvarlak konnektör</a>	788.00	EC001851	<a href="#">378075</a>	4548583414853			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QH-BS2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, frenli</a>	1,065.00	EC001851	<a href="#">285895</a>	4547648493666	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QH-BS2-D</a>	<a href="#">G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector</a>	1,187.00	EC001851	<a href="#">378047</a>	4548583414587			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QH-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm</a>	719.50	EC001851	<a href="#">285892</a>	4547648493468	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QH-S2-D</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (silindirik konnektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, yuvarlak konnektör</a>	858.50	EC001851	<a href="#">378046</a>	4548583414570	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QH-BS2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli</a>	1,360.00	EC001851	<a href="#">286728</a>	4547648493673	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QH-BS2-D</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli, yuvarlak konnektör</a>	1,485.00	EC001851	<a href="#">378051</a>	4548583414624			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QH-S2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental</a>	989.00	EC001851	<a href="#">286727</a>	4547648493475	#		EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QH-S2-D</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, yuvarlak konnektör</a>	1,108.00	EC001851	<a href="#">378050</a>	4548583414617	#		EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88M-GP10030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (küçük tipli), 100 W, 200 VAC, 3000 rpm, 0.32 Nm</a>	676.00	EC001851	<a href="#">285896</a>	4547648496131			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-GP40030H-BS2</a>	<a href="#">G-serisi Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake</a>	1,428.00	EC001851	<a href="#">322928</a>	4547648496278			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-GP40030H-S2</a>	<a href="#">G-serisi/SmartStep 2 AC servo motor (küçük tipli), 400 W, 200 VAC, 3000 rpm, 1.3 Nm</a>	838.00	EC001851	<a href="#">285898</a>	4547648496155			EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88M-G0503QT-BS2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli</a>	1,085.00	EC001851	<a href="#">355426</a>	4547648494335			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G0503QT-S2</a>	<a href="#">G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute</a>	1,290.00	EC001851	<a href="#">317938</a>	4547648493895			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1003QT-BS2</a>	<a href="#">G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli</a>	1,807.00	EC001851	<a href="#">332276</a>	4547648494342			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1003QT-S2</a>	<a href="#">G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute</a>	1,087.00	EC001851	<a href="#">313364</a>	4547648493901			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G1K03QT-BS2</a>	<a href="#">G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake</a>	2,949.00	EC001851	<a href="#">356460</a>	4547648494380			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K03QT-S2</a>	<a href="#">G-serisi AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute</a>	2,198.00	EC001851	<a href="#">317939</a>	4547648493949			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K52QT-S2</a>	<a href="#">G-series servo motor 1.5kW 2000RPM 230V, abs encoder</a>	2,605.00	EC001851	<a href="#">668450</a>	4547648495226			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K53QT-BS2</a>	<a href="#">G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake</a>	3,216.00	EC001851	<a href="#">355419</a>	4547648494397			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G1K53QT-S2</a>	<a href="#">G-serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute</a>	2,506.00	EC001851	<a href="#">356590</a>	4547648493956			EB	EBK	CHN	8501.5220.89
<a href="#">R88M-G2003QT-BS2</a>	<a href="#">G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli</a>	1,961.00	EC001851	<a href="#">332277</a>	4547648494359			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G2003QT-S2</a>	<a href="#">G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute</a>	1,440.00	EC001851	<a href="#">317940</a>	4547648493918			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QT-BS2</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli</a>	2,165.00	EC001851	<a href="#">332278</a>	4547648494366			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QT-BS2-D</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector</a>	2,337.00	EC001851	<a href="#">378049</a>	4548583414600			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G4003QT-S2</a>	<a href="#">G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute</a>	1,591.00	EC001851	<a href="#">317942</a>	4547648493925			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QT-BS2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli</a>	2,537.00	EC001851	<a href="#">332279</a>	4547648494373			EB	EBK	CHN	8501.5100.90
<a href="#">R88M-G7503QT-S2</a>	<a href="#">G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute</a>	1,898.00	EC001851	<a href="#">317943</a>	4547648493932			EB	EBK	CHN	8501.5100.90
<b>Servo G Serisi</b>											
<a href="#">R88A-CNG01A</a>	<a href="#">Servo motor konnektör servo motor üçü kablosu için</a>	18.29	EC002584	<a href="#">292061</a>	4547648491075			EB	EBK	CHN	8501.4020.80
<a href="#">R88A-CNG01B</a>	<a href="#">frenli kablosu konnektör G/SmartStep 2 motor tarafı</a>	11.84	EC002584	<a href="#">292063</a>	4547648560313			EB	EBK	CHN	8501.4020.80
<a href="#">R88A-CNG02R</a>	<a href="#">Artımsal enkoder kablosu için servo motor konnektörü G-Sensi 50 ila 750 W</a>	22.04	EC002584	<a href="#">678730</a>	4549734927987			EB	EBK	CHN	8544.4290.90
<b>Servo G Serisi</b>											
<a href="#">R88A-RR50020S</a>	<a href="#">Servo aksesuarı, direnç 500 W, 20 ohm</a>	363.90	EC002615	<a href="#">292062</a>	4547648560306			EB	EBK	JPN	8533.2900.00
<b>Servo G5 Serisi</b>											
<a href="#">R88A-CPG001S</a>	<a href="#">Genel amaçlı servo kontrol kablosu, 1m</a>	186.50	EC000237	<a href="#">292048</a>	4547648493116	#		EB	EBL	CHN	8544.4290.90
<a href="#">XWZ2-100J-B24</a>	<a href="#">Genel amaçlı servo terminal bloğu kablosu, 1m</a>	276.10	EC000237	<a href="#">294103</a>	4547648520881			EB	EBL	JPN	8501.4020.80
<a href="#">XWZ2-100J-B25</a>	<a href="#">Servo kontrol kablosu (CS1W/C11W/C200HW-NCx13 için), 1m</a>	186.00	EC000237	<a href="#">294105</a>	4547648520904			EB	EBL	JPN	8501.4020.80
<a href="#">XWZ2-100J-B31</a>	<a href="#">Servo kontrol kablosu for C11M-CPU21/22/23, 1m</a>	186.00	EC000237	<a href="#">294107</a>	4547648521031			EB	EBL	JPN	8501.4020.80



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XW27-100I-B34</a>	G5 serisi, terminal bloğu kablosu, CN1 konektör, use with XW28-20G terminal bloğus, 1m	155,60	EC000237	<a href="#">323497</a>	4547648737951			EB	EBL	JPN	8536.9010.00
<a href="#">XW27-200I-B24</a>	Genel amaçlı servo terminal bloğu kablosu, 2m	309,50	EC000237	<a href="#">294104</a>	4547648520898			EB	EBL	JPN	8501.4020.80
<a href="#">XW27-200I-B31</a>	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	202,70	EC000237	<a href="#">294108</a>	4547648521048			EB	EBL	JPN	8501.4020.80
<a href="#">XW27-200I-B34</a>	G5 serisi, terminal bloğu kablosu, CN1 konektörü için XW28-20G terminal bloğu ile birlikte kullanın, 2m	166,90	EC000237	<a href="#">323498</a>	4547648737968			EB	EBL	JPN	8536.9010.00
<b>Servo G5 Serisi</b>											
<a href="#">R88D-KT01H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 100 W	1,346,00	EC002572	<a href="#">285527</a>	4547648651370			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT02H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 200 W	1,583,00	EC002572	<a href="#">285528</a>	4547648651387			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT04H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 400 W	1,683,00	EC002572	<a href="#">285529</a>	4547648651394	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT06F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 600 W	1,886,00	EC002572	<a href="#">285533</a>	4547648651462			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT08H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 750 W	1,914,00	EC002572	<a href="#">285530</a>	4547648651400			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT10F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.0 kW	2,005,00	EC002572	<a href="#">285534</a>	4547648651479	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT10H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.0 kW	2,304,00	EC002572	<a href="#">285531</a>	4547648651417			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT150F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 15.0 kW	8,900,00	EC002572	<a href="#">352678</a>	4548583016262			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT15F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.5 kW	2,012,00	EC002572	<a href="#">285535</a>	4547648651486	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT15H</a>	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.5 kW	2,645,00	EC002572	<a href="#">285532</a>	4547648651424			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT20F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 2.0 kW	2,291,00	EC002572	<a href="#">285536</a>	4547648651493	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT30F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 3.0 kW	2,480,00	EC002572	<a href="#">285537</a>	4547648651509	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT50F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 5.0 kW	3,577,00	EC002572	<a href="#">285538</a>	4547648651516	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KT75F</a>	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 7.5 kW	6,575,00	EC002572	<a href="#">352677</a>	4548583016255			EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
<a href="#">R88D-KN01H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 100 W	1,985,00	EC002572	<a href="#">285539</a>	4547648651561			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN02H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 200 W	2,246,00	EC002572	<a href="#">285540</a>	4547648651578			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN04H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 400 W	2,352,00	EC002572	<a href="#">285541</a>	4547648651585			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN06F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 600 W	2,574,00	EC002572	<a href="#">285545</a>	4547648651653			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN08H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 750 W	2,581,00	EC002572	<a href="#">285542</a>	4547648651592			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN10F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.0 kW	2,699,00	EC002572	<a href="#">285546</a>	4547648651660			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN10H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.0 kW	3,084,00	EC002572	<a href="#">285543</a>	4547648651608			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN15F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.5 kW	2,709,00	EC002572	<a href="#">285547</a>	4547648651677			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN15H-ML2</a>	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.5 kW	3,412,00	EC002572	<a href="#">285544</a>	4547648651615			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN20F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 2.0 kW	3,021,00	EC002572	<a href="#">285548</a>	4547648651684			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN30F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 3.0 kW	3,214,00	EC002572	<a href="#">285549</a>	4547648651691			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN50F-ML2</a>	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 5.0 kW	4,426,00	EC002572	<a href="#">285550</a>	4547648651707			EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
<a href="#">R88D-KN01H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 100 W, 1~ 200 VAC	1,836,00	EC002572	<a href="#">352679</a>	4548583021310	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN02H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 200 W, 1~ 200 VAC	2,162,00	EC002572	<a href="#">352680</a>	4548583021327	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN04H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 400 W, 1~ 200 VAC	2,265,00	EC002572	<a href="#">352681</a>	4548583021334	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN06F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 600 W, 3~ 400 VAC	2,494,00	EC002572	<a href="#">352685</a>	4548583021426	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN08H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 750 W, 1~ 200 VAC	2,490,00	EC002572	<a href="#">352682</a>	4548583021341	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN10F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 3~ 400 VAC	2,600,00	EC002572	<a href="#">352686</a>	4548583021433	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN10H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 1~ 200 VAC	2,976,00	EC002572	<a href="#">352683</a>	4548583021358			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN150F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 15 kW, 3~ 400 VAC	10,210,00	EC002572	<a href="#">353422</a>	4548583021495	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN15F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 3~ 400 VAC	2,651,00	EC002572	<a href="#">352687</a>	4548583021440	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN15H-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 1~ 200 VAC	3,086,00	EC002572	<a href="#">352684</a>	4548583021365			EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN20F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 2 kW, 3~ 400 VAC	2,854,00	EC002572	<a href="#">352688</a>	4548583021457	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN30F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 3 kW, 3~ 400 VAC	3,035,00	EC002572	<a href="#">352689</a>	4548583021464	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN50F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 5 kW, 3~ 400 VAC	4,041,00	EC002572	<a href="#">352690</a>	4548583021471	#		EB	EBL	CHN	8501.4020.80
<a href="#">R88D-KN75F-ECT</a>	G5 serisi servo sürücü, EtherCAT tipi, 7.5 kW, 3~ 400 VAC	6,400,00	EC002572	<a href="#">353421</a>	4548583021488	#		EB	EBL	CHN	8501.4020.80
<b>Servo G5 Serisi</b>											
<a href="#">R88M-K05030H-B52</a>	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	1,212,00	EC001851	<a href="#">285565</a>	4547648653176			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K05030H-S2</a>	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	762,50	EC001851	<a href="#">285551</a>	4547648652964			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K05030T-B52</a>	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,557,00	EC001851	<a href="#">322953</a>	4547648654852			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K05030T-S2</a>	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,126,00	EC001851	<a href="#">322939</a>	4547648654647			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K10030H-B52</a>	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, frenli	1,253,00	EC001851	<a href="#">285566</a>	4547648653183			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K10030H-S2</a>	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental	794,00	EC001851	<a href="#">285552</a>	4547648652971			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K10030T-B52</a>	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,595,00	EC001851	<a href="#">322954</a>	4547648654869			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K10030T-S2</a>	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,165,00	EC001851	<a href="#">322940</a>	4547648654654			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K11K015C-B052</a>	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute, frenli ve yağ sızdırmazlığı	8,235,00	EC001851	<a href="#">352745</a>	4548583017191			EB	EBL	CHN	8501.5230.90
<a href="#">R88M-K11K015C-S2</a>	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute	7,830,00	EC001851	<a href="#">352743</a>	4548583016590	#		EB	EBL	CHN	8501.5230.90
<a href="#">R88M-K15K015C-B052</a>	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute, frenli ve yağ sızdırmazlığı	9,645,00	EC001851	<a href="#">352691</a>	4548583017207			EB	EBL	CHN	8501.5230.90
<a href="#">R88M-K15K015C-S2</a>	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute	8,900,00	EC001851	<a href="#">352692</a>	4548583016606			EB	EBL	CHN	8501.5230.90
<a href="#">R88M-K1K020C-B52</a>	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,093,00	EC001851	<a href="#">322981</a>	4547648657358			EB	EBL	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88M-K1K020C-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute</a>	1,390.00	EC001851	<a href="#">322971</a>	4547648657211			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020F-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli</a>	1,700.00	EC001851	<a href="#">285592</a>	4547648656238			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020F-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental</a>	1,135.00	EC001851	<a href="#">285582</a>	4547648656092	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020H-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental, frenli</a>	1,450.00	EC001851	<a href="#">285588</a>	4547648656153			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020H-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental</a>	1,081.00	EC001851	<a href="#">285578</a>	4547648656016			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020T-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute, frenli</a>	1,818.00	EC001851	<a href="#">322977</a>	4547648657273			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K020T-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute</a>	1,433.00	EC001851	<a href="#">322967</a>	4547648657136			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030C-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute, frenli</a>	2,464.00	EC001851	<a href="#">322961</a>	4547648654975	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030C-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute</a>	1,946.00	EC001851	<a href="#">322947</a>	4547648654760			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030F-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental, frenli</a>	2,085.00	EC001851	<a href="#">285572</a>	4547648653299	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030F-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental</a>	1,604.00	EC001851	<a href="#">285559</a>	4547648653084	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030H-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental, frenli</a>	2,178.00	EC001851	<a href="#">322929</a>	4547648653220			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030H-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental</a>	1,540.00	EC001851	<a href="#">285556</a>	4547648653015			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030T-B52</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, frenli</a>	2,533.00	EC001851	<a href="#">322958</a>	4547648654906			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K030T-S2</a>	<a href="#">G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute</a>	1,994.00	EC001851	<a href="#">322944</a>	4547648654692			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520C-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute, frenli</a>	2,183.00	EC001851	<a href="#">322982</a>	4547648657365			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520C-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute</a>	1,627.00	EC001851	<a href="#">322972</a>	4547648657228			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520F-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental, frenli</a>	1,789.00	EC001851	<a href="#">285593</a>	4547648656245	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520F-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental</a>	1,287.00	EC001851	<a href="#">285583</a>	4547648656108	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520H-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental, frenli</a>	1,711.00	EC001851	<a href="#">285589</a>	4547648656160			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520H-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental</a>	1,296.00	EC001851	<a href="#">285579</a>	4547648656023			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520T-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute, frenli</a>	2,038.00	EC001851	<a href="#">322978</a>	4547648657280			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K520T-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute</a>	1,636.00	EC001851	<a href="#">322968</a>	4547648657143			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530C-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute, frenli</a>	2,761.00	EC001851	<a href="#">322962</a>	4547648654982			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530C-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute</a>	2,155.00	EC001851	<a href="#">322948</a>	4547648654777	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530F-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental, frenli</a>	2,406.00	EC001851	<a href="#">285573</a>	4547648653305	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530F-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental</a>	1,872.00	EC001851	<a href="#">285560</a>	4547648653091	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530H-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental, frenli</a>	2,419.00	EC001851	<a href="#">285570</a>	4547648653237			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530H-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental</a>	1,858.00	EC001851	<a href="#">285557</a>	4547648653022			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530T-B52</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, frenli</a>	2,746.00	EC001851	<a href="#">322959</a>	4547648654913			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K1K530T-S2</a>	<a href="#">G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute</a>	2,199.00	EC001851	<a href="#">322945</a>	4547648654708			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K20030H-B52</a>	<a href="#">G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli</a>	1,379.00	EC001851	<a href="#">285567</a>	4547648653190			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K20030H-S2</a>	<a href="#">G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental</a>	924.00	EC001851	<a href="#">285553</a>	4547648652988			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K20030T-B52</a>	<a href="#">G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli</a>	1,727.00	EC001851	<a href="#">322955</a>	4547648654876	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K20030T-S2</a>	<a href="#">G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute</a>	1,256.00	EC001851	<a href="#">322941</a>	4547648654661	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K2K010C-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute, frenli</a>	3,237.00	EC001851	<a href="#">322937</a>	4547648658515			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K010F-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental, frenli</a>	2,929.00	EC001851	<a href="#">285603</a>	4547648658034			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K010F-S2</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental</a>	2,294.00	EC001851	<a href="#">285600</a>	4547648657976			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K020C-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute, frenli</a>	2,447.00	EC001851	<a href="#">322983</a>	4547648657372			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K020C-S2</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute</a>	1,905.00	EC001851	<a href="#">322973</a>	4547648657235			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K020F-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental, frenli</a>	2,107.00	EC001851	<a href="#">285594</a>	4547648656252	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K020F-S2</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental</a>	1,490.00	EC001851	<a href="#">285584</a>	4547648656115	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K030C-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute, frenli</a>	3,046.00	EC001851	<a href="#">322963</a>	4547648654999	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K030C-S2</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute</a>	2,448.00	EC001851	<a href="#">322949</a>	4547648654784	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K030F-B52</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental, frenli</a>	2,722.00	EC001851	<a href="#">285574</a>	4547648653312			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K2K030F-S2</a>	<a href="#">G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental</a>	2,077.00	EC001851	<a href="#">285561</a>	4547648653107	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K010C-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute, frenli</a>	3,941.00	EC001851	<a href="#">322938</a>	4547648658522			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K010C-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute</a>	3,322.00	EC001851	<a href="#">322934</a>	4547648658461			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K010F-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental, frenli</a>	3,652.00	EC001851	<a href="#">285604</a>	4547648658041			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K010F-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental</a>	3,018.00	EC001851	<a href="#">285601</a>	4547648657983	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K020C-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli</a>	2,835.00	EC001851	<a href="#">322984</a>	4547648657389			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K020C-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute</a>	2,327.00	EC001851	<a href="#">322974</a>	4547648657242			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K020F-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental, frenli</a>	2,486.00	EC001851	<a href="#">285595</a>	4547648656269	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K020F-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental</a>	1,864.00	EC001851	<a href="#">285585</a>	4547648656122	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K030C-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute, frenli</a>	3,685.00	EC001851	<a href="#">322964</a>	4547648655002			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K030C-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute</a>	2,791.00	EC001851	<a href="#">322950</a>	4547648654791			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K030F-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental, frenli</a>	3,338.00	EC001851	<a href="#">285575</a>	4547648653329			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K3K030F-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental</a>	2,426.00	EC001851	<a href="#">285562</a>	4547648653114	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K40020C-B52</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli</a>	1,727.00	EC001851	<a href="#">322979</a>	4547648657334			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K40020C-S2</a>	<a href="#">G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute</a>	1,260.00	EC001851	<a href="#">322969</a>	4547648657198			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K40020F-B52</a>	<a href="#">G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental, frenli</a>	1,361.00	EC001851	<a href="#">285590</a>	4547648656214			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K40020F-S2</a>	<a href="#">G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental</a>	912.00	EC001851	<a href="#">285580</a>	4547648656078			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K40030H-B52</a>	<a href="#">G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli</a>	1,572.0									

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88M-K40030T-S2</a>	<a href="#">G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute</a>	1,388.00	EC001851	<a href="#">322942</a>	4547648654678	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K4K020C-BS2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute, frenli</a>	3,288.00	EC001851	<a href="#">322985</a>	4547648657396			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K020C-S2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute</a>	2,890.00	EC001851	<a href="#">322975</a>	4547648657259			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K020F-BS2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental, frenli</a>	2,952.00	EC001851	<a href="#">285596</a>	4547648656276			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K020F-S2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental</a>	2,362.00	EC001851	<a href="#">285586</a>	4547648656139			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K030C-BS2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute, frenli</a>	4,552.00	EC001851	<a href="#">322965</a>	4547648655019			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K030C-S2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute</a>	3,639.00	EC001851	<a href="#">322951</a>	4547648654807			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K030F-BS2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental, frenli</a>	4,157.00	EC001851	<a href="#">285576</a>	4547648653336			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K030F-S2</a>	<a href="#">G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental</a>	3,206.00	EC001851	<a href="#">285563</a>	4547648653121	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K510C-BS2</a>	<a href="#">G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute, frenli</a>	4,541.00	EC001851	<a href="#">322113</a>	4548583017160			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K4K510C-S2</a>	<a href="#">G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute</a>	4,582.00	EC001851	<a href="#">356385</a>	4548583016569			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K020C-BS2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli</a>	3,646.00	EC001851	<a href="#">322986</a>	4547648657402			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K020C-S2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute</a>	3,222.00	EC001851	<a href="#">322976</a>	4547648657266	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K020F-BS2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli</a>	3,155.00	EC001851	<a href="#">285597</a>	4547648656283	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K020F-S2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental</a>	2,486.00	EC001851	<a href="#">285587</a>	4547648656146	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K030C-BS2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute, frenli</a>	5,975.00	EC001851	<a href="#">322966</a>	4547648655026	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K030C-S2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute</a>	5,045.00	EC001851	<a href="#">322952</a>	4547648654814			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K030F-BS2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental, frenli</a>	5,500.00	EC001851	<a href="#">285577</a>	4547648653343			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K5K030F-S2</a>	<a href="#">G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental</a>	4,614.00	EC001851	<a href="#">285564</a>	4547648653138	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K60020C-BS2</a>	<a href="#">G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute, frenli</a>	1,762.00	EC001851	<a href="#">322980</a>	4547648657341			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K60020C-S2</a>	<a href="#">G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute</a>	1,278.00	EC001851	<a href="#">322970</a>	4547648657204			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K60020F-BS2</a>	<a href="#">G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, frenli</a>	1,459.00	EC001851	<a href="#">285591</a>	4547648656221	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K60020F-S2</a>	<a href="#">G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental</a>	1,036.00	EC001851	<a href="#">285581</a>	4547648656085	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K6K010C-BS2</a>	<a href="#">G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute, frenli, with oil seal</a>	6,210.00	EC001851	<a href="#">352701</a>	4548583017177			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K6K010C-S2</a>	<a href="#">G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute</a>	5,680.00	EC001851	<a href="#">352695</a>	4548583016576			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K75030C-BS2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute, frenli</a>	2,401.00	EC001851	<a href="#">322960</a>	4547648654968			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030C-S2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute</a>	1,997.00	EC001851	<a href="#">322946</a>	4547648654753			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030F-BS2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental, frenli</a>	2,064.00	EC001851	<a href="#">285571</a>	4547648653282			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030F-S2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental</a>	1,579.00	EC001851	<a href="#">285558</a>	4547648653077	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030H-BS2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli</a>	1,919.00	EC001851	<a href="#">285569</a>	4547648653213	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030H-S2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental</a>	1,320.00	EC001851	<a href="#">285555</a>	4547648653008	#		EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030T-BS2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli</a>	2,426.00	EC001851	<a href="#">322957</a>	4547648654890			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K75030T-S2</a>	<a href="#">G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute</a>	1,919.00	EC001851	<a href="#">322943</a>	4547648654685			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-K7K515C-BS2</a>	<a href="#">G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, frenli, with yağsızızdızmazlıđı</a>	6,840.00	EC001851	<a href="#">352702</a>	4548583017184	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K7K515C-S2</a>	<a href="#">G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute</a>	6,120.00	EC001851	<a href="#">352696</a>	4548583016583	#		EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010C-BS2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute, frenli</a>	2,511.00	EC001851	<a href="#">322936</a>	4547648658508			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010C-S2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute</a>	2,126.00	EC001851	<a href="#">322932</a>	4547648658447			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010F-BS2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental, frenli</a>	2,122.00	EC001851	<a href="#">285602</a>	4547648658027			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010F-S2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental</a>	1,613.00	EC001851	<a href="#">285599</a>	4547648657969			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010H-BS2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental, frenli</a>	2,191.00	EC001851	<a href="#">322930</a>	4547648657990			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010H-S2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental</a>	1,613.00	EC001851	<a href="#">285598</a>	4547648657938			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010T-BS2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute, frenli</a>	2,511.00	EC001851	<a href="#">322935</a>	4547648658478			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-K90010T-S2</a>	<a href="#">G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute</a>	2,005.00	EC001851	<a href="#">322931</a>	4547648658416			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH40030H-BS2-D</a>	<a href="#">G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli</a>	1,584.00	EC001851	<a href="#">378081</a>	4548583406704			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-KH40030H-S2-D</a>	<a href="#">G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental</a>	1,110.00	EC001851	<a href="#">378080</a>	4548583406698			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-KH75030H-BS2-D</a>	<a href="#">G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli</a>	2,229.00	EC001851	<a href="#">378085</a>	4548583406742			EB	EBL	CHN	8501.5100.90
<a href="#">R88M-KH75030H-S2-D</a>	<a href="#">G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental</a>	1,367.00	EC001851	<a href="#">378084</a>	4548583406735			EB	EBL	CHN	8501.5100.90
<b>Servo G5 Serisi</b>											
<a href="#">R88M-KH1K020F-BS1</a>	<a href="#">G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli</a>	1,599.00	EC001851	<a href="#">377699</a>	4548583406780			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH1K020F-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental</a>	1,190.00	EC001851	<a href="#">374902</a>	4548583406773			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH1K520F-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental</a>	1,412.00	EC001851	<a href="#">374910</a>	4548583406810			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH2K020C-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute</a>	2,033.00	EC001851	<a href="#">375948</a>	4548583406872			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH3K020F-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental</a>	2,059.00	EC001851	<a href="#">377860</a>	4548583406896			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH4K020F-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental</a>	2,581.00	EC001851	<a href="#">377709</a>	4548583406933			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH5K020C-BS1</a>	<a href="#">G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli</a>	4,409.00	EC001851	<a href="#">377716</a>	4548583407008			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH5K020C-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute</a>	3,325.00	EC001851	<a href="#">377715</a>	4548583406995			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH5K020F-BS1</a>	<a href="#">G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli</a>	3,602.00	EC001851	<a href="#">377714</a>	4548583406988			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH5K020F-S1</a>	<a href="#">G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental</a>	2,842.00	EC001851	<a href="#">377713</a>	4548583406971			EB	EBL	CHN	8501.5220.89
<a href="#">R88M-KH7K515C-BS1</a>	<a href="#">G5 high inertia servo motor, 7.5 kW, 400 VAC, 1500 rpm, ABS, Brake</a>	7,290.00	EC001851	<a href="#">377862</a>	4548583407022			EB	EBL	CHN	8501.5220.89
<b>Servo G5 Serisi</b>											
<a href="#">R88A-CMK001S</a>	<a href="#">Analog monitör kablosu, 1m</a>	30.42	EC000237	<a href="#">678728</a>	4549734927963	#		EB	EBL	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CNK41L</a>	<a href="#">G5 serisi servo harici enkoder konektör [for CN4]</a>	36.90	EC002584	<a href="#">294101</a>	4547648720489			EB	EBL	JPN	8501.4020.80
<a href="#">R88A-CNK81S</a>	<a href="#">Aksesuar servo, G5, güvenlik I / O sinyali konektörü (CN8)</a>	26.98	EC002584	<a href="#">678726</a>	4549734927949			EB	EBL	CHN	8536.9901.00
<a href="#">R88A-CNW01B</a>	<a href="#">Enkoder kablo konektörü (CN2), sürücü tarafı, tüm modeller</a>	61.50	EC002584	<a href="#">678725</a>	4549734927932	#		EB	EBL	CHN	8544.4290.90
<b>Servo G5 Serisi</b>											
<a href="#">R88A-CRGD0R3C</a>	<a href="#">Absolute enkoder battery cable [battery not included]</a>	148.50	EC002615	<a href="#">292058</a>	4547648493215			EB	EBL	CHN	8501.4020.80
<a href="#">R88A-CRGD0R3C-BS</a>	<a href="#">Absolute enkoder pil kablosu [BAT01G dahildir]</a>	260.30	EC002615	<a href="#">292064</a>	4547648582780	#		EB	EBL	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7A-CPR001S</a>	<a href="#">SmartStep 2 serisi servo kontrol kablosu, 1m</a>	89.60	EC002615	<a href="#">292039</a>	4547648491013			EB	EBM	CHN	8501.4020.80
<a href="#">XW2Z-100J-B29</a>	<a href="#">CJ1W-NC113/213/413 ile terminal bloğu arası kablo, 1m</a>	235.30	EC000237	<a href="#">292069</a>	4547648520997			EB	EBM	JPN	8501.4020.80
<a href="#">XW2Z-100J-B32</a>	<a href="#">SmartStep2 kablosu (100-400w) sürücü için servo röle ünitesi ile sürücü arası kablo</a>	190.30	EC000237	<a href="#">292071</a>	4547648521055			EB	EBM	JPN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7D-RP01H</a>	<a href="#">SmartStep 2 servo sürücü, pulse tipi, 100 W, 1~ 200 VAC</a>	1,127.00	EC002572	<a href="#">285887</a>	4547648475181			EB	EBM	CHN	8501.4020.80
<a href="#">R7D-RP02HH</a>	<a href="#">SmartStep 2 servo sürücü, pulse tipi, 200 W, 1~ 200 VAC</a>	1,153.00	EC002572	<a href="#">285888</a>	4547648475204			EB	EBM	CHN	8501.4020.80
<a href="#">R7D-RP04H</a>	<a href="#">SmartStep 2 servo sürücü, pulse tipi, 400 W, 1~ 200 VAC</a>	1,197.00	EC002572	<a href="#">285889</a>	4547648475211	#		EB	EBM	CHN	8501.4020.80
<a href="#">R88D-GP08H</a>	<a href="#">SmartStep 2 servo sürücü, pulse tipi, 800 W, 1~ 200 VAC</a>	1,594.00	EC002572	<a href="#">285526</a>	4547648728911	#		EB	EBM	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R7A-CNB01A</a>	<a href="#">SmartStep 2 servo motor konektör (CNB)</a>	14.37	EC002584	<a href="#">292043</a>	4547648491068			EB	EBM	CHN	8501.4020.80
<a href="#">R7A-CNB01P</a>	<a href="#">SmartStep 2 ana enerji beslemesi konektör (CNA)</a>	12.78	EC002584	<a href="#">292044</a>	4547648491082			EB	EBM	CHN	8501.4020.80
<b>Servo SmartStep2</b>											
<a href="#">R88A-RR080100S</a>	<a href="#">Servo aksesuar, direnç 80 W, 100 ohm</a>	93.90	EC002615	<a href="#">292066</a>	4547648512688			EB	EBM	JPN	8533.2900.00
<a href="#">R88A-RR08050S</a>	<a href="#">Servo aksesuar, direnç 80 W, 50 ohm</a>	93.90	EC002615	<a href="#">292065</a>	4547648512671			EB	EBM	JPN	8533.2900.00
<b>Servo SmartStep2</b>											
<a href="#">R7A-CLB002RG</a>	<a href="#">Harici rejeneratif direnç konektörü kablosu, 2m</a>	27.66	EC002584	292042	4547648491051			EB	EBM	CHN	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
<a href="#">R88A-CAWA005S-DE</a>	<a href="#">servo motor kablosu, 5m (DP9325252-5G ile aynı özellikte)</a>	180.20	EC002615	<a href="#">139294</a>	4536853863319			EB	EBZ	DEU	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
<a href="#">JZSP-CHP800-10-ME</a>	<a href="#">enkoder kablosu 10m</a>	236.60	EC002615	247407	4547648856157			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CFKB005CR-E</a>	<a href="#">Extension cable from Hall and Temperature sensors to Serial Converter, 5m</a>	186.00	EC002615	354073	4547648903493			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA001-5CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 1.5m, absolute enkoder tipi, 50-750 W</a>	119.60	EC002615	<a href="#">294075</a>	4547648867917			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA003CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 3m, absolute enkoder tipi, 50-750 W</a>	135.20	EC002615	<a href="#">294076</a>	4547648867924			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA005CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 5m, absolute enkoder tipi, 50-750 W</a>	151.70	EC002615	<a href="#">294077</a>	4547648867931			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA010CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 10m, absolute enkoder tipi, 50-750 W</a>	190.30	EC002615	<a href="#">294078</a>	4547648867948			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA015CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 15m, absolute enkoder tipi, 50-750 W</a>	232.20	EC002615	<a href="#">294079</a>	4547648867955			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGA020CR-E</a>	<a href="#">G-serisi servo enkoder kablosu, 20m, absolute enkoder tipi, 50-750 W</a>	274.50	EC002615	<a href="#">294080</a>	4547648867962			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR001-5CR-E</a>	<a href="#">Servo enkoder kablosu, 1.5m, incremental enkoder tipi, 50-750W</a>	107.50	EC002615	<a href="#">281392</a>	4547648855593			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR003CR-E</a>	<a href="#">Servo enkoder kablosu, 3m, incremental enkoder tipi, 50-750W</a>	120.40	EC002615	<a href="#">281398</a>	4547648856069	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR005CR-E</a>	<a href="#">Servo enkoder kablosu, 5m, incremental enkoder tipi, 50-750W</a>	137.30	EC002615	<a href="#">281399</a>	454764885616	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR010CR-E</a>	<a href="#">Servo enkoder kablosu, 10m, incremental enkoder tipi, 50-750W</a>	180.30	EC002615	<a href="#">281400</a>	454764885623	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR015CR-E</a>	<a href="#">Servo enkoder kablosu, 15m, incremental enkoder tipi, 50-750W</a>	222.70	EC002615	<a href="#">281401</a>	454764885630			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRGR020CR-E</a>	<a href="#">Servo enkoder kablosu, 20m, incremental enkoder tipi, 50-750W</a>	265.70	EC002615	<a href="#">281402</a>	454764885647			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA001-5CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 1.5m, 50-750 W</a>	114.00	EC002615	<a href="#">298261</a>	4547648868419			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA003CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 3m, 50-750 W</a>	126.50	EC002615	<a href="#">298262</a>	4547648868426			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA005CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 5m, 50-750 W</a>	143.70	EC002615	<a href="#">301748</a>	4547648870184	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA010CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 10m, 50-750 W</a>	186.00	EC002615	<a href="#">298264</a>	4547648868440	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA015CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 15m, 50-750 W</a>	228.80	EC002615	<a href="#">298265</a>	4547648868457			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA020CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 20m, 50-750 W</a>	271.00	EC002615	<a href="#">298266</a>	4547648868464	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKA030CR-E</a>	<a href="#">G5 serisi servo enkoder kablosu, 30m, 50-750W</a>	441.00	EC002615	<a href="#">347145</a>	4547648889612			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC001-5NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 1.5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	142.90	EC002615	<a href="#">301010</a>	4547648869553			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC003NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 3m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	155.60	EC002615	<a href="#">301011</a>	4547648869560	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC005NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	173.20	EC002615	<a href="#">298269</a>	4547648868495	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC010NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 10m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	215.60	EC002615	<a href="#">298270</a>	4547648868501	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC015NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 15m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	258.10	EC002615	<a href="#">298271</a>	4547648868518	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC020NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 20m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW</a>	301.00	EC002615	<a href="#">298272</a>	4547648868525	#		EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKC030NPE</a>	<a href="#">G5 serisi servo enkoder kablosu, 30m, 200V, 1kW - 1.5kW, 400V, 400W - 5kW</a>	433.10	EC002615	<a href="#">341857</a>	4547648887090			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKM005SR-E</a>	<a href="#">Accurax G5 harici enkoder kablosu for CN4, 5m</a>	177.90	EC002615	<a href="#">349416</a>	4547648891875			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKN001-5CR-E</a>	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu, 1.5m</a>	260.50	EC002615	354065	4547648903417			EB	EBZ	ITA	8544.4290.90
<a href="#">R88A-CRKN003CR-E</a>	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu, 3m</a>	199.20	EC002615	354066	4547648903424			EB	EBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRKN005CR-E	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu, 5m</a>	221.80	EC002615	354067	4547648903431			EB	EBZ	ITA	8544.4290.90
R88A-CRKN101CR-E	<a href="#">Accurax G5 linear sürücü ile serial converter ara kablosu 10m</a>	346.30	EC002615	354068	4547648903448			EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	<a href="#">servo enkoder kablosu, 3m (DP9325256-3G ile eşdeğer)</a>	211.20	EC002615	139213	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	<a href="#">servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)</a>	251.70	EC002615	139214	4536853863630			EB	EBZ	DEU	8544.4290.90
R88A-CRWA010C-DE	<a href="#">servo enkoder kablosu, 10m (DP9325256-10G ile eşdeğer)</a>	299.70	EC002615	139215	4536853863654			EB	EBZ	DEU	8544.4290.90
R88A-CRWA015C-DE	<a href="#">servo enkoder kablosu, 15m (DP9325256-15G ile eşdeğer)</a>	376.10	EC002615	139216	4536853863661			EB	EBZ	DEU	8544.4290.90
R88A-CRWA020C-DE	<a href="#">servo enkoder kablosu, 20m (DP9325256-20G ile eşdeğer)</a>	439.00	EC002615	139217	4536853863685			EB	EBZ	DEU	8544.4290.90
R88A-CRW8003N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)</a>	272.40	EC002615	155713	4536853861636			EB	EBZ	ITA	8544.4290.90
R88A-CRW8005N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)</a>	291.30	EC002615	139427	4536853861643			EB	EBZ	ITA	8544.4290.90
R88A-CRW8010N-E	<a href="#">Sigma II enkoder kablosu for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)</a>	336.90	EC002615	157478	4536853861667			EB	EBZ	ITA	8544.4290.90
R88A-CSK0035-E	<a href="#">Servo sürücü, aksesuar, safety kablosu, 3m, G5 (CN8) - uçları açık</a>	83.00	EC000237	413679	4547648996754	#		EB	EBZ	ITA	8544.4999.00
<b>Servolar için Aksesuarlar</b>											
R7A-CAB001-5SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 1.5m</a>	55.35	EC002615	281391	4547648865531			EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 3m</a>	63.15	EC002615	281392	4547648865548			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	<a href="#">SmartStep 2 güç kablosu, (50-400 W), yuvadak IP67 konnektör, non frend, 5m</a>	131.90	EC002615	377686	4547648963251			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 5m</a>	72.20	EC002615	281393	4547648865555			EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	<a href="#">güç kablosu, SmartStep 2 motor, 10m</a>	96.65	EC002615	281394	4547648865562			EB	EBZ	ITA	8544.4999.00
R88A-CAGA001-5BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 1.5m, 50-750 W</a>	50.55	EC002615	281403	4547648865654			EB	EBZ	ITA	8544.4290.90
R88A-CAGA001-5SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 1.5m, 50-750 W</a>	52.55	EC002615	294069	4547648867856			EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 3m, 50-750 W</a>	56.15	EC002615	281404	4547648865661			EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 3m, 50-750 W</a>	59.75	EC002615	294070	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 5m, 50-750 W</a>	63.85	EC002615	281405	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 5m, 50-750 W</a>	69.85	EC002615	294071	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 10m, 50-750 W</a>	82.25	EC002615	281406	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 10m, 50-750 W</a>	93.75	EC002615	294072	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015BR-E	<a href="#">SmartStep 2/G-serisi fren kablosu 15m, 50-750 W</a>	100.70	EC002615	281407	4547648865692			EB	EBZ	ITA	8544.4290.90
R88A-CAGA015SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 15m, 50-750 W</a>	117.90	EC002615	294073	4547648867894			EB	EBZ	ITA	8544.4999.00
R88A-CAGA020SR-E	<a href="#">SmartStep 2/G-serisi güç kablosu 20m, 50-750 W</a>	141.90	EC002615	294074	4547648867900			EB	EBZ	ITA	8544.4999.00
R88A-CAGB001-5SR-E	<a href="#">Servo motor güç kablosu, 1.5m, frensiz, 900 W-1.5 kW</a>	142.50	EC002615	294081	4547648867979			EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	<a href="#">Servo motor güç kablosu, 3m, frensiz, 900 W-1.5 kW</a>	163.90	EC002615	294082	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005BR-E	<a href="#">Servo motor güç kablosu, 5m, frenli, 900 W-1.5 kW</a>	214.30	EC002615	294089	4547648868051			EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	<a href="#">Servo motor güç kablosu, 5m, frensiz, 900 W-1.5 kW</a>	192.40	EC002615	294083	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010BR-E	<a href="#">Servo motor güç kablosu, 10m, frenli, 900 W-1.5 kW</a>	296.40	EC002615	294090	4547648868068			EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	<a href="#">Servo motor güç kablosu, 10m, frensiz, 900 W-1.5 kW</a>	262.90	EC002615	294084	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	<a href="#">Servo motor güç kablosu, 15m, frensiz, 900 W-1.5 kW</a>	333.30	EC002615	294085	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	<a href="#">Servo motor güç kablosu, 20m, frensiz, 900 W-1.5 kW</a>	405.20	EC002615	294086	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB030SR-E	<a href="#">Servo motor güç kablosu, 30m, w/o brake, 900W-1.5kW</a>	582.00	EC002615	347177	4547648889933			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003BR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, frenli, 3-5 kW</a>	273.70	EC002615	298292	4547648868723			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, frensiz, 3-5 kW</a>	178.90	EC002615	298280	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, frenli, 3-5 kW</a>	319.60	EC002615	298293	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, frensiz, 3-5 kW</a>	209.20	EC002615	298281	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, frenli, 3-5 kW</a>	437.40	EC002615	298294	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, frensiz, 3-5 kW</a>	298.20	EC002615	298282	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, frenli, 3-5 kW</a>	550.00	EC002615	301013	4547648869584			EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, frensiz, 3-5 kW</a>	445.10	EC002615	298283	4547648868631	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020BR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, frenli, 3-5 kW</a>	626.50	EC002615	298296	4547648868754			EB	EBZ	ITA	8544.4999.00
R88A-CAGD020SR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, frensiz, 3-5 kW</a>	541.50	EC002615	298284	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGE010BR-E	<a href="#">G5 serisi servo fren kablosu, 10 m, 6 kW - 15 kW</a>	184.00	EC002615	355783	4547648917360			EB	EBZ	ITA	8544.4290.90
R88A-CAGE015BR-E	<a href="#">G5 serisi servo brake cable, 15 m, 6 kW - 15 kW</a>	213.70	EC002615	355784	4547648917377			EB	EBZ	ITA	8544.4290.90
R88A-CAGE020BR-E	<a href="#">G5 serisi servo fren kablosu, 20 m, 6 kW - 15 kW</a>	216.90	EC002615	355785	4547648917384			EB	EBZ	ITA	8544.4290.90
R88A-CAKA001-5BR-E	<a href="#">G5 serisi servo fren kablosu, 1.5m, 50-750W</a>	120.90	EC002615	298297	4547648868761			EB	EBZ	ITA	8544.4999.00
R88A-CAKA001-5SR-E	<a href="#">G5 serisi servo motor güç kablosu, 1.5m, non frend, 50-750 W</a>	180.80	EC002615	298273	4547648868532			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003BR-E	<a href="#">G5 serisi servo fren kablosu, 3m, 50-750W</a>	126.50	EC002615	298298	4547648868778			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	<a href="#">G5 serisi servo motor güç kablosu, 3m, non frend, 50-750 W</a>	195.70	EC002615	298274	4547648868549			EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	<a href="#">G5 serisi servo fren kablosu, 5m, 50-750W</a>	134.00	EC002615	298299	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5m, non frend, 50-750 W</a>	216.40	EC002615	298275	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	<a href="#">G5 serisi servo fren kablosu, 10m, 50-750W</a>	152.10	EC002615	298300	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	<a href="#">G5 serisi servo motor güç kablosu, 10m, non frend, 50-750 W</a>	267.60	EC002615	298276	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	<a href="#">G5 serisi servo fren kablosu, 15m, 50-750W</a>	171.20	EC002615	298301	4547648868808			EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	<a href="#">G5 serisi servo motor güç kablosu, 15m, non frend, 50-750 W</a>	317.90	EC002615	298277	4547648868570			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	<a href="#">G5 serisi servo fren kablosu, 20m, 50-750W</a>	188.80	EC002615	298302	4547648868815			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	<a href="#">G5 serisi servo motor güç kablosu, 20m, non frend, 50-750 W</a>	368.50	EC002615	298278	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	<a href="#">G5 serisi servo motor güç kablosu, 30m, frensiz, 50-750W</a>	537.00	EC002615	347158	4547648889742			EB	EBZ	ITA	8544.4999.00
R88A-CAKE005SR-E	<a href="#">G5 serisi servo motor güç kablosu, 5 m, frensiz, 6 kW - 7.5 kW</a>	473.50	EC002615	355770	4547648917230	#		EB	EBZ	ITA	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKE010SR-E	G5 serisi servo motor güc kablosu, 10m, non frend, 6KW,ila 7,6KW	642.00	EC002615	355771	4547648917247	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE015SR-E	G5 serisi servo motor güc kablosu, 15 m, frensiz, 6 kW - 7,5 kW	926.50	EC002615	355772	4547648917254	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE020SR-E	G5 serisi servo motor güc kablosu, 20 m, frensiz, 6 kW - 7,5 kW	959.50	EC002615	355773	4547648917261	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKF003BR-F	G5 serisi servo motor güc kablosu, 3m, frend, 750W,ila 2KW	245.10	EC002615	298286	4547648886662	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF005BR-F	G5 serisi servo motor güc kablosu, 5m, frend, 750W,ila 2KW	272.50	EC002615	298287	4547648886679	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF010BR-F	G5 serisi servo motor güc kablosu, 10m, frend, 750W,ila 2KW	340.50	EC002615	298288	4547648886686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF015BR-F	G5 serisi servo motor güc kablosu, 15m, frend, 750W,ila 2KW	408.90	EC002615	298289	4547648886693	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF020BR-F	G5 serisi servo motor güc kablosu, 20m, frend, 750W,ila 2KW	477.60	EC002615	298290	4547648886709	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF030BR-F	G5 serisi servo motor güc kablosu, 30m, frenli, 750W to 2KW	622.00	EC002615	347161	4547648889773	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKG010SR-E	G5 serisi servo motor güc kablosu, 10m, frensiz, 11KW - 15KW	814.00	EC002615	355777	4547648917308	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKG020SR-E	G5 serisi servo motor güc kablosu, 20m, frensiz, 11KW - 15KW	1,249.00	EC002615	355779	4547648917322	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (frenli) kablosu, 3m (DP9325253-3G,ile aynı özellikte)	156.20	EC002615	139296	4536853863371	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor kablosu, 3m (DP9325252-3G,ile aynı özellikte)	146.50	EC002615	157472	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (frenli) kablosu, 5m ( DP9325253-5G,ile aynı özellikte)	189.30	EC002615	139297	4536853863395	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (frenli) kablosu, 10m ( DP9325253-10G,ile aynı özellikte)	262.50	EC002615	139298	4536853863418	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor kablosu, 10m ( DP9325252-10G,ile aynı özellikte)	244.60	EC002615	139295	4536853863333	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor kablosu, 15m ( DP9325252-15G,ile aynı özellikte)	330.10	EC002615	155691	4536853863340	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor kablosu, 20m ( DP9325252-20G,ile aynı özellikte)	405.70	EC002615	146112	4536853863364	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWC003S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 3m	208.40	EC002615	139430	4536853861711	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC005S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 5m	230.40	EC002615	139431	4536853861735	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC010S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 10m	285.30	EC002615	142781	4536853861759	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC015S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 15m	342.50	EC002615	139432	4536853861766	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG003S-E	Sigma II motor cable for 4.4 kW motors, 3 m (straight connector, similar JZSP-CMM02D44-03G is right-angled)	233.20	EC002615	150202	4536853867270	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG005S-E	Sigma II motor cable for 4.4 kW motors, 5 m (straight connector, similar JZSP-CMM02D44-05G is right-angled)	280.70	EC002615	138835	4536853867355	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG010S-E	Sigma II motor cable for 4.4 kW motors, 10m (straight connector, similar JZSP-CMM02D44-10G is right-angled)	371.60	EC002615	156912	4536853867430	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWK005S-DE	Sigma II/V servo motor güc kablosu (400V frensiz), 5m	182.50	EC002615	138782	4536853868345	#		EB	EBZ	DEU	8544.4290.90
<b>Servolar için Aksesuarlar</b>											
R88A-SC01K-E	Serial Converter unit, iron core linear motor	1,534.00	EC002584	354679	4547648907156	#		EB	EBZ	DEU	8501.4020.80
<b>Servolar için Aksesuarlar</b>											
R7A-FIB104-RE	SmartStep 2 RFI filtre (Rasmi), 1~ 200 VAC, 4 A (100 W, 200 W, 400 W)	73.05	EC002564	283801	4547648865869	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK102-RE	G/G5 serisi RFI filtre: 2.4 A, 250 VAC, 100 ve 200 W modelleri için	71.50	EC002564	283802	4547648865876	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK102-SE	G/G5 serisi RFI filtre: 2.4 A, 230 VAC, for 100 and 200 W models	57.35	EC002564	668904	4548583963443	#		EB	EBZ	THA	8529.9097.90
R88A-FIK104-RE	G/G5 serisi RFI filtre: 4.1 A, 250 VAC, 400 W modeli için	73.05	EC002564	283803	4547648865883	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK104-SE	G/G5 serisi RFI filtre: 4.1 A, 230 VAC, for 400 W models	59.85	EC002564	668897	4548583963375	#		EB	EBZ	THA	8529.9097.90
R88A-FIK107-RE	G/G5 serisi RFI filtre: 6.6 A, 250 VAC, 750 W modeli için	82.90	EC002564	283804	4547648865890	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK107-SE	G/G5 serisi RFI filtre: 6.6 A, 230 VAC, for 750 W models	68.65	EC002564	668901	4548583963412	#		EB	EBZ	THA	8529.9097.90
R88A-FIK114-RE	G/G5 serisi RFI filtre: 14.2 A, 250 VAC, 1.0 ve 1.5 kW modeli için	104.50	EC002564	283805	4547648865906	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK114-SE	G/G5 serisi RFI filtre: 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	87.30	EC002564	668900	4548583963405	#		EB	EBZ	THA	8529.9097.90
R88A-FIK304-RE	G5 serisi RFI filtre: 4 A, 400 VAC, 600 ila 1.5 kW modelleri arası için	107.30	EC002564	303857	4547648870887	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK304-SE	G5 serisi RFI filtre: 4 A, 400 VAC, for 600 to 1.5 kW models	84.85	EC002564	668899	4548583963399	#		EB	EBZ	THA	8529.9097.90
R88A-FIK306-RE	G5 serisi RFI filtre: 6 A, 400 VAC, 2.0 kW modeli için	114.10	EC002564	303858	4547648870894	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK306-SE	G5 serisi RFI filtre: 6 A, 400 VAC, for 2.0 kW models	92.30	EC002564	668902	4548583963429	#		EB	EBZ	THA	8529.9097.90
R88A-FIK312-RE	G5 serisi RFI filtre: 12 A, 400 VAC, 3.0 ila 5.0 kW modelleri arası için	157.60	EC002564	303859	4547648870900	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK312-SE	G5 serisi RFI filtre: 12 A, 400 VAC, for 3.0 to 5.0 kW models	128.70	EC002564	668898	4548583963382	#		EB	EBZ	THA	8529.9097.90
R88A-FIK330-RE	G5 serisi RFI filtre: 30 A, 400 VAC, 3.0 ila 7.5 kW modelleri arası için	242.00	EC002564	357083	4547648926270	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK330-SE	G5 serisi RFI filtre: 30 A, 400 VAC, for 3.0 to 7.5 kW models	188.70	EC002564	668903	4548583963436	#		EB	EBZ	THA	8529.9097.90
R88A-FIK350-SE	G5 serisi RFI filtre: 50 A, 400 VAC, for 3.0 to 15 kW models	274.30	EC002564	668906	4548583963467	#		EB	EBZ	THA	8529.9097.90
R88A-FIW104F	Smart Step/XtraDrive/Sigma II RFI filter (Rasmi), 1~ 200 VAC, 4 A (30 W ~ 200 W)	118.40	EC002564	147105	4536853862602	#		EB	EBZ	GBR	8529.9097.90
<b>Servolar için Aksesuarlar</b>											
JZSP-CMP9-1-E	Sigma II servo driver CN2 (enkoder) connector kit	60.30	EC002584	365008	4547648934886	#		EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SIGMAH (400 V) and SGMFH (400 V)	49.35	EC002584	138248	4536853871703	#		EB	EBZ	DEU	8503.0099.90
MS3108E18-10S	Military power connector IP67 for 400 V motors SGMGH (05/10/13)D, SGM5H (10/15/20)D, SGMUWH (10/15)D, SGM5H fan	72.20	EC002584	168878	4536853875893	#		EB	EBZ	ITA	8536.9010.00
MS3108E20-4S	güc kablosu konektör G5 motor tarafı	79.45	EC002584	329420	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military güç konektör IP67 for 400 V motors SGMGH (20/30/44)D, SGM5H (30/40/50)D, SGMUWH (30/40)D	96.25	EC002584	168879	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	güc kablosu konektör G5 motor tarafı	84.65	EC002584	331799	4547648883078	#		EB	EBZ	ITA	8536.9010.00
MS3108E32-17S	Military güç konektör IP67 for 400 V motors SGMGH (55/75/1 A)/E1D	130.10	EC002584	168880	4536853875916	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	enkoder kablosu konektör, motor tarafı, 750 W'a kadar olan modeller için	40.52	EC002584	294392	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04F-E	enkoder kablosu konektör, motor tarafı, R88M-K(1K0/1K5)30(H/T) -K(750/1K0/1K5/2K0/3K0/4K0/5K0)30(F/C) -K(400/600/1K0/1K5/2K0/3K0/4K0/5K0)20 -K(900/2K0/3K0)10	79.45	EC002584	329419	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK11A	Motor güc kablosu konektör, motor tarafı, modeli: 750 W'a kadar	71.10	EC002584	294393	4547648720458	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK11B	konektör for breaking kablosu R88M-K(050/100/200/400/750)30(H/T)-BS2	93.05	EC002584	354777	4547648720465	#		EB	EBZ	JPN	8536.9010.00
R88A-CNU01C	Servo kontrol G / C konektörü	42.57	EC002584	678723	4549734927918	#		EB	EBZ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CNU11C	CN1 için konektör, kontrol I/O [analogue / darbeli modeller için]	55.00	EC002584	678727	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNW01C	G5 CN1 için ağı / kesim konektör kiti, sadece sebecke tipi sürücüler	45.70	EC002584	678729	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor çıkış konektörü (dişi), SGMMAH (200 V) ve SGMMPH (200 V) SPUC-06K-FSDN169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.49	EC002584	137635	4536853874124	#		EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor enkoder konektörü (dişi), SGMMAH ve SGMMPH SPUC-17H-FRON169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.48	EC002584	156581	4536853874131	#		EB	EBZ	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor çıkış konektörü, erkek (motor tarafından kullanılır)	25.07	EC002584	137636	4536853874155		20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWN087	Smart Step IP67 motor enkoder konektörü, erkek (motor tarafından kullanılır)	31.70	EC002584	175766	4536853883942		20	EB	EBZ	DEU	8536.9010.00
<b>Servolar için Aksesuarlar</b>											
R88A-RR2204751	Servo aksesuar, direnc 220 W, 47 ohm	99.50	EC002615	357773	4547648803557	#		EB	EBZ	JPN	8533.2900.00
<b>Servolar için Aksesuarlar</b>											
R7A-CLB00252	Besleme kablosu (CNA), 2m	34.98	EC002584	298303	4547648868822	#		EB	EBZ	ITA	8544.4999.00
R88A-BATO1G	Absolute enkoder pili	95.95	EC002584	292045	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPK0015-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 1m	135.50	EC000237	349414	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPK0025-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 2m	151.00	EC000237	349415	4547648891868	#		EB	EBZ	ITA	8501.4020.80
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC281	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 2 eksen, 16 cihaz	1,892.00	EC001422	332458	4547648810418	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC481	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 16 cihaz	2,641.00	EC001422	332459	4547648810425	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 64 cihaz	2,751.00	EC001422	339849	4547648837453	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC882	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 8 eksen, 64 cihaz	3,279.00	EC001422	339850	4547648837460	#		EC	ECA	JPN	8471.6070.00
CJ1W-NCF82	CJ1 Position Control unit over EtherCAT, 16 axes, 64 nodes	3,760.00	EC001422	354622	4548583044388	#		EC	ECA	JPN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC271	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 2 eksen	1,725.00	EC001422	323608	4547648708906	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC471	CJ1 Position control unit with MECHATROLINK II, 4 axes	1,832.00	EC001422	323609	4547648708913	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC671	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 16 eksen	3,461.00	EC001422	323225	4547648708869	#		EC	ECA	CHN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CS1W-MC221-V1	Motion control unit, 2 axis	3,479.00	EC001422	171093	4547648074438	#		EC	ECA	JPN	8471.6070.00
CS1W-MC421-V1	4-axis motion control unit	5,680.00	EC001422	171092	4547648074421	#		EC	ECA	JPN	8471.6070.00
<b>PLC Tabanlı Hareket Kontrol</b>											
CJ1W-NC213	Pozisyon Kontrol ünitesi, 2 eksen, NPN open collector pulse çıkışı, 500 KHz	1,971.00	EC001422	323224	4547648708852	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Pozisyon Kontrol ünitesi, 4 eksen, NPN open collector pulse çıkışı, 500 KHz	2,950.00	EC001422	323227	4547648708883	#		EC	ECA	CHN	8471.6070.00
<b>Hareket Kontroleri için Aksesuarlar</b>											
XW2B-20J6-8A	Servo rölesi ünitesi, 1 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	198.00	EC002584	149077	4536854871849	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Röle Unit, 2 eksen, CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 ve C200H-NC211	202.10	EC002584	107564	4536854229718	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-7	Servo Relay Unit, 2 axis	212.30	EC002584	107562	4536854229688	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-9A	Servo rölesi ünitesi, 2 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	234.40	EC002584	107567	4536854871856	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A15	Servo kontrol kablosu (CS1W-NC213/413 için)	244.60	EC000237	107528	4536854778186	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A33	Servo kontrol kablosu (CJ1M-CPU21/22/23 için)	170.30	EC000237	281447	4547648521086	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-F1	Cable to Servo Driver, 1m	211.70	EC000237	107499	4536854230271	#		EC	ECZ	JPN	8536.9010.00
<b>Hareket Kontroleri için Aksesuarlar</b>											
R88A-CCM002P4-E	Programming cable, 2m (port 0)	65.15	EC001681	321832	4547648872157	#		EC	ECZ	ITA	8544.4290.90
<b>Hareket Kontroleri için Aksesuarlar</b>											
XW2Z-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	73.00	EC000237	300889	4547648236362	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100X-R	I/O connection cable, NX-OD5256-5 and XW2B-P16GD-C3-CQM, 1 m	84.60	EC000237	702464	4549734724586	#		EC	ECZ	JPN	8544.4290.90
XW2Z-200X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 2 m	81.60	EC000237	300890	4547648236379	#		EC	ECZ	JPN	8536.9010.00
<b>MX2 Bundle</b>											
3G3MX2-A2007-E-FCT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, with EtherCAT interface	670.50	EC001857	658980	4548583950351	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4004-E-FCT	MX2 inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	802.50	EC001857	410015	4547648994422	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4007-E-FCT	MX2 inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	825.00	EC001857	410017	4547648994446	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4015-E-FCT	MX2 inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	902.00	EC001857	410019	4547648994460	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4022-E-FCT	MX2 inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	962.50	EC001857	410021	4547648994484	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4030-E-FCT	MX2 inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	1,041.00	EC001857	410023	4547648994507	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4040-E-FCT	MX2 inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	1,206.00	EC001857	410025	4547648994521	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4055-E-FCT	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	1,307.00	EC001857	670452	4548583971066	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4075-E-FCT	MX inverter drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	1,428.00	EC001857	670454	4548583971080	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4110-E-FCT	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	2,446.00	EC001857	668517	4548583961814	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4150-E-FCT	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	2,662.00	EC001857	668519	4548583961838	#		EZ	EZA	NLD	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-AB001-E-FCT	MX2 inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410027	4547648994545	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AB002-E-FCT	MX2 inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410029	4547648994569	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AB004-E-FCT	MX2 inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	558.50	EC001857	410031	4547648994583	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AB007-E-FCT	MX2 inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	614.00	EC001857	410033	4547648994606	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AB015-E-FCT	MX2 inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	650.00	EC001857	410035	4547648994620	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-AB022-E-FCT	MX2 inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	827.50	EC001857	410037	4547648994644	#		EZ	EZA	NLD	8504.4090.90
<b>Emniyet Limit Switchi</b>											
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.78	EC000030	170095	4547648033732	#		FA	FAA	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.13	EC000030	170101	4547648033794	#		FA	FAA	JPN	8536.5007.00
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	45.86	EC000030	170688	4547648050425	#		FA	FAA	JPN	8536.5007.00
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	19.35	EC000030	170140	4547648034180	#		FA	FAA	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	24.74	EC000030	170146	4547648034241	#		FA	FAA	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	12.61	EC000030	170114	4547648033923	#		FA	FAA	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	13.92	EC000030	170120	4547648033985	#		FA	FAA	JPN	8536.5007.00
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	14.01	EC000030	170126	4547648034043	#		FA	FAA	JPN	8536.5007.00
D4N-122H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	22.03	EC000030	170212	4547648034906	#		FA	FAA	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	14.41	EC000030	170181	4547648034593	#		FA	FAA	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.35	EC000030	170219	4547648034975	#		FA	FAA	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170267	4547648035453	#		FA	FAA	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	23.82	EC000030	170274	4547648035521	#		FA	FAA	JPN	8536.5007.00
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170238	4547648035163	#		FA	FAA	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170245	4547648035231	#		FA	FAA	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	15.78	EC000030	170251	4547648035293	#		FA	FAA	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	18.44	EC000030	170281	4547648035590	#		FA	FAA	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170289	4547648035675	#		FA	FAA	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170309	4547648035880	#		FA	FAA	JPN	8536.5007.00
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	17.06	EC000030	170081	4547648030328	#		FA	FAA	JPN	8536.5007.00
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	24.64	EC000030	170593	4547648038683	#		FA	FAA	JPN	8536.5007.00
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	31.36	EC000030	170598	4547648038737	#		FA	FAA	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	15.30	EC000030	170310	4547648035897	#		FA	FAA	JPN	8536.5007.00
D4N-4120	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), makaralı kol (plastik kol, plastik makara)	14.85	EC000030	168848	4547648030335	#		FA	FAA	JPN	8536.5007.00
D4N-4122	Güvenlik Limit switchi, makaralı kol (metal kol, plastik makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	19.79	EC000030	170104	4547648033824	#		FA	FAA	JPN	8536.5007.00
D4N-4125	Güvenlik Limit switchi, makaralı kol (metal kol, metal makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	23.36	EC000030	170112	4547648033909	#		FA	FAA	JPN	8536.5007.00
D4N-412G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	17.98	EC000030	170142	4547648034203	#		FA	FAA	JPN	8536.5007.00
D4N-412H	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	25.61	EC000030	170148	4547648034265	#		FA	FAA	JPN	8536.5007.00
D4N-4131	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı	12.02	EC000030	170083	4547648030359	#		FA	FAA	JPN	8536.5007.00
D4N-4132	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı makaralı	13.02	EC000030	170085	4547648030373	#		FA	FAA	JPN	8536.5007.00
D4N-4162	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (yatay)	14.00	EC000030	170087	4547648030397	#		FA	FAA	JPN	8536.5007.00
D4N-4172	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (dikey)	17.98	EC000030	170135	4547648034135	#		FA	FAA	JPN	8536.5007.00
D4N-4180	Güvenlik Limit switchi, keci biviği, 1 kablo yuvası, M20	31.45	EC000030	170590	4547648038652	#		FA	FAA	JPN	8536.5007.00
D4N-4187	Güvenlik Limit switchi, plastik çubuk, 1 kablo yuvası, M20	24.50	EC000030	170595	4547648038706	#		FA	FAA	JPN	8536.5007.00
D4N-4220	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), makaralı kol (plastik kol, plastik makara)	16.19	EC000030	170155	4547648034333	#		FA	FAA	JPN	8536.5007.00
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	15.96	EC000030	170184	4547648034623	#		FA	FAA	JPN	8536.5007.00
D4N-4262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	14.41	EC000030	170192	4547648034708	#		FA	FAA	JPN	8536.5007.00
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	24.86	EC000030	170605	4547648038805	#		FA	FAA	JPN	8536.5007.00
D4N-4A20	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), makaralı kol (plastik kol, plastik makara)	17.53	EC000030	170089	4547648030410	#		FA	FAA	JPN	8536.5007.00
D4N-4A2G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	18.44	EC000030	170270	4547648035484	#		FA	FAA	JPN	8536.5007.00
D4N-4A31	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı	12.61	EC000030	170240	4547648035187	#		FA	FAA	JPN	8536.5007.00
D4N-4A32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı makaralı	13.13	EC000030	170092	4547648030441	#		FA	FAA	JPN	8536.5007.00
D4N-4A62	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), tek yönlü makara arm kol (yatay)	14.85	EC000030	170254	4547648035323	#		FA	FAA	JPN	8536.5007.00
D4N-4B32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 2NC (yavaş kapama), üstten basmalı makaralı	12.98	EC000030	170312	4547648035910	#		FA	FAA	JPN	8536.5007.00
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	24.74	EC000030	170100	4547648033787	#		FA	FAA	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	19.40	EC000030	170119	4547648033978	50		FA	FAA	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	20.61	EC000030	170250	4547648035286	#		FA	FAA	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	43.51	EC000030	170097	4547648033756	#		FA	FAA	JPN	8536.5007.00
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	46.67	EC000030	170143	4547648034210	#		FA	FAA	JPN	8536.5007.00
D4N-9R31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	35.74	EC000030	170305	4547648035842	#		FA	FAA	JPN	8536.5007.00
D4N-9R62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	41.02	EC000030	170321	4547648036009	#		FA	FAA	JPN	8536.5007.00
<b>Emniyet Rölesi</b>											
G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	34.96	EC001437	121498	4536854716041	20		FA	FAB	JPN	8536.4900.99
G7SA-2A2B 24VDC	Güvenlik Rölesi, plug-in, DPST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	146147	4536854579691	#		FA	FAB	JPN	8536.4900.99
G7SA-2A2B 48VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 48 VDC	41.66	EC001437	181321	4547648134071	20		FA	FAB	JPN	8536.4900.99
G7SA-3A1B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	121590	4536854579752	#	10	FA	FAB	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G7SA-3A3B 12VDC</a>	<a href="#">Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 12 VDC</a>	39.20	EC001437	<a href="#">202995</a>	4549734669276		40	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-3A3B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">202989</a>	4549734669368	#	80	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-3A3B 48VDC</a>	<a href="#">Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC</a>	39.20	EC001437	<a href="#">202987</a>	4549734669399		10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-4A2B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">202990</a>	4549734669351	#	10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 12VDC</a>	<a href="#">Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC</a>	39.20	EC001437	<a href="#">202996</a>	4549734669252		10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 24VDC</a>	<a href="#">Güvenlik Rölesi, plug-in, 5PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC</a>	39.20	EC001437	<a href="#">202991</a>	4549734669344	#	10	FA	FAB	CHN	8536.4900.99
<a href="#">G7SA-5A1B 48VDC</a>	<a href="#">Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 48 VDC</a>	39.20	EC001437	<a href="#">202988</a>	4549734669375		10	FA	FAB	CHN	8536.4900.99
<b>Emniyet Rölesi</b>											
<a href="#">P7SA-10F</a>	<a href="#">Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays</a>	28.70	EC001456	<a href="#">377197</a>	4548583409095	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-10F-ND 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, 10 pin, vidalı terminal, G7SA 4 kutuplu röle için, LED indikatörlü</a>	38.18	EC001456	<a href="#">377195</a>	4548583409071	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-10F-ND-PU 24VDC</a>	<a href="#">Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator</a>	37.21	EC001456	<a href="#">677437</a>	4549734136150		10	FA	FAB	MYS	8536.6990.99
<a href="#">P7SA-10P</a>	<a href="#">Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays</a>	9.55	EC001456	<a href="#">377193</a>	4548583409057		10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14F</a>	<a href="#">Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays</a>	26.69	EC001456	<a href="#">377194</a>	4548583409064		10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14F-ND 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, 14 pin, vidalı terminal, G7SA 6 kutuplu röle için, LED indikatörlü</a>	38.18	EC001456	<a href="#">377196</a>	4548583409088	#	10	FA	FAB	CHN	8536.6990.99
<a href="#">P7SA-14F-ND-PU 24VDC</a>	<a href="#">Socket, DIN rail/surface mounting, 14 pin, push in terminals, for G7SA 6 pole relays, LED indicator</a>	37.21	EC001456	<a href="#">677438</a>	4549734136167		10	FA	FAB	MYS	8536.6990.99
<a href="#">P7SA-14P</a>	<a href="#">Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays</a>	8.41	EC001456	<a href="#">377192</a>	4548583409040		10	FA	FAB	CHN	8536.6990.99
<b>Emniyet Rölesi</b>											
<a href="#">G7S-3A3B-E DC24</a>	<a href="#">Güvenlik Rölesi, soketli, 3PST-NO, 3PST-NC, 10A, zorlamalı kontaklar, 24 VDC</a>	44.19	EC001437	<a href="#">121503</a>	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
<a href="#">G7S-4A2B-E DC24</a>	<a href="#">Güvenlik Rölesi, soketli, 4PST-NO, 2PST-NC, 10A, zorlamalı kontaklar, 24 VDC</a>	44.19	EC001437	<a href="#">121504</a>	4536854872648	#	20	FA	FAB	JPN	8536.4900.99
<b>Emniyet Rölesi</b>											
<a href="#">P7S-14F-EN 24VDC</a>	<a href="#">Soket, DIN ray/yüzey montaj, vidalı terminal, led indikatör, G7S röle için</a>	30.21	EC001456	<a href="#">113493</a>	4536854872655	#	5	FA	FAB	JPN	8536.4900.99
<b>Emniyet Ünitesi G9SA/B</b>											
<a href="#">G9SA-301 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	146.10	EC001449	<a href="#">346855</a>	4547648813945	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-301 AC100-240</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	214.10	EC001449	<a href="#">347788</a>	4547648814058			FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T075 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	265.80	EC001449	<a href="#">346848</a>	4547648813969	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T15 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	265.40	EC001449	<a href="#">347783</a>	4547648813976	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-321-T30 AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input</a>	264.80	EC001449	<a href="#">347784</a>	4547648813983			FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-501 AC/DC24</a>	<a href="#">Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input</a>	206.10	EC001449	<a href="#">346847</a>	4547648813952			FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-TH301 AC/DC24</a>	<a href="#">Çift el bullanır, 3PST-NO (Category 4), 5 A, SPST-NC ek, 2 kanal giriş</a>	160.40	EC001449	<a href="#">347785</a>	4547648813990	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SA-TH301 AC100-240</a>	<a href="#">Two-hand controller, 3PST-NO (category 4), 5 A, SPST-NC aux, 2 channel input</a>	190.60	EC001449	<a href="#">347778</a>	4547648814102	#		FA	FAC	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SA/B</b>											
<a href="#">G9SA-EX301</a>	<a href="#">G9SA için ek ünite, 3PST-NO (kategorisi 4), 5 A, SPST-NC ek</a>	132.90	EC001449	<a href="#">347786</a>	4547648814003			FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-2002-A AC/DC24</a>	<a href="#">Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset</a>	119.80	EC001449	<a href="#">346849</a>	4547648814195	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-2002-C AC/DC24</a>	<a href="#">Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset</a>	119.80	EC001449	<a href="#">346850</a>	4547648814218	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-200-B AC/DC24</a>	<a href="#">Safety relay unit, DIN17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)</a>	106.40	EC001449	<a href="#">347790</a>	4547648814201	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-200-D AC/DC24</a>	<a href="#">Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)</a>	119.60	EC001449	<a href="#">347791</a>	4547648814225	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3010 DC24</a>	<a href="#">Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux, 5 A, 2 channel direct breaking input, auto-reset</a>	126.70	EC001449	<a href="#">346851</a>	4547648814232			FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3012-A AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, auto-reset</a>	131.60	EC001449	<a href="#">347792</a>	4547648814249	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-3012-C AC/DC24</a>	<a href="#">Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, manual-reset</a>	131.60	EC001449	<a href="#">346852</a>	4547648814263	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-301-B AC/DC24</a>	<a href="#">Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, auto-reset (+ common input)</a>	117.10	EC001449	<a href="#">347793</a>	4547648814256	#		FA	FAC	CHN	8536.4900.99
<a href="#">G9SB-301-D AC/DC24</a>	<a href="#">Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, manual-reset (+ common input)</a>	131.90	EC001449	<a href="#">347794</a>	4547648814270	#		FA	FAC	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-AD322-T15-RC DC24</a>	<a href="#">Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, spring mounted terminals</a>	406.90	EC001449	<a href="#">353677</a>	4547648837026			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-AD322-T15-RT DC24</a>	<a href="#">Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals</a>	419.40	EC001449	<a href="#">353676</a>	4547648837019			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-BC202-RC DC24</a>	<a href="#">Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals</a>	335.90	EC001449	<a href="#">353679</a>	4547648837040			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-BC202-RT DC24</a>	<a href="#">Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, screw terminals</a>	335.90	EC001449	<a href="#">353678</a>	4547648837033			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-NS202-RT DC24</a>	<a href="#">Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC</a>	349.90	EC001449	<a href="#">353682</a>	4547648837156			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-NSA222-T03-RC DC24</a>	<a href="#">Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals</a>	534.50	EC001449	<a href="#">353685</a>	4547648837187			FA	FAD	CHN	8536.4900.99
<a href="#">G9SX-NSA222-T03-RT DC24</a>	<a href="#">Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC</a>	534.50	EC001449	<a href="#">353684</a>	4547648837170			FA	FAD	CHN	8536.4900.99
<b>Emniyet Ünitesi G9SX</b>											
<a href="#">G9SX-SM032-RC</a>	<a href="#">Standstill monitoring unit with spring-cage terminals</a>	952.50	EC001449	<a href="#">353669</a>	4547648837262	#		FA	FAD	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">G95X-SM032-RT</a>	<a href="#">Standstill monitoring unit with screw terminals</a>	952.50	EC001449	<a href="#">353668</a>	4547648837255			FA	FAD	CHN	8536.4900.99
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
<a href="#">D4NS-1AF</a>	<a href="#">Güvenlik kapı switchi, 1NC/1NO, 10 A, 1 x PG 13.5 kablo yuvası</a>	30.43	EC002592	<a href="#">163395</a>	4536854963629	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1BF</a>	<a href="#">Güvenlik kapı switchi, 2NC, 10 A, 1 x PG 13.5 kablo yuvası</a>	30.43	EC002592	<a href="#">163393</a>	4536854963674	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1CE</a>	<a href="#">Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit</a>	28.23	EC002592	<a href="#">162281</a>	4536854963728			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-1DE</a>	<a href="#">Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit</a>	28.66	EC002592	<a href="#">100324</a>	4536854963766			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2AF</a>	<a href="#">Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit</a>	26.40	EC002592	<a href="#">163779</a>	4536854963636			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2BF</a>	<a href="#">Safety interlock switch, 2NC, 10 A, single PG 13.5 conduit</a>	30.00	EC002592	<a href="#">163692</a>	4536854963681			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2CF</a>	<a href="#">Safety-door switch, 2NC/1NO (slow action)</a>	30.43	EC002592	<a href="#">162586</a>	4536854963735	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-2DF</a>	<a href="#">Safety interlock switch, 1NO/1NC, 10 A, single G1/2 conduit</a>	28.23	EC002592	<a href="#">162290</a>	4536854963773			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4AF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 1NC/1NO (yavaş kapama)</a>	25.08	EC002592	<a href="#">162578</a>	4536854963667	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4BF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC (yavaş kapama)</a>	25.08	EC002592	<a href="#">163778</a>	4536854963704			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4CF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (yavaş kapama)</a>	29.13	EC002592	<a href="#">163875</a>	4536854963759	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4DF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 3NC (yavaş kapama)</a>	29.13	EC002592	<a href="#">163560</a>	4536854963797			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-4FF</a>	<a href="#">Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (M8B kontak)</a>	31.31	EC002592	<a href="#">163876</a>	4536854963872	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-5AF</a>	<a href="#">Limit switch</a>	32.06	EC002592	<a href="#">163563</a>	4536854963889			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-5BF</a>	<a href="#">Limit switch</a>	34.96	EC002592	<a href="#">162295</a>	4536854963919			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-8BF</a>	<a href="#">Güvenlik kapı switchi, 2NC, 10 A, 2 x M20 kablo yuvası</a>	31.97	EC002592	<a href="#">163693</a>	4536854963957			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-8CF</a>	<a href="#">Güvenlik kapı switchi, 2NC+1NO, 10 A, 2 x M20 kablo yuvası</a>	34.76	EC002592	<a href="#">100390</a>	4536854963995			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-9AF</a>	<a href="#">Safety interlock switch, 1NC/1NO, 10 A, M12 connector</a>	62.25	EC002592	<a href="#">163192</a>	4536854964121			FA	FAE	JPN	8536.5015.90
<a href="#">D4NS-9BF</a>	<a href="#">Safety interlock switch, 2NC, 10 A, M12 connector</a>	62.25	EC002592	<a href="#">163874</a>	4536854964138			FA	FAE	JPN	8536.5015.90
<b>Emniyet Kapı ve Kapı Kilitleme Switchleri</b>											
<a href="#">D4NL-1AFA-B</a>	<a href="#">Selenoidli Güvenlik kapı-lock switchi, mekanik kilitlemeli, 24VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli</a>	178.60	EC002593	<a href="#">133792</a>	4536854898341	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1AFG-B</a>	<a href="#">Selenoidli Güvenlik kapı-lock switchi, selenoid kilitlemeli, 24VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli</a>	185.30	EC002593	<a href="#">154667</a>	4536854898587			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1BFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry</a>	184.00	EC002593	<a href="#">133794</a>	4536854898372			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1CFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry</a>	177.40	EC002593	<a href="#">133797</a>	4536854898402			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1CEG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry</a>	176.60	EC002593	<a href="#">133813</a>	4536854898648			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24VDC, 2NC + 2NC, 10 A, PG 13.5 entry</a>	185.60	EC002593	<a href="#">144779</a>	4536854898433	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFA-B4</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24VDC</a>	199.10	EC002593	<a href="#">133736</a>	4536854898914			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFA-B5</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24VDC, Front key release</a>	183.00	EC002593	<a href="#">228865</a>	4536854903212			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1DFG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24VDC, 2NC + 2NC, PG13.5 entry, Front key release</a>	184.00	EC002593	<a href="#">133816</a>	4536854898679			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1EFA-B</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24VDC</a>	176.60	EC002593	<a href="#">133802</a>	4536854898464			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-1HDG-B</a>	<a href="#">Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, solenoid lock, 24VDC</a>	183.10	EC002593	<a href="#">363820</a>	4548583138193			FA	FAE	JPN	8536.5007.00
<a href="#">D4NL-2AFA-B4</a>	<a href="#">Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24VDC</a>	180.90	EC002593	<a href="#">133732</a>	4536854898839			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2BFA-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 1NC/1NO + 2NC, mechanical lock, 24VDC</a>	179.10	EC002593	<a href="#">133795</a>	4536854898389			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2CEG-B</a>	<a href="#">Safety door-lock switch, solenoid lock, 24VDC, 2NC + 1NC/1NO, 10 A G1/2 entry</a>	179.90	EC002593	<a href="#">133814</a>	4536854898655			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFA-B</a>	<a href="#">Safety door-lock switch, mechanical lock, 24VDC, 2NC + 2NC, 10 A, G1/2 entry</a>	170.70	EC002593	<a href="#">133800</a>	4536854898440	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFA-B4</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC + 2NC, mechanical lock, 24VDC</a>	185.60	EC002593	<a href="#">145868</a>	4536854898921	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2DFG-B</a>	<a href="#">Limit switch</a>	161.40	EC002593	<a href="#">133817</a>	4536854898686			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2EFA-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24VDC</a>	203.50	EC002593	<a href="#">133805</a>	4536854898501			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2EFA-B45</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24VDC, Front key release</a>	203.50	EC002593	<a href="#">353628</a>	4547648621021			FA	FAE	JPN	8536.5007.00
<a href="#">D4NL-2FFG-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, 24VDC solenoid lock / mechanical release</a>	197.60	EC002593	<a href="#">133822</a>	4536854898747			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-2HFG-B</a>	<a href="#">Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24VDC</a>	189.80	EC002593	<a href="#">155468</a>	4536854898808			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4AFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	181.50	EC002593	<a href="#">133793</a>	4536854898365	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4AFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	183.00	EC002593	<a href="#">133810</a>	4536854898600			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4CFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	179.10	EC002593	<a href="#">133799</a>	4536854898426	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4CFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	183.00	EC002593	<a href="#">133815</a>	4536854898662			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4DFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	184.00	EC002593	<a href="#">133801</a>	4536854898457			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4DFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	184.00	EC002593	<a href="#">151293</a>	4536854898693			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4EFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	189.40	EC002593	<a href="#">133803</a>	4536854898488			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4FFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	189.40	EC002593	<a href="#">133820</a>	4536854898723			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4FFA-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör</a>	189.80	EC002593	<a href="#">142528</a>	4536854898518	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4FFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	189.80	EC002593	<a href="#">133823</a>	4536854898754			FA	FAE	JPN	8536.5015.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">D4NL-4GFA-R</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid acma, 10 ila 115 VAC/VDC LED indikatör</a>	189,80	EC002593	<a href="#">133806</a>	4536854898549	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4GFG-R</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	189,80	EC002593	<a href="#">103662</a>	4536854898785	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4HFA-R</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid acma, 10 ila 115 VAC/VDC LED indikatör</a>	189,80	EC002593	<a href="#">133809</a>	4536854898570			FA	FAE	JPN	8536.5015.90
<a href="#">D4NL-4HFG-B</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör</a>	189,80	EC002593	<a href="#">133827</a>	4536854898815			FA	FAE	JPN	8536.5015.90
<a href="#">D4SL-N2NFA-D</a>	<a href="#">Guard lock safety-door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, metal, resin, Mechanical lock/24VDC selenoid release, LED indicator</a>	241,90	EC002593	<a href="#">669102</a>	4548583316171			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N2NFG-DN</a>	<a href="#">Guard lock safety-door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin head, selenoid lock, connector</a>	197,30	EC002593	<a href="#">372876</a>	4548583316225			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma</a>	197,30	EC002593	<a href="#">367767</a>	4548583315051			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, konnektör</a>	213,10	EC002593	<a href="#">382531</a>	4548583315068			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, konnektörü</a>	206,20	EC002593	<a href="#">374819</a>	4548583315075			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release</a>	161,40	EC002593	<a href="#">382548</a>	4548583315136			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı</a>	199,60	EC002593	<a href="#">377986</a>	4548583315150			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma</a>	163,80	EC002593	<a href="#">382551</a>	4548583315174			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma</a>	199,60	EC002593	<a href="#">377987</a>	4548583315198			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release, LED indicator</a>	161,40	EC002593	<a href="#">382663</a>	4548583315853			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator, connector</a>	147,50	EC002593	<a href="#">382553</a>	4548583315860			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör</a>	170,30	EC002593	<a href="#">382555</a>	4548583315891			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör</a>	170,30	EC002593	<a href="#">382664</a>	4548583315938	#		FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör</a>	170,30	EC002593	<a href="#">382562</a>	4548583315976	#		FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator</a>	191,50	EC002593	<a href="#">382661</a>	4548583316010			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC selenoid lock/mechanical release, LED indicator</a>	200,50	EC002593	<a href="#">382569</a>	4548583316058			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release, LED indicator</a>	174,70	EC002593	<a href="#">382573</a>	4548583316096			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC selenoid lock/mechanical release, LED indicator</a>	170,40	EC002593	<a href="#">382577</a>	4548583316133	#		FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid acma, LED indikatör</a>	230,70	EC002593	<a href="#">373889</a>	4548583317772			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok</a>	228,70	EC002593	<a href="#">373890</a>	4548583317819			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör</a>	216,30	EC002593	<a href="#">371536</a>	4548583316812			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör, konnektör</a>	161,40	EC002593	<a href="#">382581</a>	4548583316829			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör</a>	170,30	EC002593	<a href="#">382584</a>	4548583316850			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC selenoid release, LED indicator</a>	156,60	EC002593	<a href="#">382622</a>	4548583317932			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20, 3NC + 2NC/1NO kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör</a>	199,60	EC002593	<a href="#">377988</a>	4548583317970			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid acma, LED indikatör, terminal blok</a>	230,70	EC002593	<a href="#">373886</a>	4548583318014	#		FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid acma, LED indikatör, konnektör</a>	213,80	EC002593	<a href="#">367248</a>	4548583318021			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok</a>	233,30	EC002593	<a href="#">373887</a>	4548583318052			FA	FAE	JPN	8536.5007.00
<a href="#">D4SL-N4AFA-N</a>	<a href="#">Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release</a>	166,70	EC002593	<a href="#">395860</a>	4548583314696	#		FA	FAE	JPN	8536.5007.00
<b>Emniyet Kapa ve Kapı KilitlemeSwitchleri</b>											
<a href="#">D4DS-K1</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, yatay montaj</a>	3,70	EC001487	<a href="#">104525</a>	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
<a href="#">D4DS-K2</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, dikey montaj</a>	3,70	EC001487	<a href="#">134023</a>	4536853219963	#	10	FA	FAE	JPN	8301.7000.00
<a href="#">D4DS-K3</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay)</a>	12,99	EC001487	<a href="#">150258</a>	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
<a href="#">D4DS-K5</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay/dikey)</a>	20,62	EC001487	<a href="#">152522</a>	4536854383878	#	10	FA	FAE	JPN	8301.7000.00
<b>Emniyet Kapı ve Kapı KilitlemeSwitchleri</b>											
<a href="#">D4NH-1AAS</a>	<a href="#">Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)</a>	53,20	EC002591	<a href="#">170730</a>	4547648045322			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-1BAS</a>	<a href="#">Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)</a>	53,60	EC002591	<a href="#">170746</a>	4547648045483			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-1BBC</a>	<a href="#">Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)</a>	54,00	EC002591	<a href="#">170754</a>	4547648045568			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-4AAS</a>	<a href="#">Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), mil aktüatörü</a>	53,20	EC002591	<a href="#">170732</a>	4547648045346			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-4ABC</a>	<a href="#">Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), arm lever actuator</a>	52,30	EC002591	<a href="#">170740</a>	4547648045421			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-4BAS</a>	<a href="#">Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), mil aktüatörü</a>	52,35	EC002591	<a href="#">170748</a>	4547648045506	#		FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-4BBC</a>	<a href="#">Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), kol aktüatörü</a>	51,20	EC002591	<a href="#">170756</a>	4547648045582			FA	FAE	JPN	8536.5015.90
<a href="#">D4NH-4CAS</a>	<a href="#">Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC/1NO (yavaş kapama), mil aktüatörü</a>	63,00	EC002591	<a href="#">170765</a>	4547648045674			FA	FAE	JPN	8536.5015.90
<b>Emniyet Switchleri için Aksesuarlar</b>											
<a href="#">D4BL-K1</a>	<a href="#">Slide operation key for D4BL switch, horizontal mounting</a>	9,61	EC001487	<a href="#">134705</a>	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4BL-K2</a>	<a href="#">Slide operation key for D4BL switch, vertical mounting</a>	13,34	EC001487	<a href="#">134706</a>	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4BL-K3</a>	<a href="#">Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)</a>	24,75	EC001487	<a href="#">134707</a>	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4BS-K1</a>	<a href="#">Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj</a>	6,65	EC001487	<a href="#">134587</a>	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4BS-K2</a>	<a href="#">Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, dikey montaj</a>	7,60	EC001487	<a href="#">134588</a>	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4BS-K3</a>	<a href="#">Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj</a>	23,96	EC001487	<a href="#">148097</a>	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
<a href="#">D4GS-NK1</a>	<a href="#">Anahtar, yatay montaj</a>	8,97	EC001487	<a href="#">133923</a>	4536854688300			FA	FAF	JPN	8536.5015.90
<a href="#">D4GS-NK2</a>	<a href="#">Anahtar, dikey montaj</a>	9,45	EC001487	<a href="#">133828</a>	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
<a href="#">D4GS-NK4</a>	<a href="#">Anahtar, ayarlanabilir</a>	23,76	EC001487	<a href="#">133829</a>	4536854688324	#	10	FA	FAF	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Işık Bariyeri</b>											
<a href="#">F3SJ-A0245P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP</a>	2,432.00	EC002549	<a href="#">225437</a>	4547648138352			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0299P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 299mm yükseklik, PNP</a>	2,831.00	EC002549	<a href="#">246952</a>	4547648138383			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0623P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 623mm yükseklik, PNP</a>	4,387.00	EC002549	<a href="#">232587</a>	4547648138567			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0731P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 731mm yükseklik, PNP</a>	4,858.00	EC002549	<a href="#">225440</a>	4547648138598			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0875P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 875mm yükseklik, PNP</a>	5,500.00	EC002549	<a href="#">289065</a>	4547648138635			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A1055P14</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 1055mm yükseklik, PNP</a>	6,370.00	EC002549	<a href="#">249991</a>	4547648138666			FA	FAG	JPN	8536.5019.90
<b>Emniyet Işık Bariyeri</b>											
<a href="#">F3SJ-A0245P30</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP</a>	1,005.00	EC002549	<a href="#">188825</a>	4547648137799			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0470P30</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 470mm yükseklik, PNP</a>	1,409.00	EC002549	<a href="#">224505</a>	4547648137881			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-A0545P20</a>	<a href="#">Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 545mm, PNP</a>	2,104.00	EC002549	<a href="#">225435</a>	4547648136907			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0185P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik, PNP</a>	826.50	EC002549	<a href="#">356723</a>	4548583047402			FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0225P25</a>	<a href="#">Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP</a>	901.50	EC002549	<a href="#">356745</a>	4548583047419	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0305P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik, PNP</a>	985.00	EC002549	<a href="#">356724</a>	4548583047426	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0545P25</a>	<a href="#">Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP</a>	1,232.00	EC002549	<a href="#">356741</a>	4548583047457	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0625P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik, PNP</a>	1,386.00	EC002549	<a href="#">356738</a>	4548583047464	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0705P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 705mm yükseklik, PNP</a>	1,457.00	EC002549	<a href="#">356726</a>	4548583047471	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0785P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik, PNP</a>	1,565.00	EC002549	<a href="#">356739</a>	4548583047488	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0865P25</a>	<a href="#">Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP</a>	1,651.00	EC002549	<a href="#">356722</a>	4548583047495	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R0945P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 945mm yükseklik, PNP</a>	1,743.00	EC002549	<a href="#">356746</a>	4548583047501	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-R1025P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 1025mm yükseklik, PNP</a>	1,845.00	EC002549	<a href="#">356728</a>	4548583047518	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-B1105P25</a>	<a href="#">Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP</a>	1,979.00	EC002549	<a href="#">356743</a>	4548583047525	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-B1185P25</a>	<a href="#">Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP</a>	2,112.00	EC002549	<a href="#">356729</a>	4548583047532	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-B1265P25</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1265mm yükseklik, 0.2-7m tarama mesafesi, PNP</a>	2,243.00	EC002549	<a href="#">356747</a>	4548583047549	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-B1505P25</a>	<a href="#">Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1505mm yükseklik, 0.2-7m tarama mesafesi, PNP</a>	2,459.00	EC002549	<a href="#">356742</a>	4548583047570	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-E0225P25</a>	<a href="#">Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP</a>	937.50	EC002549	<a href="#">356004</a>	4548583047662	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-F0305P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik</a>	1,037.00	EC002549	<a href="#">356005</a>	4548583047679	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-F0465P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 465mm yükseklik</a>	1,097.00	EC002549	<a href="#">356006</a>	4548583047693	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-F0625P25</a>	<a href="#">Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik</a>	1,335.00	EC002549	<a href="#">356013</a>	4548583047716	#		FA	FAG	JPN	8536.5019.90
<a href="#">F3SJ-E1025P25</a>	<a href="#">Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP</a>	1,865.00	EC002549	<a href="#">356012</a>	4548583047761	#		FA	FAG	JPN	8536.5019.90
<b>Emniyet Temassız Switchleri</b>											
<a href="#">F3S-TGR-NBMX-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, ex-proof bölgelecin için, reed, silindirik paslanmaz çelik M30, 2NC+1NO, 5m kablo</a>	417.30	EC002592	<a href="#">387943</a>	4547648977548			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NBMX-21-10</a>	<a href="#">Non-contact door switch, ex zone, reed, barrel stainless steel M30, 2NC+1NO, 10m cable</a>	452.10	EC002592	<a href="#">387944</a>	4547648977555			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NBPR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, silindirik plastik M30, 2NC+1NO, 5m kablo</a>	173.20	EC002592	<a href="#">387901</a>	4547648977128			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NCPR-21-05</a>	<a href="#">Non-contact door switch, reed, compact sensor 5m, plastic, 2NC+1NO contacts (D40B size equivalent)</a>	157.60	EC002592	<a href="#">330853</a>	4547648882927			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLMR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun paslanmaz çelik, 2NC+1NO, 5m kablo</a>	259.10	EC002592	<a href="#">387898</a>	4547648977098			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLMR-21-10</a>	<a href="#">Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 10m cable</a>	271.30	EC002592	<a href="#">387899</a>	4547648977104			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLMX-21-05</a>	<a href="#">Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable</a>	383.30	EC002592	<a href="#">387941</a>	4547648977524	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLMX-21-10</a>	<a href="#">Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable</a>	423.90	EC002592	<a href="#">387942</a>	4547648977531	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPR-20-02</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC kontak</a>	140.00	EC002592	<a href="#">231384</a>	4536853906252			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLPR-20-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun gövdeli 5m, plastik, 2NC kontak</a>	147.60	EC002592	<a href="#">231385</a>	4536853906269			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLPR-21-02</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC+1NO kontak</a>	144.60	EC002592	<a href="#">231388</a>	4536853906290			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLPR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo</a>	155.10	EC002592	<a href="#">231389</a>	4536853906306			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLPR-21-10</a>	<a href="#">Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable</a>	174.70	EC002592	<a href="#">231390</a>	4536853906313			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NLPR-21-M118</a>	<a href="#">Güvenlik temassız kapı switchi, reed, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu</a>	178.90	EC002592	<a href="#">231391</a>	4536853906283			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMHR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo</a>	203.40	EC002592	<a href="#">387891</a>	4547648977029			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMHR-21-10</a>	<a href="#">Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable</a>	216.20	EC002592	<a href="#">387892</a>	4547648977036			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPR-11-08-110</a>	<a href="#">Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sol taraftan</a>	128.40	EC002592	<a href="#">387887</a>	4547648976985			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPR-11-08-110</a>	<a href="#">Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sağ taraftan</a>	128.40	EC002592	<a href="#">387886</a>	4547648976978			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPR-20-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, 5m kablolu</a>	107.20	EC002592	<a href="#">252048</a>	4547648861397			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-20-08-110</a>	<a href="#">Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, M8 konnektörlü sol taraftan</a>	129.70	EC002592	<a href="#">387885</a>	4547648976961			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPR-20-M8-WN</a>	<a href="#">Non-contact door switch, reed, miniature plastic, 2NC, M8 connector</a>	61.35	EC002592	<a href="#">295581</a>	4547648868273	#		FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-21-02</a>	<a href="#">Güvenlik temassız kapı switchi, minyatür, reed, 2m, plastik, 2NC+1NO kontak</a>	109.20	EC002592	<a href="#">252051</a>	4547648861427			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, minyatür, reed, 5m, plastik, 2NC+1NO kontak</a>	118.80	EC002592	<a href="#">252052</a>	4547648861434			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-21-05-R</a>	<a href="#">Safety Non-Contact Door switch, Reed, Miniature plastic Housing, 2NC/1NO, 5m pre-wired, Cable entry right sided</a>	118.80	EC002592	<a href="#">378088</a>	4547648964975			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-21-10</a>	<a href="#">Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts</a>	138.20	EC002592	<a href="#">252053</a>	4547648861441			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NMPR-21-M118</a>	<a href="#">Güvenlik temassız kapı switchi, minyatür, reed, M12 konnektörlü, plastik, 2NC+1NO kontak</a>	143.70	EC002592	<a href="#">252054</a>	4547648861410			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSFR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo</a>	229.90	EC002592	<a href="#">387896</a>	4547648977074			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSHR-21-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablolu</a>	229.90	EC002592	<a href="#">387894</a>	4547648977050			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMR-20-02</a>	<a href="#">Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC kontak</a>	220.70	EC002592	<a href="#">231392</a>	4536853906412			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSMR-20-05</a>	<a href="#">Güvenlik temassız kapı switchi, reed, küçük gövdeli 5m, paslanmaz çelik, 2NC kontak</a>	226.50	EC002592	<a href="#">231393</a>	4536853906429			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSMR-20-M118</a>	<a href="#">Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts</a>	244.70	EC002592	<a href="#">231395</a>	4536853906405			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSMR-21-02</a>	<a href="#">Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC+1NO kontak</a>	223.80	EC002592	<a href="#">231396</a>	4536853906450			FA	FAI	GBR	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F3S-TGR-NSMR-21-05</a>	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	229.90	EC002592	<a href="#">231397</a>	4536853906467			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSMR-21-10</a>	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10m cable	235.60	EC002592	<a href="#">231398</a>	4536853906474			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSMR-21-M1J8</a>	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	248.30	EC002592	<a href="#">231399</a>	4536853906443			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSPB-21-05</a>	Güvenlik temassız kapı switchi, reed, küçük plastik, 2NC+1NO, 5m kablo	166.10	EC002592	<a href="#">330847</a>	4547648882866			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSPB-21-10</a>	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	175.90	EC002592	<a href="#">330848</a>	4547648882873			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temassız Switchleri</b>											
<a href="#">F3S-TGR-NLPM-21-05</a>	Güvenlik temassız kapı switchi, RFID master kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	<a href="#">387923</a>	4547648977340			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPM-21-10</a>	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	<a href="#">387924</a>	4547648977357			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPM-21-M1J8</a>	Safety Non-contact Doorswitch, RFID master coded, elongated plastic housing, 2NC/1NO, M12 8pin	167.50	EC002592	<a href="#">378257</a>	4547648965590	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPU-21-05</a>	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	<a href="#">387921</a>	4547648977326	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPU-21-10</a>	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	<a href="#">387922</a>	4547648977333			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPU-21-M1J8</a>	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik gövdeli, 2NC/1NO, M12 konnektörlü kablolu	169.30	EC002592	<a href="#">378256</a>	4547648965583	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPM-21-05</a>	Güvenlik temassız kapı switchi, RFID master kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	<a href="#">387919</a>	4547648977302			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPM-21-10</a>	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	<a href="#">387920</a>	4547648977319			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPM-21-M1J8</a>	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	178.90	EC002592	<a href="#">383763</a>	4547648974042			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSPU-21-05</a>	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	<a href="#">387916</a>	4547648977272	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPU-21-10</a>	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	<a href="#">387917</a>	4547648977289			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPU-21-M1J8</a>	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	192.00	EC002592	<a href="#">387918</a>	4547648977296	#		FA	FAI	GBR	8536.5005.00
<b>Emniyet Temassız Switchleri</b>											
<a href="#">F3S-TGR-NBPC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, silindirik plastik M30, 2NC+1NO, 5m kablo	123.20	EC002592	<a href="#">387870</a>	4547648976817			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NBPC-21-M1J8</a>	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	142.80	EC002592	<a href="#">387872</a>	4547648976831			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLMC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	211.90	EC002592	<a href="#">387867</a>	4547648976787			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-21-10</a>	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 10m cable	220.00	EC002592	<a href="#">387868</a>	4547648976794			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-20-02</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC kontak	95.00	EC002592	<a href="#">231368</a>	4536853906177			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-20-05</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 5m, plastik, 2 NC kontak	97.90	EC002592	<a href="#">231369</a>	4536853906184	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-20-10</a>	Non-contact door switch, coded, elongated sensor 10m, plastic, 2 NC contacts	126.30	EC002592	<a href="#">231370</a>	4536853906191			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-20-M1J8</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli M12 konnektörlü, plastik, 2 NC kontak	120.20	EC002592	<a href="#">231371</a>	4536853906160	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-21-02</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC+1 NO kontak	103.60	EC002592	<a href="#">231372</a>	4536853906214	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	106.40	EC002592	<a href="#">231373</a>	4536853906221	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-21-10</a>	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	134.70	EC002592	<a href="#">231374</a>	4536853906238	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NLPC-21-M1J8</a>	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	138.10	EC002592	<a href="#">231375</a>	4536853906207	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMHC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	194.50	EC002592	<a href="#">387858</a>	4547648976695			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMHC-21-M1J8</a>	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	238.50	EC002592	<a href="#">387860</a>	4547648976718			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-20-02</a>	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	111.30	EC002592	<a href="#">252056</a>	4547648861304			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-20-05</a>	Güvenlik temassız kapı switchi, minyatür, kodlu, 5m plastik, 2 NC kontak	102.30	EC002592	<a href="#">252057</a>	4547648861311			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-20-M1J8</a>	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC kontak	121.80	EC002592	<a href="#">252059</a>	4547648861298	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-21-02</a>	Güvenlik temassız kapı switchi, minyatür, kodlu, 2m, plastik, 2 NC+1 NO kontak	99.90	EC002592	<a href="#">252060</a>	4547648861342			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, minyatür plastik, 2NC+1NO, 5m kablo	118.80	EC002592	<a href="#">252061</a>	4547648861359	#		FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-21-10</a>	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	138.20	EC002592	<a href="#">252062</a>	4547648861366			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NMPC-21-M1J8</a>	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC+1 NO kontak	143.70	EC002592	<a href="#">252063</a>	4547648861335			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSFC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik çirçaya uygun, 2NC+1NO, 5m kablo	207.60	EC002592	<a href="#">387864</a>	4547648976756			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-20-05</a>	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 5m, paslanmaz çelik, 2 NC kontak	193.50	EC002592	<a href="#">231377</a>	4536853906344			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-20-M1J8</a>	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli M12 konnektörlü, paslanmaz çelik, 2 NC kontak	231.80	EC002592	<a href="#">231379</a>	4536853906320			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-21-02</a>	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 2m, paslanmaz çelik, 2 NC+1 NO kontak	197.80	EC002592	<a href="#">231380</a>	4536853906375			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	210.60	EC002592	<a href="#">231381</a>	4536853906382			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-21-10</a>	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	226.80	EC002592	<a href="#">231382</a>	4536853906399			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSMC-21-M1J8</a>	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	236.10	EC002592	<a href="#">231383</a>	4536853906368			FA	FAI	GBR	8536.5005.00
<a href="#">F3S-TGR-NSPC-21-05</a>	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, 5m kablo	107.20	EC002592	<a href="#">330850</a>	4547648882897			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSPC-21-10</a>	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	134.20	EC002592	<a href="#">330851</a>	4547648882903			FA	FAI	GBR	8536.5007.00
<a href="#">F3S-TGR-NSPC-21-M1J8</a>	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	145.00	EC002592	<a href="#">330852</a>	4547648882910			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temassız Switchleri</b>											
<a href="#">D40ML-M2-U-M12</a>	RFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, Pigtail w/M12 Connector	526.00	EC002593	<a href="#">669719</a>	4548583967908			FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-P2-B-5M</a>	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	467.90	EC002593	<a href="#">669735</a>	4548583968066			FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-P2-B-M12</a>	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	<a href="#">669708</a>	4548583967993	#		FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-P2-U-10M</a>	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	486.10	EC002593	<a href="#">669722</a>	4548583967939			FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-P2-U-M12</a>	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	<a href="#">669709</a>	4548583967809	#		FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-S1-U-M12</a>	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	767.50	EC002593	<a href="#">669703</a>	4548583967748			FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-S2-B-10M</a>	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	641.00	EC002593	<a href="#">669698</a>	4548583967694			FA	FAI	GBR	8536.5007.00
<a href="#">D40ML-S2-B-5M</a>	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	623.00	EC002593	<a href="#">669713</a>	4548583967847			FA	FAI	GBR	8536.5007.00
<b>Emniyet Temassız Switchleri</b>											
<a href="#">D40ML-CB-M12-10M</a>	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	72.45	EC001855	<a href="#">670948</a>	4548583973756			FA	FAI	GBR	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">D40ML-CBL-M12-5M</a>	<a href="#">Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length</a>	60.25	EC001855	<a href="#">670947</a>	4548583973749			FA	FAI	GBR	8544.4290.90
<a href="#">F39-TGR-NLPC-A</a>	<a href="#">Spare actuator for Coded type, Plastic, Flanged</a>	29.37	EC001487	<a href="#">234166</a>	4536853907402			FA	FAI	GBR	8536.5007.00
<a href="#">F39-TGR-NMPC-A</a>	<a href="#">Accessory F35-TGR-NMPC actuator</a>	31.51	EC001487	<a href="#">252064</a>	4547648861458			FA	FAI	GBR	8536.5005.00
<a href="#">F39-TGR-NMR-SPACER</a>	<a href="#">Accessory F35-TGR-NMR spacer</a>	11.25	EC002594	<a href="#">387948</a>	4547648977593			FA	FAI	GBR	8536.5005.00
<a href="#">F39-TGR-N-SCREWS</a>	<a href="#">Safety Torx screws set, M4, 4x30mm+4x20mm+4x10mm, incl. Washers and Torx bit</a>	10.18	EC002594	<a href="#">387947</a>	4547648977586		20	FA	FAI	GBR	8536.5005.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">NE1A-SCPU01-V1-VER2.0</a>	<a href="#">Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs</a>	2,523.00	EC001449	<a href="#">231688</a>	4547648303385			FA	FAJ	JPN	8471.4100.00
<a href="#">NE1A-SCPU02-VER2.0</a>	<a href="#">Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs</a>	4,437.00	EC001449	<a href="#">231689</a>	4547648303392			FA	FAJ	JPN	8471.4100.00
<a href="#">NE1A-SCPU02-EIP-VER1.0</a>	<a href="#">Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs, IP</a>	5,700.00	EC001449	<a href="#">113544</a>	4547648695121			FA	FAJ	JPN	8471.4100.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">DST1-IDI2SI-1</a>	<a href="#">Remote I/O terminal, 12 x PNP inputs, 4 x test outputs</a>	1,025.00	EC001449	<a href="#">353672</a>	4547648836821			FA	FAJ	CHN	8536.4900.99
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">DST1-MD16SL-1</a>	<a href="#">Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs</a>	1,185.00	EC001449	<a href="#">353673</a>	4547648836838			FA	FAJ	CHN	8536.4900.99
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">WS02-CFSC1-EV3</a>	<a href="#">Güvenlik aq konfigüratörü, PC yazılımı</a>	685.00	EC000809	<a href="#">354910</a>	4548583052260			FA	FAJ	JPN	8523.8090.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">GSID1224</a>	<a href="#">Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses)</a>	1,153.00	EC001599	<a href="#">684979</a>	4549734420525			FA	FAJ	CHN	8471.6070.00
<b>Emniyet DeviceNet Komponenti</b>											
<a href="#">G1SMD1624</a>	<a href="#">Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output</a>	1,232.00	EC001599	<a href="#">684978</a>	4549734420501			FA	FAJ	CHN	8471.6070.00
<b>Emniyet Limit Switchi D4B</b>											
<a href="#">D4B-2111N</a>	<a href="#">Limit switch, roller lever, 17.5mm dia, SPDB NO/NC, snap action, 10 A</a>	39.44	EC000030	<a href="#">134568</a>	4536853207151	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2115N</a>	<a href="#">Limit switch, roller lever, SPDR NO/NC, snap action, 10 A, G1/2 conduit</a>	52.50	EC000030	<a href="#">104521</a>	4536853205379			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-2116N</a>	<a href="#">Limit switch, adjustable roller lever, SPDR NO/NC, snap action, 10 A</a>	52.25	EC000030	<a href="#">134571</a>	4536853207182	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2121N</a>	<a href="#">Limit switch, roller plunger, SPDR NO/NC, snap action, 10 A</a>	36.31	EC000030	<a href="#">149173</a>	4536853207229			FA	FAK	CHN	8536.5007.00
<a href="#">D4B-2A11N</a>	<a href="#">Limit switch, roller lever, DPDB 2-NC, slow action, 10 A</a>	61.15	EC000030	<a href="#">134688</a>	4536853205584			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-2A21N</a>	<a href="#">Safety Limit switch, G1/2 conduit, DPDB 2-NC (slow-action), top roller plunger</a>	66.60	EC000030	<a href="#">224504</a>	4536853205645			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4111N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (plastik)</a>	40.39	EC000030	<a href="#">373424</a>	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4113N</a>	<a href="#">Limit switch, SPDB NO/NC, snap action, 10 A</a>	67.55	EC000030	<a href="#">251100</a>	4547648598989			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4115N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (paslanmaz çelik)</a>	54.90	EC000030	<a href="#">370630</a>	4547648740999			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4116N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol</a>	42.92	EC000030	<a href="#">373425</a>	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4117N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir cubuk kol</a>	47.43	EC000030	<a href="#">373233</a>	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4170N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı</a>	41.15	EC000030	<a href="#">373246</a>	4548583369504	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4171N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı makaralı</a>	41.90	EC000030	<a href="#">373234</a>	4548583369511	#		FA	FAK	CHN	8536.5007.00
<a href="#">D4B-4511N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (plastik)</a>	46.48	EC000030	<a href="#">134607</a>	4536854776601			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4515N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (paslanmaz çelik)</a>	52.70	EC000030	<a href="#">373626</a>	4547648811835			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4516N</a>	<a href="#">Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever</a>	52.85	EC000030	<a href="#">158135</a>	4536854776618			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4571N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), üstten basmalı makaralı</a>	52.55	EC000030	<a href="#">134609</a>	4536854776632		10	FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A11N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), makaralı kol (plastik)</a>	54.80	EC000030	<a href="#">103702</a>	4536854776649			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A16N</a>	<a href="#">Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever</a>	65.35	EC000030	<a href="#">134610</a>	4536854776656			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A17N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), ayarlanabilir cubuk kol</a>	59.60	EC000030	<a href="#">134613</a>	4536854790966			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A70N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı</a>	54.90	EC000030	<a href="#">153605</a>	4536854776663			FA	FAK	JPN	8536.5007.00
<a href="#">D4B-4A71N</a>	<a href="#">Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı makaralı</a>	58.00	EC000030	<a href="#">134611</a>	4536854776670			FA	FAK	JPN	8536.5007.00
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-BP-VER2 @ OFE</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik mesafesi 3m yarı çapı, uyarı bölgesi 10m yarı çaplı, Pl d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış</a>	5,210.00	EC002550	<a href="#">674732</a>	4548583061118			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-BP-DM</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm and Ethernet/IP, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, Pl d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış</a>	5,735.00	EC002550	<a href="#">674735</a>	4548583409217			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-VER2</a>	<a href="#">Accessory safety laser scanner, spare for replacement, sensor block without I/O block, Ver2</a>	4,233.00	EC002550	<a href="#">674727</a>	4548583061132			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-DM</a>	<a href="#">Safety laser scanner with measurement data, replacement sensor block</a>	3,747.00	EC002550	<a href="#">674724</a>	4548583409231	#		FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-VER2</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, Pl d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış</a>	5,210.00	EC002550	<a href="#">674725</a>	4548583061125	#		FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-DM</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm and Ethernet/IP, Güvenlik yarı çapı 3m, uyarı bölgesi 10m, Pl d &amp; Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış</a>	5,735.00	EC002550	<a href="#">674734</a>	4548583409224	#		FA	FAO	USA	8536.5019.90
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-BP-4M</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yarı çapı 4m, uyarı bölgesi 15m, Pl d &amp; Kat 3, 24VDC, arkadan kablo çıkış</a>	6,320.00	EC002550	<a href="#">674731</a>	4548583522183			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-BP-DM-4M</a>	<a href="#">Güvenlik lazer tarayıcı, ölçüm verisi, Güvenlik yarı çapı 4m, uyarı bölgesi 10m, Pl d &amp; Kat 3, Ethernet/IP, 24VDC, arkadan kablo çıkış</a>	9,965.00	EC002550	<a href="#">674726</a>	4548583522213			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SN-4M</a>	<a href="#">Safety laser scanner, safety radius 4m, warning zone 15m, replacement sensor block</a>	4,720.00	EC002550	<a href="#">674730</a>	4548583522190			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-4M</a>	<a href="#">Güvenlik lazer tarayıcı, Güvenlik yarı çapı 4m, uyarı bölgesi 15m, Pl d &amp; Kat 3, 24VDC, vandan kablo çıkış</a>	6,320.00	EC002550	<a href="#">674729</a>	4548583522176			FA	FAO	USA	8536.5019.90
<a href="#">OS32C-SP1-DM-4M</a>	<a href="#">Güvenlik lazer tarayıcı ölçüm verisi ile, Güvenlik yarı çapı 4m, uyarı bölgesi 10m, Pl d &amp; Kat 3, Ethernet/IP, 24VDC, vandan kablo çıkış</a>	9,965.00	EC002550	<a href="#">674733</a>	4548583522206			FA	FAO	USA	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-BKT1</a>	<a href="#">Alt/kenar montaj braketi + ünite montaj vidalı</a>	127.90	EC003015	<a href="#">349185</a>	4547648823531	#		FA	FAO	USA	8541.4900.00
<a href="#">OS32C-BKT2</a>	<a href="#">Montaj kiti, XY döner montaj, OS32C-BKT1 ile birlikte kullanılmadık.</a>	140.60	EC003015	<a href="#">349186</a>	4547648823548			FA	FAO	USA	8541.4900.00
<a href="#">OS32C-BKT3</a>	<a href="#">Basit montaj braketi x 2 + montaj vidası</a>	87.15	EC003015	<a href="#">349187</a>	4547648823555			FA	FAO	USA	8541.4900.00
<a href="#">OS32C-BKT4</a>	<a href="#">Güvenlik lazer tarayıcı koruyucu (ekran için)</a>	90.25	EC003015	<a href="#">349188</a>	4547648823562			FA	FAO	USA	8541.4900.00
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-CBL-03M</a>	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 3m</a>	141.20	EC001855	<a href="#">349178</a>	4547648823463	#		FA	FAO	MYS	8541.4900.00
<a href="#">OS32C-CBL-10M</a>	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 10m</a>	187.90	EC001855	<a href="#">349179</a>	4547648823470	#		FA	FAO	MYS	8541.4900.00
<a href="#">OS32C-CBL-20M</a>	<a href="#">Güvenlik lazer tarayıcı güç and I/O kablosu, 20m</a>	275.60	EC001855	<a href="#">349180</a>	4547648823487			FA	FAO	MYS	8541.4900.00
<a href="#">OS32C-ECBL-02M</a>	<a href="#">Ethernet kablosu, konfigürasyon için, 2M</a>	213.70	EC002599	<a href="#">349182</a>	4547648823500			FA	FAO	JPN	8541.4900.00
<a href="#">OS32C-ECBL-05M</a>	<a href="#">Ethernet kablosu, konfigürasyon için, 5M</a>	274.30	EC002599	<a href="#">349183</a>	4547648823517			FA	FAO	JPN	8541.4900.00
<a href="#">OS32C-ECBL-15M</a>	<a href="#">Ethernet cable, for configuration and monitoring, 15M</a>	415.70	EC002599	<a href="#">349184</a>	4547648823524			FA	FAO	JPN	8541.4900.00
<b>Emniyet Bölgesi</b>											
<a href="#">OS32C-CBSP1</a>	<a href="#">Accessory safety laser scanner, spare for replacement, I/O block with cable access from left side</a>	1,079.00	EC003015	<a href="#">349177</a>	4547648823456			FA	FAO	USA	8541.4900.00
<a href="#">OS32C-WIN-KT</a>	<a href="#">Accessory safety laser scanner, spare for replacement, Scan window</a>	163.90	EC003015	<a href="#">349191</a>	4547648823593	#		FA	FAO	USA	8541.4900.00
<a href="#">WIN-CLN-KT</a>	<a href="#">Güvenlik lazer tarayıcı aksesuarı, temizleme kiti</a>	90.25	EC003015	<a href="#">359022</a>	4548583130548			FA	FAO	USA	8541.4900.00
<b>Emniyet Bölgesi</b>											
<a href="#">UMAL</a>	<a href="#">Alüminyum köşe rampası, 2.44m</a>	203.10	EC002888	<a href="#">363812</a>	4547648535298			FA	FAO	USA	8536.5007.00
<a href="#">UMIC</a>	<a href="#">Molded inside corner</a>	69.70	EC002888	<a href="#">363814</a>	4547648579261			FA	FAO	USA	8536.5007.00
<a href="#">UMJ54</a>	<a href="#">Emniyet hasırı, birleştirici döşeme, 1.22 m</a>	250.50	EC002888	<a href="#">679544</a>	4547648535267			FA	FAO	USA	8536.5007.00
<b>Emniyet Controlcüsü</b>											
<a href="#">G9SP-N10D</a>	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 16 Güvenlik çıkışı, 6 test çıkışı, PNP</a>	870.00	EC001449	<a href="#">342714</a>	4547648830263			FA	FAP	CHN	8471.4100.00
<a href="#">G9SP-N10S</a>	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 4 Güvenlik çıkışı, 4 test çıkışı, 4 standart çıkışı, PNP</a>	718.50	EC001449	<a href="#">342713</a>	4547648830256			FA	FAP	CHN	8471.4100.00
<a href="#">G9SP-N20S</a>	<a href="#">G9SP Bağımsız Güvenlik kontrolörü, 20 Güvenlik girişi, 8 Güvenlik çıkışı, 6 test çıkışı, PNP</a>	751.00	EC001449	<a href="#">342715</a>	4547648830270	#		FA	FAP	CHN	8471.4100.00
<b>Emniyet Controlcüsü</b>											
<a href="#">W502-G9SP01-V2</a>	<a href="#">G9SP konfigüratörü, 1 lisans, WIN-2000/XP/Vista</a>	519.50	EC000809	<a href="#">393620</a>	4548583546318			FA	FAP	JPN	8471.4100.00
<b>Emniyet Komponentleri</b>											
<a href="#">E3ZS-181A</a>	<a href="#">Photoelectric sensor</a>	270.00	EC002716	<a href="#">323229</a>	4547648674355	#		FA	FAX	CHN	8541.4900.00
<b>Emniyet Komponentleri</b>											
<a href="#">A4EG-OP2</a>	<a href="#">Mounting bracket for securing the A4EG</a>	74.75	EC002886	<a href="#">247808</a>	4547648477062			FA	FAX	JPN	8536.5015.90
<a href="#">A4EG-OP3</a>	<a href="#">A4EG Holding Key</a>	63.55	EC002886	<a href="#">247809</a>	4547648477079			FA	FAX	JPN	8536.5015.90
<b>Emniyet Komponentleri</b>											
<a href="#">D48S-15FS</a>	<a href="#">Safety-door switch, D48S, PG13.5 (1 conduit), 1NC/1NO (slow-action)</a>	49.00	EC002592	<a href="#">134578</a>	4536853207366		10	FA	FAX	JPN	8536.5015.90
<a href="#">D48S-1AFS</a>	<a href="#">Safety-door switch, D48S, PG13.5 (1 conduit), 2NC (slow-action)</a>	52.40	EC002592	<a href="#">134589</a>	4536853207564		2	FA	FAX	JPN	8536.5015.90
<a href="#">D48S-25FS</a>	<a href="#">Limit switch</a>	49.83	EC002592	<a href="#">134579</a>	4536853207373			FA	FAX	JPN	8536.5015.90
<a href="#">D48S-2AFS</a>	<a href="#">Safety interlock switch, DPDR 2-NC-10 A</a>	62.55	EC002592	<a href="#">134590</a>	4536853207571			FA	FAX	JPN	8536.5015.90
<a href="#">D48S-4FS</a>	<a href="#">Metal Güvenlik Limit switchi, D48S, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama)</a>	51.60	EC002592	<a href="#">147019</a>	4536854776724			FA	FAX	JPN	8536.5015.90
<a href="#">D48S-4AFS</a>	<a href="#">Metal Güvenlik Limit switchi, D48S, M20 (1 kablo yuvası), 2NC (yavaş kapama)</a>	55.05	EC002592	<a href="#">148098</a>	4536854776731			FA	FAX	JPN	8536.5015.90
<a href="#">D4GS-N1R</a>	<a href="#">Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable</a>	73.75	EC002592	<a href="#">133907</a>	4536854687976			FA	FAX	JPN	8536.5015.90
<a href="#">D4GS-N2B</a>	<a href="#">Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable</a>	75.90	EC002592	<a href="#">133910</a>	4536854688034			FA	FAX	JPN	8536.5015.90
<a href="#">D4GS-N3B</a>	<a href="#">Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable</a>	81.95	EC002592	<a href="#">133916</a>	4536854688171			FA	FAX	JPN	8536.5015.90
<a href="#">F3S-TGR-KM15-21</a>	<a href="#">Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO</a>	77.50	EC002592	<a href="#">419032</a>	4547648999779			FA	FAX	GBR	8536.5005.00
<b>Emniyet Komponentleri</b>											
<a href="#">D41G-1YDA-N2</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	962.50	EC002593	<a href="#">201145</a>	4549734703079			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-1YDA-T1</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection</a>	837.00	EC002593	<a href="#">201146</a>	4549734703062			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2YDA-N2</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	938.50	EC002593	<a href="#">201143</a>	4549734703109			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2YDA-T1</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled</a>	814.00	EC002593	<a href="#">201144</a>	4549734703086			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2YDG-N2</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	938.50	EC002593	<a href="#">201142</a>	4549734703116			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2YDG-T1</a>	<a href="#">Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled</a>	814.00	EC002593	<a href="#">201116</a>	4549734703093			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2ZDA-T1</a>	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection</a>	814.00	EC002593	<a href="#">201149</a>	4549734703031			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2ZDG-N2</a>	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	938.50	EC002593	<a href="#">201147</a>	4549734703055			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-2ZDG-T1</a>	<a href="#">Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection</a>	814.00	EC002593	<a href="#">201148</a>	4549734703048			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-1YDA-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">201132</a>	4549734703277			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-1YDG-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">201131</a>	4549734703284			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-1ZDA-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">201137</a>	4549734703222			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-1ZDG-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole</a>	780.50	EC002593	<a href="#">201136</a>	4549734703239			FA	FAX	DEU	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">D41L-2YDAE-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit</a>	872.50	EC002593	<a href="#">201128</a>	4549734703314			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2YDA-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	756.00	EC002593	<a href="#">201130</a>	4549734703291			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2YDG-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	756.00	EC002593	<a href="#">201129</a>	4549734703307			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDA-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	756.00	EC002593	<a href="#">201135</a>	4549734703246			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDGE-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit</a>	872.50	EC002593	<a href="#">201133</a>	4549734703260			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-2ZDG-N2</a>	<a href="#">Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled</a>	756.00	EC002593	<a href="#">201134</a>	4549734703253			FA	FAX	DEU	8536.5019.90
<a href="#">D48L-1CRA</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A</a>	342.80	EC002593	<a href="#">134702</a>	4536853204372			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-1CRA-A</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A</a>	412.50	EC002593	<a href="#">158134</a>	4536853204365			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-1DRA-A</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A</a>	459.70	EC002593	<a href="#">134710</a>	4536853204525			FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2CRA</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A</a>	337.80	EC002593	<a href="#">134708</a>	4536853204433	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2DRA</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A</a>	397.10	EC002593	<a href="#">134711</a>	4536853204556	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-2DRG</a>	<a href="#">Limit switch</a>	368.80	EC002593	<a href="#">134724</a>	4536854404221	#		FA	FAX	JPN	8536.5015.90
<a href="#">D48L-4DRA-A</a>	<a href="#">Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A</a>	374.70	EC002593	<a href="#">147015</a>	4536854776526	#		FA	FAX	JPN	8536.5015.90
<a href="#">F3S-TGR-KHL1</a>	<a href="#">Safety interlock key switch, stainless steel housing, 1600N holding force, M20, 2NC/2NO</a>	515.00	EC002593	<a href="#">419040</a>	4547648999854			FA	FAX	GBR	8536.5005.00
<a href="#">F3S-TGR-KHL3</a>	<a href="#">Safety interlock key switch, hygienic stainless steel housing, 2000N holding force, M20, 2NC/2NO</a>	586.50	EC002593	<a href="#">419041</a>	4547648999861			FA	FAX	GBR	8536.5005.00
<a href="#">F3S-TGR-KHL3R</a>	<a href="#">Safety interlock key switch, hygienic stainless steel housing with manual release button, 2000N holding force, M20, 2NC/2NO</a>	791.50	EC002593	<a href="#">419042</a>	4547648999878			FA	FAX	GBR	8536.5005.00
<b>Emniyet Komponentleri</b>											
<a href="#">D40Z-1C2</a>	<a href="#">Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-NS or G95P controller for Category 4/Plc, 2M</a>	263.00	EC002592	<a href="#">356424</a>	4547648833752			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1C5</a>	<a href="#">Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-NS or G95P controller for Category 4/Plc, 5M</a>	276.00	EC002592	<a href="#">356425</a>	4547648833677			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1C5-S</a>	<a href="#">Safety non-contact door switch, Cat 4/Plc, 5m cable, switch only</a>	228.60	EC002592	<a href="#">356440</a>	4547648833707			FA	FAX	CHN	8536.5015.90
<a href="#">D40Z-1C-A</a>	<a href="#">Safety non-contact door switch, Cat 4/Plc, actuator only</a>	103.80	EC001487	<a href="#">356438</a>	4547648833684			FA	FAX	CHN	8536.5015.90
<a href="#">D41D-1CD-N1</a>	<a href="#">Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8</a>	252.30	EC002592	<a href="#">201115</a>	4549734702935			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-2CD-025N2</a>	<a href="#">Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole</a>	278.90	EC002592	<a href="#">201114</a>	4549734702942			FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>											
<a href="#">D40A-1C015-E</a>	<a href="#">Non-contact door switches, Pigtail with M12 connector 4-pole</a>	149.30	EC002592	<a href="#">355125</a>	4547648839068			FA	FAX	CHN	8536.5015.90
<a href="#">D40A-1C2</a>	<a href="#">Non-contact door switches, 2m cable</a>	156.00	EC002592	<a href="#">353674</a>	4547648839044			FA	FAX	CHN	8536.5015.90
<a href="#">D40A-1C5</a>	<a href="#">Non-contact door switches, 5m cable</a>	149.60	EC002592	<a href="#">353675</a>	4547648839051			FA	FAX	CHN	8536.5015.90
<b>Emniyet Komponentleri</b>											
<a href="#">D41D-8P5-CFM8-702M</a>	<a href="#">Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m</a>	45.52	EC001855	<a href="#">201299</a>	4549734703000			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-8P5-CFM8-705M</a>	<a href="#">Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m</a>	61.55	EC001855	<a href="#">201298</a>	4549734703017			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-8P5-CFM8-710M</a>	<a href="#">Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m</a>	86.15	EC001855	<a href="#">201297</a>	4549734703024			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A1</a>	<a href="#">Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm</a>	30.76	EC001487	<a href="#">201127</a>	4549734702959			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A2</a>	<a href="#">Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm</a>	30.76	EC001487	<a href="#">201152</a>	4549734702966			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-A3</a>	<a href="#">Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm</a>	30.76	EC001487	<a href="#">201151</a>	4549734702973			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-MS</a>	<a href="#">Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs</a>	28.30	EC002594	<a href="#">201150</a>	4549734702997			FA	FAX	DEU	8536.5019.90
<a href="#">D41D-SK</a>	<a href="#">Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head</a>	9.85	EC002594	<a href="#">201126</a>	4549734702980			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1L</a>	<a href="#">Actuator for D41G, compact, left-hand side, without emergency exit</a>	196.90	EC001487	<a href="#">201141</a>	4549734703123			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1L-F0</a>	<a href="#">Actuator for D41G, compact, left-hand side, with emergency exit</a>	272.00	EC001487	<a href="#">201140</a>	4549734703130			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1R</a>	<a href="#">Actuator for D41G, compact, right-hand side, without emergency exit</a>	196.90	EC001487	<a href="#">201139</a>	4549734703147			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A1R-F0</a>	<a href="#">Actuator for D41G, compact, right-hand side, with emergency exit</a>	272.00	EC001487	<a href="#">201138</a>	4549734703154			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L</a>	<a href="#">Actuator for D41G, with door handle, left-hand side, without emergency exit</a>	301.60	EC001487	<a href="#">201120</a>	4549734703161			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L-F1</a>	<a href="#">Actuator for D41G, with door handle, left-hand side, with emergency exit</a>	450.30	EC001487	<a href="#">201121</a>	4549734703178			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2L-F1T</a>	<a href="#">Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag</a>	539.00	EC001487	<a href="#">201122</a>	4549734703185			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R</a>	<a href="#">Actuator for D41G, with door handle, right-hand side, without emergency exit</a>	301.60	EC001487	<a href="#">201123</a>	4549734703192			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R-F1</a>	<a href="#">Actuator for D41G, with door handle, right-hand side, with emergency exit</a>	450.30	EC001487	<a href="#">201124</a>	4549734703208			FA	FAX	DEU	8536.5019.90
<a href="#">D41G-A2R-F1T</a>	<a href="#">Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag</a>	539.00	EC001487	<a href="#">201125</a>	4549734703215			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-8P5-CFM12-905M</a>	<a href="#">Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m</a>	79.65	EC001855	<a href="#">201296</a>	4549734703352			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-8P5-CFM12-910M</a>	<a href="#">Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m</a>	119.50	EC001855	<a href="#">201295</a>	4549734703369			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-A1</a>	<a href="#">Actuator for D41L, straight, 127 x 35 x 46 mm</a>	105.90	EC001487	<a href="#">201119</a>	4549734703321			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-MP</a>	<a href="#">Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm</a>	25.84	EC002594	<a href="#">201118</a>	4549734703338			FA	FAX	DEU	8536.5019.90
<a href="#">D41L-MS</a>	<a href="#">Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs</a>	30.76	EC002594	<a href="#">201117</a>	4549734703345			FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>											
<a href="#">A4E-B200VA</a>	<a href="#">Enabling switch, two outputs, vertical mounting, with rubber seal</a>	74.45	EC002571	<a href="#">140171</a>	4536854780356			FA	FAX	JPN	8536.5080.90
<a href="#">A4E-C211VA</a>	<a href="#">Enabling switch, four contacts, vertical mounting, with rubber seal</a>	94.35	EC002571	<a href="#">150156</a>	4536854780363	10		FA	FAX	JPN	8536.5080.90
<a href="#">A4EG-BF2B041</a>	<a href="#">Acil durdurma switchi, aktifleştirme el switchi, Acil durdurma switchi (2NC)</a>	417.90	EC002571	<a href="#">674137</a>	4548583869417			FA	FAX	JPN	8536.5015.90
<a href="#">A4EG-BM2B041</a>	<a href="#">Acil durdurma switchi, aktifleştirme el switchi, anlik durum switchi (2NO)</a>	431.70	EC002571	<a href="#">247806</a>	4547648521642	#		FA	FAX	JPN	8536.5015.90
<a href="#">A4EG-C00041</a>	<a href="#">Acil durdurma switchi, aktifleştirme el switchi, 1 NC (kavrama çıkışı)</a>	339.70	EC002571	<a href="#">247804</a>	4547648477031	#		FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
<b>Emniyet Komponentleri</b>												
MTKCA-0500-0250	<a href="#">Döşenmiş dış köşeler ve döşeme boyutlarına uyan Döşeme setleri 500 * 250</a>	225.00	EC002888	<a href="#">679658</a>	4549734114066				FA	FAX	USA	9031.4990.00
MTKCA-0500-0400	<a href="#">500 x 400 mm mat boyutlarına sığan kalıplanmış dış köşeler ve döşeme seti</a>	321.10	EC002888	<a href="#">680039</a>	4549734114080				FA	FAX	USA	9031.4990.00
MTKCA-0500-1500	<a href="#">Set of molded outside corners and Trims that fit the mat dimensions 500*1500</a>	550.00	EC002888	<a href="#">677812</a>	4549734114110				FA	FAX	USA	9031.4990.00
MTKCA-0600-0400	<a href="#">Döşenmiş dış köşeler ve döşeme setleri, mat boyutlarına 600 x 400 mm sığan set</a>	370.50	EC002888	<a href="#">680043</a>	4549734114165				FA	FAX	USA	9031.4990.00
MTKCA-0750-0250	<a href="#">Döşenmiş dış köşe takımları ve döşeme boyutlarına 750 x 250 sığan Döşeme takımı seti</a>	345.80	EC002888	<a href="#">679437</a>	4549734114233				FA	FAX	USA	9031.4990.00
MTKCA-0750-0500	<a href="#">Döşenmiş dış köşeler ve döşeme boyutlarına 750 x 500 sığan Döşeme takımı seti</a>	377.80	EC002888	<a href="#">679571</a>	4549734114264				FA	FAX	USA	9031.4990.00
MTKCA-0750-0750	<a href="#">750 x 750 mm mat boyutlarına uyan kalıplanmış dış köşeler ve döşeme takımları</a>	486.00	EC002888	<a href="#">680181</a>	4549734114288				FA	FAX	USA	9031.4990.00
MTKCA-0750-1500	<a href="#">Döşenmiş dış köşe takımları ve döşeme boyutlarına 750 x 1500 mm sığan Döşeme takımları</a>	473.60	EC002888	<a href="#">679543</a>	4549734114301				FA	FAX	USA	9031.4990.00
MTKCA-1000-0500	<a href="#">Set of molded outside corners and Trims that fit the mat dimensions 1000*500</a>	434.50	EC002888	<a href="#">678235</a>	4549734114592				FA	FAX	USA	9031.4990.00
MTKCA-1000-0750	<a href="#">Döşenmiş dış köşeler ve döşeme boyutlarına 1000 x 750 sığan Döşeme takımı seti</a>	451.80	EC002888	<a href="#">679618</a>	4549734114615				FA	FAX	USA	9031.4990.00
MTKCA-1000-1250	<a href="#">Döşenmiş dış köşeler ve mat boyutlarına sığan Döşeme setleri 1000 * 1250 mm</a>	480.90	EC002888	<a href="#">679540</a>	4549734114653				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0300-0300-1</a>	<a href="#">Safety mat black with 1-cable, 300 x 300 mm dimension</a>	268.80	EC002887	<a href="#">678348</a>	4549734115131				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0300-0300-2</a>	<a href="#">Safety mat black with 2-cable, 300 x 300 mm dimension</a>	268.80	EC002887	<a href="#">679690</a>	4549734116152				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0250-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 500 x 250 mm boyut</a>	222.20	EC002887	<a href="#">679659</a>	4549734115254				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0250-2</a>	<a href="#">Emniyet paspası, sıyah, 2 kablolu, 500 x 250 mm boyut</a>	240.70	EC002887	<a href="#">679657</a>	4549734116275				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0400-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 500 x 400 mm boyut</a>	361.40	EC002887	<a href="#">680041</a>	4549734115278				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0400-2</a>	<a href="#">Emniyet paspası, sıyah, 2 kablolu, 500 x 400 mm boyut</a>	361.40	EC002887	<a href="#">680046</a>	4549734116299				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0500-1</a>	<a href="#">Safety mat black with 1-cable, 500 x 500 mm dimension</a>	396.00	EC002887	<a href="#">680119</a>	4549734115285				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-0500-2</a>	<a href="#">Safety mat black with 2-cable, 500 x 500 mm dimension</a>	396.00	EC002887	<a href="#">678238</a>	4549734116305				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-1500-1</a>	<a href="#">Safety mat black with 1-cable, 500 x 1500 mm dimension</a>	783.00	EC002887	<a href="#">680366</a>	4549734115308	#			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0500-1500-2</a>	<a href="#">Safety mat black with 2-cable, 500 x 1500 mm dimension</a>	783.00	EC002887	<a href="#">678239</a>	4549734116329				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0600-0400-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 600 x 400 mm boyut</a>	376.20	EC002887	<a href="#">680042</a>	4549734115353				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0600-0400-2</a>	<a href="#">Emniyet paspası, sıyah, 2 kablolu, 600 x 400 mm boyut</a>	376.20	EC002887	<a href="#">680040</a>	4549734116374				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0250-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 750 x 250 mm boyut</a>	345.80	EC002887	<a href="#">679435</a>	4549734115421				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0500-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 750 x 500 mm boyut</a>	480.90	EC002887	<a href="#">679570</a>	4549734115452				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0750-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 750 x 750 mm boyut</a>	715.00	EC002887	<a href="#">680179</a>	4549734115476				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-0750-0750-2</a>	<a href="#">Emniyet paspası, sıyah, 2 kablolu, 750 x 750 mm boyut</a>	715.00	EC002887	<a href="#">680182</a>	4549734116497				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0500-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 500 mm dimension</a>	577.00	EC002887	<a href="#">678240</a>	4549734116800				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0750-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 1000 x 750 mm boyut</a>	773.50	EC002887	<a href="#">679812</a>	4549734115803	#			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-0750-2</a>	<a href="#">Emniyet paspası, sıyah, 2 kablolu, 1000 x 750 mm boyut</a>	773.50	EC002887	<a href="#">679819</a>	4549734116824				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1000-1</a>	<a href="#">Safety mat black with 1-cable, 1000 x 1000 mm dimension</a>	909.50	EC002887	<a href="#">680368</a>	4549734115834				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1000-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 1000 mm dimension</a>	782.50	EC002887	<a href="#">678241</a>	4549734116855				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1250-1</a>	<a href="#">Emniyet paspası, sıyah, 1 kablo, 1000 x 1250 mm boyut</a>	997.50	EC002887	<a href="#">679486</a>	4549734115841				FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1500-1</a>	<a href="#">Safety mat black with 1-cable, 1000 x 1500 mm dimension</a>	1,135.00	EC002887	<a href="#">678350</a>	4549734115858	#			FA	FAX	USA	9031.4990.00
<a href="#">UMMA-1000-1500-2</a>	<a href="#">Safety mat black with 2-cable, 1000 x 1500 mm dimension</a>	1,135.00	EC002887	<a href="#">678351</a>	4549734116879				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-0400-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 500 x 400 mm boyut</a>	396.00	EC002887	<a href="#">680044</a>	4549734117319				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-0400-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablolu, 500 x 400 mm boyut</a>	396.00	EC002887	<a href="#">680038</a>	4549734118330				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0500-1500-1</a>	<a href="#">Safety mat yellow with 1-cable, 500 x 1500 mm dimension</a>	822.00	EC002887	<a href="#">677813</a>	4549734117340				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0600-0400-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 600 x 400 mm boyut</a>	394.90	EC002887	<a href="#">680045</a>	4549734117395				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0600-0400-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 600 x 400 mm boyut</a>	394.90	EC002887	<a href="#">680047</a>	4549734118415				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0750-0750-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 750 x 750 mm boyut</a>	760.00	EC002887	<a href="#">680180</a>	4549734118538				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-0750-1500-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 750 x 1500 mm boyut</a>	926.50	EC002887	<a href="#">679542</a>	4549734117531				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-0750-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 750 mm boyut</a>	811.00	EC002887	<a href="#">679816</a>	4549734117845				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-0750-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 1000 x 750 mm boyut</a>	811.00	EC002887	<a href="#">679815</a>	4549734118866				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1000-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 1000 mm boyut</a>	839.50	EC002887	<a href="#">679539</a>	4549734117876				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1500-1</a>	<a href="#">Emniyet paspası, sarı, 1 kablo, 1000 x 1500 mm boyut</a>	1,118.00	EC002887	<a href="#">679541</a>	4549734117890				FA	FAX	USA	9031.4990.00
<a href="#">UMMYA-1000-1500-2</a>	<a href="#">Emniyet paspası, sarı, 2 kablo, 1000 x 1500 mm boyut</a>	1,121.00	EC002887	<a href="#">679538</a>	4549734118910				FA	FAX	USA	9031.4990.00
UMRT4	<a href="#">Safety Mat/Safety Mat controller, Ramp trim with yellow PVC cover (1.22 m)</a>	157.00	EC002888	<a href="#">393576</a>	4547648535212				FA	FAX	USA	9031.4990.00
<b>Emniyet Komponentleri</b>												
<a href="#">UMA-CBL-3PCF-M8-05M</a>	<a href="#">Single connector 5 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket</a>	40.11	EC001855	<a href="#">678244</a>	4549734113861				FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PCF-M8-10M</a>	<a href="#">Single connector 10 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket</a>	37.05	EC001855	<a href="#">678245</a>	4549734113878				FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PMF-M8-05M</a>	<a href="#">Extension cable 5 m to connect a 2-cable mat (UMMA-2) to a controller, M8, 3Pin</a>	53.90	EC001855	<a href="#">678242</a>	4549734113786				FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-3PMF-M8-015M</a>	<a href="#">M8, 3-pin male to male extension cable, 0.15 m, to connect the connector sockets of 2-cable UMA Safety Mat together.</a>	42.62	EC001855	<a href="#">678243</a>	4549734113830				FA	FAX	MYS	8544.4290.90
<a href="#">UMA-CBL-4PCF-M8-05M</a>	<a href="#">Tek konektör 5 m kablo, bir kablo makarasını (UMMA-1) bir denetleyiciye bağlar, M8, 4 soketi</a>	51.85	EC001855	<a href="#">679436</a>	4549734113892				FA	FAX	MYS	9031.4990.00
<a href="#">UMA-CBL-4PCF-M8-10M</a>	<a href="#">Single connector 10 m cable to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-socket</a>	69.60	EC001855	<a href="#">677814</a>	4549734113908				FA	FAX	MYS	9031.4990.00
<b>Emniyet Komponentleri</b>												
<a href="#">SCC-1224A</a>	<a href="#">Safety Edge Controller</a>	569.50	EC003015	<a href="#">683824</a>	4549734113755				FA	FAX	DEU	8536.5019.90
<b>Emniyet Komponentleri</b>												
<a href="#">A165E-02</a>	<a href="#">DPST-NC contact block for A165E Emergency stop switch</a>	16.60	EC000041	<a href="#">160649</a>	4536854344794	#	50	FA	FAX	JPN	8536.5015.90	
<a href="#">A165E-LS-24D-01</a>	<a href="#">Acil durdurma switchi, sıklı, 30mm.cap, bas.kilit/cevır.resette, SPST-NC, 24.VDC</a>	36.76	EC002034	<a href="#">160652</a>	4536854344824		5	FA	FAX	JPN	8536.5015.90	
<a href="#">A165E-LS-24D-02</a>	<a href="#">Acil durdurma switchi, sıklı, 30mm.cap, bas.kilit/cevır.resette, DPST-NC, 24.VDC</a>	53.85	EC002034	<a href="#">103312</a>	4536854344831		5	FA	FAX	JPN	8536.5015.90	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
A165E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, DPST-NC	40.85	EC002034	160653	4536854344855		5	FA	FAX	JPN	8536.5015.90	
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	6.80	EC001038	153220	4536854344770		20	FA	FAX	JPN	8536.5015.90	
A165E-S-01	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, SPST-NC	36.76	EC002034	142199	4536854344862		5	FA	FAX	JPN	8536.5015.90	
A165E-S-02	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, DPST-NC	44.01	EC002034	142200	4536854344879		#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	59.50	EC002034	103725	4536854479090		#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	28.46	EC001038	141588	4536854349225		10	FA	FAX	JPN	8536.5015.90	
A22E-M-24A-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	62.05	EC002034	151036	4536854349331		#	30	FA	FAX	JPN	8536.5015.90
A22E-M-24A-11	Acil durdurma switchi, 24 VAC/DC işikli, 40mm çap, bas kilitle/çevir resetle, SPST-NO + SPST-NC, IP65	58.20	EC002034	142271	4536854349348		#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	17.62	EC001038	153294	4536854349322		10	FA	FAX	JPN	8536.5015.90	
A22E-M-01	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NC	33.11	EC002034	141595	4536854349249		20	FA	FAX	JPN	8536.5015.90	
A22E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 2NC	41.93	EC002034	141596	4536854349256		#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC, 40 mm dia, push-lock / turn-reset, DPST-NC, within a control box	95.70	EC002034	264239	4536854860263		#		FA	FAX	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC/DC, 40 mm dia, push-lock/turn-reset, SPST-NO + SPST-NC, within a control box	94.45	EC002034	264240	4536854860270				FA	FAX	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, IP65	22.30	EC001038	141591	4536854380280		10	FA	FAX	JPN	8536.5015.90	
A22E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	33.11	EC002034	141511	4536854380433		20	FA	FAX	JPN	8536.5015.90	
A22NE-M-L	Acil durdurma anahtarı aydınlatılmıs, 40mm çap, basmalı kilit / dönüş-reset, IP65	32.93	EC001038	680136	4549734184649		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-N	Acil durdurma anahtarı aydınlatılmamıs, 40mm çap, itmeli kilit / dönüş-reset, IP65	23.32	EC001038	680134	4549734184588		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-C	Acil durdurma anahtarı, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, SPST-NC, 1tme	70.05	EC002034	679730	4549734184885		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, push-lock / dönüş-reset, 1NC	39.80	EC002034	679746	4549734184724		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-N-B	E-Dur, 1tme, 1NC 40-diyar, kafa Orta Turn-reset, entegre kontrol kutusu ile	65.95	EC002034	679806	4549734185295				FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Acil durdurma anahtarı, Push-in, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, NO + NC	75.50	EC002034	679748	4549734184892				FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40mm çap, push-lock / dönüş-reset, 1NC + YOK	45.28	EC002034	679732	4549734184731		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P102-N-B	E-Stop, push-in, 1NC + 1NO, 40-diyar, kafa Orta Turn-reset, entegre kontrol kutusu ile	76.80	EC002034	679808	4549734185301				FA	FAX	JPN	8536.5015.90
A22NE-M-P202-C	Acil durdurma anahtarı, Push-In, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, 2NC	75.50	EC002034	679722	4549734184908		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P202-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, push-lock / dönüş-reset, 2NC	45.28	EC002034	679734	4549734184748		#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia, kafa Orta Turn-reset, entegre kontrol kutusu ile	75.50	EC002034	679807	4549734185318				FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	52.15	EC002034	679745	4549734184755				FA	FAX	JPN	8536.5007.00
A22NE-M-P222-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, basmalı kilit / dönüş-reset, 3NC	52.15	EC002034	679747	4549734184762		10	FA	FAX	JPN	8536.5007.00	
A22NE-M-PD02-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	55.75	EC002034	687815	4549734441810				FA	FAX	JPN	8536.5015.90
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	48.35	EC002034	687825	4549734442176		#		FA	FAX	JPN	8536.5015.90
A22NE-M-PD12-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NO	62.45	EC002034	687817	4549734441858				FA	FAX	JPN	8536.5015.90
A22NE-S-N	Acil durdurma anahtarı aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, IP65	24.69	EC001038	680135	4549734184571		10	FA	FAX	JPN	8536.5015.90	
A22NE-S-P002-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, NC	37.08	EC002034	679744	4549734184670				FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, 1NC + YOK	42.51	EC002034	679743	4549734184687		5	FA	FAX	JPN	8536.5015.90	
A22NE-S-P202-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, 2NC	42.51	EC002034	679727	4549734184694		10	FA	FAX	JPN	8536.5015.90	
A22NE-S-P212-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	49.34	EC002034	679737	4549734184700		5	FA	FAX	JPN	8536.5015.90	
A22NE-S-P222-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, 3NC	49.34	EC002034	679733	4549734184717		10	FA	FAX	JPN	8536.5015.90	
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	38.84	EC000624	224501	4536854844058				FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-Stop Shroud yellow	38.84	EC000624	234627	4536854952579				FA	FAX	JPN	8536.5015.90
<b>Emniyet Komponentleri</b>												
44506-4010 FR5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	153.10	EC002033	406333	4547648564427		#		FA	FAX	GBR	8536.5080.90
44506-4030 FR5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	178.60	EC002033	406349	4547648581608				FA	FAX	GBR	8536.5080.90
44506-4110 FR5018-021ME	Güvenlik ipi e-stop switchi, 40m ye kadar, 2 NC + 1NO, M20 kablo girişli (3x)	208.50	EC002033	406335	4547648564687		#		FA	FAX	GBR	8536.5080.90
44506-4130 FR5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	226.50	EC002033	406353	4547648579865				FA	FAX	GBR	8536.5080.90
44506-5010 FR6022-021M	Safety rope pull E-stop switch, up to 80m, contact 2 NC+1 NO, wiring 3 x M20	181.10	EC002033	406341	4547648565004		#		FA	FAX	GBR	8536.5080.90
44506-5110 FR6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	197.20	EC002033	406358	4547648582018				FA	FAX	GBR	8536.5080.90
44506-5210 FR6022-021ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 2 NC+1 NO, wiring 3 x M20	205.00	EC002033	406351	4547648579889				FA	FAX	GBR	8536.5080.90
44506-5410 FR6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	277.80	EC002033	406340	4547648565479				FA	FAX	GBR	8536.5080.90
44506-5450 FR6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC + 1 NO, wiring 3 x M20	406.80	EC002033	406364	4548583151499				FA	FAX	GBR	8536.5080.90
44506-5810 FR6022-022MSS	Safety rope pull E-stop switch, up to 100m, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	572.00	EC002033	406336	4547648579902				FA	FAX	GBR	8536.5080.90
44506-5970 FR6022-031MELSS	Safety rope pull E-stop switch, up to 100m, E-stop, indicator beacon, 3 NC + 1 NO contacts, wiring 3 x M20 stainless	638.00	EC002033	406368	4547648591232				FA	FAX	GBR	8536.5080.90
44506-6410 FR1022-042MEL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	324.00	EC002033	406347	4547648579919				FA	FAX	GBR	8536.5080.90
44506-7410 FR1032-042MEL	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	471.00	EC002033	406334	4547648580694		#		FA	FAX	GBR	8536.5080.90
<b>Emniyet Komponentleri</b>												
44506-2705 RK5	Safety rope pull E-stop switch accessory, rope kit 5m	82.35	EC002026	406346	4547648563192				FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Güvenlik ipi e-stop switchi aksesuarı, ip kiti 10m	92.10	EC002026	406342	4547648563420		#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	111.80	EC002026	406339	4547648563987		#		FA	FAX	GBR	8536.5080.90
44506-2750 RK50	Safety rope pull E-stop switch accessory, rope kit 50m	166.60	EC002026	406338	4547648565387		#		FA	FAX	GBR	8536.5080.90
44506-2780 RK80	Güvenlik ipi e-stop switchi aksesuarı, ip kiti 80m	231.70	EC002026	406374	4547648566438				FA	FAX	GBR	8536.5080.90
44506-3711 R100M	Safety rope pull E-stop switch accessory, rope only 100m	164.80	EC002026	406350	4547648563888				FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	69.75	EC002026	406344	4547648562751				FA	FAX	GBR	8536.5080.90
44506-4710 SM06-ER10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	21.06	EC002026	406354	4547648561969				FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	14.17	EC002026	406355	4547648561754				FA	FAX	GBR	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">44506-4750 SM06-SP50</a>	<a href="#">Safety rope pull E-stop switch accessory, spring, stainless steel</a>	24.16	EC002026	<a href="#">406345</a>	4547648561990			FA	FAX	GBR	8536.5080.90
<a href="#">44506-4770 SM06-THSS</a>	<a href="#">Safety rope pull E-stop switch accessory, thimble, stainless steel, 4 pack</a>	12.36	EC002026	<a href="#">406356</a>	4547648561693			FA	FAX	GBR	8536.5080.90
<a href="#">44506-4780 SM06-RPSS</a>	<a href="#">Safety rope pull E-stop switch accessory, rope pulley, stainless steel</a>	48.47	EC002026	<a href="#">406343</a>	4547648562331			FA	FAX	GBR	8536.5080.90
<b>Emniyet Komponentleri</b>											
<a href="#">F39-B1P</a>	<a href="#">Control Unit for F3SJ, 3NO + 1NC, (use F39-IC_B double ended cable)</a>	436.20	EC001449	<a href="#">346846</a>	4547648813402	#		FA	FAX	CHN	8536.4900.99
<b>Emniyet Komponentleri</b>											
<a href="#">D4F-102-1R</a>	<a href="#">Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit</a>	93.20	EC000030	<a href="#">150189</a>	4536854896101	#		FA	FAX	JPN	8536.5007.00
<a href="#">D4F-102-3D</a>	<a href="#">Limit switch</a>	122.80	EC000030	<a href="#">134013</a>	4536854896347			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-102-3R</a>	<a href="#">Limit switch</a>	114.50	EC000030	<a href="#">134008</a>	4536854896262			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-302-5R</a>	<a href="#">Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit</a>	161.40	EC000030	<a href="#">145878</a>	4536854896446			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-320-3R</a>	<a href="#">Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit</a>	153.80	EC000030	<a href="#">143735</a>	4536854896248			FA	FAX	JPN	8536.5007.00
<a href="#">D4F-320-5D</a>	<a href="#">Safety switch</a>	167.90	EC000030	<a href="#">149121</a>	4536854896484			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4C32</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger</a>	17.53	EC000030	<a href="#">170375</a>	4547648036535			FA	FAX	JPN	8536.5007.00
<b>Emniyet Komponentleri</b>											
<a href="#">D4N-1A2HR</a>	<a href="#">Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)</a>	41.74	EC000030	<a href="#">170882</a>	4547648039574			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A20R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)</a>	26.45	EC000030	<a href="#">170831</a>	4547648039062			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A31R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger</a>	26.45	EC000030	<a href="#">170840</a>	4547648039154			FA	FAX	JPN	8536.5007.00
<a href="#">D4N-4A32R</a>	<a href="#">Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger</a>	29.47	EC000030	<a href="#">170849</a>	4547648039246			FA	FAX	JPN	8536.5007.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-JBR2W</a>	<a href="#">Series connection cable for extension for F3SJ</a>	185.50	EC001855	<a href="#">357833</a>	4548583047792			FA	FAZ	JPN	8541.4900.00
<a href="#">F39-JD10A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 10m</a>	430.30	EC001855	<a href="#">356813</a>	4548583097124	#		FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD3A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 3m</a>	226.50	EC001855	<a href="#">356811</a>	4548583097100			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD5B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 5m</a>	197.40	EC001855	<a href="#">374274</a>	4548583097186			FA	FAZ	CHN	8541.4900.00
<a href="#">F39-JD7A</a>	<a href="#">Verici+Alıcı kablo çifti F3SJ-B için 7m</a>	332.40	EC001855	<a href="#">356812</a>	4548583097117			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JD7B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7m</a>	291.00	EC001855	<a href="#">374271</a>	4548583097193			FA	FAZ	CHN	8541.4900.00
<a href="#">F39-JDR5B</a>	<a href="#">Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 0.5m</a>	182.50	EC001855	<a href="#">359019</a>	4548583097155			FA	FAZ	CHN	8544.4290.90
<a href="#">F39-JR15L</a>	<a href="#">Series connection cable for F3SJ, 0.15M (cap both ends)</a>	134.70	EC001855	<a href="#">189901</a>	4547648149631			FA	FAZ	JPN	8541.9000.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-LJ1I</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, üst/alt montaj braketi (4 parça)</a>	45.71	EC003015	<a href="#">355956</a>	4548583033092	#		FA	FAZ	CHN	8541.9000.00
<a href="#">F39-LJ1B2</a>	<a href="#">Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, orta-kenar montaj braketi (2 parça)</a>	77.50	EC003015	<a href="#">355957</a>	4548583033108	#		FA	FAZ	CHN	8541.9000.00
<a href="#">F39-LJ1B5</a>	<a href="#">Safety Light Curtain Accessory, F3SJ-E/B Series, contact mount bracket (4pcs)</a>	51.95	EC003015	<a href="#">355963</a>	4548583083202			FA	FAZ	CHN	8541.9000.00
<a href="#">F39-TGR-CL-LLK</a>	<a href="#">Laser-alignment kit including bracket for F3S-TGR-CL SL-C</a>	765.50	EC003015	<a href="#">377560</a>	4547648962902			FA	FAZ	ITA	8541.4900.00
<a href="#">F39-TRD14</a>	<a href="#">Safety Light Curtain Accessory, test rod, 14mm</a>	53.90	EC003015	<a href="#">397116</a>	4548583561038	#		FA	FAZ	JPN	8541.9000.00
<a href="#">F39-TRD30</a>	<a href="#">Safety Light Curtain Accessory, test rod, 30mm</a>	51.55	EC003015	<a href="#">397119</a>	4548583561069			FA	FAZ	JPN	8541.9000.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">D4NS-SK30</a>	<a href="#">Güvenlik kapı switchi kapı aparatı, D4NS</a>	576.50	EC001487	<a href="#">227639</a>	4547648183109	#		FA	FAZ	JPN	8536.5015.90
<a href="#">D4SL-CN10</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, connector cable 10m</a>	96.70	EC003015	<a href="#">393318</a>	4548583560284	#		FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-CN3</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 3m</a>	47.91	EC003015	<a href="#">357560</a>	4547648782425			FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-CN5</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 5m</a>	77.30	EC003015	<a href="#">357561</a>	4547648782432			FA	FAZ	CHN	8536.5007.00
<a href="#">D4SL-NK1</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj</a>	8.07	EC001487	<a href="#">373813</a>	4548583322271	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK1G</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, horizontal mounting, cushion rubber</a>	11.02	EC001487	<a href="#">373815</a>	4548583322318			FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK1S</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj, (kısık tip)</a>	8.07	EC001487	<a href="#">372695</a>	4548583322301			FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK2</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, dikey montaj</a>	8.34	EC001487	<a href="#">373814</a>	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK2G</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, vertical mounting, cushion rubber</a>	8.91	EC001487	<a href="#">373816</a>	4548583322325	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK3</a>	<a href="#">Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, avarlanabilir montaj (yatay)</a>	25.08	EC001487	<a href="#">367249</a>	4548583322295		10	FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NK5</a>	<a href="#">Guard lock safety-door switch accessory, D4SL-N, operation key, adjustable (horizontal/vertical)</a>	22.32	EC001487	<a href="#">412973</a>	4548583560277	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NSK10-LK</a>	<a href="#">D4SL N kayar/kilitleme anahtar sistemi, kilitleme kolu dahil değil</a>	235.20	EC001487	<a href="#">373979</a>	454858330122	#		FA	FAZ	JPN	8536.5007.00
<a href="#">D4SL-NSK10-LKH</a>	<a href="#">D4SL N slide/lockout key system, with inner lever</a>	284.20	EC001487	<a href="#">373978</a>	454858330153			FA	FAZ	JPN	8536.5007.00
<a href="#">F39-TGR-KAM</a>	<a href="#">Key for safety key switch with metal head</a>	7.36	EC001487	<a href="#">419025</a>	4547648999700			FA	FAZ	GBR	8536.5005.00
<a href="#">F39-TGR-KHFH</a>	<a href="#">Key for safety key switch, flexible with hygienic stainless steel body</a>	52.40	EC001487	<a href="#">419029</a>	4547648999748			FA	FAZ	GBR	8536.5005.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">F39-TGR-NT</a>	<a href="#">T-Connector for F3S-TGR-N C and F3S-TGR-N M(U)</a>	87.00	EC002594	<a href="#">667288</a>	4548583954809			FA	FAZ	ITA	8544.4999.00
<b>Emniyet Komponentleri için Aksesuarlar</b>											
<a href="#">82611-0010 CM-FIP-1</a>	<a href="#">G9SP EthernetIP haberleşme opsiyonu</a>	356.10	EC001449	<a href="#">364929</a>	4548583062429			FA	FAZ	USA	8538.9099.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Rölesi G9SE</b>											
<a href="#">G9SE-201-DC24</a>	<a href="#">Emniyet rölesi ünitesi, 24VDC, 2 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar</a>	107,10	EC001449	<a href="#">679415</a>	4549734169332	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-221-T05-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks (2 + 2 5 sn kapalı gecikmeli), yardımcı çıkışlar</a>	135,30	EC001449	<a href="#">679416</a>	4549734169356	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-221-T30-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks (2 + 2 30 s kapalı gecikmeli), yardımcı çıkışlar</a>	135,30	EC001449	<a href="#">679413</a>	4549734169363	#		FB	FBE	CHN	8536.4900.99
<a href="#">G9SE-401-DC24</a>	<a href="#">Emniyet röle ünitesi, 24VDC, 4 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar</a>	112,60	EC001449	<a href="#">679414</a>	4549734169349	#		FB	FBE	CHN	8536.4900.99
<b>Emniyet Rölesi G9SR</b>											
<a href="#">G9SR-AD201-BC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 5A, ek çıkış</a>	182,10	EC001449	<a href="#">395792</a>	4547648989039			FB	FBR	NLD	8536.4900.99
<a href="#">G9SR-BC201-BC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 2A maks. ek çıkış</a>	114,10	EC001449	<a href="#">395791</a>	4547648989022			FB	FBR	NLD	8536.4900.99
<a href="#">G9SR-EX021-T90-RC</a>	<a href="#">Güvenlik Rölesi ünite, 24VDC, çıkış genişletme, 90s, 3 Güvenlik 5A, ek çıkış</a>	176,10	EC001449	<a href="#">395793</a>	4547648989046			FB	FBR	NLD	8536.4900.99
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2RF0160P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 160mm, PNP</a>	546,00	EC002549	<a href="#">673577</a>	4549734103695			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0240P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 240mm, PNP</a>	589,50	EC002549	<a href="#">673531</a>	4549734103701			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0320P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 320mm, PNP</a>	848,50	EC002549	<a href="#">673572</a>	4549734103718			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0400P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 400mm, PNP</a>	983,00	EC002549	<a href="#">673552</a>	4549734103725			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF1040P14</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 1040mm, PNP</a>	1,731,00	EC002549	<a href="#">673516</a>	4549734103800			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2SRB0160-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN</a>	620,00	EC002549	<a href="#">699754</a>	4549734517157			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0240-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN</a>	704,50	EC002549	<a href="#">699756</a>	4549734517164			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0320-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN</a>	788,50	EC002549	<a href="#">699759</a>	4549734517171			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN</a>	829,50	EC002549	<a href="#">699761</a>	4549734517188			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0480-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN</a>	914,50	EC002549	<a href="#">699765</a>	4549734517195			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN</a>	998,50	EC002549	<a href="#">699767</a>	4549734517201			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0640-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN</a>	1,042,00	EC002549	<a href="#">699771</a>	4549734517218			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN</a>	1,212,00	EC002549	<a href="#">699775</a>	4549734517225			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN</a>	1,398,00	EC002549	<a href="#">699780</a>	4549734517232			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN</a>	1,563,00	EC002549	<a href="#">699783</a>	4549734517249			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1400-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN</a>	1,741,00	EC002549	<a href="#">699788</a>	4549734517256			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1600-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN</a>	1,927,00	EC002549	<a href="#">699792</a>	4549734517263			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1800-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN</a>	2,143,00	EC002549	<a href="#">699796</a>	4549734517270			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2000-14</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN</a>	2,307,00	EC002549	<a href="#">699799</a>	4549734517287			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2RA0350-30</a>	<a href="#">Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 350mm, PNP/NPN</a>	865,50	EC002549	<a href="#">674113</a>	4549734102865			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RA0910-30</a>	<a href="#">Safety Sensor, F3SG-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP/NPN</a>	1,350,00	EC002549	<a href="#">674128</a>	4549734102933			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF01090P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 190mm, PNP</a>	498,60	EC002549	<a href="#">673584</a>	4549734103947			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0270P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 270mm, PNP</a>	609,50	EC002549	<a href="#">673579</a>	4549734103954			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0510P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 510mm, PNP</a>	814,50	EC002549	<a href="#">673556</a>	4549734103985			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0590P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP</a>	917,00	EC002549	<a href="#">673500</a>	4549734103992			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0910P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP</a>	1,214,00	EC002549	<a href="#">673490</a>	4549734104036			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF0990P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP</a>	1,223,00	EC002549	<a href="#">673591</a>	4549734104043			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2RF1070P30</a>	<a href="#">Safety Sensor, F3SG-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1070mm, PNP</a>	1,322,00	EC002549	<a href="#">673489</a>	4549734104050			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-2SRB0160-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN</a>	582,50	EC002549	<a href="#">699755</a>	4549734517294			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0240-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN</a>	649,50	EC002549	<a href="#">699757</a>	4549734517300			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0320-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN</a>	715,00	EC002549	<a href="#">699760</a>	4549734517317			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN</a>	737,50	EC002549	<a href="#">699762</a>	4549734517324			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0480-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN</a>	804,00	EC002549	<a href="#">699766</a>	4549734517331			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN</a>	871,50	EC002549	<a href="#">699768</a>	4549734517348			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0640-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN</a>	891,00	EC002549	<a href="#">699772</a>	4549734517355			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0720-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN</a>	958,00	EC002549	<a href="#">699773</a>	4549734517362			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0800-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN</a>	1,025,00	EC002549	<a href="#">699776</a>	4549734517379			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0880-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN</a>	1,046,00	EC002549	<a href="#">699777</a>	4549734517386			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0960-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN</a>	1,128,00	EC002549	<a href="#">699779</a>	4549734517393			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1040-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN</a>	1,194,00	EC002549	<a href="#">699781</a>	4549734517400			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1040-25-K</a>	<a href="#">Safety Light Curtain, F3SG-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN</a>	2,941,00	EC002549	<a href="#">702463</a>	4549734514040			FC	FCS	JPN	8536.5019.90
<a href="#">F3SG-2SRB1120-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN</a>	1,215,00	EC002549	<a href="#">699782</a>	4549734517416			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN</a>	1,284,00	EC002549	<a href="#">699784</a>	4549734517423			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1280-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN</a>	1,354,00	EC002549	<a href="#">699786</a>	4549734517430			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1360-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN</a>	1,374,00	EC002549	<a href="#">699787</a>	4549734517447			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1440-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN</a>	1,441,00	EC002549	<a href="#">699789</a>	4549734517454			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1520-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN</a>	1,531,00	EC002549	<a href="#">699790</a>	4549734517461			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1600-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN</a>	1,551,00	EC002549	<a href="#">699793</a>	4549734517478			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1680-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN</a>	1,619,00	EC002549	<a href="#">699794</a>	4549734517485			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1760-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN</a>	1,685,00	EC002549	<a href="#">699795</a>	4549734517492			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1840-25</a>	<a href="#">Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN</a>	1,707,00	EC002549	<a href="#">699797</a>	4549734517508			FC	FCS	CHN	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F3SG-2SRB1920-25</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1,774.00	EC002549	<a href="#">699798</a>	4549734517515			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2080-25</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1,862.00	EC002549	<a href="#">699800</a>	4549734517522			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2280-25</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,076.00	EC002549	<a href="#">699801</a>	4549734517539			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB2480-25</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,192.00	EC002549	<a href="#">699802</a>	4549734517546			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-2SRB0240-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	624.50	EC002549	<a href="#">699758</a>	4549734517553			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0280-85</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	647.00	EC002549	<a href="#">699725</a>	4549734517621			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0400-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	696.50	EC002549	<a href="#">699763</a>	4549734517560			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0440-85</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	711.50	EC002549	<a href="#">699764</a>	4549734517638			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0560-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	812.50	EC002549	<a href="#">699769</a>	4549734517577			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0600-85</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	819.50	EC002549	<a href="#">699770</a>	4549734517645			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0720-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	883.50	EC002549	<a href="#">699774</a>	4549734517584			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0760-85</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	883.50	EC002549	<a href="#">699777</a>	4549734517652			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0880-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	957.00	EC002549	<a href="#">699778</a>	4549734517591			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB0920-85</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	964.00	EC002549	<a href="#">699776</a>	4549734517669			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1200-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,161.00	EC002549	<a href="#">699785</a>	4549734517607			FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-2SRB1520-45</a>	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,376.00	EC002549	<a href="#">699791</a>	4549734517614			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
<a href="#">F3SG-4RA0240-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP/NPN	978.00	EC002549	<a href="#">673576</a>	4549734102056			FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0320-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 320mm, PNP/NPN	1,070.00	EC002549	<a href="#">673491</a>	4549734102063	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0400-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP/NPN	1,161.00	EC002549	<a href="#">673497</a>	4549734102070	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0480-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP/NPN	1,253.00	EC002549	<a href="#">673567</a>	4549734102087	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0560-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP/NPN	1,348.00	EC002549	<a href="#">673542</a>	4549734102094	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0640-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP/NPN	1,438.00	EC002549	<a href="#">673510</a>	4549734102100	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0720-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP/NPN	1,529.00	EC002549	<a href="#">673518</a>	4549734102117	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0800-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP/NPN	1,622.00	EC002549	<a href="#">673529</a>	4549734102124	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA0960-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP/NPN	1,804.00	EC002549	<a href="#">673568</a>	4549734102148	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1040-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP/NPN	1,896.00	EC002549	<a href="#">673550</a>	4549734102155	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1200-14</a>	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP/NPN	2,081.00	EC002549	<a href="#">673580</a>	4549734102179	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RA1520-14</a>	Safety Sensor, F3SG-R Advanced, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1520mm, PNP/NPN	2,466.00	EC002549	<a href="#">673537</a>	4549734102216	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0160P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 160mm, PNP	730.00	EC002549	<a href="#">673303</a>	4549734103145	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0240P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP	814.00	EC002549	<a href="#">673276</a>	4549734103152	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0320P14</a>	Emniyet sensörü F3SG-4RA için basamaklı kablo - 25-01TS (verici ve alıcı için set başına iki kablo) M12 (8-pinli) konik konektör	897.50	EC002549	<a href="#">673294</a>	4549734103169	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0400P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP	981.50	EC002549	<a href="#">673272</a>	4549734103176	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0480P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP	1,066.00	EC002549	<a href="#">673258</a>	4549734103183	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0560P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP	1,150.00	EC002549	<a href="#">673298</a>	4549734103190	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0640P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP	1,235.00	EC002549	<a href="#">673270</a>	4549734103206	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0720P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP	1,320.00	EC002549	<a href="#">673292</a>	4549734103213	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0800P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP	1,403.00	EC002549	<a href="#">673290</a>	4549734103220	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0880P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 880mm, PNP	1,487.00	EC002549	<a href="#">673300</a>	4549734103237	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF0960P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP	1,572.00	EC002549	<a href="#">673283</a>	4549734103244	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF1040P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP	1,654.00	EC002549	<a href="#">673304</a>	4549734103251	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF1200P14</a>	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP	1,826.00	EC002549	<a href="#">673262</a>	4549734103275	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF1360P14</a>	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1360mm, PNP	2,017.00	EC002549	<a href="#">673277</a>	4549734103299	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4RF1840P14</a>	Safety Sensor, F3SG-R Easy, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1840mm, PNP	2,963.00	EC002549	<a href="#">673251</a>	4549734103350	#		FC	FCS	NLD	8536.5019.90
<a href="#">F3SG-4SRA0160-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	637.00	EC002549	<a href="#">699729</a>	4549734515511	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0240-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	729.00	EC002549	<a href="#">699731</a>	4549734515535	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0320-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	829.50	EC002549	<a href="#">699734</a>	4549734515559	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0400-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	1,091.00	EC002549	<a href="#">699736</a>	4549734515573	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0480-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,066.00	EC002549	<a href="#">699739</a>	4549734515597	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0560-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,844.00	EC002549	<a href="#">699741</a>	4549734515610	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0600-14F</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,223.00	EC002549	<a href="#">699742</a>	4549734515627	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0640-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,271.00	EC002549	<a href="#">699743</a>	4549734515634	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0800-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,468.00	EC002549	<a href="#">699744</a>	4549734515672	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA0920-14F</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,755.00	EC002549	<a href="#">699745</a>	4549734515702	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1000-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,821.00	EC002549	<a href="#">699747</a>	4549734515726	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1200-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	2,028.00	EC002549	<a href="#">699748</a>	4549734515733	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1400-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,229.00	EC002549	<a href="#">699749</a>	4549734515740	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1600-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,467.00	EC002549	<a href="#">699750</a>	4549734515757	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA1800-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,718.00	EC002549	<a href="#">699751</a>	4549734515764	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRA2000-14</a>	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,981.00	EC002549	<a href="#">699752</a>	4549734515771	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRB0160-14</a>	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	623.50	EC002549	<a href="#">699803</a>	4549734516396	#		FC	FCS	CHN	8536.5019.90
<a href="#">F3SG-4SRB0200-14F</a>	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	706.50	EC002549	699807	4549734516419	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	755.00	EC002549	699810	4549734516426			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	802.50	EC002549	699813	4549734516433			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	2,170.00	EC002549	700911	4549734513531			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	845.00	EC002549	699815	4549734516440			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	886.50	EC002549	699817	4549734516457			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 400 mm, PNP/NPN	2,261.00	EC002549	706947	4549734513548			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0440-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	934.50	EC002549	699820	4549734516464			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	982.00	EC002549	699823	4549734516471			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	2,369.00	EC002549	699823	4549734513555			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	1,024.00	EC002549	699825	4549734516488			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,066.00	EC002549	699827	4549734516495			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2,440.00	EC002549	700703	4549734513562			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,114.00	EC002549	699698	4549734516501			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,163.00	EC002549	699832	4549734516518			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2,495.00	EC002549	700704	4549734513579			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1,206.00	EC002549	699834	4549734516525			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,247.00	EC002549	699836	4549734516532			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1,294.00	EC002549	699839	4549734516549			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,342.00	EC002549	699842	4549734516556			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0840-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1,385.00	EC002549	699844	4549734516563			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,426.00	EC002549	699846	4549734516570			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,475.00	EC002549	699849	4549734516587			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1,521.00	EC002549	699852	4549734516594			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,653.00	EC002549	699854	4549734516600			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	3,006.00	EC002549	699929	4549734513593			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,785.00	EC002549	699858	4549734516617			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	3,231.00	EC002549	699929	4549734513609			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,006.00	EC002549	699863	4549734516624			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	3,435.00	EC002549	696213	4549734513616			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,227.00	EC002549	699867	4549734516631			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,455.00	EC002549	699871	4549734516648			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	3,846.00	EC002549	700977	4549734513630			FC	FCS	JPN	8536.5019.90
F3SG-4SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,682.00	EC002549	699874	4549734516655			FC	FCS	CHN	8536.5019.90
<b>Emniyet Işık Bariyeri F3SG</b>											
F3SG-4RA0270-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP/NPN	829.00	EC002549	673533	4549734102551	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0350-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP/NPN	897.50	EC002549	673564	4549734102568			FC	FCS	NLD	8536.5019.90
F3SG-4RA0430-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP/NPN	967.00	EC002549	673560	4549734102575	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0510-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP/NPN	1,034.00	EC002549	673569	4549734102582			FC	FCS	NLD	8536.5019.90
F3SG-4RA0590-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP/NPN	1,103.00	EC002549	673519	4549734102599	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0670-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP/NPN	1,172.00	EC002549	673578	4549734102605			FC	FCS	NLD	8536.5019.90
F3SG-4RA0750-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP/NPN	1,242.00	EC002549	673511	4549734102612	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0830-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP/NPN	1,312.00	EC002549	673504	4549734102629			FC	FCS	NLD	8536.5019.90
F3SG-4RA0910-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP/NPN	1,377.00	EC002549	673554	4549734102636	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0990-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP/NPN	1,448.00	EC002549	673505	4549734102643			FC	FCS	NLD	8536.5019.90
F3SG-4RA1070-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP/NPN	1,515.00	EC002549	673553	4549734102650	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1230-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP/NPN	1,652.00	EC002549	673594	4549734102674	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1310-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP/NPN	1,723.00	EC002549	673502	4549734102681			FC	FCS	NLD	8536.5019.90
F3SG-4RA1470-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP/NPN	1,858.00	EC002549	673513	4549734102704	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1550-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP/NPN	1,927.00	EC002549	673549	4549734102711			FC	FCS	NLD	8536.5019.90
F3SG-4RA1630-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP/NPN	1,994.00	EC002549	673523	4549734102728			FC	FCS	NLD	8536.5019.90
F3SG-4RA1790-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP/NPN	2,132.00	EC002549	673546	4549734102742			FC	FCS	NLD	8536.5019.90
F3SG-4RA1950-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP/NPN	2,271.00	EC002549	673487	4549734102766			FC	FCS	NLD	8536.5019.90
F3SG-4RE0190P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 190mm, PNP	616.00	EC002549	673285	4549734103398	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0270P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP	678.00	EC002549	673299	4549734103404	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0350P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP	741.00	EC002549	673256	4549734103411			FC	FCS	NLD	8536.5019.90
F3SG-4RE0430P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP	804.00	EC002549	673293	4549734103428	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0510P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP	866.50	EC002549	673297	4549734103435	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0590P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP	929.00	EC002549	673278	4549734103442	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0670P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP	993.50	EC002549	673279	4549734103459	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0750P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP	1,057.00	EC002549	673289	4549734103466	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0830P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP	1,118.00	EC002549	673291	4549734103473	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0910P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP	1,182.00	EC002549	673284	4549734103480	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0990P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP	1,247.00	EC002549	673263	4549734103497			FC	FCS	NLD	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4RE11070P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP	1,312.00	EC002549	673269	4549734103503	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11230P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP	1,436.00	EC002549	673271	4549734103527	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11310P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP	1,498.00	EC002549	673257	4549734103534	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11470P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP	1,625.00	EC002549	673275	4549734103558	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11550P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP	1,687.00	EC002549	673273	4549734103565	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11630P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP	1,751.00	EC002549	673274	4549734103572	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11710P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1710mm, PNP	1,816.00	EC002549	673259	4549734103589	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11790P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP	1,879.00	EC002549	673264	4549734103596	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11870P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1870mm, PNP	1,939.00	EC002549	673266	4549734103602	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11950P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP	1,982.00	EC002549	673288	4549734103619	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	563.50	EC002549	699730	4549734515788	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	633.00	EC002549	699732	4549734515801	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0280-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	676.50	EC002549	699733	4549734515818	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	695.00	EC002549	699735	4549734515825	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	755.50	EC002549	699737	4549734515849	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0440-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	802.50	EC002549	699738	4549734515856	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	843.50	EC002549	699740	4549734515863	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	942.50	EC002549	699724	4549734515887	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	1,061.00	EC002549	699723	4549734515894	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	970.00	EC002549	699722	4549734515900	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0720-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,044.00	EC002549	699721	4549734515924	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,111.00	EC002549	699720	4549734515948	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0880-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,201.00	EC002549	699719	4549734515962	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0960-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,371.00	EC002549	699718	4549734515986	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1000-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,342.00	EC002549	699717	4549734515993	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1040-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,360.00	EC002549	699716	4549734516006	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1120-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,451.00	EC002549	699715	4549734516013	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,583.00	EC002549	699714	4549734516020	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,617.00	EC002549	699713	4549734516037	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1360-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,649.00	EC002549	699712	4549734516044	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1440-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,766.00	EC002549	699711	4549734516051	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,899.00	EC002549	699710	4549734516068	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,924.00	EC002549	699709	4549734516075	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1680-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,975.00	EC002549	699708	4549734516082	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1840-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	2,087.00	EC002549	699706	4549734516105	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1920-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,141.00	EC002549	699705	4549734516112	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2080-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,285.00	EC002549	699704	4549734516129	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,542.00	EC002549	699703	4549734516136	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,682.00	EC002549	699702	4549734516143	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	515.00	EC002549	699804	4549734516662	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 200 mm, PNP/NPN	571.00	EC002549	699806	4549734516679	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	515.00	EC002549	699808	4549734516686	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	611.50	EC002549	699811	4549734516693	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	630.50	EC002549	699814	4549734516709	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 320 mm, PNP/NPN	2,659.00	EC002549	696345	4549734513647	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 360 mm, PNP/NPN	665.50	EC002549	699816	4549734516716	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	695.00	EC002549	699818	4549734516723	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 400 mm, PNP/NPN	2,716.00	EC002549	707098	4549734513654	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0440-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	731.00	EC002549	699821	4549734516730	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	766.50	EC002549	699824	4549734516747	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 480 mm, PNP/NPN	2,494.00	EC002549	700917	4549734513661	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 520 mm, PNP/NPN	802.50	EC002549	699826	4549734516754	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	833.00	EC002549	699828	4549734516761	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 560 mm, PNP/NPN	2,608.00	EC002549	699491	4549734513678	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	862.50	EC002549	699830	4549734516778	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	898.50	EC002549	699833	4549734516785	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 640 mm, PNP/NPN	2,649.00	EC002549	696356	4549734513685	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 680 mm, PNP/NPN	934.50	EC002549	699835	4549734516792	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	964.00	EC002549	699837	4549734516808	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 720 mm, PNP/NPN	3,076.00	EC002549	696346	4549734513692	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0760-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	994.50	EC002549	699840	4549734516815	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,031.00	EC002549	699843	4549734516822	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 800 mm, PNP/NPN	2,824.00	EC002549	696652	4549734513708	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0840-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 840 mm, PNP/NPN	1,066.00	EC002549	699845	4549734516839	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,102.00	EC002549	699847	4549734516846	#		FC	FCS	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0880-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 880 mm, PNP/NPN	2,775.00	EC002549	707689	4549734513715			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0920-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,138.00	EC002549	699850	4549734516853			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,168.00	EC002549	699853	4549734516860			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN	3,053.00	EC002549	695799	4549734513722			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1000-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,198.00	EC002549	699855	4549734516877			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN	3,102.00	EC002549	699189	4549734610353			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,271.00	EC002549	699856	4549734516884			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	3,121.00	EC002549	700925	4549734513739			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,342.00	EC002549	699857	4549734516891			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,402.00	EC002549	699859	4549734516907			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN	2,943.00	EC002549	700894	4549734513753			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,475.00	EC002549	699861	4549734516914			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,546.00	EC002549	699862	4549734516921			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN	3,088.00	EC002549	699293	4549734513777			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,605.00	EC002549	699864	4549734516938			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,677.00	EC002549	699865	4549734516945			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN	3,616.00	EC002549	695029	4549734513791			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,749.00	EC002549	699868	4549734516952			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN	3,654.00	EC002549	699490	4549734513807			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,809.00	EC002549	699869	4549734516969			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,881.00	EC002549	699870	4549734516976			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,953.00	EC002549	699872	4549734516983			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN	3,876.00	EC002549	699489	4549734513838			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,011.00	EC002549	699873	4549734516990			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,084.00	EC002549	699875	4549734517003			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,217.00	EC002549	699728	4549734517010			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,347.00	EC002549	699753	4549734517027			FC	FCS	CHN	8536.5019.90

**Emniyet Işık Bariyeri F3SG**

F3SG-4PGA0670-2A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, product length 670 mm, Active/active	888.50	EC001832	695671	4549734453486			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive	795.50	EC001832	695715	4549734453523			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active	912.50	EC001832	695718	4549734453561			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, product length 970 mm, Active/active	1,104.00	EC001832	695664	4549734453493			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active	1,134.00	EC001832	695719	4549734453578			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active	1,419.00	EC001832	695711	4549734453509			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive	1,272.00	EC001832	695716	4549734453547			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active	1,425.00	EC001832	695720	4549734453585			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/passive	1,482.00	EC001832	695710	4549734453516			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive	1,332.00	EC001832	695717	4549734453554			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active	1,490.00	EC001832	695721	4549734453592			FC	FCS	JPN	8536.5019.90
F3SG-4SRA0560-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	794.50	EC002549	699701	4549734516174			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,408.00	EC002549	699699	4549734516266			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,886.00	EC002549	699700	4549734516211			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	748.50	EC002549	699809	4549734517034			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	776.00	EC002549	699812	4549734517102			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	835.00	EC002549	699819	4549734517041			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	853.50	EC002549	699822	4549734517119			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	974.50	EC002549	699820	4549734517058			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	982.00	EC002549	699831	4549734517126			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,061.00	EC002549	699838	4549734517065			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,061.00	EC002549	699841	4549734517133			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,149.00	EC002549	699848	4549734517072			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,158.00	EC002549	699851	4549734517140			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,393.00	EC002549	699860	4549734517089			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,651.00	EC002549	699866	4549734517096			FC	FCS	CHN	8536.5019.90

**Emniyet Işık Bariyeri F3SG**

F3W-MA0100P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 100mm ışın boşluğu	440.90	EC003015	667382	4548583571150			FC	FCS	JPN	8541.4900.00
F3W-MA0300P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 300mm ışın boşluğu	552.00	EC003015	667381	4548583571167			FC	FCS	JPN	8541.4900.00

**Emniyet Işık Bariyeri Aksesuarı**

F39-BT	Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye, bluetooth ünitesi	112.70	EC003015	667386	4548583564350			FC	FCZ	JPN	8541.4900.00
F39-BTI-P	Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye, bluetooth ve lamba ünitesi	101.70	EC003015	667384	4548583564367	#		FC	FCZ	JPN	8541.4900.00
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor, length 150 mm (2 mounters per set)	82.65	EC003015	695791	4549734523134			FC	FCZ	CHN	8541.4900.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor, length 150 mm (2 mounters per set)	67.10	EC003015	695793	4549734523110			FC	FCZ	CHN	8541.4900.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor, length 400 mm (2 mounters per set)	92.25	EC003015	695790	4549734523141			FC	FCZ	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-FMA400T	Muting sensor arm mounter for through-beam sensor,length 400 mm (2 mounters per set)	76.65	EC003015	695792	4549734523127			FC	FCZ	CHN	8541.4900.00
F39-GC4	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü set (1 alıcı için +1 verici için)	160.90	EC003015	667378	4548583594197			FC	FCZ	JPN	8541.4900.00
F39-GC4-D	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, alıcı için	90.25	EC003015	667380	4548583594210			FC	FCZ	JPN	8541.4900.00
F39-GC4-L	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, verici için	70.55	EC003015	667379	4548583594203			FC	FCZ	JPN	8541.4900.00
F39-GCN5	Muting Sensor Connection Box for F3SG-SR/PG series	218.10	EC003015	695767	4549734458177			FC	FCZ	JPN	8541.4900.00
F39-GCNY1	Safety Sensor Accessory, F3SG-R Easy, M12 Y-joint connector, 0.5m	29.50	EC003015	667638	4548583568013			FC	FCZ	JPN	8541.4900.00
F39-GCNY2	Safety Sensor Accessory, F3SG-R Advanced, M12 Y-joint connector, 0.5m	50.30	EC003015	667643	4548583568020			FC	FCZ	JPN	8541.4900.00
F39-IG10A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 10m	62.20	EC001855	667628	4548583567856			FC	FCZ	JPN	8544.4290.90
F39-IG10A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 10m	45.79	EC001855	667630	4548583567672			FC	FCZ	JPN	8544.4290.90
F39-IG10B-D	Safety Sensor Accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 10m	79.40	EC001855	667635	4548583567986			FC	FCZ	JPN	8544.4290.90
F39-IG10B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10m	57.50	EC001855	667645	4548583567801			FC	FCZ	JPN	8544.4290.90
F39-IG10C-D	Root-straight cable 10 m for F3SG-SR (cable for receiver with dedicated connector - Black)	49.08	EC001855	690360	4549734458009			FC	FCZ	JPN	8544.4290.90
F39-IG10C-L	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	37.10	EC001855	690359	4549734457996			FC	FCZ	JPN	8544.4290.90
F39-IG15A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15m	83.85	EC001855	667600	4548583567863			FC	FCZ	JPN	8544.4290.90
F39-IG15A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15m	60.30	EC001855	667626	4548583567689			FC	FCZ	JPN	8544.4290.90
F39-IG18-D	F3SG-R İleri seviye, receiver extension cable M12 8-pin, male/1m	34.18	EC001855	667634	4548583567948		5	FC	FCZ	JPN	8544.4290.90
F39-IG18-L	F3SG-R İleri seviye, emitter extension cable M12 5-pin, male/1m	25.61	EC001855	667631	4548583567764		5	FC	FCZ	JPN	8544.4290.90
F39-IG20A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20m	104.90	EC001855	667633	4548583567870			FC	FCZ	JPN	8544.4290.90
F39-IG20A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20m	75.70	EC001855	667644	4548583567696			FC	FCZ	JPN	8544.4290.90
F39-IG3A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 3m	31.04	EC001855	667599	4548583567832		5	FC	FCZ	JPN	8544.4290.90
F39-IG3A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 3m	23.27	EC001855	667598	4548583567658		5	FC	FCZ	JPN	8544.4290.90
F39-IG3B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3m	31.99	EC001855	667639	4548583567771		5	FC	FCZ	JPN	8544.4290.90
F39-IG3C-D	Root-straight cable 3 m for F3SG-SR (cable for receiver with dedicated connector - Black)	27.53	EC001855	690027	4549734457941			FC	FCZ	JPN	8544.4290.90
F39-IG3C-L	Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	22.75	EC001855	690033	4549734457934			FC	FCZ	JPN	8544.4290.90
F39-IG7A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 7m	48.49	EC001855	667627	4548583567849			FC	FCZ	JPN	8544.4290.90
F39-IG7A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 7m	35.72	EC001855	667625	4548583567665			FC	FCZ	JPN	8544.4290.90
F39-IG7C-D	Root-straight cable 7 m for F3SG-SR (cable for receiver with dedicated connector - Black)	37.10	EC001855	690358	4549734457972			FC	FCZ	JPN	8544.4290.90
F39-IG7C-L	Root-straight cable 7 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	31.12	EC001855	690357	4549734457965		5	FC	FCZ	JPN	8544.4290.90
F39-IGB12L	Side-by-side Cascading Cable set 0.12 m for F3SG-4SR (2 cables per set, for emitter and receiver)	103.40	EC001855	688922	4549734458061			FC	FCZ	JPN	8544.4290.90
F39-IGR2W	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, seri bağlama kablosu seti (2 adet)	51.15	EC001855	667568	4548583564398			FC	FCZ	JPN	8544.4290.90
F39-IGR2WTS	Cascading cable for Safety sensor F3SG-4RA, 25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector	115.30	EC001855	679503	4548583865013			FC	FCZ	JPN	8544.4290.90
F39-IGR3K-D	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for receiver - black)	29.93	EC001855	690029	4549734458030			FC	FCZ	JPN	8544.4290.90
F39-IGR3K-L	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for emitter - gray)	25.15	EC001855	690028	4549734458023			FC	FCZ	JPN	8544.4290.90
F39-IGR3W	Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)	103.40	EC001855	688669	4549734458054			FC	FCZ	JPN	8544.4290.90
F39-IMAF1	Bracket for muting sensor arm mounter (2 units per set)	33.52	EC003015	695794	4549734523714			FC	FCZ	CHN	8541.4900.00
<b>Emniyet Işık Bariyeri Aksesuar</b>											
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F3SG-PG, A/L (2 beams)	269.50	EC003015	695785	4549734523264			FC	FCZ	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (3 beams)	330.40	EC003015	695784	4549734523271			FC	FCZ	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)	388.00	EC003015	695783	4549734523288			FC	FCZ	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)	396.30	EC003015	695782	4549734523295			FC	FCZ	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F3SG-SR/PG up to 800 mm	484.80	EC003015	695789	4549734523219			FC	FCZ	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F3SG-SR/PG up to 1120 mm	549.00	EC003015	695788	4549734523226			FC	FCZ	CHN	8541.9000.00
F39-SML1630	Mirror column 1630 mm for Safety Light Curtain F3SG-SR/PG up to 1440 mm	724.00	EC003015	695787	4549734523233			FC	FCZ	CHN	8541.9000.00
F39-SML1950	Mirror column 1950 mm for Safety Light Curtain F3SG-SR/PG up to 1760 mm	757.00	EC003015	695786	4549734523240			FC	FCZ	CHN	8541.9000.00
F39-ST0990	Floor mount column of 990 mm for F3SG-SR/PG, Protective Height up to 880 mm	157.00	EC003015	695770	4549734523165			FC	FCZ	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F3SG-SR/PG, protective height up to 1280 mm	184.50	EC003015	695771	4549734523172			FC	FCZ	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F3SG-SR/PG, protective height up to 1520 mm	239.50	EC003015	695772	4549734523189			FC	FCZ	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F3SG-SR/PG, protective height up to 1840 mm	245.50	EC003015	695773	4549734523196			FC	FCZ	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F3SG-SR/PG	127.10	EC003015	695769	4549734523158			FC	FCZ	CHN	8541.9000.00
<b>Emniyet Işık Bariyeri Aksesuar</b>											
F39-IGF	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, arayüz ünitesi	217.90	EC003015	667567	4548583564381			FC	FCZ	JPN	8541.4900.00
F39-IGA	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, ayarlanabilir braket seti (2 adet), ayarlama +/- 15°	28.04	EC003015	667566	4548583564121			FC	FCZ	JPN	8541.4900.00
F39-IGF	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, sabit braket seti (2 adet)	18.20	EC003015	667565	4548583564114			FC	FCZ	JPN	8541.4900.00
F39-IGMAL	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, L-Shape Muting Bracket (2pcs.)	96.70	EC003015	669119	4548583571174			FC	FCZ	JPN	8541.4900.00
F39-IGTR	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, üst/alt ayarlama braket seti (4 adet), ayarlama +/- 22.5°	95.55	EC003015	667385	4548583564329	#		FC	FCZ	JPN	7326.9098.90
F39-IP	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, lamba ünitesi	47.41	EC003015	667337	4548583564343			FC	FCZ	JPN	8541.4900.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	35.35	EC003015	690252	4549734523684			FC	FCZ	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	32.74	EC003015	694903	4549734457804		#	FC	FCZ	JPN	8544.4290.90
F39-LSGTB-K	Mounting bracket for F3SG-SRB JP69K Model (set of 2 brackets)	63.55	EC003015	695798	4549734457903			FC	FCZ	JPN	8541.4900.00
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs.) for F3SJ/SN series	22.26	EC003015	690268	4549734523042			FC	FCZ	CHN	8541.4900.00
F39-PTG	Safety Sensor Accessory, F3SG-R Series, Laser-alignment kit	389.90	EC003015	688894	4548583577707			FC	FCZ	JPN	8541.4900.00
F39-PTS	Laser-alignment kit for F3SG-SR/PG Series	687.50	EC003015	701636	4549734712286			FC	FCZ	JPN	8541.4900.00
F39-SGLP	Safety sensor accessory, F3SG-SR/PG, lamp unit	22.26	EC003015	695768	4549734523103			FC	FCZ	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Emniyet Işık Bariyeri Aksesuar</b>											
<a href="#">F39-SGBT</a>	<a href="#">Bluetooth Communication Unit for F39-SGIT-IL3</a>	79.50	EC003015	<a href="#">688699</a>	4549734523097			FC	FCZ	CHN	8541.4900.00
<a href="#">F39-SGIT-IL3</a>	<a href="#">Intelligent Tap unit for F35G-SR/PG</a>	227.20	EC003015	<a href="#">688700</a>	4549734523080			FC	FCZ	CHN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZG</b>											
ZG2-WDC41A	<a href="#">ZG Profile sensor controller, PNP, 24 VDC, includes Smart Monitor ZG Software.</a>	5,750.00	EC001825	<a href="#">257544</a>	4547648621687			GA	GAB	JPN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZS</b>											
ZS-HLDC41	<a href="#">ZS-H controller, analog output and PNP digital outputs</a>	1,778.00	EC001825	<a href="#">223618</a>	4547648218634			GA	GAC	JPN	8541.4900.00
<b>Lazer Ölçüm Sistemi ZS</b>											
ZS-LD200 2M	<a href="#">Sensor head, diffuse, 200+/-50mm sensing range, 5um resolution</a>	2,698.00	EC001825	<a href="#">180553</a>	4547648084543			GA	GAC	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LDA11-N 2M</a>	<a href="#">Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs</a>	1,399.00	EC003015	<a href="#">169183</a>	4547648027342			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LDA41-N 2M</a>	<a href="#">Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs</a>	1,424.00	EC003015	<a href="#">169184</a>	4547648027359			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LD100L</a>	<a href="#">Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)</a>	1,575.00	EC001825	<a href="#">106270</a>	4536854772399			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LD40L 2M</a>	<a href="#">Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)</a>	1,568.00	EC001825	<a href="#">237554</a>	4547648342186			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-GT2840541</a>	<a href="#">Sensor head integrated type, measuring width 28mm, distance 40mm, PNP (for use with ZG-GTC)</a>	3,544.00	EC002716	<a href="#">238019</a>	4547648424424			GA	GAD	JPN	8541.4900.00
<a href="#">ZX-GT28541</a>	<a href="#">Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZG-GTC)</a>	3,456.00	EC002716	<a href="#">238017</a>	4547648424400			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-LD100</a>	<a href="#">Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)</a>	1,354.00	EC001825	<a href="#">154718</a>	4536854772306			GA	GAD	JPN	9031.9000.00
<a href="#">ZX-LD40</a>	<a href="#">Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)</a>	1,354.00	EC001825	<a href="#">150241</a>	4536854772290			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-L-T005</a>	<a href="#">Laser sensor head, through-beam, 5mm beam width (requires amplifier)</a>	1,399.00	EC002716	<a href="#">106277</a>	4536854810121			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-L-T010</a>	<a href="#">Laser sensor head, through-beam, 10mm beam width (requires amplifier)</a>	1,407.00	EC002716	<a href="#">106279</a>	4536854823633			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-XC4A 4M</a>	<a href="#">Extension cable (amplifier to head), 4m</a>	318.20	EC003015	<a href="#">267630</a>	4547648597081			GA	GAD	CHN	8544.4290.90
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-EDA11 2M</a>	<a href="#">Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model</a>	1,124.00	EC003015	<a href="#">147926</a>	4536854864063			GA	GAD	JPN	8542.3390.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-FM02HT</a>	<a href="#">Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)</a>	1,320.00	EC002714	<a href="#">162403</a>	4547648007979			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-FM02T</a>	<a href="#">Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)</a>	765.50	EC002714	<a href="#">106190</a>	4536854895777			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-FM07MT</a>	<a href="#">Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)</a>	1,276.00	EC002714	<a href="#">106191</a>	4536854895784			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-FDR5T</a>	<a href="#">Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)</a>	788.50	EC002714	<a href="#">143642</a>	4536854895746			GA	GAD	JPN	9031.4990.00
<a href="#">ZX-FV04T</a>	<a href="#">Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)</a>	962.50	EC002714	<a href="#">162899</a>	4547648007962			GA	GAD	JPN	9031.4990.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TA0</a>	<a href="#">Contact sensor amplifier, Smart tuning, fieldbus communication</a>	292.60	EC003015	<a href="#">393087</a>	4548583519046			GA	GAD	JPN	8541.4900.00
<a href="#">ZX-TDA41 2M</a>	<a href="#">Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model</a>	1,413.00	EC003015	<a href="#">175666</a>	4547648095488			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX-TDS04T</a>	<a href="#">Sensor head, standard type, Ø6mm, distance 4mm (for use with ZX-TDA)</a>	2,315.00	EC003015	<a href="#">168125</a>	4547648006071			GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TH12LF 2M</a>	<a href="#">Contact sensor, right-angle air type, M9, flange, 12 mm detection range, 0.1um resolution</a>	2,136.00	EC003015	<a href="#">393082</a>	4548583414419	#		GA	GAD	JPN	8541.4900.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">E9NC-TXCS</a>	<a href="#">Accessory contact sensor, E9NC, connection cable for contact sensor, 5 m</a>	117.20	EC003015	<a href="#">393084</a>	4548583414488	#		GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
<a href="#">ZX2-LDA11 2M</a>	<a href="#">lazer mesafe sensörü, CMOS tip, amplifikatör, NPN</a>	661.50	EC001825	<a href="#">351515</a>	4548583005860			GA	GAD	JPN	9031.9000.00
<a href="#">ZX2-LDA41 2M</a>	<a href="#">lazer mesafe sensörü, CMOS tip, amplifikatör, PNP</a>	661.50	EC001825	<a href="#">351516</a>	4548583005877	#		GA	GAD	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Akıllı Sensörler ZX</b>											
ZX2-LD100 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 100mm +/- 35mm, 5µm çözünürlük, 0.5m kablolu	861.00	EC001825	351521	4548583005938	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100L 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 100mm +/- 35mm, 5µm çözünürlük, 0.5m kablolu	820.50	EC001825	351522	4548583005945	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 50mm +/- 10mm, 1.5µm çözünürlük, 0.5m kablolu	794.50	EC001825	351519	4548583005914	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50L 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 50mm +/- 10mm, 1.5µm çözünürlük, 0.5m kablolu	816.50	EC001825	351520	4548583005921	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50V 0.5M	Lazer displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1,514.00	EC001825	355135	4548583074019			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
ZX2-XC4R	Extension cable (amplifier to head), 1m	125.90	EC003015	351517	4548583005891			GA	GAD	CHN	9031.9000.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	198.70	EC003015	351518	4548583005907	#		GA	GAD	CHN	9031.9000.00
ZX2-XC9R	Extension cable (amplifier to head), 9m	312.10	EC003015	351523	4548583005952			GA	GAD	CHN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
ZX2-CAL	hesaplama ünitesi	257.30	EC003015	352349	4548583005884			GA	GAD	JPN	9031.9000.00
<b>Akıllı Sensörler ZX</b>											
ZX1-LD100A61 2M	Lazer mesafe sensörü, 100 +/- 50mm, NPN, 2m kablolu	1,046.00	EC001825	358734	4548583105836			GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 2M	Lazer mesafe sensörü, 100 +/- 50mm, PNP, 2m kablolu	1,046.00	EC001825	358735	4548583105843	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 5M	Lazer displacement sensor, 100 +/- 50 mm, PNP, 5m cable	1,095.00	EC001825	358743	4548583105935			GA	GAD	JPN	9031.9000.00
ZX1-LD100A86 0.5M	Lazer displacement sensor, 100 +/- 50 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358751	4548583106048			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 2M	Lazer mesafe sensörü, 300 +/- 150mm, NPN, 2m kablolu	1,046.00	EC001825	358736	4548583105867			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 5M	Lazer displacement sensor, 300 +/- 150 mm, NPN, 5m cable	1,095.00	EC001825	358744	4548583105942			GA	GAD	JPN	9031.9000.00
ZX1-LD300A66 0.5M	Lazer displacement sensor, 300 +/- 150 mm, NPN, 0.5m pigtail connector	1,194.00	EC001825	358752	4548583106055			GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 2M	Lazer mesafe sensörü, 300 +/- 150mm, PNP, 2m kablolu	1,046.00	EC001825	358737	4548583105874	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 5M	Lazer displacement sensor, 300 +/- 150 mm, PNP, 5m cable	1,095.00	EC001825	358745	4548583105959			GA	GAD	JPN	9031.9000.00
ZX1-LD300A86 0.5M	Lazer displacement sensor, 300 +/- 150 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358753	4548583106062			GA	GAD	JPN	9031.9000.00
ZX1-LD50A61 2M	Lazer mesafe sensörü, 50 +/- 10mm, NPN, 2m kablolu	1,046.00	EC001825	358732	4548583105812			GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 2M	Lazer mesafe sensörü, 50 +/- 10mm, PNP, 2m kablolu	1,046.00	EC001825	358733	4548583105829	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 5M	Lazer displacement sensor, 50 +/- 10 mm, PNP, 5m cable	1,095.00	EC001825	358741	4548583105911			GA	GAD	JPN	9031.9000.00
ZX1-LD50A86 0.5M	Lazer displacement sensor, 50 +/- 10 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358749	4548583106024			GA	GAD	JPN	9031.9000.00
ZX1-LD600A61 2M	Lazer mesafe sensörü, 600 +/- 400mm, NPN, 2m kablolu	1,046.00	EC001825	358738	4548583105881			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 2M	Lazer mesafe sensörü, 600 +/- 400mm, PNP, 2m kablolu	1,046.00	EC001825	358739	4548583105898	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 5M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 5m cable	1,095.00	EC001825	358747	4548583105980			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81L 2M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	1,042.00	EC001825	668927	4548583314054			GA	GAD	JPN	9031.9000.00
ZX1-LD600A86 0.5M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358755	4548583106086			GA	GAD	JPN	9031.9000.00
<b>Profil Ölçüm Sistemi</b>											
F8PC-010T-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684394	4549734213240	#		GA	GAF	JPN	9026.2020.00
F8PC-100T-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684395	4549734213257	#		GA	GAF	JPN	9026.2020.00
<b>Profil Ölçüm Sistemi</b>											
F8FC-25T	Flow sensor, liquid, PNP, IO-Link COM3, analog	916.00	EC001190	684371	4549734213011	#		GA	GAF	JPN	9026.1021.00
<b>Sensör Harici Yükseltici N-Sma</b>											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	249.50	EC003015	375078	4548583374980			GA	GAN	CHN	8536.5019.90
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375079	4548583374997			GA	GAN	CHN	8536.5019.90
E3NC-LH01 2M	Lazer sensor head, 55-85mm, 0.1 mm spot	323.50	EC002719	375086	4548583376144			GA	GAN	JPN	8541.4900.00
E3NC-LH02 2M	Lazer sensor head, 1200mm, 0.8 mm spot adjustable	323.50	EC001821	375085	4548583376137			GA	GAN	JPN	8541.4900.00
E3NC-LH03 2M	Lazer sensor head, retro-reflective, 8m, 2mm spot	272.00	EC002717	392637	4548583489318			GA	GAN	JPN	8541.4900.00
E3NC-SA51 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375071	4548583376090			GA	GAN	JPN	8536.5019.90
E3NC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	249.50	EC003015	379286	4548583425743			GA	GAN	JPN	8536.5019.90
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	457.40	EC002719	375074	4548583376151			GA	GAN	JPN	8541.4900.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	457.40	EC002719	375077	4548583376168			GA	GAN	JPN	8541.4900.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	457.40	EC002719	379290	4548583442061			GA	GAN	JPN	8541.4900.00
<b>Sensör Harici Yükseltici N-Sma</b>											
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	245.40	EC001820	671056	4548583802582	#		GA	GAN	JPN	8536.5019.90
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	299.40	EC001820	671057	4548583802599			GA	GAN	JPN	8536.5019.90
E3NX-CA41 2M	Fiber amplifier, standart model, renk markası algılayıcı beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	249.40	EC001820	671058	4548583802605	#		GA	GAN	JPN	8536.5019.90
E3NX-CA51 2M	Fiber amplifier, gelişmiş model, renk işaretini algılayıcı beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	299.40	EC001820	671059	4548583802612	#		GA	GAN	JPN	8536.5019.90
E3NX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	237.20	EC002651	375783	4548583375222			GA	GAN	CHN	8536.5019.90
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	218.30	EC002651	375081	4548583375123			GA	GAN	CHN	8536.5019.90
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	274.40	EC002651	681543	4549734190442	#		GA	GAN	CHN	8536.5019.90
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	237.20	EC002651	375076	4548583375130			GA	GAN	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E3NX-FA41 2M</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable</a>	218.30	EC002651	<a href="#">375075</a>	4548583375147	#		GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA41AN 2M</a>	<a href="#">Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable</a>	274.40	EC002651	<a href="#">681545</a>	4549734190459			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA51 2M</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable</a>	237.20	EC002651	<a href="#">375073</a>	4548583375154			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA54</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector</a>	237.20	EC002651	<a href="#">378463</a>	4548583424210			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA54TW</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector</a>	237.20	EC002651	<a href="#">382424</a>	4548583424227			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA6</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector</a>	218.30	EC002651	<a href="#">375072</a>	4548583375161			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA8</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector</a>	218.30	EC002651	<a href="#">375065</a>	4548583375185			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FA9TW</a>	<a href="#">Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector</a>	237.20	EC002651	<a href="#">375068</a>	4548583375215			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-FAH41 2M</a>	<a href="#">Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable</a>	194.40	EC002651	<a href="#">681542</a>	4549734190404			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-MA11 2M</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable</a>	285.60	EC002651	<a href="#">681533</a>	4548583514690			GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-MA41 2M</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable</a>	285.60	EC002651	<a href="#">681532</a>	4548583514713	#		GA	GAN	CHN	8536.5019.90
<a href="#">E3NX-MAR</a>	<a href="#">Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector</a>	280.10	EC002651	<a href="#">681535</a>	4548583514744			GA	GAN	CHN	8536.5019.90
<b>Sensör Harici Yükseltici N-5ma</b>											
<a href="#">E3NW-FC1</a>	<a href="#">EtherCat communication unit for N-Smart sensors</a>	507.50	EC001603	<a href="#">375785</a>	4548583375093			GA	GAN	CHN	8541.4900.00
<b>Diğer Algılama Komponentleri</b>											
<a href="#">E3E-06-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin connector, detection area 200mm</a>	344.00	EC001832	<a href="#">235624</a>	4536853911218			GA	GAX	DEU	8536.5019.90
<a href="#">E3E-12-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, detection area 1320mm, M8-4pin connector</a>	549.50	EC001832	<a href="#">253472</a>	4547648861588			GA	GAX	DEU	8536.5019.90
<a href="#">E3E-16-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm</a>	598.50	EC001832	<a href="#">231744</a>	4536853908485			GA	GAX	DEU	8536.5019.90
<a href="#">E3E-46-T6</a>	<a href="#">Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm</a>	841.00	EC001832	<a href="#">231748</a>	4536853908522			GA	GAX	DEU	8536.5019.90
<b>Diğer Algılama Komponentleri</b>											
<a href="#">E3W-D052C 5M</a>	<a href="#">Picking Sensor, Through Beam, sensing distance 3 m, PNP output, 5 m cable</a>	529.00	EC001832	<a href="#">677791</a>	4549734111539			GA	GAX	JPN	8536.5019.90
<a href="#">E3W-D052D 1M</a>	<a href="#">Picking Sensor, Through Beam, Sensing distance 3m, NPN output</a>	902.50	EC001832	<a href="#">676805</a>	4549734111522	#		GA	GAX	JPN	8536.5019.90
<b>Diğer Algılama Komponentleri</b>											
<a href="#">E3W-E032A8 2M</a>	<a href="https://industrial.omron.com.tr/tr/home">https://industrial.omron.com.tr/tr/home</a>	372.20	EC001832	242184	4547648454902			GA	GAX	CHN	8541.4900.00
<b>Diğer Algılama Komponentleri</b>											
<a href="#">Z1-BA5074</a>	<a href="#">High performance bar type ioniser, 740mm</a>	2,235.00	EC000000	250525	4547648514460			GA	GAX	JPN	8543.7090.99
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-L12</a>	<a href="#">Protective Bracket, One each for emitter &amp; Reciver, (mounting screws included)</a>	42.42	EC003015	<a href="#">127294</a>	4536854487347			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-R22</a>	<a href="#">Reflektör, 40x55mm</a>	42.05	EC002467	<a href="#">392638</a>	4548583489332			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-P52</a>	<a href="#">Line beam lens attachment for E3NC-LH02</a>	30.42	EC003015	<a href="#">392640</a>	4548583489370			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZX-XC1A 1M</a>	<a href="#">Extension cable (amplifier to head), 1m</a>	230.40	EC003015	<a href="#">106271</a>	4536854776465			GA	GAZ	JPN	8544.4290.90
<a href="#">ZX-XC8A 8M</a>	<a href="#">Extension cable (amplifier to head), 8m</a>	431.20	EC003015	<a href="#">106274</a>	4536854810169			GA	GAZ	JPN	8544.4290.90
<a href="#">ZX-XGC2A</a>	<a href="#">ZX-GT - receiver-controller extension cable 2m</a>	377.90	EC003015	<a href="#">238032</a>	4547648424455			GA	GAZ	JPN	8541.4900.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-L180</a>	<a href="#">Mounting bracket for ZX1-LD50/LD100 sensor</a>	38.78	EC003015	<a href="#">364865</a>	4548583104938			GA	GAZ	JPN	9031.9000.00
<a href="#">E39-L181</a>	<a href="#">Mounting bracket for ZX1-LD300/LD600 sensor</a>	38.78	EC003015	<a href="#">364866</a>	4548583104945			GA	GAZ	JPN	9031.9000.00
<a href="#">ZX0-XC10R</a>	<a href="#">Extension cable ZX1 (for pre-wired connector models), 10m</a>	184.90	EC001855	<a href="#">359063</a>	4548583104914			GA	GAZ	CHN	8544.4290.90
<a href="#">ZX0-XC20R</a>	<a href="#">Extension cable ZX1 (for pre-wired connector models), 20m</a>	247.20	EC001855	<a href="#">359064</a>	4548583104921			GA	GAZ	CHN	8544.4290.90
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZS-XC5BR</a>	<a href="#">Extension Robot cable (amplifier to head), 5m</a>	794.50	EC003015	<a href="#">180561</a>	4547648103589			GA	GAZ	JPN	8536.5015.90
<a href="#">ZS-XRS3</a>	<a href="#">RS-232C cable, 2m cable length, for PC connection</a>	182.10	EC001681	<a href="#">680914</a>	4549734168717			GA	GAZ	JPN	8544.4210.00
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">ZW-XF5005R</a>	<a href="#">Extension fiber optic cable 5 m for family ZW-5000. Fiber adapter ZW-XFC2 is included</a>	463.50	EC003015	<a href="#">684077</a>	4549734122375			GA	GAZ	JPN	8544.7000.90
<a href="#">ZW-XF7005R</a>	<a href="#">Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included</a>	752.50	EC003015	<a href="#">676438</a>	4548583796102			GA	GAZ	JPN	8544.7000.90
<b>Sensör Sistemleri için Aksesuarlar</b>											
<a href="#">E39-B13</a>	<a href="#">Reflector, E3C-LDA sensor, 7x7mm effective area</a>	29.50	EC002467	<a href="#">163377</a>	4536854958311	#		GA	GAZ	JPN	8541.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Döner Enkoder E6A2</b>											
<a href="#">E6A2-CS5C 100P/R 2M</a>	<a href="#">Rotary Encoder</a>	204.40	EC001486	<a href="#">128496</a>	4536853366698			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CS5C 360P/R 2M</a>	<a href="#">Encoder,incremental, 360ppr, 12-24 VDC, 2-phase, NPN, 2 m cable</a>	204.40	EC001486	<a href="#">147610</a>	4536853366728			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CW5C 100P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu</a>	190.60	EC001486	<a href="#">128484</a>	4536853366490			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CW5C 100P/R 2M</a>	<a href="#">Enkoder,artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 2m kablolu</a>	206.00	EC001486	<a href="#">128501</a>	4536853366810			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CW5C 200P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 0.5m kablolu</a>	190.60	EC001486	<a href="#">128485</a>	4536853366506			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CW5C 200P/R 2M</a>	<a href="#">Enkoder,artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 2m kablolu</a>	205.80	EC001486	<a href="#">128502</a>	4536853366827			GC	GCA	JPN	9032.9000.90
<a href="#">E6A2-CWZ5C 200P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 200puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu</a>	196.70	EC001486	<a href="#">128414</a>	4536854494055			GC	GCA	JPN	9032.9000.90
<b>Döner Enkoder E6B2</b>											
<a href="#">E6B2-CWZ1X 1000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 0.5m kablolu</a>	250.30	EC001486	<a href="#">236008</a>	4547648295543			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ1X 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu</a>	269.30	EC001486	<a href="#">235972</a>	4547648295642			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ1X 2000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 2000puls, 5 VDC, Line driver, 0.5m kablolu</a>	276.10	EC001486	<a href="#">236009</a>	4547648295581			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 1000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu</a>	254.80	EC001486	<a href="#">235986</a>	4547648296212			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 100P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 100puls, 12-24 VDC, PNP, 0.5m kablolu</a>	264.20	EC001486	<a href="#">235982</a>	4547648296168			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 2000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 2000puls, 12-24 VDC, PNP, 0.5m kablolu</a>	280.80	EC001486	<a href="#">235987</a>	4547648296229	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 200P/R 0.5M</a>	<a href="#">Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable</a>	273.10	EC001486	<a href="#">235983</a>	4547648296175			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 360P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 360puls, 12-24 VDC, PNP, 0.5m kablolu</a>	315.30	EC001486	<a href="#">235984</a>	4547648296182			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 360P/R 2M</a>	<a href="#">Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable</a>	252.60	EC001486	<a href="#">361819</a>	4547648462907	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ5B 500P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 500puls, 12-24 VDC, PNP, 0.5m kablolu</a>	281.70	EC001486	<a href="#">235985</a>	4547648296199			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5-24 VDC, 3-faz, NPN, 0.5m kablolu</a>	252.60	EC001486	<a href="#">236001</a>	4547648295185			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5-24 VDC, 3-faz, NPN</a>	264.50	EC001486	<a href="#">236012</a>	4547648295611	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 100P/R 2M</a>	<a href="#">Enkoder,artımlı, 100puls, 5-24 VDC, 3-faz, NPN</a>	268.00	EC001486	<a href="#">236010</a>	4547648295598			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 1024P/R 0.5M</a>	<a href="#">Encoder, incremental, 1024ppr, 5-24 VDC, NPN output, 0.5m cable</a>	317.10	EC001486	<a href="#">351619</a>	4547648296304			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 2000P/R 0.5M</a>	<a href="#">Enkoder,artımlı, 2000puls, 5-24 VDC, NPN, 0.5m kablolu</a>	329.10	EC001486	<a href="#">236005</a>	4547648295222			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 2000P/R 2M</a>	<a href="#">Enkoder,artımlı, 2000puls, 5-24 VDC, 3-faz, NPN, 2m kablolu</a>	290.10	EC001486	<a href="#">235979</a>	4547648295949			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 200P/R 2M</a>	<a href="#">Enkoder,artımlı, 200puls, 5-24 VDC, 3-faz, NPN</a>	229.30	EC001486	<a href="#">236015</a>	4547648295703			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 360P/R 0.5M</a>	<a href="#">Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 0.5m cable</a>	252.60	EC001486	<a href="#">235997</a>	4547648295147			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 360P/R 2M</a>	<a href="#">Enkoder,artımlı, 360puls, 5-24 VDC, 3-faz, NPN</a>	264.50	EC001486	<a href="#">236014</a>	4547648295697			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 500P/R 0.5M</a>	<a href="#">Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 0.5m cable</a>	252.60	EC001486	<a href="#">235999</a>	4547648295161			GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 500P/R 2M</a>	<a href="#">Enkoder,artımlı, 500puls, 5-24 VDC, 3-faz, NPN</a>	247.90	EC001486	<a href="#">236011</a>	4547648295604	#		GC	GCB	CHN	9032.9000.90
<a href="#">E6B2-CWZ6C 600P/R 2M</a>	<a href="#">Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output</a>	257.40	EC001486	<a href="#">236013</a>	4547648295659	#		GC	GCB	CHN	9032.9000.90
<b>Döner Enkoder E6C2-C</b>											
<a href="#">E6C2-CWZ1X 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu</a>	357.90	EC001486	<a href="#">257299</a>	4547648528559	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 1000P/R 5M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 5m kablolu</a>	403.30	EC001486	<a href="#">257319</a>	4547648528856	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 1024P/R 2M</a>	<a href="#">Enkoder,artımlı, 1024puls, 5 VDC, Line driver, 2m kablolu</a>	306.80	EC001486	<a href="#">257311</a>	4547648528696			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 2000P/R 2M</a>	<a href="#">Enkoder,artımlı, 2000puls, 5 VDC, Line driver, 2m kablolu</a>	381.50	EC001486	<a href="#">257303</a>	4547648528597	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ1X 360P/R 2M</a>	<a href="#">Encoder, incremental, 360ppr, 5 VDC, Line driver output, 2m cable</a>	285.40	EC001486	<a href="#">257297</a>	4547648528535			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu</a>	302.40	EC001486	<a href="#">257309</a>	4547648528658	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 100P/R 2M</a>	<a href="#">Enkoder,artımlı, 100puls, 12-24 VDC, PNP, 2m kablolu</a>	268.30	EC001486	<a href="#">257304</a>	4547648528603	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 2000P/R 2M</a>	<a href="#">Enkoder,artımlı, 2000puls, 12-24 VDC, PNP, 2m kablolu</a>	323.80	EC001486	<a href="#">257310</a>	4547648528665			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 200P/R 2M</a>	<a href="#">Enkoder,artımlı, 200puls, 12-24 VDC, PNP, 2m kablolu</a>	268.30	EC001486	<a href="#">257305</a>	4547648528610	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 360P/R 2M</a>	<a href="#">Enkoder,artımlı, 360puls, 12-24 VDC, PNP, 2m kablolu</a>	282.90	EC001486	<a href="#">257306</a>	4547648528627	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ5B 500P/R 2M</a>	<a href="#">Enkoder,artımlı, 500puls, 12-24 VDC, PNP, 2m kablolu</a>	285.40	EC001486	<a href="#">257307</a>	4547648528634	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 5-24 VDC, NPN, 2m kablolu</a>	352.00	EC001486	<a href="#">257263</a>	4547648528191	#		GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 100P/R 2M</a>	<a href="#">Enkoder,artımlı, 100puls, 5-24 VDC, NPN, 2m kablolu</a>	265.90	EC001486	<a href="#">257256</a>	4547648528122			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 10P/R 2M</a>	<a href="#">Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable</a>	265.90	EC001486	<a href="#">257250</a>	4547648528061			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 1800P/R 2M</a>	<a href="#">Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable</a>	423.80	EC001486	<a href="#">257266</a>	4547648528221			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 2000P/R 2M</a>	<a href="#">Enkoder,artımlı, 2000puls, 5-24 VDC, NPN, 2m kablolu</a>	376.30	EC001486	<a href="#">257267</a>	4547648528238			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 200P/R 2M</a>	<a href="#">Enkoder,artımlı, 200puls, 5-24 VDC, NPN, 2m kablolu</a>	265.90	EC001486	<a href="#">257257</a>	4547648528139			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 360P/R 2M</a>	<a href="#">Enkoder,artımlı, 360puls, 5-24 VDC, NPN, 2m kablolu</a>	281.00	EC001486	<a href="#">257259</a>	4547648528153			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 500P/R 2M</a>	<a href="#">Enkoder,artımlı, 500puls, 5-24 VDC, NPN, 2m kablolu</a>	282.90	EC001486	<a href="#">257261</a>	4547648528177			GC	GCC	CHN	9032.9000.90
<a href="#">E6C2-CWZ6C 60P/R 2M</a>	<a href="#">Enkoder,artımlı, 60puls, 5-24 VDC, NPN, 2m kablolu</a>	311.70	EC001486	<a href="#">257255</a>	4547648528115			GC	GCC	CHN	9032.9000.90
<b>Döner Enkoder E6CP</b>											
<a href="#">E6CP-AG5C-C 256 2M</a>	<a href="#">Enkoder,mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	298.20	EC001486	<a href="#">106174</a>	4536854588532	#		GC	GCE	CHN	9032.9000.90
<b>Döner Enkoder E6F</b>											
<a href="#">E6F-CWZ5G 1000P/R 2M</a>	<a href="#">Enkoder,artımlı, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu</a>	644.00	EC001486	<a href="#">128114</a>	4536854740435			GC	GCF	JPN	9032.9000.90
<b>Döner Enkoder E6E</b>											
<a href="#">E6E-AB3C-C 360 2M</a>	<a href="#">Enkoder,mutlak, 360puls, 10-bit, 5-12 VDC, 2m kablolu, H8PR konnektör</a>	804.00	EC001486	<a href="#">154208</a>	4536853371975			GC	GCF	JPN	9032.9000.90
<a href="#">E6E-AG5B 360 2M</a>	<a href="#">Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable</a>	706.00	EC001486	<a href="#">128108</a>	4536854687877			GC	GCF	JPN	9032.9000.90
<a href="#">E6E-AG5C-C 256 2M</a>	<a href="#">Enkoder,mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör</a>	705.50	EC001486	<a href="#">145524</a>	4536853372033			GC	GCF	JPN	9032.9000.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E6F-AG5C-C 360/2M</a>	<a href="#">Enkoder mutlak, 360puls, 8-bit, 12-24VDC, 2m kablolu, H8PS konektör</a>	721.50	EC001486	<a href="#">168882</a>	4547648048132			GC	GCF	JPN	9032.9000.90
<a href="#">E6F-AG5C-C 720/2M</a>	<a href="#">Enkoder mutlak, 720puls, 8-bit, 12-24VDC, 2m kablolu, H8PS konektör</a>	754.00	EC001486	<a href="#">168883</a>	4547648048149			GC	GCF	JPN	9032.9000.90
<b>Döner Enkoder E6C3-C</b>											
<a href="#">E6C3-CWZ3XH 3600P/R 1M</a>	<a href="#">Encoder incremental 8 dia rugged housing, line driver output, 3600 ppr</a>	479.50	EC001486	<a href="#">150186</a>	4536854873553			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ3XH 3600P/R 2M</a>	<a href="#">Enkoder artımlı 8 çap dayanıklı gövde, line driver, 3600 puls, 2m kablolu</a>	519.00	EC001486	<a href="#">149118</a>	4536854871825			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 1000P/R 2M</a>	<a href="#">Enkoder artımlı 8 çap dayanıklı gövde, 1000puls, 12-24VDC, PNP/NPN, 2m kablolu</a>	479.50	EC001486	<a href="#">143733</a>	4536854871399			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 100P/R 2M</a>	<a href="#">Enkoder artımlı 8 çap dayanıklı gövde, 100puls, 12-24VDC, PNP/NPN, 2m kablolu</a>	432.00	EC001486	<a href="#">151300</a>	4536854871313			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 1024P/R 2M</a>	<a href="#">Encoder incremental, 8 dia tough model, 1024ppr, 12-24VDC, Complimentary output, 2m cable</a>	479.50	EC001486	<a href="#">154670</a>	4536854871405			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 2000P/R 2M</a>	<a href="#">Rotary Encoder</a>	479.50	EC001486	<a href="#">128257</a>	4536854871443			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 200P/R 1M</a>	<a href="#">Encoder incremental 8 dia rugged housing, complimentary output, 200 ppr</a>	392.80	EC001486	<a href="#">128190</a>	4536854873065			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 300P/R 2M</a>	<a href="#">Encoder incremental, 8 dia, shaft, rugged housing, complementary output, 300 ppr, 2 m cable</a>	432.00	EC001486	<a href="#">149115</a>	4536854871337			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 360P/R 2M</a>	<a href="#">Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 360 puls, 2m kablolu</a>	519.00	EC001486	<a href="#">128260</a>	4536854871474			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 360P/R 2M</a>	<a href="#">Encoder incremental 8 dia rugged housing, complimentary output 360 ppr, 2m cable</a>	432.00	EC001486	<a href="#">143732</a>	4536854871344			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 500P/R 2M</a>	<a href="#">Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 500 puls, 2m kablolu</a>	479.50	EC001486	<a href="#">146939</a>	4536854871351			GC	GCG	JPN	9032.9000.90
<a href="#">E6C3-CWZ5GH 720P/R 2M</a>	<a href="#">Encoder incremental, 8mm dia, shaft, rugged housing, 720ppr, 12-24VDC, complementary output, 2m cable</a>	479.50	EC001486	<a href="#">128252</a>	4536854871375			GC	GCG	JPN	9032.9000.90
<b>Döner Enkoder E6C3-A</b>											
<a href="#">E6C3-AG5B 1024P/R 2M</a>	<a href="#">Encoder absolute, 1024ppr, 9-bit, 12-24VDC, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">128235</a>	4536854871221			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5B 360P/R 2M</a>	<a href="#">Enkoder mutlak, 360puls, 9-bit, 12-24VDC, PNP açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">156885</a>	4536854871207			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5B 720P/R 2M</a>	<a href="#">Encoder absolute, 720ppr, 9-bit, 12-24VDC, PNP open collector, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">128234</a>	4536854871214			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C 1024P/R 2M</a>	<a href="#">Enkoder mutlak, 1024puls, 9-bit, 12-24VDC, NPN açık kollektör, 2m kablolu</a>	589.50	EC001486	<a href="#">128227</a>	4536854870989			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C 360P/R 2M</a>	<a href="#">Enkoder mutlak, 360 puls, 9-bit, 12-24VDC, NPN açık kollektör, 2m kablolu</a>	615.50	EC001486	<a href="#">128225</a>	4536854870965			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 256P/R 2M</a>	<a href="#">Encoder absolute, 256ppr, 9-bit, 12-24VDC, NPN open collector, gray code output, 2m cable</a>	631.50	EC001486	<a href="#">145873</a>	4536854871061	#		GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 360P/R 2M</a>	<a href="#">Enkoder mutlak, 360puls, 9-bit, 12-24VDC, NPN açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">103666</a>	4536854871078			GC	GCH	JPN	9032.9000.90
<a href="#">E6C3-AG5C-C 720P/R 2M</a>	<a href="#">Enkoder mutlak, 720puls, 9-bit, 12-24VDC, NPN açık kollektör, 2m kablolu</a>	631.50	EC001486	<a href="#">168881</a>	4547648048125			GC	GCH	JPN	9032.9000.90
<b>Döner Enkoderler için Aksesuarlar</b>											
<a href="#">E69-C04B</a>	<a href="#">Accessory encoder, shaft coupling dia, 4mm</a>	19.91	EC003015	<a href="#">128545</a>	4536853373498	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C06B</a>	<a href="#">Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder</a>	20.35	EC003015	<a href="#">128543</a>	4536853373467	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C08M</a>	<a href="#">Accessory encoder, shaft coupling dia, 6mm, metal</a>	88.90	EC003015	<a href="#">144309</a>	4536853373634			GC	GCZ	USA	9029.9000.90
<a href="#">E69-C08B</a>	<a href="#">Accessory encoder, shaft coupling for E6C3-A encoder</a>	28.51	EC003015	<a href="#">150821</a>	4536853373689			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C10B</a>	<a href="#">Accessory encoder, shaft coupling for E6F encoder</a>	32.06	EC003015	<a href="#">156411</a>	4536853373504			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C10M</a>	<a href="#">Accessory encoder, shaft coupling dia, 10mm, metal</a>	120.00	EC003015	<a href="#">224046</a>	4536853373641			GC	GCZ	USA	9029.9000.90
<a href="#">E69-C610B</a>	<a href="#">Shaft coupling for E6F-C encoder, Different end diameter</a>	38.61	EC003015	<a href="#">128458</a>	4536853373610			GC	GCZ	JPN	9029.9000.90
<a href="#">E69-C68B</a>	<a href="#">Accessory encoder, shaft coupling dia, 6mm and 8mm</a>	34.12	EC003015	<a href="#">105487</a>	4536853373603	#		GC	GCZ	JPN	9029.9000.90
<a href="#">E69-DF10</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m</a>	241.40	EC001855	<a href="#">357358</a>	4548583064980			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-DF20</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20m</a>	366.70	EC001855	<a href="#">357361</a>	4536853373573			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-DF5</a>	<a href="#">Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m</a>	172.40	EC001855	<a href="#">357364</a>	4536853373542			GC	GCZ	CHN	9029.9000.90
<a href="#">E69-FC A</a>	<a href="#">Flange for E6C2-C encoder</a>	11.93	EC003015	<a href="#">143272</a>	4536853373481			GC	GCZ	JPN	9029.9000.90
<b>Fiber Alqılama Kafası E32</b>											
<a href="#">E32-D11N 2M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu</a>	157.40	EC002651	<a href="#">374494</a>	4548583336124			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D11R 2M</a>	<a href="#">Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2m cable</a>	43.33	EC002651	<a href="#">412734</a>	4548583049208			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D14L 2M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, 6mm çap, 2m kablolu</a>	129.00	EC002651	<a href="#">182524</a>	4547648094924			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D211 2M</a>	<a href="#">Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2m cable</a>	40.56	EC002651	<a href="#">379167</a>	4548583413863			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D211R 2M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, M4, yüksek esneklik R1, 2m kablolu</a>	101.20	EC002651	<a href="#">379168</a>	4548583413870			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D21N 2M</a>	<a href="#">Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2m cable</a>	98.00	EC002651	<a href="#">383729</a>	4548583487833			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D21R 2M</a>	<a href="#">Fiber optic sensor, diffuse, M3, high flex, 2m cable</a>	135.20	EC002651	<a href="#">416699</a>	4548583049215			GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC200</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu</a>	33.14	EC002651	<a href="#">182959</a>	4547648094986	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC200E 2M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, M3, 2m kablolu</a>	43.70	EC002651	<a href="#">182804</a>	4547648094993			GD	GDA	CHN	8541.4900.00
<a href="#">E32-DC500 5M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, M6, 5m</a>	72.75	EC002651	<a href="#">182799</a>	4547648094764	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-LR1 INP 2M</a>	<a href="#">Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable</a>	69.00	EC002651	<a href="#">383734</a>	4548583487871			GD	GDA	CHN	8541.4900.00
<a href="#">E32-R21 2M</a>	<a href="#">Fiberoptik sensör, reflektörlü, M6, R10 fiber, 2m kablolu</a>	183.20	EC002651	<a href="#">357347</a>	4548583049130			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T11N 2M</a>	<a href="#">Fiberoptik sensör, karşılıklı, M4, 2m kablolu</a>	122.30	EC002651	<a href="#">374495</a>	4548583336117	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-T11R 2M</a>	<a href="#">Fiber optic sensor, through-beam, M4 head, high flex R1 fibre, 2m cable</a>	63.70	EC002651	<a href="#">356136</a>	4548583049147		10	GD	GDA	CHN	8541.4900.00
<a href="#">E32-T21R 2M</a>	<a href="#">Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2m</a>	107.80	EC002651	<a href="#">411349</a>	4548583049185			GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC200 2M</a>	<a href="#">Fiberoptik sensör, karşılıklı, M4, 2m kablolu</a>	38.53	EC002651	<a href="#">182801</a>	4547648094870	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC200E 2M</a>	<a href="#">Fiberoptik sensör, karşılıklı, M3, 2m kablolu</a>	54.30	EC002651	<a href="#">182803</a>	4547648094894			GD	GDA	CHN	8541.4900.00
<a href="#">E32-TC500 5M</a>	<a href="#">Fiber optic sensor, through-beam, M4, 5m cable</a>	83.85	EC002651	<a href="#">182793</a>	4547648094702			GD	GDA	CHN	8541.4900.00
<b>Fiber Alqılama Kafası E32</b>											
<a href="#">E32-D15Y 2M</a>	<a href="#">Fiberoptik sensör, cisimden yansımali, kare gövde, standart R25 fiber, 2m kablolu</a>	128.50	EC002651	<a href="#">172129</a>	4547648018081			GD	GDA	JPN	8541.4900.00
<a href="#">E32-D15YR 2M</a>	<a href="#">Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2m cable</a>	103.20	EC002651	<a href="#">379165</a>	4548583413832			GD	GDA	CHN	8541.4900.00
<a href="#">E32-FC41-1 1M</a>	<a href="#">Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber R1, 1m cable</a>	132.70	EC002651	<a href="#">656830</a>	4548583373624			GD	GDA	NLD	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-ET15YR-1.2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	265.90	EC002651	656856	4548583737860			GD	GDA	NLD	8541.4900.00
E32-ET14R-2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	186.00	EC002651	656843	4548583737969			GD	GDA	NLD	8541.4900.00
E32-T1S7-2M	Fiber optic sensor head, through-beam, square, flat-view, integrated lens, R1 flexible fiber, 2 m cable	218.90	EC002651	690947	4548583783232			GD	GDA	CHN	8541.4900.00
E32-T1S5-2M	Fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	142.60	EC002651	379183	4548583414167			GD	GDA	CHN	8541.4900.00
E32-T15YR-2M	Fiberoptik sensör, karşılıklı, kare, yüksek esneklik R1 fiber, 2m kablolu	190.60	EC002651	379197	4548583414174			GD	GDA	CHN	8541.4900.00
E32-T15ZR-2M	Fibre optic sensor, thru-beam, square flat form head, high flex R1 fibre, 2m cable	198.90	EC002651	379196	4548583414198			GD	GDA	CHN	8541.4900.00
<b>Fiber Algilama Kafası E32</b>											
E32-D22R-2M	Fiberoptik sensör, cisimden yansimalı, minyatür ölçüde, çap 3mm, yüksek esneklik R1 fiber, 2m kablolu	89.85	EC002651	357351	4548583049222			GD	GDA	CHN	8541.4900.00
E32-D24-2M	Fiberoptik sensör, cisimden yansimalı, 3mm çap, 2m kablolu	97.10	EC002651	374487	4548583336148			GD	GDA	CHN	8541.4900.00
E32-D32-2M	Fiberoptik sensör, cisimden yansimalı, 2mm çap, 2m kablolu	73.65	EC002651	182528	4547648094979			GD	GDA	CHN	8541.4900.00
E32-D33-2M	Fiberoptik sensör, cisimden yansimalı, 3mm çap, 2m kablolu	77.25	EC002651	182796	4547648094733			GD	GDA	CHN	8541.4900.00
E32-DC200R-2M	Fiberoptik sensör, cisimden yansimalı, M6	56.80	EC002651	182797	4547648094740			GD	GDA	CHN	8541.4900.00
E32-DC200R4-2M	Fiberoptik sensör, cisimden yansimalı, çap 2,5mm, standart R25 fiber, 2m kablolu	69.50	EC002651	182798	4547648094757			GD	GDA	CHN	8541.4900.00
E32-DC200F	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	38.69	EC002651	379175	4548583413986			GD	GDA	CHN	8541.4900.00
E32-DC200F-4	Fiberoptik sensör, cisimden yansimalı, M3, R10, 2m kablolu	84.20	EC002651	379176	4548583413993			GD	GDA	CHN	8541.4900.00
E32-T12R-2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	65.30	EC002651	356130	4548583049178			GD	GDA	CHN	8541.4900.00
E32-T14L-2M	Fiberoptik sensör, karşılıklı, uzun mesafe, 2m kablolu	136.90	EC002651	182517	4547648094818			GD	GDA	CHN	8541.4900.00
E32-T14R-2M	Fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	261.60	EC002651	374490	4548583336193			GD	GDA	CHN	8541.4900.00
E32-T22-2M	Fiberoptik sensör, karşılıklı, 2mm çap, standart R10 fiber, 2m kablolu	69.85	EC002651	182520	4547648094849			GD	GDA	CHN	8541.4900.00
E32-T24-2M	Fiberoptik sensör, karşılıklı, 1mm, 2m kablolu	130.90	EC002651	374488	4548583336155			GD	GDA	CHN	8541.4900.00
E32-TC200R	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	77.25	EC002651	379191	4548583414303			GD	GDA	CHN	8541.4900.00
<b>Fiber Algilama Kafası E32</b>											
E32-D11L-2M	Fiberoptik sensör, cisimden yansimalı, M6, uzun mesafe, 2m kablolu	102.90	EC002651	182523	4547648094917			GD	GDA	CHN	8541.4900.00
E32-D11L-5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5m cable	156.30	EC002651	131621	4536853293673			GD	GDA	JPN	8541.4900.00
E32-D21L-2M	Fiberoptik sensör, cisimden yansimalı, M4, uzun mesafe, 2m kablolu	110.70	EC002651	182526	4547648094955			GD	GDA	CHN	8541.4900.00
E32-D22L-2M	Fiberoptik sensör, cisimden yansimalı, 3mm çap, uzun mesafe, 2m kablolu	104.50	EC002651	182527	4547648094962			GD	GDA	CHN	8541.4900.00
E32-D11-2M	Fiberoptik sensör, cisimden yansimalı, M6, uzun mesafe, standart R25 fiber, 2m kablolu	53.50	EC002651	374457	4548583363458			GD	GDA	CHN	8541.4900.00
E32-D11N-2M	Fiber optic sensor, diffuse, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	114.00	EC002651	383723	4548583485716			GD	GDA	CHN	8541.4900.00
E32-D11R-2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	114.00	EC002651	374454	4548583363472			GD	GDA	CHN	8541.4900.00
E32-LT11-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, standart R25 fiber, 2m kablolu	60.15	EC002651	374449	4548583336551			GD	GDA	CHN	8541.4900.00
E32-LT11N-2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	100.50	EC002651	383735	4548583485686			GD	GDA	CHN	8541.4900.00
E32-LT1R-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, yüksek esneklik R1 fiber, 2m kablolu	120.60	EC002651	374450	4548583336568			GD	GDA	CHN	8541.4900.00
E32-R16-2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	147.00	EC002651	392257	4548583414075			GD	GDA	CHN	8541.4900.00
E32-T11L-2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, 2m kablolu	80.80	EC002651	182515	4547648094795			GD	GDA	CHN	8541.4900.00
E32-T12L-2M	Fiberoptik sensör, karşılıklı, çap 3mm, uzun mesafe, standart R25 fiber, 2m kablolu	106.60	EC002651	182516	4547648094801			GD	GDA	CHN	8541.4900.00
E32-T14-2M	Fiberoptik sensör, karşılıklı, 2m kablolu	110.00	EC002651	356129	4548583049123			GD	GDA	CHN	8541.4900.00
E32-T14-5M	Fiberoptik sensör, karşılıklı, uzun mesafe, standart R25 fiber, 5m kablolu	172.20	EC002651	131622	4536853293680			GD	GDA	JPN	8541.4900.00
E32-T21L-2M	Fiberoptik sensör, karşılıklı, 2m kablolu	87.00	EC002651	182519	4547648094832			GD	GDA	CHN	8541.4900.00
E32-T22L-2M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fiber, 2m cable	121.30	EC002651	182521	4547648094863			GD	GDA	CHN	8541.4900.00
E32-TC200A-2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	37.57	EC002651	182802	4547648094887			GD	GDA	CHN	8541.4900.00
<b>Fiber Algilama Kafası E32</b>											
E32-D11-2M	Fiberoptik sensör, cisimden yansimalı, M6, robotik fiber R4, 2m kablolu	58.30	EC002651	182522	4547648094900			GD	GDA	CHN	8541.4900.00
E32-D21-2M	Fiberoptik sensör, cisimden yansimalı, M3, robotik fiber R4, 2m kablolu	85.20	EC002651	182525	4547648094931			GD	GDA	CHN	8541.4900.00
E32-D21R-2M	Fiberoptik sensör, cisimden yansimalı, M4, robotik fiber R4, 2m kablolu	108.30	EC002651	182958	4547648094948			GD	GDA	CHN	8541.4900.00
E32-D22R-2M	Fiberoptik sensör, cisimden yansimalı, çap 1,5mm, yüksek-esneklik fiber R1, 2m kablolu	163.00	EC002651	182795	4547648094726			GD	GDA	CHN	8541.4900.00
E32-DC200C	Photoelectric sensor optical fibre, diffuse, M6, 2m spiral flex cable (requires E3X amplifier)	61.75	EC002651	103780	4536853293871			GD	GDA	JPN	8541.4900.00
E32-T11-2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	57.45	EC002651	182514	4547648094788			GD	GDA	CHN	8541.4900.00
E32-T21-2M	Fiber optic sensor, through-beam, M3, robotik fiber R4, 2m cable	95.80	EC002651	182518	4547648094825			GD	GDA	CHN	8541.4900.00
E32-T22B-2M	Fiberoptik sensör, karşılıklı, çap 1,5mm, robotik fiber R4, 2m kablolu	97.30	EC002651	182957	4547648094856			GD	GDA	CHN	8541.4900.00
<b>Fiber Algilama Kafası E32</b>											
E32-A04-2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	694.00	EC002651	379194	4548583414334			GD	GDA	CHN	8541.4900.00
E32-A09-2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	489.60	EC002651	172351	4547648093569			GD	GDA	JPN	8541.4900.00
E32-C21N-2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2m cable	136.00	EC002651	383726	4548583485747			GD	GDA	CHN	8541.4900.00
E32-C31-2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2m cable	79.60	EC002651	411347	4547648095006		#	GD	GDA	CHN	8541.4900.00
E32-C31N-2M	Fiber optic sensor, diffuse, coaxial, M3 side view, high flex R4 fiber, 2m cable	142.60	EC002651	379159	4548583413771			GD	GDA	CHN	8541.4900.00
E32-C41-1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1m cable	106.20	EC002651	411346	4547648094771			GD	GDA	CHN	8541.4900.00
E32-C42-1M	Fiber optic sensor, diffuse, coaxial, 2mm, standart R25 fiber, 1m cable	161.40	EC002651	379160	4548583413788			GD	GDA	CHN	8541.4900.00
E32-CC200-2M	Fiber optic sensor, diffuse, coaxial, M6, standart fiber R25, 2m cable	44.92	EC002651	182805	4547648095013			GD	GDA	CHN	8541.4900.00
E32-CC200R	Fiber optic sensor, diffuse, coaxial, M6, high flex R4 fiber, 2m cable	70.65	EC002651	379161	4548583413795			GD	GDA	CHN	8541.4900.00
E32-D32L-2M	Fiber optic sensor, diffuse, 3mm dia head, co-axial type, standart R25 fiber, 2m cable	73.55	EC002651	379199	4548583413931			GD	GDA	CHN	8541.4900.00
E32-FC31-6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standart R25 fibre, 6m cable	112.80	EC002651	656864	4548583737600			GD	GDA	NLD	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E32-L15 2M</a>	<a href="#">Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable</a>	219.60	EC002651	<a href="#">392260</a>	4548583414020			GD	GDA	CHN	8541.4900.00
<a href="#">E32-L25</a>	<a href="#">Fiber optic sensor, limited reflective, 2m cable</a>	94.00	EC002651	<a href="#">392254</a>	4548583414044			GD	GDA	CHN	8541.4900.00
<a href="#">E32-L25L 2M</a>	<a href="#">Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable</a>	153.70	EC002651	<a href="#">357349</a>	4548583049093			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T22S 2M</a>	<a href="#">Fiberoptik sensör, karşılıklı, 3mm çap., standart R10 fiber, 2m kablolu</a>	136.90	EC002651	<a href="#">374492</a>	4548583336216			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-D36P1 2M</a>	<a href="#">Fiber optic sensor, diffuse, square head, area sensing, 11mm, robot application, break resistant, R4, 2m cable</a>	423.80	EC003015	<a href="#">379173</a>	4548583413955			GD	GDA	CHN	8541.4900.00
<a href="#">E32-ET16WR-1 2M</a>	<a href="#">Fiber optic sensor, through-beam, 70mm curtain, 2m cable</a>	808.00	EC003015	<a href="#">656858</a>	4548583737891			GD	GDA	NLD	8541.4900.00
<a href="#">E32-ET16WR-2 2M</a>	<a href="#">Fiber optic sensor, through-beam, 50mm curtain, 2m cable</a>	831.00	EC003015	<a href="#">656836</a>	4548583737907			GD	GDA	NLD	8541.4900.00
<a href="#">E32-T16 2M</a>	<a href="#">Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable</a>	196.30	EC003015	<a href="#">357343</a>	4548583049062			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T16 5M</a>	<a href="#">Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable</a>	201.00	EC003015	<a href="#">357342</a>	4548583049079			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T16P 2M</a>	<a href="#">Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable</a>	242.70	EC003015	<a href="#">356124</a>	4548583048980			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T16PR 2M</a>	<a href="#">Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable</a>	338.80	EC003015	<a href="#">356126</a>	4548583049017			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T16W 2M</a>	<a href="#">Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable</a>	559.00	EC003015	<a href="#">357346</a>	4548583048997			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T16WR 2M</a>	<a href="#">Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable</a>	645.00	EC003015	<a href="#">357348</a>	4548583049055			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-C91N 2M</a>	<a href="#">Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable</a>	137.40	EC002651	<a href="#">671062</a>	4548583802643	#		GD	GDA	CHN	8541.4900.00
<a href="#">E32-D11U 2M</a>	<a href="#">Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable</a>	91.35	EC002651	<a href="#">379162</a>	4548583413801			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D51 2M</a>	<a href="#">Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2m cable</a>	160.60	EC002651	<a href="#">131592</a>	4536853292904			GD	GDA	JPN	8541.4900.00
<a href="#">E32-D61 2M</a>	<a href="#">Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only</a>	379.00	EC002651	<a href="#">365161</a>	4548583080454			GD	GDA	CHN	8541.4900.00
<a href="#">E32-D61-S 2M</a>	<a href="#">Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable</a>	293.50	EC002651	<a href="#">369327</a>	4548583080478			GD	GDA	CHN	8541.4900.00
<a href="#">E32-ED34 2M</a>	<a href="#">Fiber optic sensor, diffuse, side view, dia 6mm head, R5 fiber, 2m cable</a>	122.70	EC002651	<a href="#">656813</a>	4548583737754			GD	GDA	NLD	8541.4900.00
<a href="#">E32-G14</a>	<a href="#">Fiber optic sensor, through-beam, 10mm slot, 2m cable</a>	200.30	EC002651	<a href="#">356128</a>	4548583049260			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T11U 2M</a>	<a href="#">Fiber optic sensor, through-beam, M4 head, chemical resistant, R4 fiber, 2m cable</a>	122.30	EC002651	<a href="#">374491</a>	4548583336209			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T24S 2M</a>	<a href="#">Fiber optic sensor, through-beam, 3mm dia side view, standard R10 fiber, 2m cable</a>	383.70	EC002651	<a href="#">374493</a>	4548583336223			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T61-S 2M</a>	<a href="#">Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable</a>	373.60	EC002651	<a href="#">355403</a>	4548583034495			GD	GDA	CHN	8541.4900.00
<a href="#">E32-T61-S 5M</a>	<a href="#">Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5m cable</a>	1,044.00	EC002651	<a href="#">355405</a>	4548583034518			GD	GDA	CHN	8541.4900.00
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-EF51</a>	<a href="#">Sideview lens 90 deg for E32fibre</a>	175.90	EC003015	<a href="#">656850</a>	4548583738010			GD	GDA	NLD	8541.9000.00
<b>Fiber Algılama Kafası E32</b>											
<a href="#">E32-E01 100M</a>	<a href="#">Optical fiber, 100m roll, R10, 2.2mm dia, monococe</a>	910.50	EC003015	<a href="#">656829</a>	4548583737501			GD	GDA	NLD	8541.4900.00
<b>Fotoelektrik Sensör E3JM</b>											
<a href="#">E3JM-10M4-G-NN</a>	<a href="#">Fotoelektrik sensör, kare gövde, karşılıklı, 10m, röle çıkışlı, sıkıştırılabilir konektör</a>	157.90	EC002716	<a href="#">680474</a>	4549734172912			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-10M4-NN</a>	<a href="#">Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PFI/2 conduit</a>	169.50	EC002716	<a href="#">680483</a>	4549734172875			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-10M4T-G-NN</a>	<a href="#">Fotoelektrik sensör, kare gövde, karşılıklı, 10m, zamanlayıcı fonksiyonlu, röle çıkışlı, sıkıştırılabilir konektör</a>	170.30	EC002716	<a href="#">680478</a>	4549734172943			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-DS70M4-G</a>	<a href="#">Fotoelektrik sensör, cisimden vansimalı, 700mm, AC/DC, röle</a>	110.70	EC001821	<a href="#">232860</a>	4536854779107	#		GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-DS70M4T-G</a>	<a href="#">Fotoelektrik sensör, cisimden vansimalı, 700mm, AC/DC, röle, zamanlayıcı 5s</a>	122.80	EC001821	<a href="#">232861</a>	4536854779114	#		GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-DS70R4-G</a>	<a href="#">Photoelectric sensor, diffuse, 300mm AC/DC, Transistor output, PNP</a>	163.50	EC001821	<a href="#">232895</a>	4536854779466			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-R4M4</a>	<a href="#">Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, conduit PF 1/2</a>	116.30	EC002717	<a href="#">232821</a>	4536854779213			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-R4M4-G</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle</a>	111.20	EC002717	<a href="#">232862</a>	4536854779121	#		GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-R4M4T-G</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle, zamanlayıcı 5s</a>	125.00	EC002717	<a href="#">232863</a>	4536854779138	#		GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-R4R4-G</a>	<a href="#">Fotoelektrik sensör, polarize reflektörlü, 4m, AC/DC, transistör çıkış, PNP</a>	149.60	EC002717	<a href="#">232892</a>	4536854779435			GD	GDG	CHN	8541.4900.00
<a href="#">E3JM-R4R4T-G-33</a>	<a href="#">Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP timer</a>	173.10	EC002717	<a href="#">232904</a>	4536854779923			GD	GDG	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3AS</b>											
<a href="#">E3AS-F1000IMN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	162.70	EC002719	<a href="#">690973</a>	4549734512510			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IMN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	157.00	EC002719	<a href="#">690206</a>	4549734512534			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IMN-M1TJ_0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	191.90	EC002719	<a href="#">690972</a>	4549734512558			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IMT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	162.70	EC002719	<a href="#">690969</a>	4549734512619			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IMT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector</a>	157.00	EC002719	<a href="#">690208</a>	4549734512633	#		GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IMT-M1TJ_0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	191.90	EC002719	<a href="#">690968</a>	4549734512657			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPN 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable</a>	122.10	EC002719	<a href="#">690967</a>	4549734512664			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPN M3</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector</a>	110.40	EC002719	<a href="#">690209</a>	4549734512688			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPN-M1TJ_0.3M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m</a>	151.10	EC002719	<a href="#">690966</a>	4549734512701			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPT 2M</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable</a>	122.10	EC002719	<a href="#">690963</a>	4549734512763			GD	GDH	CHN	8541.4900.00
<a href="#">E3AS-F1000IPT M3</a>	<a href="#">Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector</a>	110.40	EC002719	<a href="#">690211</a>	4549734512787	#		GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-F1000PT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690961	4549734512800			GD	GDH	CHN	8541.4900.00
E3AS-F1000PT-M3J 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m	151.10	EC002719	690962	4549734512794			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMD M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	157.00	EC002719	690201	4549734512282			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	162.70	EC002719	690948	4549734512213			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	157.00	EC002719	690200	4549734512237			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690985	4549734512251			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	162.70	EC002719	690982	4549734512312			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	157.00	EC002719	690202	4549734512336	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690981	4549734512350			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	122.10	EC002719	690980	4549734512367			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	110.40	EC002719	690203	4549734512381			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690979	4549734512404			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	122.10	EC002719	690976	4549734512466			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	110.40	EC002719	690205	4549734512480	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690974	4549734512503			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	412.60	EC002719	696057	4549734663854			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin	412.60	EC002719	696056	4549734663878			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696075	4549734663380			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	412.60	EC002719	696055	4549734663939			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	412.60	EC002719	696053	4549734663953			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696074	4549734663403			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	400.90	EC002719	696063	4549734663731			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	400.90	EC002719	696062	4549734663755			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	418.30	EC002719	696077	4549734663359			GD	GDH	CHN	8541.4900.00
E3AS-HL150MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	400.90	EC002719	696061	4549734663816			GD	GDH	CHN	8541.4900.00
E3AS-HL150MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	400.90	EC002719	696059	4549734663830	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	418.30	EC002719	696076	4549734663373			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	412.60	EC002719	696069	4549734663618			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin	412.60	EC002719	696068	4549734663632			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696079	4549734663328			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	412.60	EC002719	696067	4549734663694			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT 5M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	424.20	EC002719	696066	4549734663700			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	412.60	EC002719	696065	4549734663717			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696078	4549734663342			GD	GDH	CHN	8541.4900.00
E3AS-HL500MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	400.90	EC002719	696040	4549734663250			GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E3AS-HL500MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30VDC, NPN, Light-ON/Dark-ON, M8, connector 4-pin	400.90	EC002719	696038	4549734663274			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30VDC, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	418.30	EC002719	696081	4549734663298			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	400.90	EC002719	696073	4549734663571			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 connector 4-pin	400.90	EC002719	696071	4549734663595	#		GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	418.30	EC002719	696080	4549734663311			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	197.60	EC002719	690960	4549734512817			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	191.90	EC002719	690212	4549734512831			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690959	4549734512855			GD	GDH	CHN	8541.4900.00	
E3AS-L200MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	197.60	EC002719	690956	4549734512916			GD	GDH	CHN	8541.4900.00	
E3AS-L200MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector	191.90	EC002719	690214	4549734512930	#		GD	GDH	CHN	8541.4900.00	
E3AS-L200MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690955	4549734512954			GD	GDH	CHN	8541.4900.00	
E3AS-L80MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	197.60	EC002719	690954	4549734512961			GD	GDH	CHN	8541.4900.00	
E3AS-L80MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	191.90	EC002719	690215	4549734512985	2		GD	GDH	CHN	8541.4900.00	
E3AS-L80MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690953	4549734513005			GD	GDH	CHN	8541.4900.00	
E3AS-L80MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	197.60	EC002719	690950	4549734513067			GD	GDH	CHN	8541.4900.00	
E3AS-L80MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector	191.90	EC002719	690217	4549734513081	#		GD	GDH	CHN	8541.4900.00	
E3AS-L80MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690949	4549734513104			GD	GDH	CHN	8541.4900.00	
<b>Fotoelektrik Sensör E3Z</b>												
E3Z-B61 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, 2m kablolu	160.00	EC002717	323118	4547648676632			GD	GDI	CHN	8541.4900.00	
E3Z-B66	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolu, NPN, M8 konnektör	147.00	EC002717	323120	4547648676656			GD	GDI	CHN	8541.4900.00	
E3Z-B67	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolu, NPN, M8 konnektör	147.00	EC002717	323123	4547648676724			GD	GDI	CHN	8541.4900.00	
E3Z-B81 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, 2m kablolu	160.00	EC002717	323119	4547648676649			GD	GDI	CHN	8541.4900.00	
E3Z-B82 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, 2m kablolu	160.00	EC002717	323124	4547648676762	#		GD	GDI	CHN	8541.4900.00	
E3Z-B86	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolu, PNP, M8 konnektör	147.00	EC002717	323121	4547648676663	#		GD	GDI	CHN	8541.4900.00	
E3Z-B87	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolu, PNP, M8 konnektör	147.00	EC002717	323125	4547648676786	#		GD	GDI	CHN	8541.4900.00	
E3Z-D61 2M	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, NPN, 2m kablolu	94.10	EC001821	685917	4549734446600	#		GD	GDI	IDN	8541.4900.00	
E3Z-D62 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, NPN, 2m kablolu	94.40	EC001821	685920	4549734446648	#		GD	GDI	IDN	8541.4900.00	
E3Z-D62 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)	94.85	EC001821	241530	4547648287180			GD	GDI	CHN	8541.4900.00	
E3Z-D66	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, NPN, M8 konnektör	98.85	EC001821	685918	4549734446624	50		GD	GDI	IDN	8541.4900.00	
E3Z-D67	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, NPN, M8 konnektör	98.85	EC001821	685921	4549734446662			GD	GDI	IDN	8541.4900.00	
E3Z-D81 2M	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, PNP, 2m kablolu	94.15	EC001821	685614	4549734446617	#		GD	GDI	IDN	8541.4900.00	
E3Z-D81 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)	97.65	EC001821	241516	4547648287173			GD	GDI	CHN	8541.4900.00	
E3Z-D81-M1J 0.3M	Photoelectric sensor, diffuse, compact square, infrared LED, 100mm, PNP, L-on/D-on selectable, M12 pig-tail connector	96.10	EC001821	338387	4547648676212			GD	GDI	CHN	8541.4900.00	
E3Z-D82 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, PNP, 2m kablolu	94.40	EC001821	685613	4549734446655	#		GD	GDI	IDN	8541.4900.00	
E3Z-D82 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)	97.65	EC001821	241531	4547648287197			GD	GDI	CHN	8541.4900.00	
E3Z-D82-II 3 2M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, 2m kablolu, IO-link, COM 3	99.20	EC001821	671105	4548583793255			GD	GDI	CHN	8541.4900.00	
E3Z-D82-II 3 5M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, 5m kablolu, IO-link, COM 3	107.30	EC001821	671100	4548583793262			GD	GDI	CHN	8541.4900.00	
E3Z-D82-M1J 0.3M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M12 pigtail (requires bracket)	109.10	EC001821	338388	4547648676229			GD	GDI	CHN	8541.4900.00	
E3Z-D82-M1TJ-II 3 0.3M	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, M12 kablolu, IO-link, COM 3	99.20	EC001821	671122	4548583793279			GD	GDI	CHN	8541.4900.00	
E3Z-D86	Fotoelektrik sensör, cisimden yansimalı, 100mm, DC, 3 kablolu, PNP, M8 konnektör	98.85	EC001821	685919	4549734446631	#		GD	GDI	IDN	8541.4900.00	
E3Z-D87	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, 3 kablolu, PNP, M8 konnektör	98.85	EC001821	685922	4549734446679	#		GD	GDI	IDN	8541.4900.00	
E3Z-D87-II 3	Fotoelektrik sensör, cisimden yansimalı, 1m, DC, PNP, M8 konnektör, IO-link, COM 3	99.20	EC001821	671102	4548583793309			GD	GDI	CHN	8541.4900.00	
E3Z-G61 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	124.00	EC002720	332056	4547648676519			GD	GDI	CHN	8541.4900.00	
E3Z-G61-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, NPN, M8 pigtail connector	128.60	EC002720	332057	4547648676533	10		GD	GDI	CHN	8541.4900.00	
E3Z-G62 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolu, NPN, 2m kablolu	151.00	EC002720	332058	4547648676540			GD	GDI	CHN	8541.4900.00	
E3Z-G62-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, NPN, M8 pigtail connector	145.50	EC002720	332033	4547648676564	10		GD	GDI	CHN	8541.4900.00	
E3Z-G81 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	124.00	EC002720	332059	4547648676908	#		10	GD	GDI	CHN	8541.4900.00
E3Z-G81-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M8 pigtail connector	161.30	EC002720	332060	4547648676915	10		GD	GDI	CHN	8541.4900.00	
E3Z-G82 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolu, PNP, 2m kablolu	151.00	EC002720	332061	4547648676939			GD	GDI	CHN	8541.4900.00	
E3Z-G82-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, PNP, M8 pigtail connector	190.00	EC002720	332062	4547648676946	#		GD	GDI	CHN	8541.4900.00	
E3Z-L61 2M	Fotoelektrik sensör, dar ışın, cisimden yansimalı, 90+30mm, DC, 3 kablolu, NPN, 2m kablolu	134.30	EC001821	323114	4547648676250			GD	GDI	CHN	8541.4900.00	
E3Z-L81 2M	Fotoelektrik sensör, dar ışın, cisimden yansimalı, 90+30mm, DC, 3 kablolu, PNP, 2m kablolu	149.60	EC001821	323115	4547648676274			GD	GDI	CHN	8541.4900.00	
E3Z-L81-II 3 2M	Fotoelektrik sensör, cisimden yansimalı, 90mm, dar ışın, DC, PNP, 2m kablolu, IO-link, COM 3	99.20	EC001821	671107	4548583793354			GD	GDI	CHN	8541.4900.00	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-L81-IL3.5M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, 5m kablolu, IO-link, COM 3	107.30	EC001821	671104	4548583793361			GD	GDI	CHN	8541.4900.00
E3Z-L81-M1J-1.0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 + 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	131.40	EC001821	323131	4547648677301	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1T-HL3-1.0.3M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, M12 kablolu, IO-link, COM 3	112.00	EC001821	671090	4548583793385			GD	GDI	CHN	8541.4900.00
E3Z-L86	Fotoelektrik sensör, dar isin, cisimden yansımali, 90+30mm, DC, 3 kablolu, PNP, M8 konnektör	149.60	EC001821	323117	4547648676298			GD	GDI	CHN	8541.4900.00
E3Z-L86-IL3	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, M8 konnektör, IO-link, COM 3	99.20	EC001821	671112	4548583793408			GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, NPN, 2m kablolu	205.80	EC002719	323137	4547648678735	#		GD	GDI	CHN	8541.4900.00
E3Z-L166	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konnektör, NPN	200.90	EC002719	323138	4547648678742	#		GD	GDI	CHN	8541.4900.00
E3Z-L168	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, NPN, L-ON/D-ON seçilebilir, M8 konnektör	242.10	EC002719	323142	4547648678780			GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, PNP	205.80	EC002719	323139	4547648678759	#		GD	GDI	CHN	8541.4900.00
E3Z-L181.5M	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output	209.00	EC002719	323067	4547648679749			GD	GDI	CHN	8541.4900.00
E3Z-L181-M1J-1.0.3M	Photoelectric sensor, BGS laser, 20-300mm, M12 pigtail, PNP	243.80	EC002719	323041	4547648678926			GD	GDI	CHN	8541.4900.00
E3Z-L181-M3I-0.3M	Photoelectric sensor, BGS laser, 20-300mm, M8 pigtail 4-pin, PNP	206.40	EC002719	323064	4547648679282	#		GD	GDI	CHN	8541.4900.00
E3Z-L183.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 konnektör	205.80	EC002719	323143	4547648678797			GD	GDI	CHN	8541.4900.00
E3Z-L183-M1J-0.3M	Photoelectric sensor, BGS laser, 25-300mm, M12 pigtail, PNP, High Speed Version	243.80	EC002719	323045	4547648678964			GD	GDI	CHN	8541.4900.00
E3Z-L183-M1T-0.3M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konnektör, PNP	201.90	EC002719	323140	4547648678766	#		GD	GDI	CHN	8541.4900.00
E3Z-L188	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 4-pin konnektör	204.80	EC002719	323144	4547648678803	#		GD	GDI	CHN	8541.4900.00
E3Z-LR61.2M	Fotoelektrik sensör, reflektörlü lazer, 15m, NPN, 2m kablolu	161.60	EC002717	323145	4547648678810			GD	GDI	CHN	8541.4900.00
E3Z-LR66	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, NPN	163.50	EC002717	323146	4547648678827			GD	GDI	CHN	8541.4900.00
E3Z-LR81.2M	Fotoelektrik sensör, reflektörlü lazer, 15m, PNP, 2m kablolu	161.60	EC002717	323147	4547648678834	#		GD	GDI	CHN	8541.4900.00
E3Z-LR81-M1J-0.3M	Photoelectric sensor, retro-reflective laser, 15m, M12 pigtail, PNP	147.90	EC002717	323049	4547648679008			GD	GDI	CHN	8541.4900.00
E3Z-LR86	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, PNP	160.00	EC002717	323148	4547648678841	#		GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, NPN, 2m kablolu	130.60	EC002719	323126	4547648677011	#		GD	GDI	CHN	8541.4900.00
E3Z-L166.2M	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	164.70	EC002719	323153	4547648680592			GD	GDI	CHN	8541.4900.00
E3Z-L166	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 40-200mm, DC, 3 kablolu, NPN, M8 konnektör	134.30	EC002719	323128	4547648677035	#		GD	GDI	CHN	8541.4900.00
E3Z-L168	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, M8-4pin konnektör	138.00	EC002719	323154	4547648680615			GD	GDI	CHN	8541.4900.00
E3Z-L181.2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, 2m kablolu	130.60	EC002719	323129	4547648677059	#		GD	GDI	CHN	8541.4900.00
E3Z-L181.5M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, 5m cable (requires bracket)	152.10	EC002719	323034	4547648677080			GD	GDI	CHN	8541.4900.00
E3Z-L181-M1J-0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M12 pigtail (requires bracket)	189.20	EC002719	323136	4547648678674			GD	GDI	CHN	8541.4900.00
E3Z-L181-M3I-0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	106.10	EC002719	323113	4547648677912			GD	GDI	CHN	8541.4900.00
E3Z-L183.2M	Fotoelektrik sensör, arka plan bastırılmalı, 2-80mm, DC, 3 kablolu, PNP, 2m kablolu	163.60	EC002719	323134	4547648678339			GD	GDI	CHN	8541.4900.00
E3Z-L186	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, M8 konnektör	134.30	EC002719	323130	4547648677066	#		GD	GDI	CHN	8541.4900.00
E3Z-L188	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, PNP, L-ON/D-ON seçilebilir, M8 konnektör	165.80	EC002719	323135	4547648678353			GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, karşılıklı lazer, 60m, kablolu, NPN, 2m kablolu	205.80	EC002716	323149	4547648678858	#		GD	GDI	CHN	8541.4900.00
E3Z-L166	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, NPN	201.90	EC002716	323150	4547648678865			GD	GDI	CHN	8541.4900.00
E3Z-L181.2M	Fotoelektrik sensör, karşılıklı lazer, 60m, PNP, 2m kablolu	205.80	EC002716	323151	4547648678872			GD	GDI	CHN	8541.4900.00
E3Z-L181-M1J-0.3M	Photoelectric sensor, through-beam laser, 60m, M12 pigtail, PNP	226.50	EC002716	323053	4547648679046			GD	GDI	CHN	8541.4900.00
E3Z-L186	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, PNP	205.80	EC002716	323152	4547648678889	#		GD	GDI	CHN	8541.4900.00
E3Z-L186-D	Photoelectric sensor, through-beam laser receiver, 60m, M8 4-pin connector, PNP	79.75	EC002716	323179	4547648679695	#		GD	GDI	CHN	8541.4900.00
E3Z-L186-L	Photoelectric sensor, through-beam laser emitter, 60m, M8 4-pin connector	147.90	EC002716	323058	4547648679091			GD	GDI	CHN	8541.4900.00
E3Z-R61.2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, 2m kablolu	104.40	EC002717	685914	4549734446563			GD	GDI	IDN	8541.4900.00
E3Z-R61-C.5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including reflector E39-R1	149.60	EC002717	323228	4547648676748			GD	GDI	CHN	8541.4900.00
E3Z-R66	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, M8 konnektör	105.20	EC002717	685915	4549734446587	#		GD	GDI	IDN	8541.4900.00
E3Z-R81.2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, 2m kablolu	100.50	EC002717	685615	4549734446570	#		GD	GDI	IDN	8541.4900.00
E3Z-R81.5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflector & bracket)	100.50	EC002717	241528	4547648287159			GD	GDI	CHN	8541.4900.00
E3Z-R81-IL3.5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 2m kablolu, IO-link, COM 3	98.50	EC002717	671110	4548583793156			GD	GDI	CHN	8541.4900.00
E3Z-R81-IL3.5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 5m kablolu, IO-link, COM 3	107.30	EC002717	671106	4548583793163			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J-0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M12 pigtail (requires reflector & bracket)	75.05	EC002717	338386	4547648676205			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J-0.8M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	91.55	EC002717	339281	4547648678179			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1T-0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	96.50	EC002717	339301	4547648680844			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1T-HL3.0.3M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M12 kablolu, IO-link, COM 3	98.50	EC002717	671094	4548583793170			GD	GDI	CHN	8541.4900.00
E3Z-R81-M3I-0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M8 pigtail 4-pin (requires reflector & bracket)	96.50	EC002717	339271	4547648676694			GD	GDI	CHN	8541.4900.00
E3Z-R81-M5J-0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	112.90	EC002717	338405	4547648678131			GD	GDI	CHN	8541.4900.00
E3Z-R86	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, M8 konnektör	105.20	EC002717	685916	4549734446594	#		GD	GDI	IDN	8541.4900.00
E3Z-R86-2	Photoelectric sensor, rectangular housing with mounting hole ø3.2, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	105.20	EC002717	339273	4547648676984			GD	GDI	CHN	8541.4900.00
E3Z-R86-4	Photoelectric sensor, retro-reflective, compact square, infrared LED, 5m, PNP, L-on/D-on selectable, M8-4pin connector	94.40	EC002717	339294	4547648680011			GD	GDI	CHN	8541.4900.00
E3Z-R86H	Retro-reflective with M.S.R. 4m, without sensitivity adjusters, PNP, M8 plug-in 4-pins	80.70	EC002717	658924	4548583583818			GD	GDI	CHN	8541.4900.00
E3Z-R86-IL3	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M8 konnektör, IO-link, COM 3	98.50	EC002717	671109	4548583793200			GD	GDI	CHN	8541.4900.00
E3Z-T61.2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, 2m kablolu	127.80	EC002716	685902	4549734446440	#		GD	GDI	IDN	8541.4900.00
E3Z-T61A.2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, 2m kablolu	121.30	EC002716	685906	4549734446488		20	GD	GDI	IDN	8541.4900.00
E3Z-T66	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, M8 konnektör	132.50	EC002716	685904	4549734446464	#		GD	GDI	IDN	8541.4900.00
E3Z-T66A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, M8 konnektör	132.10	EC002716	685908	4549734446501			GD	GDI	IDN	8541.4900.00
E3Z-T66-D	Photoelectric sensor, through-beam receiver, 15m, infrared LED, NPN, M8-4pin connector	106.40	EC002716	685926	4549734446730			GD	GDI	IDN	8541.4900.00
E3Z-T81.2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, 2m kablolu	128.80	EC002716	685903	4549734446457	#		GD	GDI	IDN	8541.4900.00
E3Z-T81.5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 brackets)	52.85	EC002716	241526	4547648287135			GD	GDI	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-T81A 2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, 2m kablolu	43.15	EC002716	685907	4549734446495			GD	GDI	IDN	8541.4900.00
E3Z-T81A 6M	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, 6m cable (requires 2 brackets)	148.20	EC002716	339274	4547648677073			GD	GDI	CHN	8541.4900.00
E3Z-T81A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	91.30	EC002716	685932	4549734446792			GD	GDI	IDN	8541.4900.00
E3Z-T81A-L 2M	Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, 2m cable (requires 2 brackets)	91.30	EC002716	685931	4549734446785			GD	GDI	IDN	8541.4900.00
E3Z-T81A-M1J1 0.3M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	186.10	EC002716	339279	4547648677653			GD	GDI	CHN	8541.4900.00
E3Z-T81C-G0SR1-CN	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, Dark-ON, without adjuster, M8 4-pin connector	99.20	EC002716	323111	4547648683081			GD	GDI	CHN	8541.4900.00
E3Z-T81C-G0SR1-LN	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 4-pin connector	58.65	EC002716	323110	4547648683074			GD	GDI	CHN	8541.4900.00
E3Z-T81-D-M1J1-0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	84.25	EC002716	339296	4547648680059			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 2m kablolu, IO-link, COM 3	130.60	EC002716	671108	4548583793057			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 5M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 5m kablolu, IO-link, COM 3	141.70	EC002716	671101	4548583793064			GD	GDI	CHN	8541.4900.00
E3Z-T81-L-M1J1-0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	56.65	EC002716	339295	4547648680042			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J1 0.3M	Photoelectric sensor, through-beam, S <sub>n</sub> =15m, PNP, plastic, red LED, 0.3m PVC cable with M12 4-pin	173.10	EC002716	338385	4547648676199			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	128.00	EC002716	338391	4547648677288			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1TJH1 2 0.3M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 2	147.90	EC002716	671086	4548583793033			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1TJH1 3 0.3M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 3	147.90	EC002716	671103	4548583793071			GD	GDI	CHN	8541.4900.00
E3Z-T82 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, 2m kablolu	133.60	EC002716	685911	4549734446532		40	GD	GDI	IDN	8541.4900.00
E3Z-T86	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, M8 konnektör	132.50	EC002716	685905	4549734446471		#	GD	GDI	IDN	8541.4900.00
E3Z-T86A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, M8 konnektör	128.00	EC002716	685909	4549734446518			GD	GDI	IDN	8541.4900.00
E3Z-T86A-D	Photoelectric sensor, through-beam receiver, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	96.50	EC002716	685900	4549734446839		#	GD	GDI	IDN	8541.4900.00
E3Z-T86A-L	Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	73.30	EC002716	685901	4549734446822			GD	GDI	IDN	8541.4900.00
E3Z-T86-D	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	70.55	EC002716	685928	4549734446754			GD	GDI	IDN	8541.4900.00
E3Z-T86-IL3	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M8 konnektör, IO-link, COM 3	130.60	EC002716	671113	4548583793101			GD	GDI	CHN	8541.4900.00
E3Z-T86-L	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	73.00	EC002716	685927	4549734446747			GD	GDI	IDN	8541.4900.00
E3Z-T87	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, M8 konnektör	131.60	EC002716	685913	4549734446556			GD	GDI	IDN	8541.4900.00
<b>Fotoelektrik Sensör E3Z</b>											
E3ZM-B61 2M	Fotoelektrik sensör, seffaf PFT şişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, 2m kablolu	204.10	EC002717	332040	4547648689250			GD	GDI	CHN	8541.4900.00
E3ZM-B66	Fotoelektrik sensör, seffaf PFT şişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, M8, 4-pin konnektör	201.00	EC002717	332044	4547648689298			GD	GDI	CHN	8541.4900.00
E3ZM-B66T	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, NPN, M8, 4-pin konnektör	215.20	EC002717	323655	4547648797306			GD	GDI	JPN	8541.4900.00
E3ZM-B81 2M	Fotoelektrik sensör, seffaf PFT şişe, reflektörlü, metal gövde, IP69K, 500mm, PNP, 2m kablolu	204.10	EC002717	332042	4547648689274			GD	GDI	CHN	8541.4900.00
E3ZM-B81T 2M	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, 2m kablolu	207.60	EC002717	323656	4547648797313			GD	GDI	JPN	8541.4900.00
E3ZM-B86	Fotoelektrik sensör, seffaf PFT şişe, reflektörlü, metal gövde, IP69K, 500mm, M8, 4-pin konnektör, PNP	201.00	EC002717	332045	4547648689304			GD	GDI	CHN	8541.4900.00
E3ZM-B86-1	Photoelectric sensor, transparent, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector not included	201.00	EC002717	323054	4547648728706			GD	GDI	CHN	8541.4900.00
E3ZM-B86-C	Photoelectric sensor, transparent PFT bottle, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector included	260.80	EC002717	326598	4547648689427			GD	GDI	CHN	8541.4900.00
E3ZM-B86T	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, M8, 4-pin konnektör	197.00	EC002717	323657	4547648797320		#	GD	GDI	JPN	8541.4900.00
E3ZM-D81 2M	Photoelectric sensor, through-beam, compact square, stainless steel body, IP69K, 15m, infrared LED, PNP, 2m cable	271.50	EC002716	232309	4547648315814			GD	GDI	JPN	8541.4900.00
E3ZM-D82 2M	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, PNP, 2m kablolu	179.30	EC001821	232467	4547648235600			GD	GDI	JPN	8541.4900.00
E3ZM-D82-S1J 0.3M	Photoelectric sensor, diffuse, metal body, IP69K, 1m, M12 4-pin stainless steel pigtail, 0.3m, PNP	241.60	EC001821	249464	4547648593304			GD	GDI	JPN	8541.4900.00
E3ZM-D87	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, M8, 4-pin, PNP	178.50	EC001821	223468	4547648235617			GD	GDI	JPN	8541.4900.00
E3ZM-L S81H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.1m, PNP, 2m kablolu	180.10	EC002719	223473	4547648235686			GD	GDI	JPN	8541.4900.00
E3ZM-L S82H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.15m, PNP	179.30	EC002719	223474	4547648235693			GD	GDI	JPN	8541.4900.00
E3ZM-L S84H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.2m, PNP, 2m kablolu	179.30	EC002719	223475	4547648235709			GD	GDI	JPN	8541.4900.00
E3ZM-L S86H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.1m, M8 4-pin, PNP output	154.60	EC002719	223476	4547648235716			GD	GDI	JPN	8541.4900.00
E3ZM-L S89H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.2m, M8 4-pin, PNP	153.10	EC002719	223478	4547648235730			GD	GDI	JPN	8541.4900.00
E3ZM-B61 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, NPN, 2m kablolu	175.50	EC002717	223479	4547648235747			GD	GDI	JPN	8541.4900.00
E3ZM-B66	Photoelectric sensor, retro-reflective, metal body, IP69K, 4m, M8 4-pin, NPN output	204.00	EC002717	223480	4547648235754			GD	GDI	JPN	8541.4900.00
E3ZM-B81 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, PNP, 2m kablolu	175.50	EC002717	223481	4547648235761			GD	GDI	JPN	8541.4900.00
E3ZM-B86	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, M8, 4-pin, PNP	179.30	EC002717	223482	4547648235778			GD	GDI	JPN	8541.4900.00
E3ZM-T81 2M	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, PNP, 2m kablolu	281.70	EC002716	223485	4547648235808			GD	GDI	JPN	8541.4900.00
E3ZM-T81 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output	331.40	EC002716	226037	4547648217190			GD	GDI	JPN	8541.4900.00
E3ZM-T81H1 5M	Photoelectric sensor, rectangular, SUS body, IR LED, thru-beam emitter, 15m, PNP, L-ON/D-ON selectable, 5m cable	153.60	EC002716	292361	4547648719148			GD	GDI	JPN	8541.4900.00
E3ZM-T83 5M	Photoelectric sensor, through-beam, 0.8m, compact square, stainless steel, infrared LED, internal slit, IP69K, PNP, 5m cable	283.80	EC002716	227530	4547648289375			GD	GDI	JPN	8541.4900.00
E3ZM-T86	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, M8, 4-pin, PNP	282.30	EC002716	223486	4547648235815			GD	GDI	JPN	8541.4900.00
E3ZM-T88	Fotoelektrik sensör, karşılıklı, 0.8m, kompakt kare, paslanmaz çelik, infrared LED, IP69K, PNP, M8-4pin konnektör	296.80	EC002716	227532	4547648289399			GD	GDI	JPN	8541.4900.00
E3ZM-V61 2M	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, 2m kablolu	241.60	EC001820	332046	4547648689311			GD	GDI	CHN	8541.4900.00
E3ZM-V66	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, M8, 4-pin konnektör	238.70	EC001820	332048	4547648689359		#	GD	GDI	CHN	8541.4900.00
E3ZM-V81 2M	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, 2m kablolu	240.60	EC001820	326595	4547648689335			GD	GDI	CHN	8541.4900.00
E3ZM-V81 5M	Colour mark sensor, diffuse, 12 +/- 2mm, 50µs response time, stainless steel body, IP69K, PNP	250.30	EC001820	326596	4547648689342			GD	GDI	CHN	8541.4900.00
E3ZM-V86	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, M8, 4-pin konnektör	237.60	EC001820	332049	4547648689366		#	GD	GDI	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3S</b>											
E3S-AD11	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable	123.20	EC001821	130510	4536853282233			GD	GDI	JPN	8541.4900.00
E3S-AD12	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable	122.40	EC001821	143232	4536853282257			GD	GDI	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable	130.00	EC001821	142140	4536853283872			GD	GDJ	JPN	8541.4900.00
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable	124.70	EC001821	155083	4536853282493			GD	GDJ	JPN	8541.4900.00
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable	122.80	EC001821	149804	4536853282516			GD	GDJ	JPN	8541.4900.00
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable	142.90	EC001821	147715	4536853283858			GD	GDJ	JPN	8541.4900.00
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in	130.00	EC001821	130433	4536853282578	#		GD	GDJ	JPN	8541.4900.00
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in	131.60	EC001821	104096	4536853282585			GD	GDJ	JPN	8541.4900.00
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in	136.90	EC001821	104101	4536853283780			GD	GDJ	JPN	8541.4900.00
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable	123.20	EC001821	130445	4536853282752			GD	GDJ	JPN	8541.4900.00
E3S-AD63	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, 2m cable	132.70	EC001821	144400	4536853283698			GD	GDJ	JPN	8541.4900.00
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable	126.60	EC001821	130456	4536853283018			GD	GDJ	JPN	8541.4900.00
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable	122.80	EC001821	142136	4536853283032			GD	GDJ	JPN	8541.4900.00
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable	130.30	EC001821	130404	4536853283827			GD	GDJ	JPN	8541.4900.00
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in	130.00	EC001821	130461	4536853283094			GD	GDJ	JPN	8541.4900.00
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in	129.00	EC001821	130462	4536853283100	#		GD	GDJ	JPN	8541.4900.00
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in	136.60	EC001821	130402	4536853283773			GD	GDJ	JPN	8541.4900.00
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable	137.60	EC002717	142134	4536853282219			GD	GDJ	JPN	8541.4900.00
E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in	145.00	EC002717	154284	4536853282301			GD	GDJ	JPN	8541.4900.00
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable	137.60	EC002717	130428	4536853282479			GD	GDJ	JPN	8541.4900.00
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in	142.30	EC002717	130432	4536853282561			GD	GDJ	JPN	8541.4900.00
E3S-AR61	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, 2m cable	137.20	EC002717	152076	4536853282738			GD	GDJ	JPN	8541.4900.00
E3S-AR66	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, M12 plug-in	145.00	EC002717	105534	4536853282820			GD	GDJ	JPN	8541.4900.00
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable	137.60	EC002717	130455	4536853282998			GD	GDJ	JPN	8541.4900.00
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in	142.30	EC002717	130460	4536853283087			GD	GDJ	JPN	8541.4900.00
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable	167.00	EC002716	130506	4536853282172			GD	GDJ	JPN	8541.4900.00
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable	169.20	EC002716	130521	4536853282431			GD	GDJ	JPN	8541.4900.00
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in	179.30	EC002716	130430	4536853282530	#		GD	GDJ	JPN	8541.4900.00
E3S-AT61	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	78.40	EC002716	156494	4536853282547			GD	GDJ	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable	167.00	EC002716	154285	4536853282691			GD	GDJ	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, M12 plug-in	179.10	EC002716	130448	4536853282790			GD	GDJ	JPN	8541.4900.00
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	169.20	EC002716	130454	4536853282950			GD	GDJ	JPN	8541.4900.00
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in	179.30	EC002716	130458	4536853283056			GD	GDJ	JPN	8541.4900.00
E3S-CD11-2M	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	180.90	EC001821	239839	4547648357180			GD	GDJ	CHN	8541.4900.00
E3S-CD11-M11 0.3M	Photoelectric sensor, Diffuse, 700mm range, Horizontal, NPN/PNP, M12 connector	206.80	EC001821	239819	4547648357357			GD	GDJ	CHN	8541.4900.00
E3S-CD12-2M	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	191.30	EC001821	239840	4547648357197			GD	GDJ	CHN	8541.4900.00
E3S-CD16	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, yatay, M12 konnektör	206.80	EC001821	239827	4547648357593			GD	GDJ	CHN	8541.4900.00
E3S-CD17	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, yatay, M12 konnektör	204.90	EC001821	239828	4547648357609			GD	GDJ	CHN	8541.4900.00
E3S-CD61-2M	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	175.70	EC001821	239811	4547648357227			GD	GDJ	CHN	8541.4900.00
E3S-CD61-M11 0.3M	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with M12 connector	185.80	EC001821	239806	4547648357395			GD	GDJ	CHN	8541.4900.00
E3S-CD62-2M	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	193.50	EC001821	239812	4547648357234			GD	GDJ	CHN	8541.4900.00
E3S-CD66	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, dişey, M12 konnektör	215.00	EC001821	239829	4547648357616			GD	GDJ	CHN	8541.4900.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	215.00	EC001821	239830	4547648357623			GD	GDJ	CHN	8541.4900.00
E3S-CL1-2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-200mm, NPN/PNP, 2m kablolü	229.30	EC002719	239843	4547648357418	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1-5M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 5m cable	217.20	EC002719	239821	4547648357425			GD	GDJ	CHN	8541.4900.00
E3S-CL1-M11 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	218.40	EC002719	239808	4547648357517			GD	GDJ	CHN	8541.4900.00
E3S-CL2-2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-500mm, NPN/PNP, 2m kablolü	210.40	EC002719	239844	4547648357432	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2-5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	235.60	EC002719	239822	4547648357449			GD	GDJ	CHN	8541.4900.00
E3S-CL2-M11 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	232.70	EC002719	239809	4547648357524			GD	GDJ	CHN	8541.4900.00
E3S-CL11-2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	179.30	EC002717	239838	4547648357173			GD	GDJ	CHN	8541.4900.00
E3S-CL16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	259.80	EC002717	239831	4547648357630			GD	GDJ	CHN	8541.4900.00
E3S-CR61-2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	176.80	EC002717	239842	4547648357210			GD	GDJ	CHN	8541.4900.00
E3S-CR61-5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5m cable	202.80	EC002717	239815	4547648357289			GD	GDJ	CHN	8541.4900.00
E3S-CR61-M11 0.3M	Photoelectric sensor, retroreflective	209.70	EC002717	239805	4547648357388			GD	GDJ	CHN	8541.4900.00
E3S-CR66	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, M12 konnektör	187.00	EC002717	239845	4547648357494			GD	GDJ	CHN	8541.4900.00
E3S-CT11-2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	239.30	EC002716	239837	4547648357166			GD	GDJ	CHN	8541.4900.00
E3S-CT11-5M	Photoelectric sensor, through beam	271.10	EC002716	239816	4547648357296			GD	GDJ	CHN	8541.4900.00
E3S-CT11-D-2M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 2 m cable	156.50	EC002716	239802	4547648357326			GD	GDJ	CHN	8541.4900.00
E3S-CT11-D-5M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	179.10	EC002716	239823	4547648357463			GD	GDJ	CHN	8541.4900.00
E3S-CT11-L-5M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	139.40	EC002716	239790	4547648357456			GD	GDJ	CHN	8541.4900.00
E3S-CT16	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, M12 konnektör	275.10	EC002716	239846	4547648357531			GD	GDJ	CHN	8541.4900.00
E3S-CT61-2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	254.80	EC002716	239841	4547648357203			GD	GDJ	CHN	8541.4900.00
E3S-CT61-5M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable	271.50	EC002716	239817	4547648357302			GD	GDJ	CHN	8541.4900.00
E3S-CT61-D-5M	Photoelectric sensor, through-beam receiver, Sn=12m, NPN/PNP, zinc diecast, 5m PVC cable	179.10	EC002716	239825	4547648357487	#		GD	GDJ	CHN	8541.4900.00
E3S-CT61-L-5M	Photoelectric sensor, through-beam emitter, Sn=12m, zinc diecast, 5m PVC cable	124.40	EC002716	239824	4547648357470			GD	GDJ	CHN	8541.4900.00
E3S-CT61-L-5 5M	Through-beam, emitter 5 m range, oil-resistant, DC, 5 m cable output	122.40	EC002716	239835	4547648357739			GD	GDJ	CHN	8541.4900.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	233.80	EC002716	239847	4547648357562			GD	GDJ	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E3S-CT66-D</a>	<a href="#">Photoelectric sensor, through-beam receiver, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in</a>	206.00	EC002716	<a href="#">239826</a>	4547648357586			GD	GDJ	CHN	8541.4900.00
<a href="#">E3S-CT66-L</a>	<a href="#">Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in</a>	152.70	EC002716	<a href="#">239793</a>	4547648357579			GD	GDJ	CHN	8541.4900.00
<a href="#">E3S-CT66-L-5</a>	<a href="#">Photoelectric sensor, through-beam emitter, 5m, customized emission power, DC, 3-wire, NPN/PNP, vertical, M12 plug-in</a>	130.30	EC002716	409500	4548583535930			GD	GDJ	CHN	8541.4900.00
<a href="#">E3S-R17</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, yatay, M12 konnektör</a>	162.60	EC002717	<a href="#">130422</a>	4536853284244			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R32</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, 2m kablolu</a>	162.60	EC002717	<a href="#">130354</a>	4536853284701			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R36</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, yatay, M12 konnektör</a>	159.20	EC002717	<a href="#">130355</a>	4536853284718			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R37</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, M12 konnektör</a>	152.70	EC002717	<a href="#">130356</a>	4536853284725			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R67</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, dişey, M12 konnektör</a>	159.20	EC002717	<a href="#">130423</a>	4536853284251			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R86</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, dişey, M12 konnektör</a>	155.10	EC002717	<a href="#">130359</a>	4536853284756			GD	GDJ	JPN	8541.4900.00
<a href="#">E3S-R87</a>	<a href="#">Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, dişey, M12 konnektör</a>	156.50	EC002717	<a href="#">130360</a>	4536853284763			GD	GDJ	JPN	8541.4900.00
<b>Fiberoptik Amplifikatör E3X</b>											
<a href="#">E3X-ECT</a>	<a href="#">E3X communication unit, EtherCAT</a>	563.00	EC003015	<a href="#">357104</a>	4548583057661			GD	GDK	CHN	8541.4900.00
<a href="#">E3X-HD11 2M</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, NPN, 2M</a>	185.30	EC002651	<a href="#">691084</a>	4549734551069	#		GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD14</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, NPN, M8 (4pin) konnektör</a>	213.20	EC002651	<a href="#">691082</a>	4549734551090			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD41 2M</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, PNP, 2M</a>	185.30	EC002651	<a href="#">691076</a>	4549734551106	#		GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD41 5M</a>	<a href="#">Fiber amplifier, Stable and Easy operation, Giga Bay II LED, PNP, 5 M</a>	205.50	EC002651	<a href="#">691081</a>	4549734551113			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD44</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, M8 (4pin) konnektör</a>	213.20	EC002651	<a href="#">691079</a>	4549734551144			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD6</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, NPN, CN-konnektör</a>	185.30	EC002651	<a href="#">691078</a>	4549734551151			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-HD8</a>	<a href="#">Fiberoptik amplifikatörü, kolay kullanım, PNP, CN-konnektör</a>	185.30	EC002651	<a href="#">691077</a>	4549734551168			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA11 2M</a>	<a href="#">Fiberoptik amplifikatörü, IP50, NPN, 2m kablolu</a>	136.00	EC002651	<a href="#">239765</a>	4547648358750	#		GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA11F 2M</a>	<a href="#">Fiber amplifier with potentiometer, fast respons time, NPN output, 2m cable</a>	232.90	EC002651	<a href="#">239772</a>	4547648358828			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA11V 2M</a>	<a href="#">Fiberoptik amplifikatörü, IP66, NPN, 2m kablolu</a>	204.70	EC002651	<a href="#">239773</a>	4547648358842			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA14V</a>	<a href="#">Amplifier with potentiometer, IP66, NPN output, M8 plug-in</a>	200.90	EC002651	<a href="#">239774</a>	4547648358866			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA41 2M</a>	<a href="#">Fiberoptik amplifikatörü, IP50, PNP, 2m kablolu</a>	136.00	EC002651	<a href="#">239766</a>	4547648358767	#		GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA41F 2M</a>	<a href="#">Fiber amplifier with potentiometer, fast respons time, PNP output, 2m cable</a>	232.90	EC002651	<a href="#">239775</a>	4547648358835			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA41V 2M</a>	<a href="#">Fiberoptik amplifikatörü, IP66, PNP, 2m kablolu</a>	200.90	EC002651	<a href="#">239760</a>	4547648358859			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA44V</a>	<a href="#">Fiberoptik amplifikatörü, IP66, PNP, M8 konnektör</a>	200.90	EC002651	<a href="#">239771</a>	4547648358811			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA51 2M</a>	<a href="#">Fiberoptik amplifikatörü, cubuk LED gösterge, DC, 3 kablolu, PNP, 2m kablolu</a>	222.60	EC002651	<a href="#">239777</a>	4547648358927			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NA8</a>	<a href="#">Fiberoptik amplifikatörü, IP50, PNP, konnektör</a>	116.70	EC002651	<a href="#">239770</a>	4547648358804			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NAG11 2M</a>	<a href="#">Fiberoptik amplifikatörü, benek algılama, NPN, 2m kablolu</a>	151.00	EC002651	<a href="#">239767</a>	4547648358774			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-NAG41 2M</a>	<a href="#">Amplifier, with potentiometer, mark detection, green LED, PNP output, 2m cable</a>	136.50	EC002651	<a href="#">239768</a>	4547648358781			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-SD21 2M</a>	<a href="#">Fiberoptik amplifikatörü, NPN, 2M</a>	136.00	EC002651	<a href="#">340860</a>	4547648809221			GD	GDK	CHN	8536.5019.90
<a href="#">E3X-SD51 2M</a>	<a href="#">Fiberoptik amplifikatörü, PNP, 2M</a>	136.00	EC002651	<a href="#">340861</a>	4547648809238	#		GD	GDK	CHN	8536.5019.90
<a href="#">E3X-SD9</a>	<a href="#">Fiberoptik amplifikatörü, PNP, konnektör</a>	144.70	EC002651	<a href="#">340863</a>	4547648809252			GD	GDK	CHN	8536.5019.90
<b>Fiberoptik Amplifikatör E3X</b>											
<a href="#">E3X-CN11</a>	<a href="#">Connector, 3-wire cable for master amplifier, 2m cable</a>	17.92	EC003015	<a href="#">336330</a>	4547648647717			GD	GDK	CHN	8541.4900.00
<a href="#">E3X-CN11 5M</a>	<a href="#">Connector, 3-wire, cable for master amplifier, 5m cable</a>	25.50	EC003015	<a href="#">336334</a>	4547648647755			GD	GDK	CHN	8541.4900.00
<a href="#">E3X-CN12</a>	<a href="#">Connector, 1-wire cable for slave amplifier, 2m cable</a>	16.31	EC003015	<a href="#">336331</a>	4547648647724			GD	GDK	CHN	8541.4900.00
<a href="#">E3X-CN12 5M</a>	<a href="#">Connector, 1-wire cable for slave amplifier, 5m cable</a>	18.73	EC003015	<a href="#">336335</a>	4547648647762			GD	GDK	CHN	8541.4900.00
<a href="#">E3X-CN21</a>	<a href="#">Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables</a>	25.06	EC003015	<a href="#">336332</a>	4547648647731			GD	GDK	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3T</b>											
<a href="#">E3T-CD11 2M</a>	<a href="#">Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı, 50mm, L-ON, NPN, 2m kablolu</a>	149.30	EC001821	<a href="#">351567</a>	4547648838542	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-CD13 2M</a>	<a href="#">Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı, 50mm, L-ON, PNP, 2m kablolu</a>	218.50	EC001821	<a href="#">351568</a>	4547648838559	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-CT14 2M</a>	<a href="#">Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 1m, D-ON, PNP, 2m kablolu</a>	173.80	EC002716	<a href="#">351564</a>	4547648838511			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-CT245 2M</a>	<a href="#">Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 500mm, D-ON, PNP, 2m kablolu</a>	173.80	EC002716	<a href="#">351566</a>	4547648838535			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FD11 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu</a>	109.10	EC001821	<a href="#">130184</a>	4536853289881			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FD13 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu</a>	106.30	EC001821	<a href="#">156504</a>	4536854366437			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FD13M 2M</a>	<a href="#">Photoelectric sensor, flat, diffuse 5-30mm, Light-ON, PNP, 2m cable (requires M3 screw &amp; bracket)</a>	78.70	EC001821	<a href="#">351549</a>	4548583011144			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FD14 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu</a>	109.50	EC001821	<a href="#">142150</a>	4536854366451			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FL11 2M</a>	<a href="#">Fotoelektrik sensör, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)</a>	134.00	EC002719	<a href="#">224243</a>	4547648223607			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FL13 2M</a>	<a href="#">Fotoelektrik sensör, arka plan bastırılmalı, 1-15mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu</a>	178.90	EC002719	<a href="#">224245</a>	4547648223621			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FL21 2M</a>	<a href="#">Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)</a>	151.00	EC002719	<a href="#">224247</a>	4547648223645			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FL23 2M</a>	<a href="#">Fotoelektrik sensör, arka plan bastırılmalı, 1-30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu</a>	146.40	EC002719	<a href="#">224249</a>	4547648223669			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FL24 2M</a>	<a href="#">Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires bracket)</a>	151.00	EC002719	<a href="#">224250</a>	4547648223676			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT11 2M</a>	<a href="#">Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu</a>	145.40	EC002716	<a href="#">149691</a>	4536853289867			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT12 2M</a>	<a href="#">Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, D-ON, yassı, 2m kablolu</a>	142.10	EC002716	<a href="#">130183</a>	4536853289874			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT13 2M</a>	<a href="#">Fotoelektrik sensör, karşılıklı, minyatür, yassı, 500mm, L-ON, PNP, 2m kablolu</a>	145.40	EC002716	<a href="#">130100</a>	4536854366345	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT14 2M</a>	<a href="#">Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu</a>	142.10	EC002716	<a href="#">130101</a>	4536854366352			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT21 2M</a>	<a href="#">Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting</a>	179.70	EC002716	<a href="#">224644</a>	4536854914102			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-FT24 2M</a>	<a href="#">Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable</a>	183.40	EC002716	<a href="#">224652</a>	4536854914065			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL11 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu</a>	110.60	EC002719	<a href="#">156503</a>	4536853289836			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL13 2M</a>	<a href="#">Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu</a>	104.70	EC002719	<a href="#">145481</a>	4536854366383			GD	GDO	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5-15mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	117.40	EC002719	<a href="#">351546</a>	4548583011069			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL13M51.0.3M</a>	Photo-electric sensor	106.60	EC002719	<a href="#">100408</a>	4547648016551	5		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL14 2M</a>	Fotoelektrik sensör, cisimden vansimalı, minyatür, 5-15mm, D-ON, PNP, 2m kablolu	97.65	EC002719	<a href="#">149692</a>	4536854366406			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL21 2M</a>	Fotoelektrik sensör, cisimden vansimalı, 30mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu	106.30	EC002719	<a href="#">147720</a>	4536853289904			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL23 2M</a>	Fotoelektrik sensör, cisimden vansimalı, 30mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	108.30	EC002719	<a href="#">130103</a>	4536854366413	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL23M51.0.3M</a>	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	136.50	EC002719	<a href="#">163556</a>	4547648016575			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SL24 2M</a>	Fotoelektrik sensör, cisimden vansimalı, minyatür, 5-30mm, D-ON, PNP, 2m kablolu	106.30	EC002719	<a href="#">130104</a>	4536854366420	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR22 2M</a>	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, NPN, D-ON, 2m kablolu	117.40	EC002717	<a href="#">224199</a>	4547648222884			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR23 2M</a>	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	115.80	EC002717	<a href="#">224201</a>	4547648222952			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR23-M51.0.3M</a>	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, pigtail connector, M8, 3 pin (requires bracket)	140.00	EC002717	<a href="#">224237</a>	4547648223430			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR24 2M</a>	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, D-ON, 2m kablolu	115.80	EC002717	<a href="#">224204</a>	4547648222983			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR41-C 2M</a>	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, NPN, L-ON, 2m kablolu	147.90	EC002717	<a href="#">249831</a>	4547648590389			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR43-C 2M</a>	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, PNP, L-ON, 2m kablolu	95.30	EC002717	<a href="#">249833</a>	4547648590402			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR44 2M</a>	Fotoelektrik sensör	126.00	EC002717	<a href="#">249830</a>	4547648590372			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-SR44-C 2M</a>	Photoelectric sensor, retro-reflective, miniature, side-view, 200mm, PNP, D-on, 2m cable, M2 mounting	107.30	EC002717	<a href="#">249834</a>	4547648590419			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST11 2M</a>	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, L-ON, 2m kablolu	145.40	EC002716	<a href="#">156502</a>	4536853289805			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST12 2M</a>	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, D-ON, 2m kablolu	142.60	EC002716	<a href="#">130180</a>	4536853289812			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST13 2M</a>	Fotoelektrik sensör, karşılıklı, minyatür, 1m, L-ON, PNP, 2m kablolu	142.10	EC002716	<a href="#">130098</a>	4536854366321			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST14 2M</a>	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, PNP, D-ON, 2m kablolu	141.00	EC002716	<a href="#">130099</a>	4536854366338	#		GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST23 2M</a>	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, L-ON, 2m kablolu	161.30	EC002716	<a href="#">224653</a>	4536854914126			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST24 2M</a>	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, D-ON, 2m kablolu	148.20	EC002716	<a href="#">224649</a>	4536854914096			GD	GDO	JPN	8541.4900.00
<a href="#">E3T-ST33F 2M</a>	Photoelectric sensor, through-beam, miniature, side-view, IRLLED, 2m, PNP, L-on, 2m cable, M2 mounting	115.00	EC002716	<a href="#">393228</a>	4548583516472			GD	GDO	JPN	8541.4900.00
<b>Fotoelektrik Sensör E3C-LDA</b>											
<a href="#">E3C-LD11N 2M</a>	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	440.00	EC001821	<a href="#">707114</a>	4549734741347			GD	GDQ	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
<a href="#">EE-SX472</a>	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	9.12	EC002720	<a href="#">392303</a>	4548583476011	#	100	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX473</a>	Photo micro sensor, slot type, Close-mounting, L-ON, NPN, connector	12.94	EC002720	<a href="#">392304</a>	4548583476028	20		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX670</a>	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.04	EC002720	<a href="#">392306</a>	4548583476042	#	100	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX670A</a>	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	<a href="#">392307</a>	4548583476059	#	100	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX670P</a>	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	20.64	EC002720	<a href="#">392308</a>	4548583476080	#	100	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX670P-WR 1M</a>	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1m robotic cable	25.87	EC002720	<a href="#">237964</a>	4547648354639	#		GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX670R</a>	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	<a href="#">392309</a>	4548583476097	#	100	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX670-WR 1M</a>	Photomicro sensor	18.93	EC002720	<a href="#">237956</a>	4547648354554	#	20	GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX671</a>	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	11.44	EC002720	<a href="#">392310</a>	4548583476073	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX671A</a>	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	<a href="#">392311</a>	4548583476103	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX671P</a>	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	20.23	EC002720	<a href="#">392312</a>	4548583476110	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX671P-WR 1M</a>	Photomicro sensor	44.61	EC002720	<a href="#">237965</a>	4547648354660	#	20	GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX671R</a>	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	<a href="#">392313</a>	4548583476127	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX671-WR 1M</a>	Photomicro sensor	42.76	EC002720	<a href="#">237957</a>	4547648354561	20		GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX672</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	<a href="#">392314</a>	4548583476134	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX672A</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	11.85	EC002720	<a href="#">392315</a>	4548583476141	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX672P</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.16	EC002720	<a href="#">392316</a>	4548583476158	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX672P-WR 1M</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1m robotic cable	20.51	EC002720	<a href="#">237966</a>	4547648354677	50		GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX672R</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.38	EC002720	<a href="#">392317</a>	4548583476165	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX672-WR 1M</a>	Photomicro sensor	21.60	EC002720	<a href="#">237958</a>	4547648354578	20		GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX673</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	9.70	EC002720	<a href="#">392318</a>	4548583476172	100		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX673A</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	12.32	EC002720	<a href="#">392319</a>	4548583476189	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX673P</a>	Photo micro sensor, slot type, close-mounting, L-ON/D-ON selectable, incident light indicator, PNP, connector	27.65	EC002720	<a href="#">393162</a>	4548583476196	20		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX673R</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	19.79	EC002720	<a href="#">392320</a>	4548583476202	10		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX673-WR 1M</a>	Photomicro sensor	37.10	EC002720	<a href="#">237959</a>	4547648354585			GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX674</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	15.34	EC002720	<a href="#">392321</a>	4548583476219	#	50	GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX674A</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	17.25	EC002720	<a href="#">392322</a>	4548583476226	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX674P</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	25.04	EC002720	<a href="#">392323</a>	4548583476233	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX674P-WR 1M</a>	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre-wired 2M	21.96	EC002720	<a href="#">237968</a>	4547648354691			GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX674R</a>	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	14.27	EC002720	<a href="#">392324</a>	4548583476240	10		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX674-WR 1M</a>	Photomicro sensor	16.55	EC002720	<a href="#">237960</a>	4547648354592			GD	GDR	CHN	8536.5019.90
<a href="#">EE-SX675</a>	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	13.66	EC002720	<a href="#">392325</a>	4548583476257	50		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX770 2M</a>	Photomicro sensor, slim, 5mm slot, D-on, NPN, 2m cable	53.70	EC002720	<a href="#">127668</a>	4536854355509			GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX770P</a>	Photomicro sensor, slim, 5mm slot, D-on, PNP, 2m cable	35.42	EC002720	<a href="#">127688</a>	4536854402371	10		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX771 2M</a>	Photomicro sensor, slim, L-shape, D-on, NPN, 2m cable	38.28	EC002720	<a href="#">127672</a>	4536854355547	10		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX771A 2M</a>	Photomicro sensor	36.41	EC002720	<a href="#">127673</a>	4536854355554			GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX771P</a>	Photomicro sensor, slim, 5mm slot, L-shaped, D-on, PNP, 2m cable	34.72	EC002720	<a href="#">127689</a>	4536854402388	10		GD	GDR	JPN	8536.5019.90
<a href="#">EE-SX771R</a>	Photomicro sensor	34.96	EC002720	<a href="#">127592</a>	4536854402456			GD	GDR	JPN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, NPN, 2m cable	35.93	EC002720	127675	4536854356728			GD	GDR	JPN	8536.5019.90
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, without incident light indicator, D-ON, NPN, 2m cable	36.41	EC002720	151458	4536854356735			GD	GDR	JPN	8536.5019.90
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, D-on, PNP, 2m cable	33.50	EC002720	127594	4536854402395	10		GD	GDR	JPN	8536.5019.90
EE-SX772R	Photomicro sensor	34.50	EC002720	127598	4536854402463	100		GD	GDR	JPN	8536.5019.90
EE-SX870 2M	Photomicro sensor, slim, Standard shape, L-on, NPN, 2m cable	46.25	EC002720	127670	4536854355523			GD	GDR	JPN	8536.5019.90
EE-SX870P	Photomicro sensor, slim, 5mm slot, L-on, PNP, 2m cable	34.72	EC002720	142714	4536854402401	10		GD	GDR	JPN	8536.5019.90
EE-SX871 2M	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	36.41	EC002720	127674	4536854355561			GD	GDR	JPN	8536.5019.90
EE-SX871P	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	31.59	EC002720	127595	4536854402418	10		GD	GDR	JPN	8536.5019.90
EE-SX872 2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	38.28	EC002720	127676	4536854356742			GD	GDR	JPN	8536.5019.90
EE-SX872A 2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, NPN, 2M	38.28	EC002720	104676	4536854356759	10		GD	GDR	JPN	8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	34.72	EC002720	103843	4536854402425	10		GD	GDR	JPN	8536.5019.90
EE-SX950P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378484	4548583416734	5		GD	GDR	JPN	8536.5019.90
EE-SX951P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	19.06	EC002720	378495	4548583416796	10		GD	GDR	JPN	8536.5019.90
EE-SX951P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378485	4548583416741	5		GD	GDR	JPN	8536.5019.90
EE-SX951-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	22.89	EC002720	378492	4548583416697	10		GD	GDR	JPN	8536.5019.90
EE-SX951-W 1M	Photo micro sensor, slot type, NPN, 1m cable	18.30	EC002720	378480	4548583416642	5		GD	GDR	JPN	8536.5019.90
EE-SX952P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378496	4548583416802	10		GD	GDR	JPN	8536.5019.90
EE-SX952P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	15.77	EC002720	378486	4548583416758	5		GD	GDR	JPN	8536.5019.90
EE-SX952-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	13.13	EC002720	378489	4548583416703	10		GD	GDR	JPN	8536.5019.90
EE-SX952-W 1M	Photo micro sensor, slot type, NPN, 1m cable	15.77	EC002720	378481	4548583416659	5		GD	GDR	JPN	8536.5019.90
EE-SX953P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.57	EC002720	378497	4548583416819	10		GD	GDR	JPN	8536.5019.90
EE-SX953-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	19.79	EC002720	378490	4548583416710	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-R 1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378498	4548583416826	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-W 1M	Photo micro sensor, slot type, PNP, 1m cable	21.50	EC002720	378488	4548583416772	5		GD	GDR	JPN	8536.5019.90
EE-SX954-R 1M	Photo micro sensor, slot type, NPN, 1m robotic cable	24.92	EC002720	378493	4548583416727	10		GD	GDR	JPN	8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	28.25	EC002720	335080	4547648822312			GD	GDR	CHN	8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	25.87	EC002720	335087	4547648822275	50		GD	GDR	CHN	8536.5019.90
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	25.87	EC002720	335083	4547648822343			GD	GDR	CHN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6mm, D-ON, NPN, 1m cable	39.28	EC002720	127753	4536854778513	5		GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 2M	Photo micro sensor	32.96	EC002720	225408	4536854778735			GD	GDR	CHN	8536.5019.90
EE-SPX303N	Photomicro sensor, slot type, 13mm, D-on, NPN, connector	30.63	EC002720	324057	4547648766548	50		GD	GDR	JPN	8536.5019.90
EE-SPX401	Photo micro sensor	26.36	EC002720	103759	4536854776458	50		GD	GDR	CHN	8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13mm, NPN, connector	27.77	EC002720	324058	4547648766555			GD	GDR	JPN	8536.5019.90
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1m cable	80.70	EC002720	127750	4536853234195			GD	GDR	JPN	8536.5019.90
EE-SPX841	Photomicro sensor	31.41	EC002720	164206	4536854518294			GD	GDR	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, D-ON, NPN, connector	31.59	EC001821	144819	4536854778094	100		GD	GDR	CHN	8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5mm, L-ON, NPN, connector	25.87	EC001821	127752	4536854778087	100		GD	GDR	CHN	8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	24.92	EC001821	158099	4536854778100	50		GD	GDR	CHN	8536.5019.90
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2.5mm, L-ON, NPN, connector	51.40	EC001821	127758	4536854778599	#	20	GD	GDR	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2.5mm, L-ON, NPN, connector	39.99	EC001821	148065	4536854778605	#	20	GD	GDR	CHN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1.5mm (adjustable), L-ON/D-ON selectable, NPN, connector	24.92	EC001821	127547	4536853238797	20		GD	GDR	JPN	8536.5019.90
<b>Fotomikro Sensör Dahili Amplifikatör</b>											
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3M	23.22	EC001855	335077	4547648822398			GD	GDR	CHN	8541.4900.00
<b>Fotoelektrik Sensör E3FA / E3RA</b>											
E3FA-BN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378858	4548583440623			GD	GDS	IDN	8536.9095.00
E3FA-BN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378859	4548583440630			GD	GDS	IDN	8536.9095.00
E3FA-BN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378868	4548583440739			GD	GDS	IDN	8536.9095.00
E3FA-BN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378869	4548583440746			GD	GDS	IDN	8536.9095.00
E3FA-BP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378878	4548583440845			GD	GDS	IDN	8536.9095.00
E3FA-BP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378879	4548583440852			GD	GDS	IDN	8536.9095.00
E3FA-BP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378888	4548583440951			GD	GDS	IDN	8536.9095.00
E3FA-BP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378889	4548583440968	#		GD	GDS	IDN	8536.9095.00
E3FA-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378852	4548583440562	#		GD	GDS	IDN	8536.9095.00
E3FA-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378853	4548583440579	#		GD	GDS	IDN	8536.9095.00
E3FA-DN13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378854	4548583440586	#		GD	GDS	IDN	8536.9095.00
E3FA-DN14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381318	4548583468498			GD	GDS	CHN	8541.4900.00
E3FA-DN15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381322	4548583468535			GD	GDS	CHN	8541.4900.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-DN16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381326	4548583468573			GD	GDS	CHN	8541.4900.00
E3FA-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378862	4548583440678	#		GD	GDS	IDN	8536.9095.00
E3FA-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378863	4548583440685			GD	GDS	IDN	8536.9095.00
E3FA-DN23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378864	4548583440692	#		GD	GDS	IDN	8536.9095.00
E3FA-DN24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381319	4548583468504			GD	GDS	CHN	8541.4900.00
E3FA-DN25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381323	4548583468542			GD	GDS	CHN	8541.4900.00
E3FA-DN26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381327	4548583468580			GD	GDS	CHN	8541.4900.00
E3FA-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378872	4548583440784	#		GD	GDS	IDN	8536.9095.00
E3FA-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378873	4548583440791	#		GD	GDS	IDN	8536.9095.00
E3FA-DP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378874	4548583440807	#		GD	GDS	IDN	8536.9095.00
E3FA-DP14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381320	4548583468511			GD	GDS	CHN	8541.4900.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382773	4548583499947			GD	GDS	CHN	8541.4900.00
E3FA-DP15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381324	4548583468559			GD	GDS	CHN	8541.4900.00
E3FA-DP15-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382774	45485834999454			GD	GDS	CHN	8541.4900.00
E3FA-DP16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381328	4548583468597			GD	GDS	CHN	8541.4900.00
E3FA-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378882	4548583440890	#		GD	GDS	IDN	8536.9095.00
E3FA-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378883	4548583440906	#		GD	GDS	IDN	8536.9095.00
E3FA-DP23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378884	4548583440913	#		GD	GDS	IDN	8536.9095.00
E3FA-DP24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381321	4548583468528			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F016	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150mm fixed, PNP, L-ON/D-ON selectable, M12 connector	34.54	EC001821	659020	4548583731110			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.82	EC001821	382777	45485834999485			GD	GDS	CHN	8541.4900.00
E3FA-DP25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381325	4548583468566	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25-1	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, low hysteresis, PNP, L-ON/D-ON selectable, M12 connector	43.67	EC001821	409501	4548583584655			GD	GDS	CHN	8541.4900.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.77	EC001821	382778	45485834999492			GD	GDS	CHN	8541.4900.00
E3FA-DP26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381329	4548583468603			GD	GDS	CHN	8541.4900.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	36.60	EC001821	382779	45485834999508			GD	GDS	CHN	8541.4900.00
E3FA-LN1 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378855	4548583440593			GD	GDS	IDN	8536.9095.00
E3FA-LN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378856	4548583440609			GD	GDS	IDN	8536.9095.00
E3FA-LN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378865	4548583440708			GD	GDS	IDN	8536.9095.00
E3FA-LN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378866	4548583440715			GD	GDS	IDN	8536.9095.00
E3FA-LP1 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.90	EC002719	378875	4548583440814			GD	GDS	IDN	8536.9095.00
E3FA-LP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.65	EC002719	378876	4548583440821			GD	GDS	IDN	8536.9095.00
E3FA-LP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.25	EC002719	378885	4548583440920	#		GD	GDS	IDN	8536.9095.00
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	52.30	EC002719	382780	45485834999515			GD	GDS	CHN	8541.4900.00
E3FA-LP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırmali, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.05	EC002719	378886	4548583440937	#		GD	GDS	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 200mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.20	EC002719	659592	4548583731158			GD	GDS	CHN	8536.9095.00
E3FA-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378850	4548583440548	#		GD	GDS	IDN	8536.9095.00
E3FA-RN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378851	4548583440555			GD	GDS	IDN	8536.9095.00
E3FA-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378860	4548583440654			GD	GDS	IDN	8536.9095.00
E3FA-RN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378861	4548583440661			GD	GDS	IDN	8536.9095.00
E3FA-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378870	4548583440760	#		GD	GDS	IDN	8536.9095.00
E3FA-RP11 5M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	46.01	EC002717	419143	4548583595576			GD	GDS	CHN	8541.4900.00
E3FA-RP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378871	4548583440777			GD	GDS	IDN	8536.9095.00
E3FA-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378880	4548583440876	#		GD	GDS	IDN	8536.9095.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.50	EC002717	659017	4548583731196			GD	GDS	CHN	8536.9095.00
E3FA-RP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşekslenli reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378881	4548583440883			GD	GDS	IDN	8536.9095.00
E3FA-TN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	61.25	EC002716	386962	4548583440531			GD	GDS	IDN	8536.9095.00
E3FA-TN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381314	4548583468450			GD	GDS	CHN	8541.4900.00
E3FA-TN21	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404483	4548583440647	#		GD	GDS	IDN	8541.4900.00
E3FA-TN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381315	4548583468467			GD	GDS	CHN	8541.4900.00
E3FA-TP11 2M	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m PVC kablolu	61.25	EC002716	404484	4548583440753	#		GD	GDS	IDN	8541.4900.00
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 5m PVC cable	51.20	EC002716	416701	4548583569201			GD	GDS	CHN	8541.4900.00
E3FA-TP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381316	4548583468474			GD	GDS	CHN	8541.4900.00
E3FA-TP21	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404485	4548583440869	#		GD	GDS	IDN	8541.4900.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	40.93	EC002716	415553	4548583547308			GD	GDS	CHN	8541.4900.00
E3FA-TP21-E011	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam, 20m, PNP, L-ON fixed, M12 connector	57.25	EC002716	382535	4548583502208			GD	GDS	CHN	8541.4900.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	28.87	EC002716	415552	4548583547292			GD	GDS	CHN	8541.4900.00
E3FA-TP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381317	4548583468481			GD	GDS	CHN	8541.4900.00
E3FA-VN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378857	4548583440616			GD	GDS	IDN	8536.9095.00
E3FA-VN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378867	4548583440722			GD	GDS	IDN	8536.9095.00
E3FA-VP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378877	4548583440838			GD	GDS	IDN	8536.9095.00
E3FA-VP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378887	4548583440944			GD	GDS	IDN	8536.9095.00
E3FB-BN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378899	4548583441064			GD	GDS	IDN	8536.9095.00
E3FB-BN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378900	4548583441071			GD	GDS	IDN	8536.9095.00
E3FB-BN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378910	4548583441170			GD	GDS	IDN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FB-BN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378911	4548583441187			GD	GDS	IDN	8536.9095.00
E3FB-BP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378921	4548583441286			GD	GDS	IDN	8536.9095.00
E3FB-BP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378922	4548583441293			GD	GDS	IDN	8536.9095.00
E3FB-BP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378932	4548583441392			GD	GDS	IDN	8536.9095.00
E3FB-BP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378933	4548583441408			GD	GDS	IDN	8536.9095.00
E3FB-DN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378893	4548583441002			GD	GDS	IDN	8536.9095.00
E3FB-DN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.89	EC001821	378894	4548583441019			GD	GDS	IDN	8536.9095.00
E3FB-DN13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378895	4548583441026			GD	GDS	IDN	8536.9095.00
E3FB-DN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378904	4548583441118			GD	GDS	IDN	8536.9095.00
E3FB-DN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378905	4548583441125			GD	GDS	IDN	8536.9095.00
E3FB-DN23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	378906	4548583441132			GD	GDS	IDN	8536.9095.00
E3FB-DP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378915	4548583441224	#		GD	GDS	IDN	8536.9095.00
E3FB-DP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378916	4548583441231	#		GD	GDS	IDN	8536.9095.00
E3FB-DP13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378917	4548583441248	#		GD	GDS	IDN	8536.9095.00
E3FB-DP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378926	4548583441330	#		GD	GDS	IDN	8536.9095.00
E3FB-DP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378927	4548583441347	#		GD	GDS	IDN	8536.9095.00
E3FB-DP23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	378928	4548583441354	#		GD	GDS	IDN	8536.9095.00
E3FB-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	49.66	EC001821	387806	4548583518926			GD	GDS	CHN	8541.4900.00
E3FB-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.05	EC001821	659014	4548583731295			GD	GDS	CHN	9031.9000.00
E3FB-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378896	4548583441033			GD	GDS	IDN	8536.9095.00
E3FB-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378897	4548583441040			GD	GDS	IDN	8536.9095.00
E3FB-LN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.25	EC002719	378907	4548583441149			GD	GDS	IDN	8536.9095.00
E3FB-LN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.70	EC002719	378908	4548583441156			GD	GDS	IDN	8536.9095.00
E3FB-LP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.70	EC002719	378918	4548583441255			GD	GDS	IDN	8536.9095.00
E3FB-LP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.90	EC002719	378919	4548583441262			GD	GDS	IDN	8536.9095.00
E3FB-LP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.90	EC002719	378929	4548583441361	#		GD	GDS	IDN	8536.9095.00
E3FB-LP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	59.10	EC002719	378930	4548583441378	#		GD	GDS	IDN	8536.9095.00
E3FB-RN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378891	4548583440982			GD	GDS	IDN	8536.9095.00
E3FB-RN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC002717	378902	4548583441095			GD	GDS	IDN	8536.9095.00
E3FB-RP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378913	4548583441200	#		GD	GDS	IDN	8536.9095.00
E3FB-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	41.62	EC002717	378914	4548583441217			GD	GDS	IDN	8536.9095.00
E3FB-RP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC002717	378924	4548583441316	#		GD	GDS	IDN	8536.9095.00
E3FB-RP21-E2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	48.42	EC002717	659019	4548583731325			GD	GDS	CHN	8536.9095.00
E3FB-RP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, eksenel reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC002717	378925	4548583441323			GD	GDS	IDN	8536.9095.00
E3FB-TN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378890	4548583440975			GD	GDS	IDN	8536.9095.00
E3FB-TN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.20	EC002716	378901	4548583441088			GD	GDS	IDN	8536.9095.00
E3FB-TP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378912	4548583441194			GD	GDS	IDN	8536.9095.00
E3FB-TP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.20	EC002716	378923	4548583441309			GD	GDS	IDN	8536.9095.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	47.65	EC002716	415550	4548583593671			GD	GDS	CHN	8541.4900.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	33.39	EC002716	415551	4548583593688			GD	GDS	CHN	8541.4900.00
E3FB-VN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378898	4548583441057			GD	GDS	IDN	8536.9095.00
E3FB-VN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	53.20	EC002719	378909	4548583441163			GD	GDS	IDN	8536.9095.00
E3FB-VP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378920	4548583441279			GD	GDS	IDN	8536.9095.00
E3FB-VP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.20	EC002719	378931	4548583441385			GD	GDS	IDN	8536.9095.00
E3FC-BN21	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	97.35	EC002717	670301	4548583732698			GD	GDS	CHN	8541.4900.00
E3FC-BP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	87.15	EC002717	659444	4548583732667			GD	GDS	CHN	8541.4900.00
E3FC-BP21 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	94.45	EC002717	659450	4548583732674			GD	GDS	CHN	8541.4900.00
E3FC-DN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659451	4548583732704			GD	GDS	CHN	8541.4900.00
E3FC-DN13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659438	4548583732711			GD	GDS	CHN	8541.4900.00
E3FC-DN15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659458	4548583732728			GD	GDS	CHN	8541.4900.00
E3FC-DN16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659432	4548583732735			GD	GDS	CHN	8541.4900.00
E3FC-DN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC001821	659435	4548583732742			GD	GDS	CHN	8541.4900.00
E3FC-DN23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659422	4548583732759			GD	GDS	CHN	8541.4900.00
E3FC-DN25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659441	4548583732766			GD	GDS	CHN	8541.4900.00
E3FC-DN26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC001821	659431	4548583732773			GD	GDS	CHN	8541.4900.00
E3FC-DP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659430	4548583732780			GD	GDS	CHN	8541.4900.00
E3FC-DP13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659436	4548583732797			GD	GDS	CHN	8541.4900.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	84.20	EC001821	659437	4548583732803			GD	GDS	CHN	8541.4900.00
E3FC-DP15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659429	4548583732810			GD	GDS	CHN	8541.4900.00
E3FC-DP16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659449	4548583732827			GD	GDS	CHN	8541.4900.00
E3FC-DP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	72.75	EC001821	659445	4548583732834			GD	GDS	CHN	8541.4900.00
E3FC-DP23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659439	4548583732841			GD	GDS	CHN	8541.4900.00
E3FC-DP25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	72.75	EC001821	659448	4548583732858			GD	GDS	CHN	8541.4900.00
E3FC-DP26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659462	4548583732872			GD	GDS	CHN	8541.4900.00
E3FC-LN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	104.90	EC002719	659456	4548583732889			GD	GDS	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FC-LN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	105,90	EC002719	659460	4548583732896			GD	GDS	CHN	8541.4900.00
E3FC-LN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	105,90	EC002719	659447	4548583732902			GD	GDS	CHN	8541.4900.00
E3FC-LN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	104,90	EC002719	659459	4548583732919			GD	GDS	CHN	8541.4900.00
E3FC-LP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105,90	EC002719	659428	4548583732926			GD	GDS	CHN	8541.4900.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BG5, 100mm, PNP, L-ON/D-ON selectable, 5m cable	117,00	EC002719	659440	4548583732933			GD	GDS	CHN	8541.4900.00
E3FC-LP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105,40	EC002719	659424	4548583732940			GD	GDS	CHN	8541.4900.00
E3FC-LP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	104,90	EC002719	659426	4548583732964			GD	GDS	CHN	8541.4900.00
E3FC-LP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	105,90	EC002719	659454	4548583732971			GD	GDS	CHN	8541.4900.00
E3FC-RN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73,40	EC002717	659422	4548583732988			GD	GDS	CHN	8541.4900.00
E3FC-RN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73,40	EC002717	659425	4548583732995			GD	GDS	CHN	8541.4900.00
E3FC-RP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73,95	EC002717	659446	4548583733008			GD	GDS	CHN	8541.4900.00
E3FC-RP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	84,75	EC002717	659453	4548583733015			GD	GDS	CHN	8541.4900.00
E3FC-RP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73,40	EC002717	659455	4548583733022			GD	GDS	CHN	8541.4900.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	122,30	EC002716	659457	4548583733039			GD	GDS	CHN	8541.4900.00
E3FC-TN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	128,50	EC002716	659452	4548583733046			GD	GDS	CHN	8541.4900.00
E3FC-TP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119,30	EC002716	659443	4548583733053			GD	GDS	CHN	8541.4900.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	145,70	EC002716	659423	4548583733060			GD	GDS	CHN	8541.4900.00
E3FC-TP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	123,80	EC002716	659433	4548583733084			GD	GDS	CHN	8541.4900.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	50,05	EC001821	378952	4548583441590			GD	GDS	IDN	8536.9095.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	51,20	EC001821	378953	4548583441606			GD	GDS	IDN	8536.9095.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, 2m cable	53,60	EC001821	378954	4548583441613			GD	GDS	IDN	8536.9095.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	50,05	EC001821	378957	4548583441644			GD	GDS	IDN	8536.9095.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	51,20	EC001821	378958	4548583441651			GD	GDS	IDN	8536.9095.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	53,60	EC001821	378959	4548583441668			GD	GDS	IDN	8536.9095.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	50,05	EC001821	378962	4548583441699			GD	GDS	IDN	8536.9095.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	51,20	EC001821	378963	4548583441705			GD	GDS	IDN	8536.9095.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2m cable	53,60	EC001821	378964	4548583441712			GD	GDS	IDN	8536.9095.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC001821	378967	4548583441743	40		GD	GDS	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	51,20	EC001821	378968	4548583441750			GD	GDS	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	53,60	EC001821	378969	4548583441767			GD	GDS	IDN	8536.9095.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	50,05	EC002717	378951	4548583441583			GD	GDS	IDN	8536.9095.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC002717	378956	4548583441637			GD	GDS	IDN	8536.9095.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	50,05	EC002717	378961	4548583441682			GD	GDS	IDN	8536.9095.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC002717	378966	4548583441736			GD	GDS	IDN	8536.9095.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	66,45	EC002716	378950	4548583441576			GD	GDS	IDN	8536.9095.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	66,45	EC002716	378955	4548583441620			GD	GDS	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	66,45	EC002716	378960	4548583441675			GD	GDS	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	66,45	EC002716	378965	4548583441729			GD	GDS	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	57,70	EC001821	378978	4548583441859			GD	GDS	IDN	8536.9095.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	57,70	EC001821	378983	4548583441903			GD	GDS	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	56,80	EC001821	378987	4548583441941			GD	GDS	IDN	8536.9095.00
E3RB-DP21-F2	Photoelectric sensor, M18 threaded barrel, radial type, metal, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, inverted logic, M12 connector	86,00	EC001821	683197	4549734276993			GD	GDS	CHN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	48,17	EC001821	378988	4548583441958			GD	GDS	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	59,70	EC001821	378989	4548583441965			GD	GDS	IDN	8536.9095.00
E3RB-RN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	51,65	EC002717	378971	4548583441781			GD	GDS	IDN	8536.9095.00
E3RB-RN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	51,65	EC002717	378976	4548583441835			GD	GDS	IDN	8536.9095.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	47,31	EC002717	378981	4548583441880			GD	GDS	IDN	8536.9095.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	56,80	EC002717	378986	4548583441934			GD	GDS	IDN	8536.9095.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	77,35	EC002716	378980	4548583441873			GD	GDS	IDN	8536.9095.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	77,50	EC002716	378985	4548583441927			GD	GDS	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3F1</b>											
E3F1-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC001821	378936	4548583441439			GD	GDT	IDN	8536.9095.00
E3F1-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	32,21	EC001821	378937	4548583441446			GD	GDT	IDN	8536.9095.00
E3F1-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC001821	378940	4548583441477			GD	GDT	IDN	8536.9095.00
E3F1-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	32,21	EC001821	378941	4548583441484			GD	GDT	IDN	8536.9095.00
E3F1-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC001821	378944	4548583441514			GD	GDT	IDN	8536.9095.00
E3F1-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	32,21	EC001821	378945	4548583441521			GD	GDT	IDN	8536.9095.00
E3F1-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC001821	378948	4548583441552	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	32,21	EC001821	378949	4548583441569	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	291,30	EC001821	401859	4548583571617			GD	GDT	CHN	8536.9095.00
E3F1-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC002717	378935	4548583441422			GD	GDT	IDN	8536.9095.00
E3F1-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC002717	378939	4548583441460			GD	GDT	IDN	8536.9095.00
E3F1-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC002717	378943	4548583441507			GD	GDT	IDN	8536.9095.00
E3F1-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC002717	378947	4548583441545	#	20	GD	GDT	IDN	8536.9095.00
E3F1-RP21-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 3m, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	282,50	EC002717	401861	4548583571631			GD	GDT	CHN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3F1-TN11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.87	EC002716	<a href="#">378934</a>	4548583441415			GD	GDT	IDN	8536.9095.00
E3F1-TN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	42.50	EC002716	<a href="#">378938</a>	4548583441453			GD	GDT	IDN	8536.9095.00
E3F1-TP11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.92	EC002716	<a href="#">378942</a>	4548583441491			GD	GDT	IDN	8536.9095.00
E3F1-TP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	42.50	EC002716	<a href="#">378946</a>	4548583441538	#		GD	GDT	IDN	8536.9095.00
<b>Fotoelektrik Sensör E3JK-Lite</b>											
E3JK-DP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC001821	<a href="#">668839</a>	4548583746589	#		GD	GDU	IDN	8541.4900.00
E3JK-DP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.25	EC001821	<a href="#">668840</a>	4548583746602			GD	GDU	IDN	8541.4900.00
E3JK-DP13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	66.10	EC001821	<a href="#">669198</a>	4548583580862			GD	GDU	CHN	8541.4900.00
E3JK-DR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	82.95	EC001821	<a href="#">668835</a>	4548583746480	#		GD	GDU	IDN	8541.4900.00
E3JK-DR12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	79.15	EC001821	<a href="#">668843</a>	4548583746510	#		GD	GDU	IDN	8541.4900.00
E3JK-DR13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	71.15	EC001821	<a href="#">669192</a>	4548583580763	#		GD	GDU	CHN	8541.4900.00
E3JK-RN12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	<a href="#">668831</a>	4548583746701			GD	GDU	IDN	8541.4900.00
E3JK-RP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	<a href="#">668833</a>	4548583746664			GD	GDU	IDN	8541.4900.00
E3JK-RP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	<a href="#">668836</a>	4548583746725	#		GD	GDU	IDN	8541.4900.00
E3JK-RP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	<a href="#">668844</a>	4548583746626	#		GD	GDU	IDN	8541.4900.00
E3JK-RB12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	<a href="#">668829</a>	4548583746688	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12-5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5m cable	76.35	EC002717	<a href="#">379009</a>	4548583484023			GD	GDU	CHN	8541.4900.00
E3JK-TR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105.70	EC002716	<a href="#">668830</a>	4548583746442			GD	GDU	IDN	8541.4900.00
E3JK-TR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	112.70	EC002716	<a href="#">668838</a>	4548583746343	#		GD	GDU	IDN	8541.4900.00
E3JK-TR11-5M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	115.60	EC002716	<a href="#">668841</a>	4548583746350			GD	GDU	IDN	8541.4900.00
E3JK-TR12-2M	Photoelectric sensor, square body, red LED, through-beam, 5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	112.70	EC002716	<a href="#">688662</a>	4548583746374			GD	GDU	IDN	8541.4900.00
<b>Fotoelektrik Sensör E3S-D</b>											
E3S-DBN21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, SmartTeach, 4.5m, NPN, M12 konektör	137.10	EC002717	<a href="#">393258</a>	4548583518339			GD	GDV	CHN	8541.4900.00
E3S-DBP21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, SmartTeach, 4.5m, PNP, M12 konektör	121.30	EC002717	<a href="#">388939</a>	4548583518292	#		GD	GDV	CHN	8541.4900.00
E3S-DBP21T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, potansiyometreli, 4.5m, PNP, M12 konektör	107.90	EC002717	<a href="#">388938</a>	4548583518285			GD	GDV	CHN	8541.4900.00
E3S-DBP22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, dar ışın, SmartTeach, 0.7m, PNP, M12 konektör	123.20	EC002717	<a href="#">388941</a>	4548583518315	#		GD	GDV	CHN	8541.4900.00
E3S-DBP22T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, dar ışın, potansiyometreli, 0.7m, PNP, M12 konektör	113.40	EC002717	<a href="#">388940</a>	4548583518308			GD	GDV	CHN	8541.4900.00
E3S-DCN21	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, NPN, M12 konektör	240.60	EC001820	<a href="#">670883</a>	4548583819047			GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL2	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM2 (38.4kbps), M12 konektör	285.40	EC001820	<a href="#">670884</a>	4548583819054			GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL3	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM3 (230.4kbps), M12 konektör	285.40	EC001820	<a href="#">670885</a>	4548583819061	#		GD	GDV	CHN	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3S-GS3B4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, PNP, 2m kablolu	195.30	EC002720	<a href="#">130258</a>	4536853286194	#		GD	GDX	JPN	8541.4900.00
E3S-GS3B4-5M	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 5m cable	219.60	EC002720	<a href="#">130268</a>	4536853286514			GD	GDX	JPN	8541.4900.00
E3S-GS3F4	Fotoelektrik sensör, boşluk 30mm, DC, 3 kablolu, NPN, 2m kablolu	174.10	EC002720	<a href="#">130246</a>	4536853285937	#		GD	GDX	JPN	8541.4900.00
E3S-L110XB4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130256	4536853286132			GD	GDX	JPN	8541.4900.00
E3S-L110XF4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130243	4536853285876			GD	GDX	JPN	8541.4900.00
E3S-L520XB4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130257	4536853286156			GD	GDX	JPN	8541.4900.00
E3S-L520XF4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130244	4536853285890			GD	GDX	JPN	8541.4900.00
E3S-LS3NW-2M	Fotoelektrik sensör, cisimden yansımali, 10-60mm, DC, 3 kablolu, NPN, düzey, 2m kablolu	131.20	EC002719	<a href="#">154808</a>	4536854810060			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-2M	Fotoelektrik sensör, sınırlı mesafe, cisimden yansımali, 10-60mm, PNP, 2m kablolu	141.70	EC002719	<a href="#">130314</a>	4536854917318			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M3J-0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	110.30	EC002719	<a href="#">130317</a>	4536854917387			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M5J-0.3M	Photoelectric sensor, limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, pigtail 0.3m with M8 3-pin connector	110.30	EC002719	<a href="#">155478</a>	4536854917424			GD	GDX	JPN	8541.4900.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	379.20	EC002717	130213	4536853287924			GD	GDX	JPN	8541.4900.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable	382.80	EC002717	130211	4536853287900			GD	GDX	JPN	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3H2-DS10B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 100mm sabit, PNP, 2m kablolu	87.35	EC001821	<a href="#">323686</a>	4547648873017			GD	GDX	ITA	8541.4900.00
E3H2-DS10B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 100mm sabit, PNP, M12, 4-pin	100.20	EC001821	<a href="#">323687</a>	4547648873024			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 300mm öğretilmeli, PNP, 2m kablolu	155.20	EC001821	<a href="#">323682</a>	4547648872973			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 300mm öğretilmeli, M12, 4-pin	101.60	EC001821	<a href="#">323683</a>	4547648872980	#		GD	GDX	ITA	8541.4900.00
E3H2-R2B4M-4M1	Fotoelektrik sensör, M12 pirinç gövde, polarizasyonlu reflektörlü, 2m öğretilmeli, PNP, M12, 4-pin	108.00	EC002717	<a href="#">323679</a>	4547648872942			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, 2m kablolu	147.00	EC002716	<a href="#">323674</a>	4547648872898			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, M12, 4-pin	196.30	EC002716	<a href="#">323675</a>	4547648872904	#		GD	GDX	ITA	8541.4900.00
<b>Diğer Fotoelektrik Sensörler</b>											
E3T2-005-150	Light curtain, 5mm resolution, 150mm height, NPN/PNP output	1,269.00	EC001832	<a href="#">365856</a>	4548583326828			GD	GDX	ITA	8536.5019.90
E3T2-005-300	Light curtain, 5mm resolution, 300mm height, NPN/PNP output	1,907.00	EC001832	<a href="#">365858</a>	4548583326842			GD	GDX	ITA	8536.5019.90
E3T2-018-150	Light curtain, 18mm resolution, 150mm height, NPN/PNP output	847.00	EC001832	<a href="#">365857</a>	4548583326835			GD	GDX	ITA	8536.5019.90
E3T2-018-300	Light curtain, 18mm resolution, 300mm height, NPN/PNP output	1,062.00	EC001832	<a href="#">365859</a>	4548583326859			GD	GDX	ITA	8536.5019.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Diğer Fotoelektrik Sensörler</b>											
<a href="#">E3M2-005-300-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 300mm height, analog output</a>	1,907.00	EC001832	<a href="#">365875</a>	4548583327016			GD	GDX	ITA	8536.5019.90
<a href="#">E3M2-005-450-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 450mm height, analog output</a>	2,548.00	EC001832	<a href="#">365877</a>	4548583327030			GD	GDX	ITA	8536.5019.90
<a href="#">E3M2-005-600-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 600mm height, analog output</a>	3,181.00	EC001832	<a href="#">365879</a>	4548583327054			GD	GDX	ITA	8536.5019.90
<a href="#">E3M2-005-900-AV</a>	<a href="#">Measuring light curtain, 5mm resolution, 900mm height, analog output</a>	4,470.00	EC001832	<a href="#">365881</a>	4548583327078			GD	GDX	ITA	8536.5019.90
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F9</a>	<a href="#">Fine fiber attachment for E3X amplifiers</a>	7.08	EC003015	<a href="#">146998</a>	4536853297251	100		GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-L143</a>	<a href="#">Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-FDA</a>	10.11	EC003015	<a href="#">130028</a>	4536854537578	50		GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F1</a>	<a href="#">Long-distance lens unit for E32 through-beam fibers</a>	55.00	EC003015	<a href="#">323182</a>	4547648667876	#		GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F16</a>	<a href="#">Long-distance lens unit for E32 through-beam fibers</a>	314.80	EC003015	<a href="#">305600</a>	4547648266178			GD	GDZ	JPN	8541.4900.00
<a href="#">E39-F18</a>	<a href="#">Focal lens for E32-CC200 / E32-C11N, 50mm range</a>	230.40	EC003015	<a href="#">305601</a>	4547648651134			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F2</a>	<a href="#">Focal lens, side view unit for E32 through-beam optical fibers</a>	88.90	EC003015	<a href="#">323183</a>	4547648667883			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3A</a>	<a href="#">Small spot lens unit for E32-D32 optical fiber</a>	128.60	EC003015	<a href="#">323185</a>	4547648667937			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3A-5</a>	<a href="#">Focus lens for E32-FC41 fiber sensor head, 7mm focus length, 0.1mm spot</a>	102.90	EC003015	<a href="#">323188</a>	4547648667968			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3B</a>	<a href="#">Focus lens for E32-FC31 fiber sensor head, 17mm focus length, 0.5mm spot</a>	106.40	EC003015	<a href="#">323189</a>	4547648667975			GD	GDZ	CHN	8541.4900.00
<a href="#">E39-F3C</a>	<a href="#">Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot</a>	248.90	EC003015	<a href="#">323190</a>	4547648667982			GD	GDZ	CHN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-F10</a>	<a href="#">Connector for E32 optical fiber cable</a>	13.43	EC003015	<a href="#">155530</a>	4536853297268			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32A 1M</a>	<a href="#">Spiral protective tube for E32, M3, diffuse, optical fibers, 1m</a>	49.35	EC003015	<a href="#">131355</a>	4536853297367			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32C 1M</a>	<a href="#">Spiral protective tube for E32, M4, through-beam, optical fibers, 1m</a>	67.70	EC003015	<a href="#">106026</a>	4536853297381			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32C5 0.5M</a>	<a href="#">Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m</a>	66.10	EC003015	<a href="#">131359</a>	4536853297442			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32D 1M</a>	<a href="#">Spiral protective tube for E32, M6, diffuse, optical fibers, 1m</a>	46.25	EC003015	<a href="#">131357</a>	4536853297398			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F32D5 0.5M</a>	<a href="#">Spiral protective tube for E32, M6, diffuse, optical fibers, 0.5m</a>	37.10	EC003015	<a href="#">144836</a>	4536853297459			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-F4</a>	<a href="#">Cutter for all E32 optical fibers</a>	4.30	EC003015	<a href="#">131351</a>	4536853297169			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">EE-1001</a>	<a href="#">Accessory Connector for Photomicrosensors, 4-pin, solder terminals</a>	2.04	EC003015	<a href="#">379735</a>	4548583379572	100		GD	GDZ	CHN	8544.4290.90
<a href="#">EE-1001-L</a>	<a href="#">Connector for Photomicrosensors, 4-pin, solder terminals, bridge between L and +</a>	4.30	EC003015	<a href="#">379736</a>	4548583379589	100		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1003</a>	<a href="#">Accessory Photomicrosensor connector</a>	3.93	EC001855	<a href="#">154581</a>	4536854886485	50		GD	GDZ	JPN	8541.4900.00
<a href="#">EE-1006 1M</a>	<a href="#">Accessory Photomicrosensor connector with cable 1m</a>	4.15	EC001855	<a href="#">158029</a>	4536854831942	50		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1006 2M</a>	<a href="#">Accessory Photomicrosensor connector with cable 2m</a>	5.73	EC001855	<a href="#">149189</a>	4536854831935	#		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1006 3M</a>	<a href="#">Accessory Photomicrosensor connector with cable 3m</a>	6.12	EC001855	<a href="#">127851</a>	4536854831959			GD	GDZ	CHN	8544.4290.90
<a href="#">EE-1010 2M</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03, cable connector, PVC, 2m</a>	6.63	EC001855	<a href="#">127848</a>	4536853231057	#		GD	GDZ	CHN	8541.4900.00
<a href="#">EE-1010-R 2M</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03, cable connector, robotic PVC, 2m</a>	18.69	EC001855	<a href="#">127849</a>	4536853231071			GD	GDZ	CHN	8541.4900.00
<a href="#">EE-2002</a>	<a href="#">Accessory Photomicro sensor EE-SPX_03, NPN/PNP converter and cable connector, 0.5m</a>	22.06	EC003015	<a href="#">127846</a>	4536853230944	20		GD	GDZ	JPN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-R1</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	16.31	EC002467	<a href="#">358211</a>	4548583065079	130		GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R10</a>	<a href="#">Reflektör, 52x62x8mm,</a>	18.21	EC002467	<a href="#">131424</a>	4536854515217			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R1K</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	39.28	EC002467	<a href="#">372980</a>	4548583128873	15		GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R1S</a>	<a href="#">Reflektör, 40x60x7.5mm,</a>	9.12	EC002467	<a href="#">372803</a>	4548583128910	#	5	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R2</a>	<a href="#">Reflektör, 80.8x60x7.5mm,</a>	22.06	EC002467	<a href="#">372981</a>	4548583128859	#	10	GD	GDZ	CHN	8541.9000.00
<a href="#">E39-R21</a>	<a href="#">Reflektör, 30x35mm,</a>	20.84	EC002467	<a href="#">386286</a>	4548583489325	#		GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R3</a>	<a href="#">Reflektör, 42x22mm,</a>	24.92	EC002467	<a href="#">131460</a>	4536853295950			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R37-CA</a>	<a href="#">Sensor reflector, high precision type, 14mm x 23mm</a>	11.50	EC002467	<a href="#">249845</a>	4547648595193			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R4</a>	<a href="#">Reflektör, 23x14mm,</a>	25.40	EC002467	<a href="#">131468</a>	4536853296193			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R40</a>	<a href="#">Reflektör, 84.5x84.5x8.7mm,</a>	20.94	EC002467	<a href="#">356162</a>	4547648923460	100		GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R42</a>	<a href="#">Reflektör, 51x60mm,</a>	2.75	EC002467	<a href="#">699561</a>	4549734893008	#		GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R49</a>	<a href="#">Sensor reflector, snap fitting, 30mm dia</a>	8.54	EC002467	<a href="#">356167</a>	4547648923514			GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R50</a>	<a href="#">Reflektör, 40x60mm, IP69K, deterjana dayanıklılık</a>	39.28	EC002467	<a href="#">699563</a>	4549734893022			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R51</a>	<a href="#">Reflektör, 20x40mm, IP69K, deterjana dayanıklılık</a>	23.99	EC002467	<a href="#">699564</a>	4549734893039			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R6</a>	<a href="#">Reflektör, 52x40mm,</a>	11.14	EC002467	<a href="#">356168</a>	4547648923521			GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R7</a>	<a href="#">Reflektör, 84mm cap,</a>	9.12	EC002467	<a href="#">356169</a>	4547648923538	#		GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R8</a>	<a href="#">Reflektör, 100x100mm,</a>	16.84	EC002467	<a href="#">356170</a>	4547648923545	#		GD	GDZ	DEU	8541.4900.00
<a href="#">E39-R9</a>	<a href="#">Reflektör, 35x42mm,</a>	16.31	EC002467	<a href="#">154931</a>	4536854515200			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RP1</a>	<a href="#">Reflektör, polarize, 44mm x 64mm,</a>	24.07	EC002467	<a href="#">235857</a>	4547648395526			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS1</a>	<a href="#">Reflektör, 35mm x 10mm,</a>	9.58	EC002467	<a href="#">131412</a>	4536854386329			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS2</a>	<a href="#">Reflektör, 40 x 35 x 0.6mm,</a>	15.84	EC002467	<a href="#">145484</a>	4536854386336			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-RS25 5M</a>	<a href="#">Reflektör, 25mm x 5m,</a>	111.50	EC002467	<a href="#">356172</a>	4547648923569			GD	GDZ	DEU	9001.2000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E39-R53</a>	<a href="#">Reflektör, 70x80mm</a>	31.14	EC002467	<a href="#">131413</a>	4536854386343			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R550 1M</a>	<a href="#">Accessory photoelectric sensor, reflective tape, 50mm x 1m</a>	35.44	EC002467	<a href="#">357623</a>	4547648926843			GD	GDZ	DEU	8541.9000.00
<a href="#">E39-R550 22.8M</a>	<a href="#">Accessory photoelectric sensor, reflective tape, 50mm x 22.8m</a>	550.50	EC002467	356173	4547648923576			GD	GDZ	USA	9001.2000.00
<a href="#">E39-R550 5M</a>	<a href="#">Reflektör, 50mm x 5m</a>	228.90	EC002467	356174	4547648923583			GD	GDZ	DEU	9001.2000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-L104</a>	<a href="#">Mounting bracket for E3Z sensor, standard, vertical mounting</a>	6.86	EC003015	<a href="#">131393</a>	4536853296643			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L117</a>	<a href="#">Mounting bracket for E3T-S* sensor, rear mounting</a>	8.63	EC003015	<a href="#">103300</a>	4536853296810			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L142</a>	<a href="#">Mounting Bracket, protective side wall, for E3Z</a>	11.04	EC003015	<a href="#">155635</a>	4536854552557			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L144</a>	<a href="#">Sensor mounting Bracket, Protective bracket for E3Z, pre-wired</a>	14.37	EC003015	<a href="#">354104</a>	4548583009004	50		GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L150</a>	<a href="#">Sensor mounting Bracket for E3Z, 100mm high post</a>	55.10	EC003015	<a href="#">131426</a>	4536854806674			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L151</a>	<a href="#">Sensor mounting Bracket, for E3Z, 200mm high post</a>	28.25	EC003015	<a href="#">142623</a>	4536854806681			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L153</a>	<a href="#">Mounting bracket for E3Z sensor, L-shape, for prewired</a>	6.34	EC003015	<a href="#">131427</a>	4536854817274			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L182</a>	<a href="#">E3FA/R flush mounting bracket</a>	7.50	EC003015	<a href="#">370092</a>	4548583328075			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L183</a>	<a href="#">M18 L-type mounting bracket, stainless steel (SUS304)</a>	7.50	EC003015	<a href="#">370093</a>	4548583328082			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L201</a>	<a href="#">Mounting bracket for E3AS sensor, L-shaped</a>	7.20	EC003015	<a href="#">694038</a>	4549734513111			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L202</a>	<a href="#">Protective mounting bracket for E3AS, vertical mounting</a>	9.60	EC003015	<a href="#">694039</a>	4549734513128			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L203</a>	<a href="#">Mounting bracket for E3AS sensor, rear mounting</a>	7.20	EC003015	<a href="#">694040</a>	4549734513135			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L204</a>	<a href="#">Protective metal cover for E3AS, horizontal surface mounting</a>	11.00	EC003015	<a href="#">694041</a>	4549734513142			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L211</a>	<a href="#">Mounting bracket for E3AS sensor, L-shaped</a>	7.32	EC003015	<a href="#">690762</a>	4549734513159	20		GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L212</a>	<a href="#">Protective mounting bracket for E3AS, vertical mounting</a>	9.74	EC003015	<a href="#">690765</a>	4549734513166	28		GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L214</a>	<a href="#">Protective metal cover for E3AS, horizontal surface mounting</a>	15.83	EC003015	<a href="#">690766</a>	4549734513173	20		GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L221</a>	<a href="#">L-shaped mounting bracket</a>	10.14	EC003015	<a href="#">696039</a>	4549734663410			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L222</a>	<a href="#">Horizontal protective cover bracket</a>	13.49	EC003015	<a href="#">696051</a>	4549734663427			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L223</a>	<a href="#">Rear mounting bracket</a>	11.51	EC003015	<a href="#">696050</a>	4549734663434			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L224</a>	<a href="#">Robust mounting bracket</a>	14.31	EC003015	<a href="#">696049</a>	4549734663441			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L231</a>	<a href="#">L-shaped mounting bracket</a>	12.88	EC003015	<a href="#">696048</a>	4549734663458			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L232</a>	<a href="#">Horizontal protective cover bracket</a>	17.91	EC003015	<a href="#">696047</a>	4549734663465			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L234</a>	<a href="#">Robust mounting bracket</a>	18.51	EC003015	<a href="#">696046</a>	4549734663472			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L261</a>	<a href="#">Flexible mounting bracket</a>	47.58	EC003015	<a href="#">696045</a>	4549734663489			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L262</a>	<a href="#">50mm post for flexible mounting bracket E39-L261</a>	21.81	EC003015	<a href="#">696044</a>	4549734663496			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L263</a>	<a href="#">100mm post for flexible mounting bracket E39-L261</a>	26.95	EC003015	<a href="#">696043</a>	4549734663502			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-L40</a>	<a href="#">Accessory photosensor E3JK, mounting bracket</a>	2.67	EC003015	<a href="#">348111</a>	4547648825344	#		GD	GDZ	CHN	8541.4900.00
<a href="#">E39-L43</a>	<a href="#">Mounting bracket for E3Z sensor, side mounting</a>	7.29	EC003015	<a href="#">131444</a>	4536853295721			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L44</a>	<a href="#">Mounting bracket for E3Z sensor, rear mounting</a>	6.52	EC003015	<a href="#">150902</a>	4536853295714			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93FH</a>	<a href="#">Mounting bracket for E3Z, 3D telescope mounting</a>	34.00	EC003015	<a href="#">131429</a>	4536854907517			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93V</a>	<a href="#">Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings</a>	33.50	EC003015	<a href="#">131431</a>	4536854907548			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L93XY</a>	<a href="#">2 positioning rods and horizontal mounting bracket for E3Z, E3S-A, E3S-R1, E39-R1, E39-B3</a>	25.40	EC003015	<a href="#">131432</a>	4536854907555			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L96</a>	<a href="#">Optional reflector bracket for photoelectric sensor</a>	14.50	EC003015	<a href="#">131397</a>	4536853296681			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-L98</a>	<a href="#">Protective metal cover for E3S-A/E3Z, vertical sensor</a>	18.70	EC003015	<a href="#">354103</a>	4548583008991			GD	GDZ	CHN	8541.4900.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-E11</a>	<a href="#">Mutual interference filters for the E3Z-TA models</a>	24.95	EC003015	<a href="#">143880</a>	4536854555923			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S63</a>	<a href="#">Slits for E3T-ST1* types, 0.5mm &amp; 1mm dia pairs supplied</a>	8.62	EC003015	<a href="#">156507</a>	4536853296834			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S64</a>	<a href="#">Slits for E3T-F1* types, 0.5mm &amp; 1mm dia pairs supplied</a>	8.63	EC003015	<a href="#">131404</a>	4536853296858			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65A</a>	<a href="#">Slit for E3Z-T, 0.5mm diameter</a>	8.45	EC003015	<a href="#">145485</a>	4536854499104			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65B</a>	<a href="#">Slit for E3Z-T, 1mm diameter</a>	9.30	EC003015	<a href="#">143240</a>	4536854499111			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65C</a>	<a href="#">Slit for E3Z-T, 2mm diameter</a>	10.89	EC003015	<a href="#">131420</a>	4536854499128	50		GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65D</a>	<a href="#">Slit for E3Z-T, 0.5x10mm diameter</a>	10.21	EC003015	<a href="#">131421</a>	4536854499135			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65E</a>	<a href="#">Slit for E3Z-T, 1x10mm diameter</a>	11.04	EC003015	<a href="#">131422</a>	4536854499142			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-S65F</a>	<a href="#">Slit for E3Z-T, 2x10mm diameter</a>	12.04	EC003015	<a href="#">131423</a>	4536854499159			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-E16</a>	<a href="#">Air blow unit</a>	40.89	EC003015	<a href="#">696042</a>	4549734663519			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-E19</a>	<a href="#">Front protection cover for E3AS/HL</a>	33.29	EC003015	<a href="#">696041</a>	4549734663526			GD	GDZ	CHN	8541.9000.00
<a href="#">E39-VA</a>	<a href="#">Sensor test unit, hand-held, battery-powered</a>	88.25	EC003015	<a href="#">131364</a>	4536853297497			GD	GDZ	JPN	8541.9000.00
<b>Fotoelektrik Sensörler için Aksesuarlar</b>											
<a href="#">E39-R12</a>	<a href="#">Reflector, E3C-LDA sensor, 23x23mm effective area</a>	42.35	EC002467	<a href="#">163867</a>	4536854958304			GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R16</a>	<a href="#">Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm</a>	177.70	EC002467	<a href="#">659474</a>	4548583750814			GD	GDZ	NLD	8541.9000.00
<a href="#">E39-R54</a>	<a href="#">Reflective tape, high precision microtripel, self adhesive, 195mm x 22mm</a>	139.70	EC002467	<a href="#">165090</a>	4536854958335	#		GD	GDZ	JPN	8541.9000.00
<a href="#">E39-R55</a>	<a href="#">Reflective tape, high precision microtripel, self adhesive, 108mm x 46mm</a>	158.40	EC002467	<a href="#">165091</a>	4536854958342			GD	GDZ	JPN	8541.9000.00
<b>İndüktif Proximity Sensör E2EG</b>											
<a href="#">E2E-X10B1130-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	49.70	EC002714	<a href="#">698907</a>	4549734480567			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">EZE-X10B1T30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	49.70	EC002714	<a href="#">696110</a>	4549734480741			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10B1TL30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired</a>	62.20	EC002714	<a href="#">700024</a>	4549734481540			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10B1TL30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	62.20	EC002714	<a href="#">699975</a>	4549734481632			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	53.85	EC002714	<a href="#">688012</a>	4549734469838			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	52.85	EC002714	<a href="#">687517</a>	4549734470018			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	43.49	EC002714	<a href="#">699525</a>	4549734475594			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	43.49	EC002714	<a href="#">698861</a>	4549734475778			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1TL12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	53.85	EC002714	<a href="#">688002</a>	4549734470865			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1TL12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	53.85	EC002714	<a href="#">687829</a>	4549734470957			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1TL18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	46.60	EC002714	<a href="#">700033</a>	4549734476454			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MB1TL18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	46.60	EC002714	<a href="#">699983</a>	4549734476546			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MC112-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector</a>	53.85	EC002714	<a href="#">687893</a>	4549734467599			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MC118-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable</a>	43.49	EC002714	<a href="#">699320</a>	4549734473378			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MC118-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector</a>	43.49	EC002714	<a href="#">699989</a>	4549734473552			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MC118-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable</a>	46.60	EC002714	<a href="#">699322</a>	4549734474238			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD112-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire</a>	57.30	EC002714	<a href="#">681829</a>	4549734182393			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD112-5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire</a>	59.90	EC002714	<a href="#">681763</a>	4549734182416			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD112-M1TIG-T 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	61.65	EC002714	<a href="#">681799</a>	4549734182577			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD112-T 2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	57.30	EC002714	<a href="#">681863</a>	4549734182492			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD212-M1TIG 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire</a>	61.65	EC002714	<a href="#">681709</a>	4549734182485			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD212-M1TIG-T 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity</a>	61.65	EC002714	<a href="#">681801</a>	4549734182584			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X10MD212-T 2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity</a>	57.30	EC002714	<a href="#">681814</a>	4549734182508			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire</a>	57.30	EC002714	<a href="#">681749</a>	4549734182638			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-M1TIG 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire</a>	61.65	EC002714	<a href="#">681827</a>	4549734182713			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-M1TIG-T 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	61.65	EC002714	<a href="#">681715</a>	4549734182812			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-T 2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	57.30	EC002714	<a href="#">681767</a>	4549734182737			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-T 5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity</a>	59.90	EC002714	<a href="#">681786</a>	4549734182751			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D118-TR 5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable robotic, DC 2-wire, no polarity</a>	73.30	EC002714	<a href="#">681782</a>	4549734182799			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D218-5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire</a>	59.90	EC002714	<a href="#">681718</a>	4549734182669			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D218-T 2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity</a>	57.30	EC002714	<a href="#">681659</a>	4549734182744			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X11D218-T 5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity</a>	59.90	EC002714	<a href="#">681736</a>	4549734182768			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B1T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	52.85	EC002714	<a href="#">687511</a>	4549734475242			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B1T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	52.85	EC002714	<a href="#">687510</a>	4549734475426			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B1T18-M1TIG 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	69.40	EC002714	<a href="#">687871</a>	4549734475365	20		GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B1TL18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	53.85	EC002714	<a href="#">687868</a>	4549734476256	10		GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B1TL18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	53.85	EC002714	<a href="#">687866</a>	4549734476348			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B3DL18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	53.85	EC002714	<a href="#">687858</a>	4549734477451			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12B3DL18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	53.85	EC002714	<a href="#">687854</a>	4549734478045			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X12C118-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, M12 connector</a>	53.85	EC002714	<a href="#">687874</a>	4549734473200			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	59.05	EC002714	<a href="#">687509</a>	4549734475457			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	59.05	EC002714	<a href="#">687507</a>	4549734475570			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1T18-M1TIG 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	59.05	EC002714	<a href="#">687508</a>	4549734475532			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1T18-M1TIR 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable</a>	90.10	EC002714	<a href="#">687870</a>	4549734475556			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1TL18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	59.05	EC002714	<a href="#">687865</a>	4549734476379	10		GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B1TL18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	59.05	EC002714	<a href="#">687863</a>	4549734476430			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B218-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector</a>	59.05	EC002714	<a href="#">689616</a>	4549734475587			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14C118-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector</a>	59.05	EC002714	<a href="#">687514</a>	4549734473354			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14B218-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 2 m cable</a>	59.05	EC002714	<a href="#">689615</a>	4549734473248			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X14C218-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 5 m cable</a>	62.20	EC002714	<a href="#">690489</a>	4549734473262			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1T30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	49.70	EC002714	<a href="#">687502</a>	4549734480772			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1T30-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	52.85	EC002714	<a href="#">696122</a>	4549734480802			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1T30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	49.70	EC002714	<a href="#">687501</a>	4549734480956			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1T30-M1TIG 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	65.25	EC002714	<a href="#">687901</a>	4549734480895			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1TL30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	62.20	EC002714	<a href="#">687977</a>	4549734481663			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1TL30-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	65.25	EC002714	<a href="#">696119</a>	4549734481694			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B1TL30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	62.20	EC002714	<a href="#">687975</a>	4549734481755			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B230-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable</a>	49.70	EC002714	<a href="#">694058</a>	4549734480789			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B230-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector</a>	49.70	EC002714	<a href="#">694057</a>	4549734480963			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B3D30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable</a>	49.70	EC002714	<a href="#">694068</a>	4549734482813			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B3D30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	49.70	EC002714	<a href="#">687849</a>	4549734482936			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B3DL30-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable</a>	63.20	EC002714	<a href="#">696226</a>	4549734483407			GE	GEA	CHN	8536.5080.90
<a href="#">EZE-X15B3DL30</a>											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2E-X16M81T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	59.05	EC002714	<a href="#">688009</a>	4549734470049			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	59.05	EC002714	<a href="#">687516</a>	4549734470162			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-M1T1 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	74.60	EC002714	<a href="#">687887</a>	4549734470124		10	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-R-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable</a>	62.20	EC002714	<a href="#">688008</a>	4549734470087			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	43.49	EC002714	<a href="#">687506</a>	4549734475808			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	46.60	EC002714	<a href="#">696126</a>	4549734475839			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	43.49	EC002714	<a href="#">687505</a>	4549734475983			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-M1T1 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	59.05	EC002714	<a href="#">687869</a>	4549734475921		10	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	59.05	EC002714	<a href="#">688000</a>	4549734470988			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	59.05	EC002714	<a href="#">687878</a>	4549734471046			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	46.60	EC002714	<a href="#">687991</a>	4549734476577			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	46.60	EC002714	<a href="#">687989</a>	4549734476669			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M8212-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable</a>	59.05	EC002714	<a href="#">698690</a>	4549734470056			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M8212-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector</a>	59.05	EC002714	<a href="#">689613</a>	4549734470179			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M8218-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable</a>	43.49	EC002714	<a href="#">694060</a>	4549734475815			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M8218-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector</a>	43.49	EC002714	<a href="#">694059</a>	4549734475990			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M83D18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable</a>	43.49	EC002714	<a href="#">694153</a>	4549734477680			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M83D18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	43.49	EC002714	<a href="#">687856</a>	4549734477802		10	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector</a>	59.05	EC002714	<a href="#">687892</a>	4549734467742		5	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, 2 m cable</a>	43.49	EC002714	<a href="#">694854</a>	4549734473583			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X16M81T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, M12 connector</a>	43.49	EC002714	<a href="#">687873</a>	4549734473767		15	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X18M81T30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	60.05	EC002714	<a href="#">699440</a>	4549734481335			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X18M81T30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	51.80	EC002714	<a href="#">696323</a>	4549734481519			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X18M8230-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector</a>	60.05	EC002714	<a href="#">699969</a>	4549734481526			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X18M81T30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, 2 m cable</a>	60.05	EC002714	<a href="#">699506</a>	4549734479233			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-2M</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	46.60	EC002714	<a href="#">696140</a>	4549734462549			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	39.35	EC002714	<a href="#">692763</a>	4549734462662			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-M3</a>	<a href="#">Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins</a>	46.60	EC002714	<a href="#">698867</a>	4549734462686			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-M5</a>	<a href="#">Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	46.60	EC002714	<a href="#">698869</a>	4549734462709			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-2M</a>	<a href="#">Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	51.80	EC002714	<a href="#">698877</a>	4549734463980			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-M1</a>	<a href="#">Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	51.80	EC002714	<a href="#">698847</a>	4549734464048			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B1T8-M5</a>	<a href="#">Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	51.80	EC002714	<a href="#">698870</a>	4549734464093			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B28-2M</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable</a>	46.60	EC002714	<a href="#">698874</a>	4549734462556			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B28-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector</a>	46.60	EC002714	<a href="#">698845</a>	4549734462679			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5B28-M3</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins</a>	46.60	EC002714	<a href="#">699963</a>	4549734462693			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5C18-2M</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m cable</a>	46.60	EC002714	<a href="#">698871</a>	4549734460101			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5C18-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M12 connector</a>	46.60	EC002714	<a href="#">696228</a>	4549734460224			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X1R5D1-N-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC 2-wire</a>	43.39	EC002714	<a href="#">681795</a>	4549734183918			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D130-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire</a>	60.75	EC002714	<a href="#">681883</a>	4549734183031			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D130-M1TGT 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	72.35	EC002714	<a href="#">681732</a>	4549734183215			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D130-R-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, robotic, DC 2-wire</a>	65.15	EC002714	<a href="#">681750</a>	4549734183079			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D130-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	60.75	EC002714	<a href="#">681768</a>	4549734183130			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D230-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire</a>	60.75	EC002714	<a href="#">681692</a>	4549734183048			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20D230-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity</a>	60.75	EC002714	<a href="#">681874</a>	4549734183147			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20M81T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	53.85	EC002714	<a href="#">699323</a>	4549734474474			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20M81T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable</a>	59.05	EC002714	<a href="#">681879</a>	4549734182836			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20MD1118-M1TGT 0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	63.35	EC002714	<a href="#">681677</a>	4549734183017			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20MD1118-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	59.05	EC002714	<a href="#">681784</a>	4549734182935			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20MD2118-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire</a>	59.05	EC002714	<a href="#">681714</a>	4549734182843			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X20MD2118-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity</a>	59.05	EC002714	<a href="#">681815</a>	4549734182942			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B1T30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	60.05	EC002714	<a href="#">687500</a>	4549734480987			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B1T30-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	63.55	EC002714	<a href="#">700809</a>	4549734481014			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B1T30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	60.05	EC002714	<a href="#">687499</a>	4549734481168			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B1T30-M1T1 0.3M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	82.85	EC002714	<a href="#">687853</a>	4549734481106		10	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B1T30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	67.35	EC002714	<a href="#">687851</a>	4549734481878		5	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B230-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable</a>	62.20	EC002714	<a href="#">691086</a>	4549734480994			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B230-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector</a>	62.20	EC002714	<a href="#">691085</a>	4549734481175			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B3D30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	62.20	EC002714	<a href="#">687848</a>	4549734483070			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22B3D30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	62.20	EC002714	<a href="#">687846</a>	4549734483520			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22C130-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, 2 m cable</a>	60.05	EC002714	<a href="#">687504</a>	4549734478885			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X22C130-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, M12 connector</a>	60.05	EC002714	<a href="#">687503</a>	4549734479066			GE	GEA	CHN	8536.5080.90</

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X23B1T30-M1TTJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687852	4549734481274		15	GE	GEA	CHN	8536.5080.90
E2E-X23B1T11 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	72.50	EC002714	687850	4549734481960	#	5	GE	GEA	CHN	8536.5080.90
E2E-X23B1T11 30-M1TTJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687971	4549734481946			GE	GEA	CHN	8536.5080.90
E2E-X23B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	67.35	EC002714	698657	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	67.35	EC002714	698656	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NO, M12 connector	67.35	EC002714	689361	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1D8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	46.60	EC002714	694064	4549734465137			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698886	4549734468640			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698848	4549734468824			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687537	4549734462723			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 5M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696139	4549734462747			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687536	4549734462846			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	688108	4549734462860			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	687535	4549734462884		20	GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700045	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698851	4549734470278			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	688085	4549734464116			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	687897	4549734464178			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	688083	4549734464222			GE	GEA	CHN	8536.5080.90
E2E-X2B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	698849	4549734468831			GE	GEA	CHN	8536.5080.90
E2E-X2B28 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	693989	4549734462730			GE	GEA	CHN	8536.5080.90
E2E-X2B28 5M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	49.70	EC002714	696138	4549734462754			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	693951	4549734462853			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	46.60	EC002714	694114	4549734462891			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	700044	4549734470193			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699993	4549734470285			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	51.80	EC002714	696217	4549734464123			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	51.80	EC002714	694115	4549734464185			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	51.80	EC002714	695866	4549734464239			GE	GEA	CHN	8536.5080.90
E2E-X2B3D18-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector 4 pins	51.80	EC002714	695084	4549734465816			GE	GEA	CHN	8536.5080.90
E2E-X2C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	698881	4549734466226			GE	GEA	CHN	8536.5080.90
E2E-X2C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	699998	4549734466400			GE	GEA	CHN	8536.5080.90
E2E-X2C18 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694862	4549734460286			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	687496	4549734460408			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	46.60	EC002714	696145	4549734460446			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	51.80	EC002714	695086	4549734461672			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	51.80	EC002714	696228	4549734461788			GE	GEA	CHN	8536.5080.90
E2E-X2C28 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, NPN NC, 2 m cable	46.60	EC002714	696231	4549734460293			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8 2M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	698876	4549734463263			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M1	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698846	4549734463386			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	699524	4549734463423			GE	GEA	CHN	8536.5080.90
E2E-X2MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699991	4549734463393			GE	GEA	CHN	8536.5080.90
E2E-X2B5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	42.54	EC002714	681723	4549734182157			GE	GEA	CHN	8536.5080.90
E2E-X2B5D1-T-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	42.54	EC002714	681845	4549734184175			GE	GEA	CHN	8536.5080.90
E2E-X2B5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	46.86	EC002714	681808	4549734482164			GE	GEA	CHN	8536.5080.90
E2E-X30MB1DI 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	60.05	EC002714	690007	4549734483773			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687984	4549734476904			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687981	4549734477024		5	GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687970	4549734482103			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687967	4549734482288			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698683	4549734476911			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	698658	4549734477031			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	696214	4549734482110			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	60.05	EC002714	696109	4549734482295			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, NPN NO, 2 m cable	59.05	EC002714	699318	4549734474689			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	689098	4549734474801			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	62.20	EC002714	694850	4549734480185			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8 2M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688107	4549734462907			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	687534	4549734463027			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M3	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	57.00	EC002714	688104	4549734463041			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	687533	4549734463065			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8 2M	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688082	4549734464246			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, long brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688080	4549734464307			GE	GEA	CHN	8536.5080.90
E2E-X3B28 2M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57.00	EC002714	691090	4549734462914			GE	GEA	CHN	8536.5080.90
E2E-X3B28-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	57.00	EC002714	691089	4549734463034			GE	GEA	CHN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57.00	EC002714	698682	4549734463058			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-2M	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57.00	EC002714	698676	4549734464253			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57.00	EC002714	698674	4549734464338			GE	GEA	CHN	8536.5080.90
E2E-X3C18-2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, 2 m cable	57.00	EC002714	691139	4549734460460			GE	GEA	CHN	8536.5080.90
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, M12 connector	57.00	EC002714	691137	4549734460583			GE	GEA	CHN	8536.5080.90
E2E-X3C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NC, M12 connector	57.00	EC002714	691137	4549734460590			GE	GEA	CHN	8536.5080.90
E2E-X3D18-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	56.40	EC002714	681665	4549734181754			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	60.75	EC002714	681676	4549734181839			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	60.75	EC002714	681848	4549734181938			GE	GEA	CHN	8536.5080.90
E2E-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	56.40	EC002714	681658	4549734181853			GE	GEA	CHN	8536.5080.90
E2E-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	56.40	EC002714	681741	4549734181860			GE	GEA	CHN	8536.5080.90
E2E-X3D28-TR 5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	63.35	EC002714	681652	4549734181921			GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1 30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.35	EC002714	687966	4549734482318			GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.35	EC002714	687963	4549734482493		10	GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	74.20	EC002714	681813	4549734183314			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	75.20	EC002714	681853	4549734183413			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-R 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire	66.00	EC002714	681660	4549734183277			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	62.55	EC002714	681841	4549734183338			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-TR 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	72.35	EC002714	681811	4549734183376			GE	GEA	CHN	8536.5080.90
E2E-X40MD21 30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	62.55	EC002714	681822	4549734183345			GE	GEA	CHN	8536.5080.90
E2E-X4B1D1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	690433	4549734471329			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687525	4549734468855			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	695836	4549734468886			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687524	4549734469036			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687891	4549734468978		10	GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	74.60	EC002714	687890	4549734469005		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687532	4549734463089			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687530	4549734463201			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1TJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62.20	EC002714	687531	4549734463164			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.20	EC002714	688102	4549734463225			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	62.20	EC002714	687529	4549734463249		20	GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687886	4549734470308		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696131	4549734470339			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688007	4549734470391			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62.20	EC002714	687885	4549734470360			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687896	4549734464369			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687895	4549734464420			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.20	EC002714	688076	4549734464444			GE	GEA	CHN	8536.5080.90
E2E-X4B1T11 2-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688075	4549734464468			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694063	4549734468862			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	46.60	EC002714	696232	4549734468893			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	694062	4549734469043			GE	GEA	CHN	8536.5080.90
E2E-X4B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	693106	4549734463096			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	696681	4549734463218			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.20	EC002714	696680	4549734463232			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	694117	4549734470315			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	690432	4549734470407			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	49.70	EC002714	691007	4549734470377			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	698672	4549734464376			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.20	EC002714	698670	4549734464451			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	687877	4549734471213			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	694160	4549734471336			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46.60	EC002714	695083	4549734472135			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.60	EC002714	687875	4549734472197			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694859	4549734466431			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	46.60	EC002714	696135	4549734466462			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	687527	4549734466615			GE	GEA	CHN	8536.5080.90
E2E-X4C18 2-M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	51.80	EC002714	690190	4549734460644			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	62.20	EC002714	687538	4549734460767			GE	GEA	CHN	8536.5080.90
E2E-X4C11 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	39.35	EC002714	695801	4549734467889			GE	GEA	CHN	8536.5080.90
E2E-X4C11 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	39.35	EC002714	695803	4549734467971			GE	GEA	CHN	8536.5080.90
E2E-X4C21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	36.24	EC002714	695800	4549734466448			GE	GEA	CHN	8536.5080.90
E2E-X4C21 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	694116	4549734466622			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	688101	4549734463447			GE	GEA	CHN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2E-X4MB1T8-5M</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	49.70	EC002714	<a href="#">696136</a>	4549734463461			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	46.60	EC002714	<a href="#">688098</a>	4549734463560			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-M3</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins</a>	46.60	EC002714	<a href="#">688097</a>	4549734463584			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-M5</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	46.60	EC002714	<a href="#">688096</a>	4549734463607			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-2M</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	51.80	EC002714	<a href="#">688074</a>	4549734464611			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-M1</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	51.80	EC002714	<a href="#">688072</a>	4549734464673			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB1T8-2M</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	51.80	EC002714	<a href="#">688070</a>	4549734464727			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB28-2M</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable</a>	46.60	EC002714	<a href="#">694067</a>	4549734463454			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB28-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector</a>	46.60	EC002714	<a href="#">694066</a>	4549734463577			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MB28-2M</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable</a>	51.80	EC002714	<a href="#">696216</a>	4549734464628			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MC18-2M</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable</a>	46.60	EC002714	<a href="#">694861</a>	4549734461009			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X4MC18-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector</a>	46.60	EC002714	<a href="#">694860</a>	4549734461122			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X50MB1T1.30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	72.50	EC002714	<a href="#">687962</a>	4549734482523			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X50MB2L30-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable</a>	72.50	EC002714	<a href="#">698653</a>	4549734482530			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X50MB2L30-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector</a>	67.35	EC002714	<a href="#">689619</a>	4549734482653			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B1T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	43.49	EC002714	<a href="#">698902</a>	4549734474825			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B1T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	43.49	EC002714	<a href="#">698860</a>	4549734475006			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B1T18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	46.60	EC002714	<a href="#">700053</a>	4549734476010			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B1T18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	46.60	EC002714	<a href="#">698862</a>	4549734476102			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B218-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable</a>	43.49	EC002714	<a href="#">700055</a>	4549734474832			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5B218-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector</a>	43.49	EC002714	<a href="#">700001</a>	4549734475013			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5C118-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable</a>	43.49	EC002714	<a href="#">699319</a>	4549734472609			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5C118-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable</a>	46.60	EC002714	<a href="#">699321</a>	4549734473798			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5C218-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector</a>	43.49	EC002714	<a href="#">700006</a>	4549734472791			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5D1-M1TGJ-T0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	57.90	EC002714	<a href="#">681785</a>	4549734184410			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB1T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	43.49	EC002714	<a href="#">698888</a>	4549734469418			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB1T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	43.49	EC002714	<a href="#">698850</a>	4549734469593			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB1T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	46.60	EC002714	<a href="#">698852</a>	4549734470711			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB212-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector</a>	43.49	EC002714	<a href="#">700008</a>	4549734469609			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB3D12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	43.49	EC002714	<a href="#">698854</a>	4549734471688			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X5MB3D12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable</a>	43.49	EC002714	<a href="#">699526</a>	4549734466998			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B1T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	52.85	EC002714	<a href="#">687523</a>	4549734469067			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B1T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	52.85	EC002714	<a href="#">687522</a>	4549734469241			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B1T12-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	53.85	EC002714	<a href="#">688006</a>	4549734470421			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B1T12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	53.85	EC002714	<a href="#">687883</a>	4549734470513			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B212-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector</a>	53.85	EC002714	<a href="#">690781</a>	4549734469258			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B212-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector</a>	53.85	EC002714	<a href="#">698666</a>	4549734470520			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6B3D12-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector</a>	53.85	EC002714	<a href="#">687876</a>	4549734471473		20	GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6C112-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, 2 m cable</a>	53.85	EC002714	<a href="#">691133</a>	4549734466646			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6C112-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector</a>	53.85	EC002714	<a href="#">691131</a>	4549734466820			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6C212-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, M12 connector</a>	53.85	EC002714	<a href="#">691130</a>	4549734466837			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	57.00	EC002714	<a href="#">688092</a>	4549734463744			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-M3</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins</a>	57.00	EC002714	<a href="#">688091</a>	4549734463768			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-M5</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	57.00	EC002714	<a href="#">688090</a>	4549734463782			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-2M</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	57.00	EC002714	<a href="#">688069</a>	4549734464741			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-M1</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	57.00	EC002714	<a href="#">688067</a>	4549734464802			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB1T8-M5</a>	<a href="#">Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins</a>	57.00	EC002714	<a href="#">687994</a>	4549734464840			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MB28-M1</a>	<a href="#">Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector</a>	57.00	EC002714	<a href="#">698701</a>	4549734463751			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MD18-5M</a>	<a href="#">Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC 2-wire</a>	60.75	EC002714	<a href="#">681672</a>	4549734181976			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MD18-M1TGJ-0.3M</a>	<a href="#">Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire</a>	62.55	EC002714	<a href="#">681876</a>	4549734182034			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MD18-M1TGJ-T0.3M</a>	<a href="#">Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	62.55	EC002714	<a href="#">681844</a>	4549734182133			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X6MD18-T-2M</a>	<a href="#">Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	58.20	EC002714	<a href="#">681798</a>	4549734182058			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D112-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire</a>	55.60	EC002714	<a href="#">681730</a>	4549734182195			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D112-M1TGJ-0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire</a>	59.90	EC002714	<a href="#">681887</a>	4549734182270			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D112-M1TGJ-T-0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity</a>	59.90	EC002714	<a href="#">681693</a>	4549734182379			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D112-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity</a>	55.60	EC002714	<a href="#">681843</a>	4549734182294			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D12-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire</a>	55.60	EC002714	<a href="#">681640</a>	4549734182201			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D12-M1TGJ-0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire</a>	59.90	EC002714	<a href="#">681873</a>	4549734182287			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D12-M1TGJ-T-0.3M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity</a>	59.90	EC002714	<a href="#">681846</a>	4549734182386			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X7D12-T-2M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity</a>	55.60	EC002714	<a href="#">681780</a>	4549734182300			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X8B1D18-M1</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector</a>	43.49	EC002714	<a href="#">694155</a>	4549734477307			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X8B1D18-2M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable</a>	43.49	EC002714	<a href="#">687513</a>	4549734475037			GE	GEA	CHN	8536.5080.90
<a href="#">E2E-X8B1T18-5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable</a>	39.35									

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8B1T1L 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687959	4549734476133			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1L 18 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696124	4549734476164			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687992	4549734476225			GE	GEA	CHN	8536.5080.90
E2E-X8B21L 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	693988	4549734475044			GE	GEA	CHN	8536.5080.90
E2E-X8B21L-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	693987	4549734475228			GE	GEA	CHN	8536.5080.90
E2E-X8B2L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	696125	4549734476140			GE	GEA	CHN	8536.5080.90
E2E-X8B2L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	694120	4549734476232			GE	GEA	CHN	8536.5080.90
E2E-X8B3D18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	687862	4549734477192		5	GE	GEA	CHN	8536.5080.90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	687860	4549734477314		10	GE	GEA	CHN	8536.5080.90
E2E-X8B3D1L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46.60	EC002714	695082	4549734477901			GE	GEA	CHN	8536.5080.90
E2E-X8B3D1L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.60	EC002714	687855	4549734477963			GE	GEA	CHN	8536.5080.90
E2E-X8C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694855	4549734472814			GE	GEA	CHN	8536.5080.90
E2E-X8C118 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 5 m cable	46.60	EC002714	696129	4549734472845			GE	GEA	CHN	8536.5080.90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	687515	4549734472999			GE	GEA	CHN	8536.5080.90
E2E-X8C1L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	696128	4549734473910			GE	GEA	CHN	8536.5080.90
E2E-X8C1L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	696114	4549734474009			GE	GEA	CHN	8536.5080.90
E2E-X8C218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	43.49	EC002714	696130	4549734472821			GE	GEA	CHN	8536.5080.90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	694118	4549734473002			GE	GEA	CHN	8536.5080.90
E2E-X8C2L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	46.60	EC002714	698896	4549734473927			GE	GEA	CHN	8536.5080.90
E2E-X8C2L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	46.60	EC002714	698857	4549734474016			GE	GEA	CHN	8536.5080.90
E2E-X8MB1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	690434	4549734471817			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	688015	4549734469623			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	696132	4549734469654			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687518	4549734469807			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688089	4549734463805			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687528	4549734463928			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1T10.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	77.70	EC002714	687847	4549734463881			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688086	4549734463966		#	GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	688005	4549734470742			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696189	4549734470773			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688003	4549734470834			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T18 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688024	4549734464864			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T18-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	688022	4549734464925			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T18-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688020	4549734464963			GE	GEA	CHN	8536.5080.90
E2E-X8MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694061	4549734469630			GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	690431	4549734469814			GE	GEA	CHN	8536.5080.90
E2E-X8MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	698698	4549734463935			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	695049	4549734470841			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L 18-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	698692	4549734464932			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	694158	4549734471701			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	51.80	EC002714	689263	4549734471824			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D1L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	689262	4549734472470			GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694858	4549734467209			GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	694857	4549734467384			GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694856	4549734468329			GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	693118	4549734468411			GE	GEA	CHN	8536.5080.90
E2E-X8MC118 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	62.20	EC002714	690628	4549734462426			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687521	4549734469272			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687519	4549734469395		#	GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1T10.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687520	4549734469357			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	90.10	EC002714	687888	4549734469371		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1L 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687882	4549734470544		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687880	4549734470605		25	GE	GEA	CHN	8536.5080.90
E2E-X9B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698668	4549734469289			GE	GEA	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	48.66	EC002714	691054	4549734469401			GE	GEA	CHN	8536.5080.90
E2E-X9C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, 2 m cable	48.66	EC002714	690191	4549734466851			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	687526	4549734466974			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1T10.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 pigtail Smartclick connector, 0.3 m	74.60	EC002714	687894	4549734466936		5	GE	GEA	CHN	8536.5080.90
E2E-X9C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NC, M12 connector	59.05	EC002714	693664	4549734466981			GE	GEA	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2EG</b>											
E2EO-X11D118 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	102.30	EC002714	681636	4549734183673			GE	GEA	CHN	8536.5080.90
E2EO-X11D118-M1TGT+0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	123.40	EC002714	681705	4549734183772			GE	GEA	CHN	8536.5080.90
E2EO-X11D118-T2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681834	4549734183734			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681789	4549734183741			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	101.40	EC002714	688364	4549734486163			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M2	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	101.40	EC002714	688343	4549734486255			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	163.20	EC002714	681743	4549734183833			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681807	4549734183857			GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681787	4549734183864			GE	GEA	CHN	8536.5080.90
E2EQ-X22B1T30-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	133.40	EC002714	688365	4549734487214			GE	GEA	CHN	8536.5080.90
E2EQ-X2B1T8-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	85.40	EC002714	688361	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	90.40	EC002714	681648	4549734183437			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	112.30	EC002714	681647	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681739	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	90.40	EC002714	681867	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681818	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X4B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	74.70	EC002714	688362	4549734485173			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	96.05	EC002714	688329	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681821	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681881	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681856	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681875	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	80.05	EC002714	688363	4549734486132			GE	GEA	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
E2E-X12D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, 2 m cable	156.30	EC002714	674702	4548583354661			GE	GEC	JPN	8536.5080.90
E2E-X10D1-M1G	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, M12 konnektör	124.70	EC002714	238543	4547648407861			GE	GEC	CHN	8536.5080.90
E2E-X10D1-N 2M	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, 2m kablololu	88.15	EC002714	238467	4547648405942			GE	GEC	CHN	8536.5080.90
E2E-X10MY1 2M	Endüktif sensör, M18, çikik kafa, 10mm, AC, 2 kablololu, NA, 2m kablololu	108.00	EC002714	238407	4547648404723			GE	GEC	CHN	8536.5080.90
E2E-X10MY2 2M	Endüktif sensör, M18, çikik kafa, 10mm, AC, 2 kablololu, NK, 2m kablololu	101.20	EC002714	238408	4547648404730			GE	GEC	CHN	8536.5080.90
E2E-X14MD1 2M	Endüktif sensör, M18, çikik kafa, 14mm, DC, 2 kablololu, NA, 2m kablololu	71.65	EC002714	238485	4547648406253			GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1G	Endüktif sensör, M18, çikik kafa, 14mm, DC, 2 kablololu, NA, M12 konnektör	82.80	EC002714	238547	4547648407922	#		GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1GJ 0.3M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, pig tail connector, M12	86.20	EC002714	238555	4547648408080			GE	GEC	CHN	8536.5080.90
E2E-X14MD2 2M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NC, cable 2 m	59.55	EC002714	238494	4547648406390			GE	GEC	CHN	8536.5080.90
E2E-X18MY1 2M	Endüktif sensör, M30, çikik kafa, 18mm, AC, 2 kablololu, NA, 2m kablololu	112.30	EC002714	238411	4547648404761			GE	GEC	CHN	8536.5080.90
E2E-X20MD1 2M	Endüktif sensör, M30, çikik kafa, 20mm, DC, 2 kablololu, NA, 2m kablololu	72.10	EC002714	238487	4547648406277			GE	GEC	CHN	8536.5080.90
E2E-X20MD1-M1J 0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector, M12	156.30	EC002714	241131	4547648407106	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238529	4547648407649	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1GJ 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	98.80	EC002714	238581	4547648408523			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1J 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	138.40	EC002714	241193	4547648408578			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M8 konnektör	64.05	EC002714	238563	4547648408196	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m kablololu	69.05	EC002714	238455	4547648405829	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	77.95	EC002714	238456	4547648405836			GE	GEC	CHN	8536.5080.90
E2E-X2D1-R 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m robotik kablololu	89.00	EC002714	238517	4547648406963			GE	GEC	CHN	8536.5080.90
E2E-X2D2-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, M8 4-pin konnektör	64.05	EC002714	238564	4547648408202			GE	GEC	CHN	8536.5080.90
E2E-X2D2-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, 2m kablololu	69.05	EC002714	238457	4547648405843			GE	GEC	CHN	8536.5080.90
E2E-X2Y1 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238413	4547648404785			GE	GEC	CHN	8536.5080.90
E2E-X2Y1-M1	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, M12 konnektör	96.20	EC002714	238432	4547648405256			GE	GEC	CHN	8536.5080.90
E2E-X2Y2 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NK, 2m kablololu	98.05	EC002714	238414	4547648404792			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238539	4547648407809	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	122.70	EC002714	238533	4547648407687	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ-T 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	125.90	EC002714	241132	4547648407113			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1J 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	145.80	EC002714	257076	4547648407052			GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, 2m kablololu	60.95	EC002714	238459	4547648405867	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 5M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 5m cable	69.90	EC002714	238460	4547648405874			GE	GEC	CHN	8536.5080.90
E2E-X3D2-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, M12 konnektör	92.25	EC002714	238540	4547648407823	#		GE	GEC	CHN	8536.5080.90
E2E-X3D2-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, 2m kablololu	60.05	EC002714	238461	4547648405881	#		GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M1G	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connector	90.15	EC002714	238531	4547648407663			GE	GEC	CHN	8536.5080.90
E2E-X5MY1 2M	Endüktif sensör, M12, çikik kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238415	4547648404808			GE	GEC	CHN	8536.5080.90
E2E-X5Y1 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	90.60	EC002714	238389	4547648404266			GE	GEC	CHN	8536.5080.90
E2E-X5Y1-M1	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, M12 konnektör	89.65	EC002714	238434	4547648405270			GE	GEC	CHN	8536.5080.90
E2E-X5Y2 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NK, 2m kablololu	105.00	EC002714	238390	4547648404273			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, pig-tail konnektör	100.70	EC002714	238541	4547648407830	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	79.75	EC002714	238534	4547648407694	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ-T 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	114.10	EC002714	241133	4547648407120			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1J-T 0.3M	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NO	80.20	EC002714	238524	4547648407151	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 2M	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, 2m kablololu	64.90	EC002714	238463	4547648405904	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	70.80	EC002714	238464	4547648405911			GE	GEC	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2E-X7D2-M1G</a>	<a href="#">Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK</a>	74.00	EC002714	<a href="#">238542</a>	4547648407854			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7D2-N 2M</a>	<a href="#">Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK, 2m kablolu</a>	71.20	EC002714	<a href="#">238465</a>	4547648405928			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7D2-N 5M</a>	<a href="#">Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 5m cable</a>	69.90	EC002714	<a href="#">238466</a>	4547648405935			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X7T1 2M</a>	<a href="#">Endüktif sensör, piring-nikel, M18, düz kafa, 7mm, AC/DC, 2 kablolu, NA</a>	113.20	EC002714	<a href="#">238515</a>	4547648406925	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X8MD1-M1G</a>	<a href="#">Endüktif sensör, M12, çıkık kafa, 8mm, DC, 2 kablolu, NA, pig-tail konektör</a>	83.70	EC002714	<a href="#">238545</a>	4547648407892	#		GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X7B4-M1TJ-U 0.3M</a>	<a href="#">Endüktif sensör, M18, düz 7mm, DC, 3-kablolu, PNP/NO/NC seçilebilir (fabrika ayarları: NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick kablolu 0.3m</a>	60.95	EC002714	<a href="#">671245</a>	4548583786332			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-C03N02-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 3mm, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	103.10	EC002714	<a href="#">375544</a>	4548583405509			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-CJ-R1 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP-NO</a>	78.65	EC002714	<a href="#">375480</a>	4548583405462			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375541</a>	4548583405424			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C03S88-WC-C1 2M</a>	<a href="#">Endüktif sensör, cap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375542</a>	4548583405448			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04N03-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 4mm, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375561</a>	4548583405868			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04N03-WC-C1 2M</a>	<a href="#">Endüktif sensör, cap 4mm, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375562</a>	4548583405882			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-CJ-R1 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO</a>	54.30	EC002714	<a href="#">375557</a>	4548583405783			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375554</a>	4548583405745	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-B2 2M</a>	<a href="#">Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK</a>	42.35	EC002714	<a href="#">375492</a>	4548583405752			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C04S12-WC-C1 2M</a>	<a href="#">Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375555</a>	4548583405769			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C05S01-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	43.47	EC002714	<a href="#">659356</a>	4548583518780			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C05S01-WC-C1 2M</a>	<a href="#">Endüktif sensör, cap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	43.47	EC002714	<a href="#">659355</a>	4548583518742			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06N04-MC-R1</a>	<a href="#">Endüktif sensör, cap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	73.10	EC002714	<a href="#">375537</a>	4548583406421			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06N04-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375580</a>	4548583406346			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06S02-MC-B1</a>	<a href="#">Endüktif sensör, cap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	48.25	EC002714	<a href="#">375578</a>	4548583406308			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-C06S02-WC-R1 2M</a>	<a href="#">Endüktif sensör, cap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375573</a>	4548583406223			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04N02-WC-R1 2M</a>	<a href="#">Endüktif sensör, M4, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	103.10	EC002714	<a href="#">375552</a>	4548583405660			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-CJ-R1 0.3M</a>	<a href="#">Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO</a>	78.65	EC002714	<a href="#">375550</a>	4548583405622			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-WC-R1 2M</a>	<a href="#">Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375546</a>	4548583405585	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S04S88-WC-C1 2M</a>	<a href="#">Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375548</a>	4548583405608			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-CJ-R1 0.3M</a>	<a href="#">Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO</a>	78.65	EC002714	<a href="#">375518</a>	4548583406148			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-MC-B1</a>	<a href="#">Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	73.10	EC002714	<a href="#">375522</a>	4548583406186			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-WC-R1 2M</a>	<a href="#">Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375571</a>	4548583406100			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05N03-WC-C1 2M</a>	<a href="#">Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	66.35	EC002714	<a href="#">375572</a>	4548583406124			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-CJ-R1 0.3M</a>	<a href="#">Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO</a>	54.30	EC002714	<a href="#">375567</a>	4548583406025			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-B1</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	48.25	EC002714	<a href="#">375569</a>	4548583406063	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-B2</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NK</a>	48.25	EC002714	<a href="#">375514</a>	4548583406070			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-MC-C1</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NA</a>	48.25	EC002714	<a href="#">375570</a>	4548583406087	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-R1 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375563</a>	4548583405981	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-R1 5M</a>	<a href="#">Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO</a>	48.12	EC002714	<a href="#">382785</a>	4548583498112			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-B2 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK</a>	42.35	EC002714	<a href="#">375564</a>	4548583405998			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-C1 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA</a>	42.35	EC002714	<a href="#">375565</a>	4548583406001	#		GE	GEC	CHN	8536.5080.90
<a href="#">E2E-S05S12-WC-C2 2M</a>	<a href="#">Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK</a>	42.35	EC002714	<a href="#">375566</a>	4548583406018			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X2D1-M1TG-U 0.3M</a>	<a href="#">Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12</a>	97.20	EC002714	<a href="#">290022</a>	4547648624978			GE	GEC	CHN	8536.5080.90
<a href="#">E2E-X2D1-U 2M</a>	<a href="#">Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu PUR yağa dayanıklı</a>	86.50	EC002714	<a href="#">290127</a>	4547648408813			GE	GEC	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X2E1</a>	<a href="#">Endüktif sensör, PTFE gövde, kısa, M12, düz kafa, 2mm, 3 kablolu, DC, PNP-NA, 2m kablolu</a>	191.60	EC002714	<a href="#">149293</a>	4536853263461			GE	GED	JPN	8536.5080.90
<a href="#">E2E-X2E1</a>	<a href="#">Endüktif sensör, PTFE gövde, kısa, M18, düz kafa, 5mm, 3 kablolu, DC, PNP-NA, 2m kablolu</a>	177.20	EC002714	<a href="#">131818</a>	4536853263300			GE	GED	JPN	8536.5080.90
<b>İndüktif Proximity Sensör E2E</b>											
<a href="#">E2E-X10F1 2M</a>	<a href="#">Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC 3-wire, PNP-NO</a>	102.10	EC002714	<a href="#">235657</a>	4547648321235			GE	GED	CHN	8536.5080.90
<a href="#">E2E-X2F1 2M</a>	<a href="#">Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable</a>	99.55	EC002714	<a href="#">235694</a>	4547648321198			GE	GED	CHN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-X15ME1</a>	<a href="#">Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	148.70	EC002715	<a href="#">131777</a>	4536853264352			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X15MF1</a>	<a href="#">Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	148.70	EC002715	<a href="#">131788</a>	4536853264635	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X15MF2</a>	<a href="#">Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	148.70	EC002715	<a href="#">131790</a>	4536853264659			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X4ME1</a>	<a href="#">Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	126.60	EC002715	<a href="#">131774</a>	4536853264253			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X4ME1</a>	<a href="#">Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	126.60	EC002715	<a href="#">131783</a>	4536853264550			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X8ME1</a>	<a href="#">Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	143.40	EC002715	<a href="#">131775</a>	4536853264307			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-X8ME1</a>	<a href="#">Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	143.40	EC002715	<a href="#">151474</a>	4536853264598			GE	GEE	JPN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2K-X8MF2</a>	<a href="#">Kapasitif sensör</a>	143.40	EC002715	<a href="#">152072</a>	4536853264611			GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-C2SME1</a>	<a href="#">Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	184.80	EC002715	<a href="#">131841</a>	4536853263683			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C2SME2</a>	<a href="#">Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	188.50	EC002715	<a href="#">104692</a>	4536853263706			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C2SME1</a>	<a href="#">Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	184.80	EC002715	<a href="#">147129</a>	4536853263690	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C2SME1 10M</a>	<a href="#">Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP, NO, 10 m cable</a>	191.00	EC002715	<a href="#">131847</a>	4536854532900			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-C2SME2</a>	<a href="#">Kapasitif sensör, 34mm çap, çıkık kafa, 25mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	184.80	EC002715	<a href="#">131842</a>	4536853263713	#		GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-F10MC1</a>	<a href="#">Kapasitif sensör, yassı, çıkık kafa, 10mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	90.20	EC002715	<a href="#">106106</a>	4536853264048	#		GE	GEE	JPN	8536.5080.90
<a href="#">E2K-F10MC1-A 2M</a>	<a href="#">Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable</a>	121.00	EC002715	<a href="#">121939</a>	4547648085656			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-F10MC2</a>	<a href="#">Kapasitif sensör, yassı, çıkık kafa, 10mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	90.20	EC002715	<a href="#">131854</a>	4536853264079			GE	GEE	JPN	8536.5080.90
<b>Kapasitif Sensör E2K</b>											
<a href="#">E2K-L13MC1 2M</a>	<a href="#">Capacitive, liquid level sensing, 8 to 11mm tube, NPN, 2m cable</a>	222.90	EC002715	<a href="#">131855</a>	4536854711954			GE	GEE	JPN	8536.5080.90
<a href="#">E2K-L26MC1 2M</a>	<a href="#">Capacitive, liquid level sensing, 12 to 26mm tube, NPN</a>	153.60	EC002715	<a href="#">153644</a>	4536854711947	#		GE	GEE	JPN	8536.5080.90
<b>İndüktif Proximity Sensör TL-TL-T/W</b>											
<a href="#">TL-W1R5MB1</a>	<a href="#">Endüktif sensör, çıkık kafa, 1.5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	72.75	EC002714	<a href="#">110296</a>	4536854116407		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W1R5MC1</a>	<a href="#">Endüktif sensör, çıkık kafa, 1.5mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	64.70	EC002714	<a href="#">110289</a>	4536854116315		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W1R5MC1S 2M</a>	<a href="#">https://industrial.omron.com.tr/tr/products/tl-w</a>	66.90	EC002714	<a href="#">110290</a>	4536854116322		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W20ME1</a>	<a href="#">Endüktif sensör, çıkık kafa, dikdörtgen, 20mm, 3 kablolu, NPN, NA, 2m kablolu</a>	109.50	EC002714	<a href="#">110302</a>	4536854116612			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB1 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	57.90	EC002714	<a href="#">110294</a>	4536854116384	#	5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W3MB1 5M</a>	<a href="#">Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 5m cable</a>	65.95	EC002714	<a href="#">110307</a>	4536854116735		3	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB1-R 2M</a>	<a href="#">Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable</a>	88.85	EC002714	<a href="#">110312</a>	4536854116995			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MB2</a>	<a href="#">Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	109.00	EC002714	<a href="#">110305</a>	4536854116698		5	GE	GEG	JPN	8536.5080.90
<a href="#">TL-W3MC1 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	58.35	EC002714	<a href="#">110288</a>	4536854116292	#	5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W3MC2 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 3mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	59.25	EC002714	<a href="#">110292</a>	4536854116353		5	GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5F1</a>	<a href="#">Endüktif sensör, düz kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	101.20	EC002714	<a href="#">110282</a>	4536854116209	#		GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5F1 5M</a>	<a href="#">Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 5m cable</a>	100.70	EC002714	<a href="#">110283</a>	4536854116216			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5F2</a>	<a href="#">Endüktif sensör, düz kafa, 5mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	104.90	EC002714	<a href="#">103868</a>	4536854116247			GE	GEG	JPN	8536.5080.90
<a href="#">TL-W5MB1 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	46.96	EC002714	<a href="#">110295</a>	4536854116391			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MB1 5M</a>	<a href="#">Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable</a>	51.30	EC002714	<a href="#">110313</a>	4536854117053			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MB2 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	47.84	EC002714	<a href="#">144995</a>	4536854647376			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MC1 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	46.03	EC002714	<a href="#">110287</a>	4536854116261	#		GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MC2 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	47.42	EC002714	<a href="#">104697</a>	4536854116438			GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MD1 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 2 kablolu, DC, NA, 2m kablolu</a>	71.55	EC002714	<a href="#">110298</a>	4536854116537	#		GE	GEG	CHN	8536.5080.90
<a href="#">TL-W5MD2 2M</a>	<a href="#">Endüktif sensör, çıkık kafa, 5mm, DC, 2 kablolu, DC, NK, 2m kablolu</a>	71.55	EC002714	<a href="#">110301</a>	4536854116575			GE	GEG	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2Q</b>											
<a href="#">E2Q6-N20F3-H</a>	<a href="#">Endüktif sensör, kare gövde, düz kafa, 20mm, NPN-NA/NK, M20 kablo kanalı</a>	94.25	EC002714	<a href="#">206923</a>	4549734708265			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q6-N20F3-H</a>	<a href="#">Endüktif sensör, kare gövde, düz kafa, 20mm, PNP-NA/NK, M20 kablo kanalı</a>	94.25	EC002714	<a href="#">206924</a>	4549734708258			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q6-N30MF3-H</a>	<a href="#">Endüktif sensör, kare gövde, çıkık kafa, 30mm, NPN-NA/NK, M20 kablo kanalı</a>	98.10	EC002714	<a href="#">206925</a>	4549734708241			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q6-N30MF3-H</a>	<a href="#">Endüktif sensör, kare gövde, çıkık kafa, 30mm, PNP-NA/NK, M20 kablo kanalı</a>	99.70	EC002714	<a href="#">206926</a>	4549734708234			GE	GEH	VNM	8536.5080.90
<b>İndüktif Proximity Sensör E2Q</b>											
<a href="#">E2Q5-N20E1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA</a>	67.05	EC002714	<a href="#">202603</a>	4549734724609			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N20F1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA</a>	67.05	EC002714	<a href="#">202601</a>	4549734724623			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N20F3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA &amp; NK</a>	73.75	EC002714	<a href="#">202600</a>	4549734724630			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N40MF1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA</a>	68.60	EC002714	<a href="#">202599</a>	4549734724647			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N40MF3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA &amp; NK</a>	76.00	EC002714	<a href="#">202598</a>	4549734724654			GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N40MF1-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA</a>	69.45	EC002714	<a href="#">202597</a>	4549734724661	#		GE	GEH	VNM	8536.5080.90
<a href="#">E2Q5-N40MF3-M1</a>	<a href="#">Endüktif sensör, uzun mesafe, kare, 40mm, çıkık kafa, PNP, NA &amp; NK</a>	76.00	EC002714	<a href="#">202596</a>	4549734724678			GE	GEH	VNM	8536.5080.90
<b>İndüktif Proximity Sensör E2A</b>											
<a href="#">E2A-M12KN05-M1-B1-TP</a>	<a href="#">Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, for Tetra Pack</a>	70.55	EC002714	<a href="#">236982</a>	4547648424615			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12KN05-WP-B1-TP 5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, for Tetra Pack</a>	42.32	EC002714	<a href="#">232411</a>	4547648340564			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12K504-M1-B1-4</a>	<a href="#">Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in, gold-plated pins</a>	62.75	EC002714	<a href="#">368983</a>	4548583333871			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12LN05-M1-B1-TP</a>	<a href="#">Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, M12 connector, including washer</a>	55.35	EC002714	<a href="#">656805</a>	4548583722873	#		GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M12LN05-WP-B1-TP 5M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, 5m prewired, including washer</a>	54.10	EC002714	<a href="#">232412</a>	4547648340571			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M18KS05-WP-B1-TP 6M</a>	<a href="#">Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 6m prewired, including washer</a>	78.85	EC002714	<a href="#">236990</a>	4547648424684			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-M18KS08-M5-B1</a>	<a href="#">Endüktif sensör, pirinç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M8 3-pin konektör</a>	73.25	EC002714	<a href="#">659164</a>	4548583722965			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-S08KN02-M1-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 4-pin konektör</a>	71.65	EC002714	<a href="#">659162</a>	4548583723535			GE	GEI	CHN	8536.5080.90
<a href="#">E2A-S08KN04-M1-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	53.45	EC002714	<a href="#">183917</a>	4547648162456	#		GE	GEI	CHN	8536.5080.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08KN04-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, M12 konektör	48.97	EC002714	401325	4547648162463			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konektör	53.45	EC002714	239506	4547648149266			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konektör	71.65	EC002714	659185	4548583723542			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konektör	63.45	EC002714	183894	4547648149273			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, M8 konektör	48.97	EC002714	401326	4547648162487			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, M8 konektör	63.45	EC002714	183921	4547648162968			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, 2m kablolü	42.32	EC002714	183895	4547648149280			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	50.45	EC002714	401327	4547648162500			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NK, 2m kablolü	48.97	EC002714	401328	4547648162517			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, 2m kablolü	42.32	EC002714	183926	4547648162531			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-D1 2M	Endüktif sensör, paslanmaz çelik, M8, çıkık kafa, 4mm, DC, 2 kablolü, 2m kablolü	51.45	EC002714	659196	4548583723580			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolü, PNP-NA, M12 konektör	50.75	EC002714	244369	4547648525015			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M3-B1-TP	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	56.65	EC002714	237659	4547648437226			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konektör	45.57	EC002714	183896	4547648149297	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M12 konektör	45.57	EC002714	183930	4547648162579			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M12 konektör	45.57	EC002714	183931	4547648162586			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M12 connector	45.57	EC002714	406771	4547648162593			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konektör (4-pin)	52.75	EC002714	242079	4547648475044			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	53.60	EC002714	244370	4547648525022			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 4-pin plug-in	52.80	EC002714	659227	4548583723511			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konektör (3-pin)	52.75	EC002714	183933	4547648162609	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M8 konektör (3-pin)	50.75	EC002714	183934	4547648162616	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M8 konektör (3-pin)	52.75	EC002714	183897	4547648149303			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M8 connector (3 pin)	52.75	EC002714	232021	4547648162623			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	35.81	EC002714	183936	4547648162630	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	35.81	EC002714	183937	4547648162647	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, 2m kablolü	35.81	EC002714	183938	4547648162654	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 5m prewired	50.45	EC002714	401329	4547648162661			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2-1.0.2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 200mm M8 cable end connector (3 pole)	113.40	EC002714	658912	4548583723030			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	35.81	EC002714	183898	4547648149327	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NK, 2m kablolü	35.81	EC002714	183941	4547648162685			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolü, NA, 2m kablolü	51.45	EC002714	656810	4548583722910	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolü, NK, 2m kablolü	59.15	EC002714	658911	4548583722996			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M12 konektör	62.40	EC002714	183899	4547648149334	#		GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	89.65	EC002714	667839	4548583724914			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, M8 konektör (3-pin)	53.45	EC002714	183946	4547648162739			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, M8 konektör (3-pin)	53.45	EC002714	183900	4547648149341			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, PNP-NA, 2m kablolü	50.75	EC002714	183949	4547648162760			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolü, NPN-NA, 2m kablolü	50.75	EC002714	401324	4547648149358			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1 mm, DC, PNP-NO, 3-wire, M12 plug-in connector	60.50	EC002714	659637	4548583724099			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konektör	50.75	EC002714	183956	4547648162838	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M12 konektör	55.35	EC002714	232023	4547648162845			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M12 konektör	50.75	EC002714	232019	4547648149365	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	43.77	EC002714	244371	4547648525039			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M3-B3	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 4 kablolü, PNP-NA+NK, M8 4pin konektör	121.00	EC002714	659342	4548583724907			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M8 konektör (3-pin)	52.75	EC002714	183903	4547648149372	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, M8 konektör (3-pin)	51.45	EC002714	183959	4547648162869			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, M8 konektör (3-pin)	52.75	EC002714	183960	4547648162876			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, 2m kablolü	47.58	EC002714	183904	4547648149389			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	50.45	EC002714	401330	4547648162890			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, PNP-NK, 2m kablolü	47.58	EC002714	243967	4547648162906			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolü, NPN-NA, 2m kablolü	47.58	EC002714	183965	4547648162920			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	56.10	EC002714	411139	4548583130456			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolü, PNP-NA, 2m kablolü	62.40	EC002714	242075	4547648475082			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	47.75	EC002714	351403	4548583020894			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	47.75	EC002714	659200	4548583723290			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolü, NPN-NA, M12 konektör	86.30	EC002714	656802	4548583722835			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	46.12	EC002714	341512	4548583004917			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 5M	Proximity sensor, inductive, stainless steel	55.80	EC002714	659215	4548583723047			GE	GEI	CHN	8536.5080.90
E2A-S12L S04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	62.50	EC002714	658903	4548583722927			GE	GEI	CHN	8536.5080.90
E2A-S12L S04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, NPN-NO, M12 plug-in	62.35	EC002714	659218	4548583723351			GE	GEI	CHN	8536.5080.90
E2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	86.95	EC002714	168903	4547648048613			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolü, PNP-NA, M12 konektör	99.75	EC002714	168902	4547648048606			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	71.65	EC002714	658904	4548583722989			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	81.60	EC002714	658906	4548583722934			GE	GEI	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S18I-S08-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	86.30	EC002714	658907	4548583722941			GE	GEI	CHN	8536.5080.90
E2A-S30K515-M1-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in	94.90	EC002714	168904	4547648048620			GE	GEI	CHN	8536.5080.90
<b>İndüktif Proximity Sensör E2B</b>											
E2B-M12KN05-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	9.77	EC002714	674364	4548583549517			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-M1-B2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	10.04	EC002714	674426	4548583549531			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	9.41	EC002714	674338	4548583549432			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-C1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	9.41	EC002714	674369	4548583549470			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	11.55	EC002714	674552	4548583549999	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1-20	Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs = 1 box of 20 pcs	218.10	EC002714	6711224	4548583879317			GE	GEJ	CHN	8536.5080.90
E2B-M12KN08-M1-B2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	11.55	EC002714	674640	4548583550018	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	11.55	EC002714	674637	4548583550001	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	11.55	EC002714	674370	4548583550025	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674571	4548583549913	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R1-5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	13.68	EC002714	674559	4548583549920			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R2-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	11.55	EC002714	674322	4548583549937	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	11.55	EC002714	674561	4548583549951	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C2-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	11.55	EC002714	674356	4548583549975	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	9.93	EC002714	674680	4548583549272	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-M1-B2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	9.41	EC002714	674363	4548583549296		40	GE	GEJ	IDN	8536.5080.90
E2B-M12K502-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	9.41	EC002714	674327	4548583549197	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-WP-C1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	9.41	EC002714	674380	4548583549234			GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	11.55	EC002714	674633	4548583549753	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12K504-M1-B1 OMS: den 20 adet)	218.10	EC002714	392627	4548583552487			GE	GEJ	CHN	8536.5080.90
E2B-M12K504-M1-B2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	11.55	EC002714	674624	4548583549777	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-C1	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	11.55	EC002714	674524	4548583549760	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-C2	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	11.55	EC002714	674479	4548583549784	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674414	4548583549678	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R1-5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	13.68	EC002714	674429	4548583549685	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R2-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	11.55	EC002714	674573	4548583549692	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R2-5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 5m cable	13.68	EC002714	674528	4548583549708	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-C1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	11.55	EC002714	674459	4548583549715	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-C2-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	11.55	EC002714	674500	4548583549739	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L005-M1-B1	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	9.41	EC002714	674481	4548583549630	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-B1	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	11.55	EC002714	674659	4548583550117	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-B2	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	11.55	EC002714	674480	4548583550131	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-C1	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	11.55	EC002714	674474	4548583550124	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-C2	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	11.55	EC002714	674461	4548583550148	#	20	GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674533	4548583550032	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired	13.68	EC002714	674439	4548583550049	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R2-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	11.55	EC002714	674523	4548583550056	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-C1-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	11.55	EC002714	674522	4548583550070	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-C2-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	11.55	EC002714	674400	4548583550094	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-5M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	9.41	EC002714	674622	4548583549395	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	9.41	EC002714	674505	4548583549319	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-B1	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	11.55	EC002714	674527	4548583549876	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12L008-M1-B1 OMS: den 20 adet)	218.10	EC002714	392628	4548583552494			GE	GEJ	CHN	8536.5080.90
E2B-M12L008-M1-B2	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	11.55	EC002714	674657	4548583549890	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-C1	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	11.55	EC002714	674329	4548583549883	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-M1-C2	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	11.55	EC002714	674378	4548583549906	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674517	4548583549791	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R1-5M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m Prewired	13.68	EC002714	674316	4548583549807	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-R2-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	11.55	EC002714	674472	4548583549814	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-C1-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	11.55	EC002714	674605	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
E2B-M12L008-WP-C2-2M	Endüktif sensör, pirinç-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	11.55	EC002714	674331	4548583549852	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	14.50	EC002714	674558	4548583551190	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	14.50	EC002714	674415	4548583551114	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	16.92	EC002714	674469	4548583551671	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1-20	Multi-pack E2B-M18KN16-M1-B1 OMS: 1 pcs = 1 box of 20 pcs	302.00	EC002714	6711226	4548583879331			GE	GEJ	CHN	8536.5080.90
E2B-M18KN16-M1-B2	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	16.92	EC002714	674359	4548583551695	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C1	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	16.92	EC002714	674368	4548583551688	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-R1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	16.92	EC002714	674614	4548583551596	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-R2-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	16.92	EC002714	674342	4548583551619	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1-2M	Endüktif sensör, pirinç-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	16.92	EC002714	674655	4548583551633	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	14.50	EC002714	674612	4548583550957	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2B-M18K505-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	14.50	EC002714	<a href="#">674572</a>	4548583550155			GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674616</a>	4548583551435	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-M1-R1-20</a>	<a href="#">Endüktif sensör, Coklu paket (E2B-M18K508-M1-R1 OMS'den 20 adet)</a>	302.00	EC002714	<a href="#">392620</a>	4548583552500			GE	GEJ	CHN	8536.5080.90
<a href="#">E2B-M18K508-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	16.92	EC002714	<a href="#">674473</a>	4548583551459	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674656</a>	4548583551442	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-M1-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	16.92	EC002714	<a href="#">674553</a>	4548583551466	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674516</a>	4548583551350	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-WP-R1 5M</a>	<a href="#">Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m cable</a>	19.32	EC002714	<a href="#">674410</a>	4548583551367	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-WP-R2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	16.92	EC002714	<a href="#">674314</a>	4548583551374	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674575</a>	4548583551398	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18K508-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	16.92	EC002714	<a href="#">674406</a>	4548583551411	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L1N16-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674430</a>	4548583551794	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L1N16-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	16.92	EC002714	<a href="#">674542</a>	4548583551817	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L1N16-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674383</a>	4548583551800	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L1N16-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674613</a>	4548583551718	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L1N16-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674553</a>	4548583551756	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L505-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	14.50	EC002714	<a href="#">674458</a>	4548583551077	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674628</a>	4548583551558	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	16.92	EC002714	<a href="#">674328</a>	4548583551572	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	16.92	EC002714	<a href="#">674445</a>	4548583551565	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-M1-C2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör</a>	16.92	EC002714	<a href="#">674436</a>	4548583551589	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674562</a>	4548583551473	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-WP-R1 5M</a>	<a href="#">Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired</a>	19.32	EC002714	<a href="#">674585</a>	4548583551480	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-WP-R2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	16.92	EC002714	<a href="#">674354</a>	4548583551497	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	16.92	EC002714	<a href="#">674567</a>	4548583551510	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M18L508-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	16.92	EC002714	<a href="#">674584</a>	4548583551534	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KN20-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	19.94	EC002714	<a href="#">674397</a>	4548583550438	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KN20-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	19.94	EC002714	<a href="#">674673</a>	4548583550353	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KN20-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	19.94	EC002714	<a href="#">674493</a>	4548583550391	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS10-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	19.94	EC002714	<a href="#">674341</a>	4548583551916	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS10-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	19.94	EC002714	<a href="#">674652</a>	4548583551831	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	22.61	EC002714	<a href="#">674318</a>	4548583550674	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	22.61	EC002714	<a href="#">674418</a>	4548583550698	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	22.61	EC002714	<a href="#">674394</a>	4548583550681	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674546</a>	4548583550599	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-WP-R1 5M</a>	<a href="#">Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 5m cable</a>	25.35	EC002714	<a href="#">674447</a>	4548583550605	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-WP-R2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	22.61	EC002714	<a href="#">674615</a>	4548583550612	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674674</a>	4548583550636	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30KS15-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	22.61	EC002714	<a href="#">674385</a>	4548583550650	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30LN30-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	22.61	EC002714	<a href="#">674536</a>	4548583550919	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30LN30-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	22.61	EC002714	<a href="#">674470</a>	4548583550933	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30LN30-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674393</a>	4548583550834	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30LN30-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674609</a>	4548583550872	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-M1-R1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	22.61	EC002714	<a href="#">674512</a>	4548583550797	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-M1-R2</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, M12 konektör</a>	22.61	EC002714	<a href="#">674332</a>	4548583550810	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-M1-C1</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	22.61	EC002714	<a href="#">674541</a>	4548583550803	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-WP-R1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674537</a>	4548583550711	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-WP-R2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	22.61	EC002714	<a href="#">674574</a>	4548583550735	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-WP-C1 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	22.61	EC002714	<a href="#">674555</a>	4548583550759	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-M30L515-WP-C2 2M</a>	<a href="#">Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	22.61	EC002714	<a href="#">674465</a>	4548583550773	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN02-MC-R1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>	11.55	EC002714	<a href="#">674678</a>	4548583548558	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN02-WP-R1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	11.55	EC002714	<a href="#">674518</a>	4548583548473	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674629</a>	4548583549036	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-MC-R2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konektör</a>	13.68	EC002714	<a href="#">674494</a>	4548583549050	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-MC-C1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör</a>	13.68	EC002714	<a href="#">674672</a>	4548583549043	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-WP-R1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674604</a>	4548583548954	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-WP-R1 5M</a>	<a href="#">Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, 5m cable</a>	15.84	EC002714	<a href="#">674388</a>	4548583548961	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-WP-R2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674323</a>	4548583548978	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KN04-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674592</a>	4548583548992	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS01-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konektör</a>										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">E2B-S08KS02-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674576</a>	4548583548718	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-B1 5M</a>	<a href="#">Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable</a>	15.84	EC002714	<a href="#">674438</a>	4548583548725	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674677</a>	4548583548732	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674454</a>	4548583548756	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08KS02-WP-C2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674611</a>	4548583548770	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör</a>	13.68	EC002714	<a href="#">674487</a>	4548583549159	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-MC-B2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör</a>	13.68	EC002714	<a href="#">674373</a>	4548583549173	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-MC-C1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konnektör</a>	13.68	EC002714	<a href="#">674642</a>	4548583549166	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674367</a>	4548583549074	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674600</a>	4548583549098	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L N04-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674501</a>	4548583549111	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S01-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör</a>	11.55	EC002714	<a href="#">674552</a>	4548583548435	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-MC-B1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör</a>	13.68	EC002714	<a href="#">674636</a>	4548583548916	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-MC-B2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör</a>	13.68	EC002714	<a href="#">674478</a>	4548583548930	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-MC-C1</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör</a>	13.68	EC002714	<a href="#">674608</a>	4548583548923	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-MC-C2</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konnektör</a>	13.68	EC002714	<a href="#">674371</a>	4548583548947	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-WP-B1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674525</a>	4548583548831	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-WP-B1 5M</a>	<a href="#">Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired</a>	15.84	EC002714	<a href="#">674361</a>	4548583548848	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-WP-B2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674630</a>	4548583548855	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-WP-C1 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu</a>	13.68	EC002714	<a href="#">674590</a>	4548583548879	#		GE	GEJ	IDN	8536.5080.90
<a href="#">E2B-S08L S02-WP-C2 2M</a>	<a href="#">Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu</a>	13.68	EC002714	<a href="#">674390</a>	4548583548893	#		GE	GEJ	IDN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
<a href="#">E2E2-X5MY1 2M</a>	<a href="#">Proximity sensor, long body, M12, non shielded, 5 mm, NO, AC, 2-wire, 2 m cable</a>	77.85	EC002714	<a href="#">233063</a>	4547648310048			GE	GEX	CHN	8536.5080.90
<a href="#">E2E2-X5Y1 2M</a>	<a href="#">Endüktif sensör, uzun gövde, M18, düz kafa, 5mm, NA, AC, 2 kablolu, 2m kablolu</a>	92.35	EC002714	<a href="#">233072</a>	4547648310130			GE	GEX	CHN	8536.5080.90
<a href="#">E2EC-C3D1</a>	<a href="#">Endüktif sensör</a>	207.60	EC002714	<a href="#">147698</a>	4536853257590			GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-C3D1-M1J-1</a>	<a href="#">Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable</a>	296.20	EC002714	<a href="#">177225</a>	4536854887864			GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-QC2D1-M1GJ-T 0.3M</a>	<a href="#">Proximity sensor, inductive, Dia 8 mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC 2-wire (no polarity) (3)-4 pin arrangement</a>	441.40	EC002714	<a href="#">231154</a>	4547648313100			GE	GEX	JPN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
<a href="#">E2EC-C1B5D1</a>	<a href="#">Endüktif sensör, çap 5.4mm, düz kafa, 1.5mm, DC, 2 kablolu, NA, 2m kablolu</a>	201.30	EC002714	<a href="#">144377</a>	4536853257514	#		GE	GEX	JPN	8536.5080.90
<a href="#">E2EC-CR8D1</a>	<a href="#">Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 2 kablolu, NA, 2m kablolu</a>	211.30	EC002714	<a href="#">132394</a>	4536853257439			GE	GEX	JPN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
<a href="#">E2S-Q11 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolu DC, NA, 1m kablolu</a>	45.87	EC002714	<a href="#">233106</a>	4536854841552			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q15 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233113</a>	4536854841651			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q21 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">231595</a>	4536854841682	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q23 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231599</a>	4536854841767			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q25 1M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231602</a>	4536854841798	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q25 2M</a>	<a href="#">Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 2m kablolu</a>	58.20	EC002714	<a href="#">231592</a>	4547648285933			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-Q25B 1M</a>	<a href="#">Miniature rectangular inductive, end face sensing, unshielded, 2.5mm, PNP, NO, alternative frequency, 1M cable</a>	53.65	EC002714	<a href="#">231603</a>	4536854841804			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W11 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolu DC, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233116</a>	4536854841835			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W13 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, NPN, NA, 1m kablolu</a>	48.80	EC002714	<a href="#">233119</a>	4536854841873			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W15 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolu</a>	69.35	EC002714	<a href="#">233123</a>	4536854841927	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W21 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NA, 1m kablolu</a>	45.87	EC002714	<a href="#">231604</a>	4536854841958	#	10	GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W22 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NK, 1m kablolu</a>	48.80	EC002714	<a href="#">231606</a>	4536854842009			GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W23 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231608</a>	4536854842054	10		GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W25 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolu</a>	53.05	EC002714	<a href="#">231610</a>	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
<a href="#">E2S-W26 1M</a>	<a href="#">Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NK, 1m kablolu</a>	45.45	EC002714	<a href="#">231591</a>	4536854842146			GE	GEX	CHN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
<a href="#">TL-N10ME1 2M</a>	<a href="#">Endüktif sensör, 10mm, çıkık kafa, NPN/NA 2m kablolu</a>	102.00	EC002714	<a href="#">110591</a>	4536854478543	#		GE	GEX	CHN	8536.5080.90
<a href="#">TL-N5M15</a>	<a href="#">Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable</a>	131.20	EC002714	<a href="#">151478</a>	4536854112539			GE	GEX	JPN	8536.5080.90
<a href="#">TL-N7MD2 2M</a>	<a href="#">Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NC, different frequency, 2 m cable</a>	138.70	EC002714	<a href="#">110583</a>	4536854113284			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q2MC1</a>	<a href="#">Endüktif sensör, çıkık kafa, 2mm, 3 kablolu, NPN, NA, 2m kablolu</a>	111.70	EC002714	<a href="#">153223</a>	4536854115035			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MB1 2M</a>	<a href="#">Endüktif sensör, 5mm, PNP, NA, 2m kablolu</a>	78.20	EC002714	<a href="#">110528</a>	4536854115127	#		GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC1 2M</a>	<a href="#">Endüktif sensör, 5mm, NPN, NA</a>	67.65	EC002714	<a href="#">110518</a>	4536854114854	#		GE	GEX	CHN	8536.5080.90
<a href="#">TL-Q5MC1-2 2M</a>	<a href="#">Inductive proximity sensor, 5 mm, NPN, NO</a>	67.15	EC002714	<a href="#">110522</a>	4536854114915			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC15</a>	<a href="#">Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable</a>	45.45	EC002714	<a href="#">110527</a>	4536854115110			GE	GEX	JPN	8536.5080.90
<a href="#">TL-Q5MC2 2M</a>	<a href="#">Endüktif sensör, 5mm, NPN, NK</a>	31.97	EC002714	<a href="#">110520</a>	4536854114885			GE	GEX	CHN	8536.5080.90
<a href="#">TL-Q5MD1 2M</a>	<a href="#">Endüktif sensör, 5mm, DC, 2 kablolu, NA</a>	68.40	EC002714	<a href="#">110526</a>	4536854114991			GE	GEX	CHN	8536.5080.90
<b>Diğer İndüktif Proximity Sensörler</b>											
<a href="#">E2FM-X10B1 2M</a>	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable</a>	166.30	EC002714	<a href="#">232116</a>	4547648325851			GE	GEX	JPN	8536.5015.90
<a href="#">E2FM-X10B1-M1</a>	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konnektör</a>	187.00	EC002714	<a href="#">224092</a>	4547648228428			GE	GEX	JPN	8536.5015.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2FM-X1RSB1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, PNP-NA, 2m kablolu</a>	147.40	EC002714	<a href="#">233312</a>	4547648348669			GE	GEX	JPN	8536.5015.90
E2FM-X1RSB1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	138.30	EC002714	<a href="#">224089</a>	4547648228398			GE	GEX	JPN	8536.5015.90
E2FM-X1RSC1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolu, NPN-NA, M12 konektör</a>	174.30	EC002714	<a href="#">233317</a>	4547648348713			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1 2M	<a href="#">Endüktif sensör,</a>	158.70	EC002714	<a href="#">232110</a>	4547648325790			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1-M1TGJ 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M8, shielded, 1.5mm, DC, 2-wire, NO, M12 with 0.3m pigtail</a>	180.90	EC002714	<a href="#">355196</a>	4547648525176			GE	GEX	JPN	8536.5015.90
E2FM-X2B1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	104.10	EC002714	<a href="#">224090</a>	4547648228404			GE	GEX	JPN	8536.5015.90
E2FM-X2D1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M12, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu</a>	142.30	EC002714	<a href="#">232111</a>	4547648325806			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-MITGJ 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail</a>	188.90	EC002714	<a href="#">355199</a>	4547648490818			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-MITGJ-T 0.3M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail (no polarity)</a>	174.00	EC002714	<a href="#">355193</a>	4547648490825			GE	GEX	JPN	8536.5015.90
E2FM-X5B1 2M	<a href="#">Proximity sensor, inductive, stainless steel face &amp; body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2 m cable</a>	160.00	EC002714	<a href="#">232115</a>	4547648325844			GE	GEX	JPN	8536.5015.90
E2FM-X5B1-M1	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör</a>	117.40	EC002714	<a href="#">224091</a>	4547648228411			GE	GEX	JPN	8536.5015.90
E2FM-X5D1 2M	<a href="#">Endüktif sensör, paslanmaz çelik algılama yüzü &amp; gövde, uzun gövde, M18, düz kafa, 5mm, DC, 2 kablolu, NA, 2m kablolu</a>	160.00	EC002714	<a href="#">232112</a>	4547648325813			GE	GEX	JPN	8536.5015.90
<b>Diğer Endüktif Proximity Sensörler</b>											
E2EH-X12B1 2M	<a href="#">Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, 2m kablolu</a>	141.10	EC002714	<a href="#">290046</a>	4547648628662			GE	GEX	CHN	8536.5080.90
E2EH-X12B1-M1	<a href="#">Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, M12 konektör</a>	207.00	EC002714	<a href="#">290047</a>	4547648628679			GE	GEX	CHN	8536.5080.90
E2EH-X3B1 2M	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, 2m kablolu</a>	73.55	EC002714	<a href="#">290031</a>	4547648628495			GE	GEX	CHN	8536.5080.90
E2EH-X3B1-M1	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, M12 konektör</a>	126.60	EC002714	<a href="#">290032</a>	4547648628501			GE	GEX	CHN	8536.5080.90
E2EH-X3D1-M1G	<a href="#">Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konektör</a>	106.60	EC002714	<a href="#">290041</a>	4547648628600			GE	GEX	CHN	8536.5080.90
E2EH-X7B1 2M	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, 2m kablolu</a>	140.70	EC002714	<a href="#">290059</a>	4547648628815			GE	GEX	CHN	8536.5080.90
E2EH-X7B1-M1	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, M12 konektör</a>	142.90	EC002714	<a href="#">290061</a>	4547648628839			GE	GEX	CHN	8536.5080.90
E2EH-X7D1-M1G	<a href="#">Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolu, NA, kablolu, M12 konektör</a>	119.80	EC002714	<a href="#">290071</a>	4547648628945			GE	GEX	CHN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
E2EW-OX12B1T18-M1	<a href="#">Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	173.60	EC002714	<a href="#">702325</a>	4549734529969			GE	GEX	CHN	8536.5080.90
E2EW-OX22B1T30-M1	<a href="#">Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	185.50	EC002714	<a href="#">702335</a>	4549734531245			GE	GEX	CHN	8536.5080.90
E2EW-X10B130-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	133.00	EC002714	<a href="#">695145</a>	4549734526760			GE	GEX	CHN	8536.5080.90
E2EW-X10B1T18-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	157.10	EC002714	<a href="#">695115</a>	4549734525879			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	155.60	EC002714	<a href="#">702370</a>	4549734526128			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	163.20	EC002714	<a href="#">695135</a>	4549734526074			GE	GEX	CHN	8536.5080.90
E2EW-X12C318-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, NPN NO+NC, M12 connector</a>	161.60	EC002714	<a href="#">702374</a>	4549734526647			GE	GEX	CHN	8536.5080.90
E2EW-X20B1T30-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	169.20	EC002714	<a href="#">695151</a>	4549734527156			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1	<a href="#">Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector</a>	167.50	EC002714	<a href="#">702380</a>	4549734527408			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m</a>	175.30	EC002714	<a href="#">695157</a>	4549734527354			GE	GEX	CHN	8536.5080.90
E2EW-X2B112-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	114.80	EC002714	<a href="#">695120</a>	4549734524209			GE	GEX	CHN	8536.5080.90
E2EW-X5B118-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	120.90	EC002714	<a href="#">695124</a>	4549734525480			GE	GEX	CHN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
E2V-X15B1-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, nickel-brass, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m</a>	165.80	EC002714	<a href="#">249441</a>	4547648456739			GE	GEX	JPN	8536.5080.90
E2V-X8B1-M1TJ 0.3M	<a href="#">Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 0.3 m cable with M12 SmartClick connector</a>	179.90	EC002714	<a href="#">249420</a>	4547648456517			GE	GEX	JPN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
E2K-X15MY1	<a href="#">Kapasitif sensör, M30, çıkık kafa, 15mm, AC, 2 kablolu, NA, 2m kablolu</a>	76.30	EC002715	<a href="#">148233</a>	4536853264505			GE	GEX	JPN	8536.5080.90
E2K-X15MY2	<a href="#">Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NC, 2m cable</a>	80.00	EC002715	<a href="#">153714</a>	4536853264536			GE	GEX	JPN	8536.5080.90
E2K-X8MY1	<a href="#">Kapasitif sensör, M18, çıkık kafa, 8mm, AC, 2 kablolu, NA, 2m kablolu</a>	70.15	EC002715	<a href="#">131781</a>	4536853264451			GE	GEX	JPN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
E2K-C25MY1	<a href="#">Kapasitif sensör, 34mm cap, çıkık kafa, 25mm, AC, 2 kablolu, NA, 2m kablolu</a>	160.00	EC002715	<a href="#">131840</a>	4536853263669			GE	GEX	JPN	8536.5080.90
<b>Diğer Endüktif Proximity Sensörler</b>											
GLS-1	<a href="#">Maqnetik endüktif sensör, sensör &amp; miknatis set</a>	22.54	EC002544	<a href="#">693661</a>	4549734511469		10	GE	GEX	JPN	9031.9000.00
GLS-M1	<a href="#">Maqnetik endüktif sensör, miknatis, GLS-1 için</a>	10.01	EC003015	<a href="#">693660</a>	4549734511452		# 20	GE	GEX	JPN	8536.5015.90
GLS-S1	<a href="#">Maqnetik endüktif sensör, sensör, GLS-1 için</a>	16.02	EC002544	<a href="#">693659</a>	4549734511445		# 20	GE	GEX	JPN	9031.9000.00
<b>Endüktif Proximity Sensörler için Aksesuarlar</b>											
X52F-D421-D80-F	<a href="#">Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 2 m</a>	21.82	EC001855	<a href="#">107677</a>	4536854224805		# 5	GE	GEZ	JPN	8544.4290.90
X52F-D421-G80-F	<a href="#">Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 5 m</a>	35.79	EC001855	<a href="#">107678</a>	4536854224812		# 5	GE	GEZ	JPN	8544.4290.90
X52F-D421-J80-F	<a href="#">Sensor connector, M12 straight, 10m, Fire-retardant, vibration-proof</a>	57.10	EC001855	<a href="#">107680</a>	4536854224881		#	GE	GEZ	JPN	8544.4290.90
X52F-D422-D80-F	<a href="#">Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 2 m</a>	25.15	EC001855	<a href="#">355664</a>	4547648698047		5	GE	GEZ	JPN	8544.4290.90
X52F-D422-G80-F	<a href="#">Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 5 m</a>	40.31	EC001855	<a href="#">355663</a>	4547648622073		2	GE	GEZ	JPN	8544.4290.90
X52F-D422-J80-F	<a href="#">Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m</a>	51.50	EC001855	<a href="#">359239</a>	4547648623322			GE	GEZ	JPN	8544.4290.90
X52F-D521-GG0-A	<a href="#">Sensor connector, M12, 5 PIN, straight, 2m cable</a>	31.91	EC001855	<a href="#">107769</a>	4536854224522		5	GE	GEZ	JPN	8544.4290.90
X52F-D521-JG0-A	<a href="#">Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 10 m</a>	26.94	EC001855	<a href="#">695391</a>	4536854705168			GE	GEZ	JPN	8544.4290.90
X52F-E421-D80-F	<a href="#">Sensor connector, M12, straight 2m cable, Heat resistant</a>	41.53	EC001855	<a href="#">232191</a>	4547648395120		5	GE	GEZ	JPN	8544.4290.90
X52F-E422-D80-F	<a href="#">Sensor connector, M12, Angled 2 m cable, Heat resistant</a>	41.53	EC001855	<a href="#">232193</a>	4547648395144		5	GE	GEZ	JPN	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS2F-F422-G80-E</a>	<a href="#">Sensor connector cable</a>	53.20	EC001855	<a href="#">237194</a>	4547648395168		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-LM12PVC3A10M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361130</a>	4548583135260			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3A2M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358068</a>	4548583127135			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3A5M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358069</a>	4548583127159			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3S10M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, düz dişi konektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361131</a>	4548583135277			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC3S5M</a>	<a href="#">Sensör kablosu, M12, 3 kablolu, düz dişi konektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358071</a>	4548583127210	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A10M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361128</a>	4548583127258	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A2M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358072</a>	4548583127227	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4A5M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358073</a>	4548583127234	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S10M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 10m</a>	14.06	EC001855	<a href="#">361129</a>	4548583127302	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S2M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 2m</a>	7.88	EC001855	<a href="#">358074</a>	4548583127272	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-LM12PVC4S5M</a>	<a href="#">Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 5m</a>	9.99	EC001855	<a href="#">358075</a>	4548583127289	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3A2M</a>	<a href="#">Sensor connector, M12 3-wire, Angled female connector, PVC, 2m</a>	13.30	EC001855	<a href="#">419178</a>	4548583435216			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3A5M</a>	<a href="#">Sensor connector, M12 3-wire, Angled female connector, PVC, 5m</a>	17.31	EC001855	<a href="#">419179</a>	4548583435223			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3ASMPLED</a>	<a href="#">Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M, LED indicator (PNP)</a>	27.57	EC001855	<a href="#">378101</a>	4548583440395			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC3S2M</a>	<a href="#">Sensor connector, M12 3-wire, Straight female connector, PVC, 2m</a>	13.69	EC001855	<a href="#">419181</a>	4548583435247			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC3S5M</a>	<a href="#">Sensor connector, M12 3-wire, Straight female connector, PVC, 5m</a>	16.97	EC001855	<a href="#">419182</a>	4548583435254			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A10M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 10m</a>	23.41	EC001855	<a href="#">419183</a>	4548583435261	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A10MPLED</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator (PNP)</a>	35.02	EC001855	<a href="#">378105</a>	4548583440319			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC4A15M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 15m</a>	28.93	EC001855	<a href="#">419184</a>	4548583435278			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A20M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 20m</a>	26.16	EC001855	<a href="#">419185</a>	4548583435285			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A2M</a>	<a href="#">Sensor connector, M12 4-pin, Angled female connector, PVC, 2m</a>	10.99	EC001855	<a href="#">419186</a>	4548583435292			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4A2MPLED</a>	<a href="#">Sensör kablosu, dişi, M12, PVC, 4-pin, açılı, 2M, LED gösterge (PNP)</a>	30.93	EC001855	<a href="#">378103</a>	4548583440296			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC4A5M</a>	<a href="#">Sensör kablosu, M12, 4-pin, açılı dişi konektör, PVC, 5m</a>	15.79	EC001855	<a href="#">419187</a>	4548583435308	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4ASMPLED</a>	<a href="#">Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator (PNP)</a>	33.36	EC001855	<a href="#">378104</a>	4548583440302			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2F-M12PVC4S10M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 10m</a>	21.45	EC001855	<a href="#">419188</a>	4548583435315			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S15M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 15m</a>	25.63	EC001855	<a href="#">419189</a>	4548583435322			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S20M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 20m</a>	35.68	EC001855	<a href="#">419190</a>	4548583435339			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S2M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 2m</a>	11.73	EC001855	<a href="#">419191</a>	4548583435346			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S3M</a>	<a href="#">Sensor connector, M12 4-pin, Straight female connector, PVC, 3m</a>	13.94	EC001855	<a href="#">419192</a>	4548583435353			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC4S5M</a>	<a href="#">Sensör kablosu, M12, 4-pin, düz dişi konektör, PVC, 5m</a>	15.79	EC001855	<a href="#">419193</a>	4548583435360	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5A10M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 10m</a>	18.73	EC001855	<a href="#">419194</a>	4548583435377			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5A2M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 2m</a>	11.66	EC001855	<a href="#">419195</a>	4548583435384			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5A5M</a>	<a href="#">Sensor connector, M12 5-pin, Angled female connector, PVC, 5m</a>	16.83	EC001855	<a href="#">419196</a>	4548583435391	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5S10M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 10m</a>	24.82	EC001855	<a href="#">419197</a>	4548583435407			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5S2M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 2m</a>	13.70	EC001855	<a href="#">419199</a>	4548583435421			GE	GEZ	CHN	8544.4290.90
<a href="#">XS2F-M12PVC5S5M</a>	<a href="#">Sensor connector, M12 5-pin, Straight female connector, PVC, 5m</a>	16.55	EC001855	<a href="#">419200</a>	4548583435438	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS2W-D421-G81-E</a>	<a href="#">Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 1m</a>	31.44	EC001855	<a href="#">149606</a>	4536854280556		8	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-D81-E</a>	<a href="#">Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 2m</a>	36.76	EC001855	<a href="#">107608</a>	4536854465024			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-G81-F</a>	<a href="#">Sensor connector, M12, 4-wire, straight, female-male, PVC, 5m</a>	57.45	EC001855	<a href="#">107609</a>	4536854465031			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2W-D421-J81-E</a>	<a href="#">Sensor connector</a>	86.60	EC001855	<a href="#">146350</a>	4536854280663			GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-E421-405-A</a>	<a href="#">M8 4-pin, Straight female SUS-connector, IP69K, PVC, 5m</a>	32.37	EC001855	<a href="#">250788</a>	4547648386463			GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-LM8PVC3A2M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358076</a>	4548583127005	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3A5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358077</a>	4548583127012	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3S2M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, düz dişi konektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358078</a>	4548583127036	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC3S5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, düz dişi konektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358079</a>	4548583127043	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4A2M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, açılı dişi konektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358080</a>	4548583127050	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4A5M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, açılı dişi konektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358081</a>	4548583127067	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4S2M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, düz dişi konektör, PVC, 2m</a>	6.94	EC001855	<a href="#">358082</a>	4548583127081	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-LM8PVC4S5M</a>	<a href="#">Sensör kablosu, M8, 4 kablolu, düz dişi konektör, PVC, 5m</a>	9.04	EC001855	<a href="#">358083</a>	4548583127098	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M321-302-B</a>	<a href="#">Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m</a>	8.60	EC001855	<a href="#">372022</a>	4548583359482		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M321-305-B</a>	<a href="#">Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m</a>	11.15	EC001855	<a href="#">372023</a>	4548583359499		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M322-305-B</a>	<a href="#">Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m</a>	11.15	EC001855	<a href="#">372025</a>	4548583359512		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-402-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 2m</a>	15.49	EC001855	<a href="#">107537</a>	4536854505812		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-402-B</a>	<a href="#">Sensor connector, M8 4-pin, Straight female connector, IP67, robot cable 2m</a>	16.98	EC001855	<a href="#">156301</a>	4536854285599		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-405-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 5m</a>	19.34	EC001855	<a href="#">105016</a>	4536854505829		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-405-B</a>	<a href="#">M8 4-pin, Straight female connector, IP67, robot cable 5m</a>	16.13	EC001855	<a href="#">107621</a>	4536854228605		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M421-410-A</a>	<a href="#">M8 4-pin, Straight female connector, IP67, standard cable 10m</a>	20.61	EC001855	<a href="#">107539</a>	4536854537776		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M422-402-A</a>	<a href="#">M8 4-pin, 90° female connector, IP67, standard cable 2m</a>	15.49	EC001855	<a href="#">107538</a>	4536854505843		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M422-405-A</a>	<a href="#">M8 4-pin, 90° female connector, IP67, standard cable 5m</a>	19.34	EC001855	<a href="#">141967</a>	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3F-M8PVC3A10M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 10m</a>	14.36	EC001855	<a href="#">419237</a>	4548583436800			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A20M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 20m</a>	34.48	EC001855	<a href="#">419239</a>	4548583436824	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A2M</a>	<a href="#">Sensor connector, M8 3-wire, Angled female connector, PVC, 2m</a>	8.75	EC001855	<a href="#">419240</a>	4548583436831			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3A5M</a>	<a href="#">Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 5m</a>	14.79	EC001855	<a href="#">419241</a>	4548583436848	#		GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PVC3S10M</a>	<a href="#">Sensor connector, M8 3-wire, Straight female connector, PVC, 10m</a>	22.38	EC001855	<a href="#">419242</a>	4548583436855			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X53F-M8PVC352M	Sensor connector, M8 3-wire, Straight female connector, PVC, 2m	8.21	EC001855	<a href="#">419245</a>	4548583436886			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC355M	Sensor connector, M8 3-wire, Straight female connector, PVC, 5m	14.24	EC001855	<a href="#">419246</a>	4548583436893	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A10M	Sensor connector, M8 4-wire, Angled female connector, PVC, 10m	68.05	EC001855	<a href="#">419247</a>	4548583436923			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	12.03	EC001855	<a href="#">419250</a>	4548583436954			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A5M	Sensor connector, M8 4-wire, Angled female connector, PVC, 5m	12.78	EC001855	<a href="#">419251</a>	4548583436961			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S10M	Sensor connector, M8 4-wire, Straight female connector, PVC, 10m	22.38	EC001855	<a href="#">419252</a>	4548583436978			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S15M	Sensor connector, M8 4-wire, Straight female connector, PVC, 15m	25.63	EC001855	<a href="#">419253</a>	4548583436985			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S20M	Sensor connector, M8 4-wire, Straight female connector, PVC, 20m	31.76	EC001855	<a href="#">419254</a>	4548583436992			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S2M	Sensor connector, M8 4-wire, Straight female connector, PVC, 2m	6.99	EC001855	<a href="#">419255</a>	4548583437005			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S5M	Sensör konektörü, M8 4 telli, Düz dişi konektör, PVC, 5m	14.62	EC001855	<a href="#">419256</a>	4548583437012	#		GE	GEZ	CHN	8544.4290.90
X53W-M321-302-R	Screw-mounting connector, M8, PVC vibration-proof robot cable, F straight/ M straight, 2 m	31.94	EC001855	<a href="#">387059</a>	4548583432284		5	GE	GEZ	JPN	8544.4290.90
X53W-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick, M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	66.90	EC001855	<a href="#">674688</a>	4548583521858			GE	GEZ	JPN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
X55F-D421-D80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 2m	22.26	EC001855	<a href="#">237228</a>	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	17.04	EC001855	<a href="#">690507</a>	4549734197946			GE	GEZ	JPN	8544.4290.90
X55F-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	24.32	EC001855	<a href="#">690513</a>	4549734488280			GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 5m	31.44	EC001855	<a href="#">237229</a>	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	20.68	EC001855	<a href="#">690508</a>	4549734197960			GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	38.88	EC001855	<a href="#">690515</a>	4549734488303			GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 10m	46.28	EC001855	<a href="#">237230</a>	4547648305129	#		GE	GEZ	JPN	8536.9010.00
X55F-D421-J80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	26.75	EC001855	<a href="#">690505</a>	4549734197977			GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	79.15	EC001855	<a href="#">690516</a>	4549734488310			GE	GEZ	JPN	8544.4290.90
X55F-D421-L80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 20 m	85.05	EC001855	<a href="#">669139</a>	4548583081857			GE	GEZ	JPN	8536.9010.00
X55F-D422-G80-F	Smartclick sensor connector, M12, angled, 5m robot cable	32.69	EC001855	<a href="#">269043</a>	4547648623049		5	GE	GEZ	JPN	8536.9010.00
X55W-D421-CR1-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m	30.39	EC001855	<a href="#">690511</a>	4549734197984			GE	GEZ	JPN	8544.4290.90
X55W-D421-CR1-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	34.04	EC001855	<a href="#">690517</a>	4549734488327			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-F	Cable, vibration proof 2m	30.72	EC001855	<a href="#">237236</a>	4547648305198			GE	GEZ	JPN	8536.9010.00
X55W-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	31.59	EC001855	<a href="#">690502</a>	4549734197991			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	38.88	EC001855	<a href="#">690518</a>	4549734488334			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-F	Cable, vibration proof 5m	45.47	EC001855	<a href="#">237237</a>	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	35.26	EC001855	<a href="#">690506</a>	4549734198011			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	53.50	EC001855	<a href="#">690520</a>	4549734488358			GE	GEZ	JPN	8544.4290.90
X55W-D421-J81-F	Cable, Vibration proof 10m	57.90	EC001855	<a href="#">237238</a>	4547648305228	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-L81-F	Cable, 4-pin, 2 connectors Smart-click, PVC, Vibration proof 20 m	87.05	EC001855	<a href="#">669140</a>	4547648617116			GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
X52F-M12PUR3A5M	Sensor connector, M12 3-wire, Angled female connector, PUR, 5m	17.52	EC001855	<a href="#">419157</a>	4548583435001			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10M	Sensor connector, M12 4-wire, Angled female connector, PUR, 10m	26.66	EC001855	<a href="#">419161</a>	4548583435049			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 10M, LED göstergeli (PNP)	52.25	EC001855	<a href="#">378111</a>	4548583440371			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A15M	Sensor connector, M12 4-wire, Angled female connector, PUR, 15m	25.86	EC001855	<a href="#">419162</a>	4548583435056			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A20M	Sensor connector, M12 4-wire, Angled female connector, PUR, 20m	48.60	EC001855	<a href="#">419163</a>	4548583435063			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2M	Sensor connector, M12 4-wire, Angled female connector, PUR, 2m	13.14	EC001855	<a href="#">419164</a>	4548583435070			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dişi, 2M, LED göstergeli (PNP)	35.48	EC001855	<a href="#">378109</a>	4548583440357			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A5M	Sensor connector, M12 4-wire, Angled female connector, PUR, 5m	16.79	EC001855	<a href="#">419165</a>	4548583435087	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A5MPLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator (PNP)	35.72	EC001855	<a href="#">378110</a>	4548583440364			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4S10M	Sensor connector, M12 4-wire, Straight female connector, PUR, 10m	26.88	EC001855	<a href="#">419166</a>	4548583435094			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S20M	Sensor connector, M12 4-wire, Straight female connector, PUR, 20m	48.60	EC001855	<a href="#">419168</a>	4548583435117			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S2M	Sensor connector, M12 4-wire, Straight female connector, PUR, 2m	13.16	EC001855	<a href="#">419169</a>	4548583435124			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S5M	Sensor connector, M12 4-wire, Straight female connector, PUR, 5m	17.52	EC001855	<a href="#">419170</a>	4548583435131	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A5M	Sensor connector, M12 5-wire, Angled female connector, PUR, 5m	21.32	EC001855	<a href="#">419172</a>	4548583435155			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5S10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 10m	18.03	EC001855	<a href="#">419173</a>	4548583435162			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5S10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 5m	21.32	EC001855	<a href="#">419176</a>	4548583435193			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A10M	Sensor connector, M8 3-wire, Angled female connector, PUR, 10m	25.84	EC001855	<a href="#">419217</a>	4548583436589			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A2M	Sensor connector, M8 3-wire, Angled female connector, PUR, 2m	11.22	EC001855	<a href="#">419220</a>	4548583436619			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A5M	Sensor connector, M8 3-wire, Angled female connector, PUR, 5m	16.62	EC001855	<a href="#">419221</a>	4548583436626			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S10M	Sensor connector, M8 3-wire, Straight female connector, PUR, 10m	21.79	EC001855	<a href="#">419222</a>	4548583436633			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S2M	Sensor connector, M8 3-wire, Straight female connector, PUR, 2m	7.95	EC001855	<a href="#">419225</a>	4548583436664	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S5M	Sensor connector, M8 3-wire, Straight female connector, PUR, 5m	16.62	EC001855	<a href="#">419226</a>	4548583436671			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">XS3F-M8PUR4A10M</a>	Sensor connector, M8 4-wire, Angled female connector, PUR, 10m	25.84	EC001855	<a href="#">419227</a>	4548583436701			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4A2M</a>	Sensor connector, M8 4-wire, Angled female connector, PUR, 2m	7.95	EC001855	<a href="#">419230</a>	4548583436732			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4A5M</a>	Sensor connector, M8 4-wire, Angled female connector, PUR, 5m	17.31	EC001855	<a href="#">419231</a>	4548583436749			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S10M</a>	Sensor connector, M8 4-wire, Straight female connector, PUR, 10m	25.84	EC001855	<a href="#">419232</a>	4548583436756			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S2M</a>	Sensor connector, M8 4-wire, Straight female connector, PUR, 2m	12.20	EC001855	<a href="#">419235</a>	4548583436787			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3F-M8PUR4S5M</a>	Sensor connector, M8 4-wire, Straight female connector, PUR, 5m	16.50	EC001855	<a href="#">419236</a>	4548583436794			GE	GEZ	CHN	8544.4290.90
<a href="#">XS3W-M421-401-PR</a>	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	45.49	EC001855	<a href="#">693806</a>	4549734113007		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M421-402-PR</a>	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	<a href="#">693800</a>	4548583585751		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M422-402-PR</a>	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	<a href="#">693809</a>	4549734113021		5	GE	GEZ	JPN	8544.4290.90
<a href="#">XS3W-M424-402-PR</a>	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	<a href="#">693807</a>	4549734113083		5	GE	GEZ	JPN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">XS5F-D421-C80-F</a>	M12 4-pin, Straight female connector, IP69K, Robot cable, 1m	19.34	EC001855	<a href="#">237197</a>	4547648305082		10	GE	GEZ	JPN	8536.9010.00
<a href="#">XS5F-D421-F80-F</a>	M12 4-pin, Straight female connector, IP69K, Robot cable, 3m	27.57	EC001855	<a href="#">237198</a>	4547648305105		5	GE	GEZ	JPN	8536.9010.00
<a href="#">XS5H-D421-B80-F</a>	Sensor connector, M12, male, straight, Smart-click	19.56	EC001855	<a href="#">377947</a>	4547648506595	#	10	GE	GEZ	JPN	8544.4290.90
<a href="#">XS5W-D421-C81-F</a>	Sensor connector	29.13	EC001855	<a href="#">237220</a>	4547648305181			GE	GEZ	JPN	8536.9010.00
<a href="#">XS5W-D421-F81-F</a>	Smartclick sensor connector plug and socket, M12, straight, 3m robot cable	34.33	EC001855	<a href="#">237221</a>	4547648305204		5	GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92E-M08PUR4S5M-L</a>	M8 4-pin, Straight female connector, PUR, 5m	21.36	EC001855	<a href="#">206551</a>	4536853901103			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH806M-L</a>	Receiver M12 8-pin shielded cable, male-female, for control box F39-TGR-W-IBOX, 0.6m	45.43	EC001855	<a href="#">341554</a>	4547648887007			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH810M-L</a>	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 10m	92.20	EC001855	<a href="#">341557</a>	4547648887038			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH82M-L</a>	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 2m	49.83	EC001855	<a href="#">341555</a>	4547648887014			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12FSM12MSPURSH85M-L</a>	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 5m	67.10	EC001855	<a href="#">341556</a>	4547648887021			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PUR4S2M-L</a>	M12 4-pin, Straight female connector, PUR, 2m	16.41	EC001855	<a href="#">206575</a>	4536853901332			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PUR4S5M-L</a>	M12 4-pin, Straight female connector, PUR, 5m	20.02	EC001855	<a href="#">206553</a>	4536853901349			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S10M-L</a>	Emitter cable M12 4-pin, female connector, shielded cable 10m	66.35	EC001855	<a href="#">341552</a>	4547648886987	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S25M-L</a>	Emitter cable M12 4-pin, female connector, shielded cable 25m	128.60	EC001855	<a href="#">341553</a>	4547648886994			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S2M-L</a>	Emitter cable M12 4-pin, female connector, shielded cable 2m	34.26	EC001855	<a href="#">341550</a>	4547648886963			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH4S5M-L</a>	Emitter cable M12 4-pin, female connector, shielded cable 5m	35.27	EC001855	<a href="#">341551</a>	4547648886970	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S10M-L</a>	Receiver cable M12 8-pin, female connector, shielded cable 10m	59.25	EC001855	<a href="#">341548</a>	4547648886949	#		GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S25M-L</a>	Receiver cable M12 8-pin, female connector, shielded cable 25m	158.80	EC001855	<a href="#">341549</a>	4547648886956			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S2M-L</a>	Receiver cable M12 8-pin, female connector, shielded cable 2m	38.86	EC001855	<a href="#">341546</a>	4547648886925			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-M12PURSH8S5M-L</a>	Receiver cable M12 8-pin, female connector, shielded cable 5m	45.94	EC001855	<a href="#">341547</a>	4547648886932	#		GE	GEZ	CZE	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92E-S08PP4A_5M</a>	Cable connector M8, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	33.54	EC001855	<a href="#">393705</a>	4547648986458			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S08PP4S_10M</a>	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M	44.13	EC001855	<a href="#">393706</a>	4547648986465			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S08PP4S_2M</a>	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 2 M	23.70	EC001855	<a href="#">393710</a>	4547648986502			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S08PP4S_5M</a>	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	33.72	EC001855	<a href="#">393711</a>	4547648986519			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S12PP4A_10M</a>	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 10 M	31.78	EC001855	<a href="#">393712</a>	4547648986526			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S12PP4A_5M</a>	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	26.44	EC001855	<a href="#">393717</a>	4547648986571			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S12PP4S_10M</a>	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M	31.78	EC001855	<a href="#">393718</a>	4547648986588			GE	GEZ	CZE	8544.4290.90
<a href="#">Y92E-S12PP4S_5M</a>	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	26.44	EC001855	<a href="#">393723</a>	4547648986632			GE	GEZ	CZE	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">Y92E-M08PVC3SconF-L</a>	M8 3-pin, Straight female screw connector, for 3.5-5mm cable	27.23	EC002635	<a href="#">206327</a>	4536853900519			GE	GEZ	DEU	8544.4290.90
<a href="#">Y92E-M08PVC4SconF-L</a>	Sensör konnektörü, M8, 4-pin, düz, dişi	29.53	EC002635	<a href="#">206580</a>	4536853901219			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-M12PVC4AconF-L</a>	Sensor connector, M12 4 pin	12.94	EC002635	<a href="#">206333</a>	4536853900588			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-M12PVC4SconF-L</a>	Sensor Connector, female, M12, PVC, 4 Pin, Straight	13.69	EC002635	<a href="#">206334</a>	4536853900618			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-MM08PVC3SconF-L</a>	Sensor Connector field assembly, male, M8, PVC, 3 pin, Straight	24.62	EC002635	<a href="#">206581</a>	4536853900922			GE	GEZ	DEU	8544.4290.90
<a href="#">Y92E-MM08PVC4SconF-L</a>	Sensor Connector field assembly, male, M8, PVC, 4 pin, Straight	30.17	EC002635	<a href="#">206582</a>	4536853900939			GE	GEZ	HUN	8544.4290.90
<a href="#">Y92E-MM12PVC4SconF-L</a>	Sensor Connector field assembly, male, M12, PVC, 4 pin, Straight	15.64	EC002635	<a href="#">206558</a>	4536853900953			GE	GEZ	HUN	8544.4290.90
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
<a href="#">XS2C-D421</a>	Sensor connector, M12, female, straight for DC type	10.68	EC002635	<a href="#">107733</a>	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D423</a>	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	11.84	EC002635	<a href="#">107735</a>	4536854222344		50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D4S1</a>	M12 4-pin, straight female screw connector, for 5-6mm cable	8.09	EC002635	<a href="#">155975</a>	4536854455919		30	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D4S2</a>	M12 4-pin, Angled female screw connector, for 7-8mm cable	8.04	EC002635	<a href="#">147522</a>	4536854455926			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D5S1</a>	Plug (male) connector M12, 5 pin, screw fix, straight	11.78	EC002635	<a href="#">374557</a>	4536854735523			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2C-D5S2</a>	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 7-8 mm	12.38	EC002635	<a href="#">107743</a>	4536854735530			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D421</a>	Sensor connector, M12, male, straight for DC type	12.14	EC002635	<a href="#">107630</a>	4536854225642		50	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D4S1</a>	M12 4-pin, straight male screw connector, for 5-6mm cable	9.80	EC002635	<a href="#">107634</a>	4536854455971		30	GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D5S1</a>	Plug (male) connector M12, 5 pin, screw fix, straight	11.78	EC002635	<a href="#">374560</a>	4536854735516			GE	GEZ	JPN	8544.4290.90
<a href="#">XS2G-D5S2</a>	M12 5-pin, straight male screw connector, for 7-8mm cable	12.38	EC002635	<a href="#">107639</a>	4536854735509			GE	GEZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X52R-D426-1	Y-Joint plug/socket M12 without cable	50.60	EC002925	107651	4536854226793	10		GE	GEZ	JPN	8544.4290.90
X55C-D418	Sensor Connector, female, M12, PVC, 4 Pin, Straight, ICD connection	9.07	EC002635	377248	4548583407824	50		GE	GEZ	JPN	8536.9010.00
X55G-D418	Sensor Connector, male, M12, PVC, 4 Pin, Straight, ICD connection	9.07	EC002635	377249	4548583407831	50		GE	GEZ	JPN	8536.9010.00
X55G-D451	Connector	10.99	EC002635	269095	4547648622387	20		GE	GEZ	JPN	8536.9010.00
X55R-D426-1	Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)	50.30	EC002925	237217	4547648386449	10		GE	GEZ	JPN	8536.9010.00
<b>İndüktif Proximity Sensörler için Aksesuarlar</b>											
X52Z-22	Water-resistive Covers for M12-male connector	7.94	EC003015	143740	4536854557408	20		GE	GEZ	JPN	8538.9099.99
Y92E-A34	Mounting Bracket for F2K sensor	6.78	EC003015	107409	4536854247293	10		GE	GEZ	JPN	9031.9000.00
Y92E-B12	Sensor mounting bracket, M12 size	4.42	EC003015	681044	4549734156547	50		GE	GEZ	THA	9031.9000.00
Y92E-B18	Sensor mounting bracket, M18 size	4.42	EC003015	681043	4549734156554	50		GE	GEZ	THA	9031.9000.00
Y92E-B30	Sensor mounting bracket, M30 size	4.41	EC003015	144997	4536854247286			GE	GEZ	JPN	9031.9000.00
Y92E-J18530	Mounting Sleeves e-jig for M18 Prox	19.55	EC003015	681880	4549734190787			GE	GEZ	CHN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
FO2-S35050F-08	FO2 vision sensor, high resolution, color, PNP, standard view(50mm)	5,100.00	EC003015	372121	4548583322479			GF	GFL	JPN	9031.9000.00
FO2-S35050F-08M	FO2 vision sensor, high resolution, mono, PNP, standard view(50mm)	5,100.00	EC003015	372129	4548583107687			GF	GFL	JPN	9031.9000.00
FO2-S35100F-08M	FO2 vision sensor, high resolution, mono, PNP, wide view(240mm), long distance(970mm)	5,640.00	EC003015	372130	4548583107694			GF	GFL	JPN	9031.9000.00
FO2-S35100N-08	FO2 vision sensor, high resolution, color, PNP, wide view(300mm), short distance(380mm)	4,892.00	EC003015	372123	4548583322493			GF	GFL	JPN	9031.9000.00
FO2-S35-13	FO2 vision sensor, c-mount type, color, PNP	3,765.00	EC003015	372133	4548583107724			GF	GFL	JPN	9031.9000.00
FO2-S35-13M	FO2 vision sensor, c-mount type, mono, PNP	4,935.00	EC003015	372135	4548583107748			GF	GFL	JPN	9031.9000.00
FO2-S45050F	FO2 vision sensor, ID+ Inspection, color, PNP, standard view(50mm)	4,557.00	EC003015	372120	4548583361980			GF	GFL	JPN	9031.9000.00
FO2-S45100F-08	FO2 vision sensor, high resolution, ID+ Inspection, color, PNP, wide view(240mm), long distance(970mm)	5,600.00	EC003015	372137	4548583362154			GF	GFL	JPN	9031.9000.00
FO2-S45100F-08M	FO2 vision sensor, high resolution, ID+ Inspection, mono, PNP, wide view(240mm), long distance(970mm)	5,600.00	EC003015	373145	4548583362239			GF	GFL	JPN	9031.9000.00
FO2-S45100F-M	FO2 vision sensor, ID+ Inspection, mono, PNP, wide view(240mm), long distance(970mm)	4,441.00	EC003015	373129	4548583362079			GF	GFL	JPN	9031.9000.00
FO2-S45100N	FO2 vision sensor, ID+ Inspection, color, PNP, wide view(300mm), short distance(380mm)	3,613.00	EC003015	373122	4548583362000	#		GF	GFL	JPN	9031.9000.00
FO2-S45100N-08	FO2 vision sensor, high resolution, ID+ Inspection, color, PNP, wide view(300mm), short distance(380mm)	5,720.00	EC003015	373138	4548583362161			GF	GFL	JPN	9031.9000.00
FO2-S45100N-08M	FO2 vision sensor, high resolution, ID+ Inspection, mono, PNP, wide view(300mm), short distance(380mm)	5,600.00	EC003015	373146	4548583362246			GF	GFL	JPN	9031.9000.00
FO2-S45100N-M	FO2 vision sensor, ID+ Inspection, mono, PNP, wide view(300mm), short distance(380mm)	3,830.00	EC003015	373130	4548583362086			GF	GFL	JPN	9031.9000.00
FO2-S45-13	FO2 vision sensor, c-mount type, ID+ Inspection, color, PNP	5,220.00	EC003015	373147	4548583362260			GF	GFL	JPN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
FO2-S15010F	FO2 görsel denetim sensörü, tekli denetim, PNP, dar görüş(13mm)	1,417.00	EC003015	372150	4548583322387			GF	GFL	JPN	9031.9000.00
FO2-S15050F	FO2 görsel denetim sensörü, tekli denetim, PNP, standart görüş(50mm)	1,396.00	EC003015	372151	4548583322394			GF	GFL	JPN	9031.9000.00
FO2-S15100N	FO2 görsel denetim sensörü, tekli denetim, PNP, geniş görüş(300mm), kısa mesafe(380mm)	2,048.00	EC003015	372153	4548583322417			GF	GFL	JPN	9031.9000.00
FO2-S25050F	FO2 görsel denetim sensörü, standart, PNP, standart görüş(50mm)	2,277.00	EC003015	372143	4548583107601			GF	GFL	JPN	9031.9000.00
FO2-S25100F	FO2 görsel denetim sensörü, standart, PNP, geniş görüş(240mm), uzun mesafe(970mm)	2,323.00	EC003015	372144	4548583107618	#		GF	GFL	JPN	9031.9000.00
FO2-S25100N	FO2 görsel denetim sensörü, standart, PNP, geniş görüş(300mm), kısa mesafe(380mm)	3,208.00	EC003015	372145	4548583107625	#		GF	GFL	JPN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
FO-WD002-E	FO2 paralel I/O kablosu, 2m	209.40	EC003015	678182	4549734922951			GF	GFL	CZE	8544.4290.90
FO-WD003-E	FO I/O kablosu, 3m	139.00	EC003015	678183	4549734922968	#		GF	GFL	CZE	8544.4290.90
FO-WD005	FO I/O cable, 5m	126.10	EC003015	409003	4548583107465			GF	GFL	CHN	9031.9000.00
FO-WD005-E	FO I/O kablosu, 5m	170.40	EC003015	678184	4549734922975	#		GF	GFL	CZE	8544.4290.90
FO-WD010-E	FO I/O cable, 10m	281.30	EC003015	678185	4549734922982	#		GF	GFL	CZE	8544.4290.90
FO-WD020	FO I/O cable, 20m	808.50	EC003015	337796	4547648830119			GF	GFL	CHN	8544.4290.90
FO-WN002	FO Ethernet cable, 2m	208.90	EC002599	337805	4547648830065			GF	GFL	JPN	8544.4290.90
FO-WN002-E	FO Ethernet kablosu, 2m	90.40	EC002599	360744	4548583129269			GF	GFL	JPN	8544.4290.90
FO-WN003-E	FO Ethernet kablosu, 3m	101.10	EC002599	360745	4548583129276	#		GF	GFL	JPN	8544.4290.90
FO-WN005	FO Ethernet cable, bend resistant, 5m	258.50	EC002599	679127	4548583056312			GF	GFL	JPN	8544.4290.90
FO-WN005-E	FO Ethernet kablosu, 5m	121.00	EC002599	360746	4548583129283	#		GF	GFL	JPN	8544.4290.90
FO-WN010	Cable robotizado Ethernet FO 10m	322.90	EC002599	337806	4547648830072			GF	GFL	JPN	8544.4290.90
FO-WN010-E	FO2 Ethernet kablosu, 10m	169.00	EC002599	360741	4548583129290	#		GF	GFL	JPN	8544.4290.90
FO-WN020	FO Ethernet cable, 20m	759.00	EC002599	337807	4547648830089			GF	GFL	JPN	8544.4290.90
FO-WU002	FO sensor data unit cable for FO-SDU*, 2m	277.70	EC003015	372157	4548583107472			GF	GFL	JPN	9031.9000.00
FO-WU010	FO sensor data unit cable for FO-SDU*, 10m	587.00	EC003015	372154	4548583107496			GF	GFL	JPN	9031.9000.00
FO-WU020	FO sensor data unit cable for FO-SDU*, 20m	972.50	EC003015	372159	4548583107502			GF	GFL	JPN	9031.9000.00
FO-XF1	FO Polarizing Filter, (enclosed with sensor)	383.00	EC003015	337800	4547648830157			GF	GFL	JPN	9031.9000.00
FO-XL	Accessory FO/FO2 Mounting Bracket, (enclosed with sensor)	116.10	EC003015	337797	4547648830126			GF	GFL	CHN	9031.9000.00
FO-XPM	Accessory FO/FO2 Panel Mounting Adapter, for Touch Finder	338.10	EC003015	337799	4547648830140			GF	GFL	CHN	9031.9000.00
<b>Görsel Denetim Sistemi FO</b>											
FO2-D30	FO2 avar konsolu, 3.5" dokunmatik renkli LCD ekran, SD, card, 24VDC	1,667.00	EC003015	372137	4548583107755	#		GF	GFL	JPN	9031.9000.00

**Görsel Denetim Sistemi FO**

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">EQ-CR15010F-M</a>	<a href="#">Code reader, multi code, distance 38-60mm, view 7-13mm, PNP</a>	2,062.00	EC002999	<a href="#">371411</a>	4548583343337			GF	GFL	JPN	9031.8080.00
<a href="#">EQ-CR15100F-M</a>	<a href="#">Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP</a>	2,156.00	EC002999	<a href="#">371415</a>	4548583343382			GF	GFL	JPN	9031.8080.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-2050</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 2 cameras</a>	11,950.00	EC003015	<a href="#">684330</a>	4549734133944	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-2050-10</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 4 cameras</a>	15,270.00	EC003015	<a href="#">684331</a>	4549734133951			GF	GFR	JPN	9031.9000.00
<a href="#">FH-2050-20</a>	<a href="#">FH high-speed / high performance controller 2-core, NPN/PNP, 8 cameras</a>	17,010.00	EC003015	<a href="#">684332</a>	4549734133968	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras</a>	18,020.00	EC003015	<a href="#">684333</a>	4549734133975			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050-10</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras</a>	22,200.00	EC003015	<a href="#">684334</a>	4549734133982			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5050-20</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras</a>	24,470.00	EC003015	<a href="#">684335</a>	4549734133999			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, OS2</a>	18,020.00	EC003015	701438	4549734711968			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051-10</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, OS2</a>	22,200.00	EC003015	701439	4549734711975			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5051-20</a>	<a href="#">FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, OS2</a>	24,470.00	EC003015	701440	4549734711982			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras</a>	18,650.00	EC003015	<a href="#">695758</a>	4549734145725			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550-10</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras</a>	22,800.00	EC003015	<a href="#">695759</a>	4549734145732			GF	GFR	JPN	9031.9000.00
<a href="#">FH-5550-20</a>	<a href="#">FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras</a>	25,060.00	EC003015	<a href="#">695760</a>	4549734145749			GF	GFR	JPN	9031.9000.00
<a href="#">FH-L550</a>	<a href="#">FH-Lite kontrolcü, standart, 2 kamera</a>	7,645.00	EC003015	<a href="#">670063</a>	4548583785779	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-L550-10</a>	<a href="#">FH-Lite kontrolcü, standart, 4 kamera</a>	8,985.00	EC003015	<a href="#">670064</a>	4548583785786			GF	GFR	JPN	9031.9000.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-SC02</a>	<a href="#">FH kamera, yüksek çözünürlük 2M pixel, renkli</a>	4,944.00	EC003015	<a href="#">377455</a>	4548583385474	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC04</a>	<a href="#">FH kamera, yüksek çözünürlük 4M pixel, renkli</a>	9,855.00	EC003015	<a href="#">377453</a>	4548583385450			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC05R</a>	<a href="#">FH kamera, high resolution 5M pixel, color, rolling shutter</a>	2,880.00	EC003015	<a href="#">670066</a>	4548583785809	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SC21R</a>	<a href="#">FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, color</a>	10,250.00	EC003015	<a href="#">684318</a>	4549734145671			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCX</a>	<a href="#">FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, color</a>	1,953.00	EC003015	<a href="#">684314</a>	4549734145695	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCX05</a>	<a href="#">FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color</a>	6,355.00	EC003015	<a href="#">684313</a>	4549734145657	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SCX12</a>	<a href="#">FH Camera, high speed, 12 MPixel, C-Mount, global shutter, color</a>	10,950.00	EC003015	<a href="#">684447</a>	4549734145718			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM02</a>	<a href="#">FH kamera, yüksek çözünürlük 2M pixel, renksiz</a>	4,944.00	EC003015	<a href="#">377456</a>	4548583385481			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM04</a>	<a href="#">FH kamera, yüksek çözünürlük 4M pixel, renksiz</a>	9,855.00	EC003015	<a href="#">377454</a>	4548583385467			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM05R</a>	<a href="#">FH camera, high resolution 5M pixel, monochrome, rolling shutter</a>	2,880.00	EC003015	<a href="#">670065</a>	4548583785793			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SM21R</a>	<a href="#">FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, monochrome</a>	10,250.00	EC003015	<a href="#">684315</a>	4549734145664			GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX</a>	<a href="#">FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome</a>	1,953.00	EC003015	<a href="#">684317</a>	4549734145688	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX05</a>	<a href="#">FH Camera, high speed, 5 MPixel, c-Mount, global shutter, monochrome</a>	6,355.00	EC003015	<a href="#">684316</a>	4549734145640	#		GF	GFR	JPN	9031.9000.00
<a href="#">FH-SMX12</a>	<a href="#">FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome</a>	10,950.00	EC003015	<a href="#">684445</a>	4549734145701			GF	GFR	JPN	9031.9000.00
<a href="#">FZ-S</a>	<a href="#">FZ kamera, standart çözünürlük, renksiz</a>	2,099.00	EC003015	<a href="#">372096</a>	4548583329508			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SC</a>	<a href="#">FZ kamera, standart çözünürlük, renkli</a>	2,099.00	EC003015	<a href="#">372097</a>	4548583329522	#		GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SC2M</a>	<a href="#">FZ kamera, yüksek çözünürlük, 2M pixel, renkli</a>	6,615.00	EC003015	<a href="#">374930</a>	4548583368064			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-SO050F</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm</a>	1,683.00	EC003015	<a href="#">351978</a>	4548583008809			GF	GFR	JPN	9031.9000.00
<a href="#">FZ-SO100F</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm</a>	1,749.00	EC003015	<a href="#">351979</a>	4548583008816	#		GF	GFR	JPN	9031.9000.00
<a href="#">FZ-SO100N</a>	<a href="#">FZ-SO intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm</a>	2,368.00	EC003015	<a href="#">351980</a>	4548583008823	#		GF	GFR	JPN	9031.9000.00
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
<a href="#">FH-VR 1.5M</a>	<a href="#">Encoder cable for line driver, 1.5m, for FH series only</a>	237.30	EC003015	<a href="#">377547</a>	4548583413160			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 10M</a>	<a href="#">FJ Gig-E camera interface cable, 10m</a>	475.80	EC003015	<a href="#">355508</a>	4548583060937			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 20M</a>	<a href="#">FJ Gig-E camera interface cable, 20m</a>	713.50	EC003015	<a href="#">355509</a>	4548583060944			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 3M</a>	<a href="#">FJ Gig-E camera interface cable, 3m</a>	358.00	EC003015	<a href="#">355494</a>	4548583060913			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSG 5M</a>	<a href="#">FJ Gig-E camera interface cable, 5m</a>	328.60	EC003015	<a href="#">355507</a>	4548583060920			GF	GFR	JPN	9031.9000.00
<a href="#">FJ-VSP2 10M</a>	<a href="#">FJ Gig-E power and I/O cable, 10 m</a>	379.70	EC003015	<a href="#">694956</a>	4549734597784			GF	GFR	JPN	8544.4290.90
<a href="#">FJ-VSP2 3M</a>	<a href="#">FJ Gig-E power and I/O cable, 3 m</a>	234.80	EC003015	<a href="#">694954</a>	4549734597760			GF	GFR	JPN	8544.4290.90
<a href="#">FJ-VSP2 5M</a>	<a href="#">FJ Gig-E power and I/O cable, 5 m</a>	273.50	EC003015	<a href="#">694955</a>	4549734597777			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VP 2M</a>	<a href="#">Paralel I/O kablosu, 2m</a>	215.30	EC003015	<a href="#">348112</a>	4548583002883			GF	GFR	CHN	9031.9000.00
<a href="#">FZ-VS3 10M</a>	<a href="#">Accessory vision, FH and FZ, standard camera cable, 10m</a>	744.50	EC003015	<a href="#">393354</a>	4548583533721	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 2M</a>	<a href="#">FH ve FZ standart kamera kablosu, 2m</a>	427.40	EC003015	<a href="#">393351</a>	4548583533691	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 3M</a>	<a href="#">Accessory vision, FH and FZ, standard camera cable, 3m</a>	483.10	EC003015	<a href="#">393352</a>	4548583533707			GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS3 5M</a>	<a href="#">FH ve FZ standart kamera kablosu, 5m</a>	605.50	EC003015	<a href="#">393353</a>	4548583533714	#		GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS4 15M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, long distance, 15m</a>	1,894.00	EC003015	<a href="#">393355</a>	4548583533738	#		GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VS8 10M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, 10m</a>	893.50	EC003015	<a href="#">682708</a>	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VS8 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, 5m</a>	756.00	EC003015	<a href="#">684803</a>	4549734126915			GF	GFR	CHN	8544.4290.90
<a href="#">FZ-VSJ</a>	<a href="#">FZ Camera cable extension hub (max 3 cables 45m)</a>	1,734.00	EC003015	<a href="#">241486</a>	4547648445849	#		GF	GFR	JPN	9031.9000.00
<a href="#">FZ-VSL 3 10M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10m</a>	980.00	EC003015	<a href="#">393359</a>	4548583533776			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSL 3 2M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 2m</a>	618.00	EC003015	<a href="#">393356</a>	4548583533745			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSL 3 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m</a>	757.00	EC003015	<a href="#">393358</a>	4548583533769			GF	GFR	JPN	8544.4290.90
<a href="#">FZ-VSLB3 5M</a>	<a href="#">Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m</a>	462.90	EC003015	<a href="#">393367</a>	4548583533851			GF	GFR	JPN	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Xpectia Görüntü Sistemi FZ OEM</b>											
FH-UMAI1	AI filter installer for FH controller. USB license key donöle	9,155.00	EC003015	695761	4549734594783			GF	GFR	JPN	9031.9000.00
FH-XDML	FH-I DIN rail mounting bracket	103.70	EC003015	670241	4548583763722	#		GF	GFR	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
3Z4S-LE SV-03514V	Lens 3.5mm	387.90	EC003015	381493	4548583496880			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-04514V	Lens 4.5mm	325.60	EC003015	381494	4548583496897			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0614H	Accessory vision, lens 6mm, high resolution, low distortion	849.50	EC003015	373706	4548583335479	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-0614V	Lens 6mm	537.50	EC003015	373699	4548583335387	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0813V	Lens 8mm	443.20	EC003015	373700	4548583335394	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0814H	Accessory vision, lens 8mm, high resolution, low distortion	760.50	EC003015	373707	4548583335486	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214H	Accessory vision, lens 12mm, high resolution, low distortion	738.50	EC003015	373708	4548583335493	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214V	Lens 12mm	313.30	EC003015	373701	4548583335400	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-1614H	Accessory vision, lens 16mm, high resolution, low distortion	710.50	EC003015	373709	4548583335509	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1614V	Lens 16mm	407.90	EC003015	373702	4548583335417	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-2514H	Accessory vision, lens 25mm, high resolution, low distortion	447.60	EC003015	373710	4548583335516	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-2514V	Lens 25mm	387.90	EC003015	373703	4548583335424	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-3514H	Accessory vision, lens 35mm, high resolution, low distortion	629.50	EC003015	373711	4548583335523	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-3518V	Lens 35mm	443.20	EC003015	373704	4548583335431	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-5014H	Accessory vision, lens 50mm, high resolution, low distortion	641.50	EC003015	373712	4548583335530	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-5018V	Lens 50mm	387.90	EC003015	373705	4548583335448	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-7525H	Accessory vision, lens 75mm, high resolution, low distortion	583.00	EC003015	687750	4549734509497	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-EXR	Uzatma tüpüleri (40, 20, 10, 5, 2, 1,0.5mm)	179.10	EC003015	373713	4548583335547	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR05	Extension tube 0.5mm	20.52	EC003015	373714	4548583335554	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR1	Extension tube 1mm	19.77	EC003015	373718	4548583335561	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR10	Extension tube 10mm	45.24	EC003015	373717	4548583335592	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR2	Extension tube 2mm	22.31	EC003015	373715	4548583335578	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR20	Extension tube 20mm	55.25	EC003015	373686	4548583335615	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR5	Extension tube 5mm	38.79	EC003015	373716	4548583335585	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-PL270-SS	Polarizing filter for lens, M27.0 P0.5, with Anti-rotation mechanism	106.50	EC003015	670696	4548583722545	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-0814H1	Vision lens, high resolution, low distortion 8mm for 1-inch sensor size	752.50	EC003015	386974	4548583417854	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-1214H1	Vision lens, high resolution, low distortion 12mm for 1-inch sensor size	687.00	EC003015	682707	4549734181426	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-1614H1N	Vision lens, high resolution, low distortion 16mm for 1-inch sensor size	687.00	EC003015	682633	4549734181433	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-2514H1L	Vision lens, high resolution, low distortion 25mm for 1-inch sensor size	686.50	EC003015	683380	4549734181440	#		GF	GFZ	CHN	9031.9000.00
FH-VMDA 2M	Vision system accessory FH conversion cable monitor DVI-RGB, 2m	130.70	EC003015	410312	4548583564480	#		GF	GFZ	JPN	9031.9000.00
FH-VMDA 5M	Vision system accessory FH conversion cable monitor DVI-RGB, 5m	224.00	EC003015	410313	4548583564497	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 2M	Vision system accessory FH USB cable touch panel, 2m	65.40	EC001681	410315	4548583564534	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 5M	Vision system accessory FH USB cable touch panel, 5m	84.15	EC001681	410316	4548583564541	#		GF	GFZ	JPN	9031.9000.00
FL-BR13120DF	Bar light Diffusion plate, 131x18x4mm	75.80	EC003015	354152	4548583032880	#		GF	GFZ	JPN	9032.9000.90
FL-BR13120W	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0.3m	1,250.00	EC003015	354125	4548583032965	#		GF	GFZ	JPN	9031.9000.00
FL-BR13120W-H	Bar ODR-light, 131x20mm, high-brightness model, white LED, IP20, cable 0.3m	1,572.00	EC003015	354126	4548583032972	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0.3m	546.00	EC003015	354121	4548583032927	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0.3m	674.50	EC003015	354122	4548583032934	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120DF	Bar light Diffusion plate, 91x18x4mm	59.10	EC003015	354151	4548583032873	#		GF	GFZ	JPN	9032.9000.90
FL-BR9120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0.3m	891.00	EC003015	354123	4548583032941	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120W-H	Bar ODR-light, 91x20mm, high-brightness model, white LED, IP20, cable 0.3m	1,116.00	EC003015	354124	4548583032958	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0.3m	1,023.00	EC003015	354127	4548583035690	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0.3m	1,307.00	EC003015	354128	4548583035706	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W	Ring ODR-light, 50/28mm, wide area model, white LED, IP20, cable 0.3m	1,139.00	EC003015	354129	4548583035713	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0.3m	1,424.00	EC003015	354130	4548583035720	#		GF	GFZ	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	88.40	EC003015	354156	4548583035775	#		GF	GFZ	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0.3m	2,138.00	EC003015	354131	4548583035737	#		GF	GFZ	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0.3m	2,711.00	EC003015	354132	4548583035744	#		GF	GFZ	JPN	9031.9000.00
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24VDC, I/O interface D-SUB, PNP	654.00	EC003015	354134	4548583032996	#		GF	GFZ	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24VDC, I/O interface D-SUB, PNP	833.50	EC003015	354136	4548583033016	#		GF	GFZ	JPN	9032.9000.90
FL-TCCL	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	654.00	EC003015	355849	4548583067011	#		GF	GFZ	JPN	9032.9000.90
FLV-ATC21024-C	Analog lighting controller dimming 2ch 24	481.80	EC003015	378517	4548583426009	#		GF	GFZ	CHN	9032.9000.90
FLV-ATC41024-C	Analog lighting controller dimming 4ch 24	577.00	EC003015	378518	4548583426016	#		GF	GFZ	CHN	9032.9000.90
FLV-BR11222W	Bar Light 112 x 22mm, white	1,688.00	EC003015	378535	4548583427297	#		GF	GFZ	CHN	9031.9000.00
FLV-BR11624UV	Accessory vision, FLV, bar light 116 x 24mm, ultraviolet	1,740.00	EC003015	393818	4548583428591	#		GF	GFZ	CHN	9031.9000.00
FLV-BR21230W	Bar Light 212 x 30mm, white	1,687.00	EC003015	378532	4548583427266	#		GF	GFZ	CHN	9031.9000.00
FLV-BR38037W	Bar Light 380 x 37mm, white	3,249.00	EC003015	378530	4548583427242	#		GF	GFZ	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	711.50	EC003015	378537	4548583427310	#		GF	GFZ	CHN	9031.9000.00
FLV-BR8532W	Bar Light 85 x 32mm, white	1,011.00	EC003015	378536	4548583427303	#		GF	GFZ	CHN	9031.9000.00
FLV-DB10181W	Accessory vision, back light, direct, 101 x 81mm, white	1,874.00	EC003015	392798	4548583503069	#		GF	GFZ	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FLV-DB130130W	<a href="#">Accessory vision, back light, direct, 130 x 130, white</a>	2,420.00	EC003015	392797	4548583503052			GF	GFZ	JPN	9031.9000.00
FLV-DB212152R	<a href="#">Accessory vision, back light, direct, 212 x 152, red</a>	2,717.00	EC003015	392800	4548583503083			GF	GFZ	JPN	9031.9000.00
FLV-DL15060W	<a href="#">Accessory vision, ring light, low angle, 150mm dia, 60 deg, white</a>	1,957.00	EC003015	392827	4548583503557			GF	GFZ	JPN	9031.9000.00
FLV-DR12030W	<a href="#">Ring light, direct, 120mm dia, 30 deg, white</a>	1,764.00	EC003015	378521	4548583426962			GF	GFZ	CHN	9031.9000.00
FLV-DR9000W	<a href="#">Ring light, direct, 90mm dia, white</a>	1,353.00	EC003015	378524	4548583426993	#		GF	GFZ	CHN	9031.9000.00
FLV-DR9030W	<a href="#">Ring light, direct, 90mm dia, 30 deg, white</a>	1,353.00	EC003015	378523	4548583426986	#		GF	GFZ	CHN	9031.9000.00
FLV-FX143W	<a href="#">Coaxial light, edge type, 143mm, white</a>	2,166.00	EC003015	378548	4548583427860			GF	GFZ	CHN	9031.9000.00
FLV-TCC1	<a href="#">standard camera-mount lighting controller 1ch for FLV</a>	338.00	EC003015	378512	4548583425774	#		GF	GFZ	CHN	9032.9000.90
FLV-TCC4	<a href="#">standard camera-mount lighting controller 4ch for FLV</a>	678.50	EC003015	378516	4548583425781	#		GF	GFZ	CHN	9032.9000.90
FLV-XC5	<a href="#">Extension cable 5m for standard lighting</a>	60.80	EC003015	378515	4548583429178	#		GF	GFZ	CHN	8544.4290.90
FL-XBK1	<a href="#">Bar light FL-mounting brackets</a>	61.55	EC003015	354153	4548583032897			GF	GFZ	JPN	9032.9000.90
FL-XC10	<a href="#">Extension standard cable, 10m</a>	309.90	EC003015	354141	4548583032767			GF	GFZ	JPN	8544.4290.90
FL-XC2	<a href="#">Extension standard cable, 2m</a>	96.00	EC003015	354138	4548583032729			GF	GFZ	JPN	8544.4290.90
FL-XC3	<a href="#">Extension standard cable, 3m</a>	118.70	EC003015	354139	4548583032736			GF	GFZ	JPN	8544.4290.90
FL-XC5	<a href="#">Extension standard cable, 5m</a>	166.80	EC003015	354140	4548583032750			GF	GFZ	JPN	8544.4290.90
XWZ-050EE	<a href="#">Parallel I/O cable for terminal block XWZR- 34G-T, 0.5m</a>	209.30	EC000237	385122	4548583484962			GF	GFZ	JPN	9031.9000.00
XWZ-100EE	<a href="#">Parallel I/O cable for terminal block XWZR- 34G-T, 1m</a>	137.20	EC000237	385123	4548583484979			GF	GFZ	JPN	9031.9000.00
XWZ-200EE	<a href="#">Parallel I/O cable for terminal block XWZR- 34G-T, 2m</a>	122.00	EC000237	385125	4548583484993			GF	GFZ	JPN	9031.9000.00
XWZ-S013-2	<a href="#">FH Paralel I/O kablosu, 2m</a>	186.40	EC003015	377508	4548583434455	#		GF	GFZ	JPN	9031.9000.00
XWZ-S013-5	<a href="#">FH Paralel I/O kablosu, 5m</a>	310.40	EC003015	377509	4548583434462			GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
HH-M112	<a href="#">Vision system FH touch panel monitor 12"</a>	1,567.00	EC003015	410318	4548583564473	#		GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
3Z4S-LE V5-0618H1	<a href="#">Vision lens, high resolution, low distortion 6mm for 1-inch sensor size</a>	925.00	EC003015	693930	4549734552172			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-3514H1	<a href="#">Vision lens, high resolution, low distortion 35mm for 1-inch sensor size</a>	687.00	EC003015	682441	4549734181457			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-5018H1	<a href="#">Vision lens, high resolution, low distortion 50mm for 1-inch sensor size</a>	670.00	EC003015	682440	4549734181464			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-L1D12.5	<a href="#">Vision lens, ultra high resolution, low distortion 12.5 mm for 4/3-inch sensor size, C-Mount</a>	1,954.00	EC003015	684300	4549734193184			GF	GFZ	JPN	9031.9000.00
3Z4S-LE V5-L1D18	<a href="#">Vision lens, ultra high resolution, low distortion 18 mm for 4/3-inch sensor size, C-Mount</a>	1,252.00	EC003015	684299	4549734193191			GF	GFZ	JPN	9031.9000.00
3Z4S-LE V5-L1D25	<a href="#">Vision lens, ultra high resolution, low distortion 25 mm for 4/3-inch sensor size, C-Mount</a>	1,215.00	EC003015	684298	4549734193207			GF	GFZ	JPN	9031.9000.00
<b>Görüntü Sistemleri için Aksesuarlar</b>											
FL-PS140W	<a href="#">Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white</a>	2,732.00	EC003015	684311	4549734168922			GF	GFZ	JPN	9031.9000.00
FL-PS90W	<a href="#">Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white</a>	1,989.00	EC003015	684312	4549734168915			GF	GFZ	JPN	9031.9000.00
FL-TCC1PS	<a href="#">Lighting Controller for Photometric Stereo Lights</a>	808.00	EC003015	684309	4549734168946			GF	GFZ	JPN	9032.9000.90
<b>Makine Otomasyon Kontrolörleri NJ5</b>											
NJ501-R300	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 16 servo axes</a>	7,780.00	EC000236	695880	4549734665704	#		HA	HAA	JPN	8471.5000.00
NJ501-R320	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client</a>	8,380.00	EC000236	699956	4549734665735			HA	HAA	JPN	8471.5000.00
NJ501-R400	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 32 servo axes</a>	8,975.00	EC000236	695879	4549734665711			HA	HAA	JPN	8471.5000.00
NJ501-R420	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client</a>	9,575.00	EC000236	699957	4549734665742			HA	HAA	JPN	8471.5000.00
NJ501-R500	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 64 servo axes</a>	10,170.00	EC000236	695878	4549734665728			HA	HAA	JPN	8471.5000.00
NJ501-R520	<a href="#">Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client</a>	10,770.00	EC000236	699958	4549734665759			HA	HAA	JPN	8471.5000.00
<b>Makine Otomasyon Kontrolörleri NJ5</b>											
NJ501-1300	<a href="#">Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,038.00	EC000236	355309	4548583020450	#		HA	HAA	JPN	8471.4100.00
NJ501-1320	<a href="#">Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,827.00	EC000236	375708	4548583418028	#		HA	HAA	JPN	8471.4100.00
NJ501-1400	<a href="#">Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	4,387.00	EC000236	355310	4548583020467	#		HA	HAA	JPN	8471.4100.00
NJ501-1420	<a href="#">Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	375709	4548583418035	#		HA	HAA	JPN	8471.4100.00
NJ501-1500	<a href="#">Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	355311	4548583020474	#		HA	HAA	JPN	8471.4100.00
NJ501-1520	<a href="#">Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,950.00	EC000236	375710	4548583418042	#		HA	HAA	JPN	8471.4100.00
NJ501-4300	<a href="#">Sysmac NJ5 CPU, Robot kinematik (max 4 robot), 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP</a>	5,270.00	EC000236	368567	4548583137745			HA	HAA	JPN	8471.4100.00
<b>Makine Otomasyon Kontrolörleri NJ5</b>											
NJ301-1100	<a href="#">Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (4 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP</a>	2,816.00	EC000236	363842	4548583113121	#		HA	HAA	JPN	8471.4100.00
NJ301-1200	<a href="#">Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (8 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP</a>	3,383.00	EC000236	363924	4548583113138	#		HA	HAA	JPN	8471.4100.00
<b>Makine Otomasyon Kontrolörleri NJ5</b>											
NJ101-1000	<a href="#">Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP</a>	2,375.00	EC000236	413717	4548583593749	#		HA	HAA	JPN	8471.4100.00
NJ101-1020	<a href="#">Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplamda 64 EtherCAT cihazı) ve Ethernet/IP</a>	2,976.00	EC000236	668370	4548583758803	#		HA	HAA	JPN	8471.4100.00
NJ101-9000	<a href="#">Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP</a>	2,083.00	EC000236	413718	4548583593756	#		HA	HAA	JPN	8471.4100.00
NJ101-9020	<a href="#">Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplamda 64 EtherCAT cihazı) ve Ethernet/IP</a>	2,605.00	EC000236	668371	4548583758810	#		HA	HAA	JPN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Makine Otomasyon KontrolörleriNX5</b>											
<a href="#">NX501-5300</a>	<a href="#">Sysmac NX5 CNC CPU, 20MB bellek, dahili EtherCAT (16 servo eksen, toplam 192 EtherCAT düğümü) ve EtherNet / IP</a>	7,685.00	EC000236	<a href="#">679768</a>	4549734145435	#		HA	HAA	JPN	8471.5000.00
<a href="#">NX501-5300-1</a>	<a href="#">Sysmac NX5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.</a>	6,830.00	EC000236	<a href="#">202310</a>	4549734711524			HA	HAA	JPN	8471.5000.00
<b>Makine Otomasyon KontrolörleriNX1</b>											
<a href="#">NX102-1000</a>	<a href="#">Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	2,462.00	EC000236	<a href="#">682580</a>	4549734205313	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-1020</a>	<a href="#">Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	2,899.00	EC000236	<a href="#">683383</a>	4549734205351	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-1100</a>	<a href="#">Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	3,074.00	EC000236	<a href="#">682581</a>	4549734205320	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-1120</a>	<a href="#">Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	3,458.00	EC000236	<a href="#">683381</a>	4549734205368	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-1200</a>	<a href="#">Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	4,178.00	EC000236	<a href="#">682578</a>	4549734205337	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-1220</a>	<a href="#">Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	4,459.00	EC000236	<a href="#">683384</a>	4549734205375	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-9000</a>	<a href="#">Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	1,847.00	EC000236	<a href="#">682579</a>	4549734205306	#		HA	HAB	CHN	8471.4100.00
<a href="#">NX102-9020</a>	<a href="#">Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)</a>	2,345.00	EC000236	<a href="#">683382</a>	4549734205344	#		HA	HAB	CHN	8471.4100.00
<b>Makine Otomasyon KontrolörleriNX1</b>											
<a href="#">NX-END02</a>	<a href="#">Yedek parça - NX1P denetleyicisi için uç plakası</a>	19.00	EC002584	<a href="#">680107</a>	4548583866553			HA	HAB	CHN	8471.6070.00
<b>Hareket Kontrolörleri CK3E</b>											
<a href="#">CK3E-1210</a>	<a href="#">Programmable Multi-Axis Controller µPower PMAC, 8 axes</a>	3,844.00	EC000236	<a href="#">700996</a>	4549734695275	#		HA	HAC	JPN	8471.4100.00
<a href="#">CK3E-1310</a>	<a href="#">Programmable Multi-Axis Controller µPower PMAC, 16 axes</a>	5,580.00	EC000236	<a href="#">700995</a>	4549734695282			HA	HAC	JPN	8471.4100.00
<a href="#">CK3E-1410</a>	<a href="#">Programmable Multi-Axis Controller µPower PMAC, 32 axes</a>	8,830.00	EC000236	<a href="#">700994</a>	4549734695299			HA	HAC	JPN	8471.4100.00
<b>Hareket Kontrolörleri CK3M</b>											
<a href="#">CK3W-AD3100</a>	<a href="#">CK3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)</a>	1,428.00	EC001420	<a href="#">689322</a>	4549734537902			HA	HAD	CHN	8471.6070.00
<a href="#">CK3W-AD3100</a>	<a href="#">CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)</a>	1,758.00	EC001420	<a href="#">689321</a>	4549734537896			HA	HAD	CHN	8471.6070.00
<a href="#">CK3W-MD7120</a>	<a href="#">CK3W Digital I/O, IN/OUT:16/16, PNP</a>	1,098.00	EC001419	<a href="#">689320</a>	4549734537889			HA	HAD	CHN	8471.6070.00
<a href="#">CK3W-PD048</a>	<a href="#">CK3W Power Supply Unit for CK3M-CPU1(1), 5VDC / 24 VDC, max current 8 A (5 VDC)</a>	358.50	EC000599	<a href="#">684962</a>	4549734278881			HA	HAD	JPN	8471.8000.00
<b>Makine Otomasyon KontrolörleriNX1P2</b>											
<a href="#">NX1P2-1040DT</a>	<a href="#">Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	1,312.00	EC000236	<a href="#">672500</a>	4548583866454			HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-1040DT1</a>	<a href="#">Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	1,312.00	EC000236	<a href="#">672504</a>	4548583866461	#		HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-1140DT</a>	<a href="#">Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	1,908.00	EC000236	<a href="#">672510</a>	4548583866478	#		HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-1140DT1</a>	<a href="#">Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	1,908.00	EC000236	<a href="#">672501</a>	4548583866485	#		HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9024DT</a>	<a href="#">Sysmac NX1P CPU, 24 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	973.50	EC000236	<a href="#">672509</a>	4548583866430			HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9024DT1</a>	<a href="#">Sysmac NX1P CPU, 24 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihazı), EtherNet/IP ve 2 opsiyonel seri port</a>	982.00	EC000236	<a href="#">672498</a>	4548583866447	#		HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9824DT</a>	<a href="#">Sysmac NX1P CPU with 24 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port</a>	691.50	EC000236	<a href="#">689915</a>	4549734556712			HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9824DT1</a>	<a href="#">Sysmac NX1P CPU with 24 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port</a>	691.50	EC000236	<a href="#">689914</a>	4549734556729	#		HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9840DT</a>	<a href="#">Sysmac NX1P CPU with 40 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port</a>	873.50	EC000236	<a href="#">689913</a>	4549734556736			HA	HAE	CHN	8471.4100.00
<a href="#">NX1P2-9840DT1</a>	<a href="#">Sysmac NX1P CPU with 40 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port</a>	873.50	EC000236	<a href="#">689912</a>	4549734556743	#		HA	HAE	CHN	8471.4100.00
<b>NX1P seçenek kartları?</b>											
<a href="#">NX1W-ADB21</a>	<a href="#">Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog giriş 0 to 10 V, çözünürlük 1/4000 veya 0 to 20 mA, çözünürlük 1/4000</a>	120.00	EC001596	<a href="#">672499</a>	4548583866522	#		HA	HAF	CHN	8471.6070.00
<a href="#">NX1W-CIF01</a>	<a href="#">Sysmac NX1P BS-232C vidasz (15 m max.) opsiyonel seri haberleşme kartı</a>	59.50	EC001604	<a href="#">672505</a>	4548583866492	#		HA	HAF	CHN	8471.8000.00
<a href="#">NX1W-CIF11</a>	<a href="#">Sysmac NX1P BS422/485 vidasz (50 m max.) opsiyonel seri haberleşme kartı</a>	59.50	EC001604	<a href="#">672502</a>	4548583866508	#		HA	HAF	CHN	8471.8000.00
<a href="#">NX1W-CIF12</a>	<a href="#">Sysmac NX1P BS422/485 vidasz (izole 500 m max.) opsiyonel seri haberleşme kartı</a>	119.10	EC001604	<a href="#">672503</a>	4548583866515	#		HA	HAF	CHN	8471.8000.00
<a href="#">NX1W-DAB21V</a>	<a href="#">Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog çıkış 0 to 10 V, çözünürlük 1/4000</a>	131.50	EC001596	<a href="#">672506</a>	4548583866539	#		HA	HAF	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NX1W-MAB221</a>	Sysmac NX1P Analog I/O vidası opsiyon kartı, 2 x analog inputs 0 to 10 V, çözünürlük 1:4000 veya 0 to 20 mA, çözünürlük 1:2000, 2 x analog outputs 0 to 10 V, çözünürlük 1:4000	250,30	EC001596	<a href="#">67250Z</a>	4548583866546	#		HA	HAF	CHN	8471.6070.00
<b>Makine Kontrolörleri NX701</b>											
<a href="#">NX701-1600</a>	Sysmac NX7 CPU, 80MB hafıza, dahili EtherCat (128 servo eksen, toplamda 512 Ethercat cihazı) ve 2 Ethernet IP pveyatu	6.225,00	EC000236	<a href="#">418668</a>	4548583593695			HA	HAG	JPN	8471.4100.00
<a href="#">NX701-1620</a>	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP port	9.365,00	EC000236	<a href="#">68073Z</a>	4549734193863			HA	HAG	JPN	8471.4100.00
<b>Aksesuarlar NJ'ler ve NX1</b>											
<a href="#">NJ-PA3001</a>	Sysmac NJ güç kaynağı, 100-240 VAC, 30 W, "RUN" çıkış rölesi	301,50	EC000599	<a href="#">35531Z</a>	4548583020665	#		HA	HAZ	CHN	8504.4030.00
<a href="#">NJ-PD3001</a>	Sysmac NJ güç kaynağı, 24 VDC, 30 W, "RUN" çıkış rölesi	308,90	EC000599	<a href="#">35531Z</a>	4548583020672	#		HA	HAZ	CHN	8504.4030.00
<a href="#">NX-PA9001</a>	Sysmac NX güç kaynağı, 100-240 VAC, 90 W, "RUN" çıkış rölesi	720,00	EC000599	418671	4548583593725	#		HA	HAZ	JPN	8504.4030.00
<a href="#">NX-PD7001</a>	Sysmac NX güç kaynağı, 24 VDC, 70 W, "RUN" çıkış rölesi	589,00	EC000599	418672	4548583593732	#		HA	HAZ	JPN	8504.4030.00
<b>Aksesuarlar NJ'ler ve NX1</b>											
<a href="#">HMC-SD292</a>	2 GB SD hafıza kartı	263,70	EC000192	707330	4549734719780			HA	HAZ	JPN	8471.9000.00
<a href="#">HMC-SD492</a>	4 GB SD memory card	396,00	EC000192	703610	4549734719797			HA	HAZ	JPN	8471.9000.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-ID3317</a>	4 Dijital Giriş, Standart Hiz, NPN 24 VDC, 12 mm genişlik	61,30	EC001599	<a href="#">37560I</a>	4548583353008			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3343</a>	4 Dijital Giriş, Yüksek hız, NPN 24 VDC, 12 mm genişlik	119,60	EC001599	<a href="#">37560Z</a>	4548583353060			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3344</a>	4 Dijital Giriş, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 12 mm genişlik	211,00	EC001599	<a href="#">377554</a>	4548583353084			HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3417</a>	4 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	61,30	EC001599	<a href="#">68602S</a>	4549734450478			HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID3443</a>	4 Dijital Giriş, Yüksek hız, PNP 24 VDC, 12 mm genişlik	119,60	EC001599	<a href="#">37566I</a>	4548583368378	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3444</a>	4 Dijital giriş, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 12 mm genişlik	211,00	EC001599	<a href="#">37755S</a>	4548583353091	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID3442</a>	8 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	81,35	EC001599	<a href="#">686026</a>	4549734450485	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID4442</a>	8 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	81,35	EC001599	<a href="#">686027</a>	4549734450492	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID5142-1</a>	16 Dijital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	138,00	EC001599	<a href="#">64547Z</a>	4548583572881	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID5142-5</a>	16 Dijital Giriş, Standart Hiz, NPN/PNP 24 VDC, 30 mm genişlik, MLL konnektör (dahil değildir)	151,10	EC001599	<a href="#">39362S</a>	4548583552029	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID5342</a>	16 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	140,30	EC001599	<a href="#">686028</a>	4549734450508	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID5442</a>	16 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	140,30	EC001599	<a href="#">686029</a>	4549734450515	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-ID6142-5</a>	32 Dijital giriş, Standart hız, NPN/PNP 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	255,60	EC001599	<a href="#">393626</a>	4548583552036	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ID6142-6</a>	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	255,60	EC001599	<a href="#">646854</a>	4548583572898	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-OC2633</a>	2 Dijital çıkış, Standart NA röle, 2 A, 250 VAC, 12 mm genişlik	76,75	EC001599	<a href="#">686030</a>	4549734450522			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OC2733</a>	2 Dijital Çıkış, NA+NK röle, 2 A, 250 VAC, 12 mm genişlik	80,50	EC001599	<a href="#">686031</a>	4549734450539			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OC4633</a>	8 Dijital Çıkış, NA Röle, 2A, 250VAC, 24mm genişlik	200,80	EC001599	<a href="#">672508</a>	4548583863569	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD2154</a>	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 0.5 A/point, 1 A/NX ünitesi, 12 mm genişlik	155,20	EC001599	<a href="#">377556</a>	4548583407596	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD2258</a>	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 0.5 A/point, 1 A/NX Ünite, 12 mm genişlik	155,20	EC001599	<a href="#">377557</a>	4548583407602	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3121</a>	4 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	69,70	EC001599	<a href="#">375608</a>	4548583353114			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3153</a>	4 Dijital Çıkış, Yüksek hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	133,10	EC001599	<a href="#">375614</a>	4548583353176			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3256</a>	4 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	65,95	EC001599	<a href="#">686032</a>	4549734450546			HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD3257</a>	4 Dijital çıkış, Yüksek hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	127,10	EC001599	<a href="#">375615</a>	4548583353183			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD3268</a>	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide	90,00	EC001599	<a href="#">64646I</a>	4548583572928	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD4121</a>	8 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 12 mm genişlik	91,50	EC001599	<a href="#">375610</a>	4548583353138	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD4256</a>	8 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	96,50	EC001599	<a href="#">686033</a>	4549734450553	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5121</a>	16 Dijital çıkış, Standart hız, NPN 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	150,80	EC001599	<a href="#">686034</a>	4549734450560	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5121-5</a>	16 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	161,70	EC001599	<a href="#">393627</a>	4548583552043			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD5256-5</a>	16 Dijital Çıkış, Standart Hiz, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	150,80	EC001599	<a href="#">686035</a>	4549734450577	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-OD5256-1</a>	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	195,60	EC001599	<a href="#">645603</a>	4548583572935			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD5256-5</a>	16 Dijital Çıkış, Standart Hiz, PNP 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	166,20	EC001599	<a href="#">393629</a>	4548583552067			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6121-5</a>	32 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	274,50	EC001599	<a href="#">393628</a>	4548583552050			HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6121-6</a>	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	274,50	EC001599	<a href="#">645602</a>	4548583572911	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-OD6256-5</a>	32 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 30 mm genişlik, MLL konnektör (dahil değil)	274,50	EC001599	<a href="#">393630</a>	4548583552074	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-MD6121-5</a>	16 Dijital Giriş + 16 Dijital NPN Çıkış, Standart Hiz, 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	265,30	EC001599	<a href="#">393631</a>	4548583552081			HB	HBA	CHN	8471.6070.00
<a href="#">NX-MD6121-6</a>	16 Dijital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	265,30	EC001599	<a href="#">64646Z</a>	4548583572942			HB	HBA	CHN	8471.6070.00
<a href="#">NX-MD6256-5</a>	16 Dijital Giriş + 16 Dijital PNP Çıkış, Standart Hiz, 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	265,30	EC001599	<a href="#">393632</a>	4548583552098			HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-AD2203</a>	2 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241,30	EC001596	<a href="#">686016</a>	4549734450386	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD2204</a>	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241,30	EC001596	<a href="#">37562Z</a>	4548583533336			HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD2208</a>	2 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	310,10	EC001596	<a href="#">375628</a>	4548583353343	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD2603</a>	2 Analog Giriş, +/-10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241,30	EC001596	<a href="#">68601Z</a>	4549734450393	#		HB	HBA	NLD	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NX-AD2604</a>	<a href="#">2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	241.30	EC001596	<a href="#">375618</a>	4548583353244	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD2608</a>	<a href="#">2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	310.10	EC001596	<a href="#">375619</a>	4548583353251	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD3203</a>	<a href="#">4 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	275.10	EC001596	<a href="#">686018</a>	4549734450409	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD3204</a>	<a href="#">4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	275.10	EC001596	<a href="#">686019</a>	4549734450416	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD3208</a>	<a href="#">4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	428.10	EC001596	<a href="#">375631</a>	4548583353374	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD3603</a>	<a href="#">4 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	275.10	EC001596	<a href="#">375620</a>	4548583353268	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD3604</a>	<a href="#">4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	275.10	EC001596	<a href="#">375621</a>	4548583353275	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD3608</a>	<a href="#">4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	428.10	EC001596	<a href="#">375622</a>	4548583353282	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD4203</a>	<a href="#">8 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	378.40	EC001596	<a href="#">686020</a>	4549734450423	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD4204</a>	<a href="#">8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	378.40	EC001596	<a href="#">686021</a>	4549734450430	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-AD4208</a>	<a href="#">8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	549.50	EC001596	<a href="#">375634</a>	4548583353404	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD4603</a>	<a href="#">8 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	378.40	EC001596	<a href="#">375623</a>	4548583353299	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD4604</a>	<a href="#">8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	378.40	EC001596	<a href="#">375624</a>	4548583353305	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-AD4608</a>	<a href="#">8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	549.50	EC001596	<a href="#">375625</a>	4548583353312	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-HAD402</a>	<a href="#">4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5 V, 0 to 20 mA, 4 to 20 mA, differential, resolution 16 bit, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP</a>	1,252.00	EC001596	<a href="#">682695</a>	4549734209663	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-HB3101</a>	<a href="#">Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 NPN Çıkış, vidasız push-in bağlantı, 12 mm genişlik</a>	472.40	EC001597	<a href="#">670521</a>	4548583801981	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-HB3201</a>	<a href="#">Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 PNP Çıkış, vidasız push-in bağlantı, 12 mm genişlik</a>	472.40	EC001597	<a href="#">670522</a>	4548583801998	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-RS1201</a>	<a href="#">1 x Load Cell Giriş, -5.0 to 5.0 mV/V, 24 bit, 125 µs, vidasız push-in bağlantı, 12 mm genişlik</a>	572.00	EC001596	<a href="#">670275</a>	4548583799158	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-RS1201-K</a>	<a href="#">1 x Load Cell Input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide</a>	821.50	EC001596	<a href="#">674186</a>	4549734110235	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-TS2101</a>	<a href="#">2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik</a>	281.60	EC001596	<a href="#">377373</a>	4548583353497	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS2102</a>	<a href="#">2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.01°C, 10 ms/Ünite, 12 mm genişlik</a>	453.40	EC001596	<a href="#">380149</a>	4548583353503	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS2201</a>	<a href="#">2 Sıcaklık Sensörü Giriş, RTD, Pt100 (3-kablolu), Pt1000, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik</a>	281.60	EC001596	<a href="#">375643</a>	4548583353558	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS2202</a>	<a href="#">2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), çözünürlük 0.01°C, 10 ms/Ünite, 12 mm genişlik</a>	453.40	EC001596	<a href="#">380136</a>	4548583353565	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS2204</a>	<a href="#">2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/Ünite, 12 mm genişlik</a>	453.40	EC001596	<a href="#">380137</a>	4548583353572	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3101</a>	<a href="#">4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik</a>	358.90	EC001596	<a href="#">377374</a>	4548583353527	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3102</a>	<a href="#">4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.01°C, 10 ms/Ünite, 24 mm genişlik</a>	579.00	EC001596	<a href="#">380135</a>	4548583353534	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3104</a>	<a href="#">4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.001°C, 60 ms/Ünite, 24 mm genişlik</a>	579.00	EC001596	<a href="#">380150</a>	4548583353541	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3201</a>	<a href="#">4 Sıcaklık Sensörü Giriş, RTD, Pt100 (3-kablolu), Pt1000, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik</a>	358.90	EC001596	<a href="#">375644</a>	4548583353589	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3202</a>	<a href="#">4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide</a>	579.00	EC001596	<a href="#">380138</a>	4548583353596	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TS3204</a>	<a href="#">4 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/Ünite, 24 mm genişlik</a>	579.00	EC001596	<a href="#">380139</a>	4548583353602	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-DA2203</a>	<a href="#">2 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	264.00	EC001596	<a href="#">375639</a>	4548583353459	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-DA2205</a>	<a href="#">2 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	332.10	EC001596	<a href="#">375640</a>	4548583353466	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-DA2603</a>	<a href="#">2 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	264.00	EC001596	<a href="#">686022</a>	4549734450447	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-DA2605</a>	<a href="#">2 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	332.10	EC001596	<a href="#">375636</a>	4548583353428	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-DA3203</a>	<a href="#">4 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	302.40	EC001596	<a href="#">686023</a>	4549734450454	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-DA3205</a>	<a href="#">4 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	448.70	EC001596	<a href="#">375642</a>	4548583353480	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-DA3603</a>	<a href="#">4 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik</a>	302.40	EC001596	<a href="#">686024</a>	4549734450461	#		HB	HBA	NLD	8471.6070.00
<a href="#">NX-DA3605</a>	<a href="#">4 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik</a>	448.70	EC001596	<a href="#">375638</a>	4548583353442	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-FC0112</a>	<a href="#">1 Incremental Encoder NPN Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik</a>	287.70	EC001601	<a href="#">392633</a>	4548583552104	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC0122</a>	<a href="#">1 Incremental Encoder PNP Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik</a>	268.80	EC001601	<a href="#">375645</a>	4548583353619	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC0132</a>	<a href="#">1 Incremental Encoder Line driver Giriş, Faz A ve B, Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, NPN, 24 mm genişlik</a>	448.70	EC001601	<a href="#">392635</a>	4548583552128	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC0142</a>	<a href="#">1 Incremental Encoder Line driver Giriş, Faz A ve B, Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, PNP, 24 mm genişlik</a>	416.40	EC001601	<a href="#">375647</a>	4548583353633	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC0212</a>	<a href="#">2 Incremental Encoder NPN Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik</a>	321.20	EC001601	<a href="#">392634</a>	4548583552111	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC0222</a>	<a href="#">2 Incremental Encoder PNP Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik</a>	299.40	EC001601	<a href="#">375646</a>	4548583353626	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC5112</a>	<a href="#">1 SSI Encoder Giriş, FIA Standart RS-422-A, 32 bits max veri uzunluğu, 12 mm genişlik</a>	378.40	EC001601	<a href="#">375648</a>	4548583353640	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC5212</a>	<a href="#">2 SSI Encoder Giriş, FIA Standart RS-422-A, 32 bits max veri uzunluğu, 12mm genişlik</a>	448.70	EC001601	<a href="#">375649</a>	4548583353657	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-PG0112</a>	<a href="#">1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, NPN, 12 mm genişlik</a>	339.60	EC001601	<a href="#">392636</a>	4548583552135	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-PG0122</a>	<a href="#">1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, PNP, 12 mm genişlik</a>	316.70	EC001601	<a href="#">375650</a>	4548583353664	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-PG0232-5</a>	<a href="#">2 x Line Driver Puls Çıkış, NPN, 4 Mpps, 1 x Mill connector, 12 mm genişlik</a>	755.50	EC001601	<a href="#">670274</a>	4548583783461	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-PG0242-5</a>	<a href="#">2 x Line Driver Puls Çıkış, PNP, 4 Mpps, 1 x Mill connector, 12 mm genişlik</a>	755.50	EC001601	<a href="#">670276</a>	4548583783478	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-PG0332-5</a>	<a href="#">4 x Line Driver Puls Çıkış, NPN, 4 Mpps, 2 x Mill connectors, 24 mm genişlik</a>	1,078.00	EC001601	<a href="#">670273</a>	4548583783447	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-PG0342-5</a>	<a href="#">4 x Line Driver Puls Çıkış, PNP, 4 Mpps, 2 x Mill connectors, 24 mm genişlik</a>	1,078.00	EC001601	<a href="#">670272</a>	4548583783454	#		HB	HBA	JPN	8471.6070.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-CIF101</a>	<a href="#">Seri Haberleşme Arayüzü Ünitesi, 1 x RS-232C, bastırılabilir terminal, 12 mm genişlik</a>	440.60	EC001604	<a href="#">656498</a>	4548583588653	#		HB	HBA	JPN	8471.8000.00
<a href="#">NX-CIF105</a>	<a href="#">Seri Haberleşme Arayüzü Ünitesi, 1 x RS-422/485C, bastırılabilir terminal, 12 mm genişlik</a>	440.60	EC001604	<a href="#">656497</a>	4548583588660	#		HB	HBA	JPN	8471.8000.00
<a href="#">NX-CIF210</a>	<a href="#">Seri Haberleşme Arayüzü Ünitesi, 2 x RS-232C, 9-pin D-sub, 30 mm genişlik</a>	518.50	EC001604	<a href="#">656499</a>	4548583588677	#		HB	HBA	JPN	8471.8000.00
<b>NX Serisi Uzak G/Ç</b>											
<a href="#">NX-TC2405</a>	<a href="#">2 loops, Thermocouple/Pt100 input, PNP, 2 Digital Outputs, 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals</a>	455.30	EC001597	<a href="#">680545</a>	4549734191388	#		HB	HBA	CHN	8471.6070.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NX-TC2406</a>	<a href="#">2 loops_Thermocouple/PT100 input_PNP 2 Digital Outputs_24 VDC_21 mA/point_Heat or Cool control_Push-in Plus terminals</a>	417.30	EC001597	<a href="#">680937</a>	4549734191395	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC2407</a>	<a href="#">2 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21mA/point_Heat and Cool control_Push-in Plus terminals</a>	429.00	EC001597	<a href="#">680542</a>	4549734191401	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC2408</a>	<a href="#">2 loops_Thermocouple/PT100 input_2 Analog Outputs_4-20 mA_resolution 1:10000_Heat or Cool control_Push-in Plus terminals</a>	487.50	EC001597	<a href="#">680541</a>	4549734191418	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3405</a>	<a href="#">4 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21mA/point_Heat or Cool control_Heater burnout alarm_Push-in Plus terminals</a>	579.50	EC001597	<a href="#">680543</a>	4549734191425	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3406</a>	<a href="#">4 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21 mA/point_Heat or Cool control_Push-in Plus terminals</a>	521.50	EC001597	<a href="#">680544</a>	4549734191432	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TC3407</a>	<a href="#">4 loops_Thermocouple/PT100 input_PNP 8 Digital Outputs_24 VDC_21 mA/point_Heat and Cool control_Push-in Plus terminals</a>	533.00	EC001597	<a href="#">680935</a>	4549734191449	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-FC202</a>	<a href="#">Uzak I/O_NX_2 port EtherCAT Coupler_125 us döngü süresi_max I/O akımı 10 A_sonlandırıcı ile birlikte teslim edilir</a>	252.40	EC001603	<a href="#">419154</a>	4548583561939	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-FC202</a>	<a href="#">Uzak I/O_NX_EtherNet/IP Coupler_63 I/O ünitesi_bağımsız güvenlik kontrolcisünü destekler_10A_max</a>	402.00	EC001603	<a href="#">399449</a>	4548583523333	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-ILM400</a>	<a href="#">NX serisi IO-Link master IP20_4 kanal</a>	271.90	EC001599	<a href="#">671127</a>	4548583819139	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-PC0010</a>	<a href="#">NX G/C güç bağlantı ünitesi_I/O_G_5-24 V DC Giriş_16 terminal</a>	52.80	EC001600	<a href="#">686036</a>	4549734450584	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PC0020</a>	<a href="#">NX G/C güç bağlantı ünitesi_I/O_V_5-24 V DC Giriş_16 terminal</a>	52.80	EC001600	<a href="#">686037</a>	4549734450591	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PC0030</a>	<a href="#">NX G/C güç bağlantı ünitesi_I/O+I/O_G_5-24 V DC Giriş_8 + 8 terminal</a>	52.80	EC001600	<a href="#">686038</a>	4549734450607	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PD1000</a>	<a href="#">NX bus ve G/C güç besleme_24 V DC Giriş_non-isolated_12 mm genişlik</a>	95.65	EC001600	<a href="#">686039</a>	4549734450614	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PE0630</a>	<a href="#">NX G/C güç besleme ünitesi_5-24 V DC Giriş_8 terminal</a>	66.15	EC001600	<a href="#">686040</a>	4549734450621	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PF0730</a>	<a href="#">Uzak I/O_NX_güç besleme ünitesi_10A</a>	59.00	EC001600	<a href="#">686041</a>	4549734450638	#		HB	HBA	NLD	8471.8000.00
<a href="#">NX-PNC202</a>	<a href="#">NX-series PROFINET Coupler_2 ports_63 I/O units_max I/O current 10 A_screwless push-in connector_delivered with end cover</a>	553.00	EC001603	<a href="#">701999</a>	4549734710978	#		HB	HBA	CHN	8471.8000.00
<a href="#">NX-TRX01</a>	<a href="#">Ground bağlama terminali_14 terminal</a>	50.55	EC001600	<a href="#">375656</a>	4548583353725	#		HB	HBA	CHN	8471.6070.00
<b>NX Serisi Uzak G/C</b>											
<a href="#">NX-AUX01</a>	<a href="#">NX-serisi aksesuar_DIN ray montajı avırıcı_1 sette 3 adet</a>	24.26	EC002584	<a href="#">375659</a>	4548583364561	#		HB	HBA	JPN	8471.6070.00
<a href="#">NX-AUX02</a>	<a href="#">Terminal blok kodlama pinleri veya 10x NX I/O ünitesini (Terminal Blok: 30 pin_ünitesi: 30 pin)</a>	12.20	EC002584	<a href="#">375660</a>	4548583365148	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-END01</a>	<a href="#">NX I/O serisi için sonlandırma kapağı (yedek amaçlı)</a>	11.94	EC002584	<a href="#">375657</a>	4548583353732	#		HB	HBA	CHN	8471.6070.00
<a href="#">NX-TBA082</a>	<a href="#">Replacement screwless push-in connector with 8 wiring terminals (marked A+B)</a>	13.36	EC002584	<a href="#">380141</a>	4548583476516	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBA162</a>	<a href="#">Replacement screwless push-in connector with 16 wiring terminals (marked A+B)</a>	11.95	EC002584	<a href="#">380143</a>	4548583476530	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBB162</a>	<a href="#">Replacement screwless push-in connector with 16 wiring terminals (marked C+D)</a>	11.42	EC002584	<a href="#">380145</a>	4548583476554	#		HB	HBA	CHN	8536.9010.00
<a href="#">NX-TBC162</a>	<a href="#">Replacement screwless push-in connector with 16 wiring terminals (marked A+B+F+G)</a>	11.42	EC002584	<a href="#">380147</a>	4548583476578	#		HB	HBA	CHN	8536.9010.00
<b>NXR Serisi</b>											
<a href="#">NXR-ILM08C-FIT</a>	<a href="#">NXR Series IO-Link Master Unit IP67_8 ports_EtherNet/IP</a>	769.50	EC001599	<a href="#">695390</a>	4549734605632	#		HB	HBB	JPN	8471.6070.00
<b>NXR Serisi</b>											
<a href="#">NXR-ID166C-IL2</a>	<a href="#">NXR Series IO-Hub IP67_16 input_8x M12 connectors</a>	376.40	EC001599	<a href="#">695388</a>	4549734605656	#		HB	HBB	JPN	8471.6070.00
<b>NXR Serisi</b>											
<a href="#">NXR-CD166C-IL2</a>	<a href="#">NXR Series IO-Hub IP67_16 input/output_8x M12 connectors</a>	464.60	EC001599	<a href="#">695380</a>	4549734605649	#		HB	HBB	JPN	8471.6070.00
<b>NX Eminiyet Ürünleri</b>											
<a href="#">NX-SL3300</a>	<a href="#">Güvenlik Kontrolörü_NX_32 güvenlik master bağlantı_256 güvenlik I/O ya kadar</a>	359.80	EC000236	<a href="#">393736</a>	4548583556058	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL3500</a>	<a href="#">NX-serisi I/O_NX Güvenlik kontrolör_1024 güvenlik I/O ya kadar ve 2Mb hafıza kapasitesi</a>	809.00	EC000236	<a href="#">393737</a>	4548583556065	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL5500</a>	<a href="#">Safety controller_CIP-S and EtherCAT_128 safety master connections_up to 1024 safety I/O_2 MB memory capacity_SD Backup/Restore supported</a>	988.50	EC000236	<a href="#">684733</a>	4549734205702	#		HC	HCA	CHN	8471.6070.00
<a href="#">NX-SL5700</a>	<a href="#">Safety controller_CIP-S and EtherCAT_254 safety master connections_up to 2032 safety I/O_4 MB memory capacity_SD Backup/Restore supported</a>	1,349.00	EC000236	<a href="#">684734</a>	4549734205696	#		HC	HCA	CHN	8471.6070.00
<b>NX Eminiyet Ürünleri</b>											
<a href="#">NX-SID800</a>	<a href="#">8 Dijital Güvenlik Girişi_PNP 24 VDC_12 mm genişlik</a>	446.60	EC001599	<a href="#">701996</a>	4549734450027	#		HC	HCA	NLD	8471.6070.00
<a href="#">NX-SIH400</a>	<a href="#">4 Dijital Güvenlik Girişi_PNP 24 VDC_yüksek bağlanılabilirlik ünite_12 mm genişlik</a>	346.20	EC001599	<a href="#">702008</a>	4549734450058	#		HC	HCA	NLD	8471.6070.00
<b>NX Eminiyet Ürünleri</b>											
<a href="#">NX-SODM00</a>	<a href="#">4 Dijital Güvenlik Çıkışı_PNP 24 VDC_0.5 A/nokta_2.0 A/NX Ünite_12 mm genişlik</a>	383.00	EC001599	<a href="#">701995</a>	4549734450010	#		HC	HCA	NLD	8471.6070.00
<a href="#">NX-SOH200</a>	<a href="#">2 Dijital Güvenlik Çıkışı_PNP 24 VDC_2.0 A/nokta_4.0 A/NX Ünite_12 mm genişlik</a>	333.30	EC001599	<a href="#">701997</a>	4549734450034	#		HC	HCA	NLD	8471.6070.00
<b>NX Eminiyet Ürünleri</b>											
<a href="#">NX-CSG320</a>	<a href="#">Safety Gateway for CIP-Safety_SD-Card slot_iBus connection up to 10 A_Interface 1: Ethernet/IP port_Interface 2: CIP-Safety switching ports</a>	1,280.00	EC001604	<a href="#">684732</a>	4549734205719	#		HC	HCA	CHN	8471.8000.00
<b>OAT Scara</b>											
<a href="#">17210-16000</a>	<a href="#">SCARA Robot eCobra 600 Lite_5.5 kg taşıma kapasitesi_600 mm erişim_IP20</a>	18,150.00	EC003245	<a href="#">684692</a>	4549734445207	#		IB	IBA	JPN	8479.5000.00
<a href="#">17211-16000</a>	<a href="#">SCARA Robot eCobra 600 Pro_5.5 kg taşıma kapasitesi_600 mm erişim_IP20</a>	23,590.00	EC003245	<a href="#">684694</a>	4549734445221	#		IB	IBA	JPN	8479.5000.00
<a href="#">17211-18000</a>	<a href="#">SCARA Robot eCobra 800 Pro_5.5 kg taşıma kapasitesi_800 mm erişim_IP20</a>	27,610.00	EC003245	<a href="#">684910</a>	4549734445252	#		IB	IBA	JPN	8479.5000.00
<a href="#">17211-18400</a>	<a href="#">SCARA Robot eCobra 800 Inverted Pro_5.5 kg taşıma kapasitesi_800 mm erişim_IP20</a>	30,530.00	EC003245	<a href="#">684769</a>	4549734676441	#		IB	IBA	USA	8479.5000.00
<a href="#">17213-18000</a>	<a href="#">SCARA Robot eCobra 800 Pro (Add-on)_5.5 kg taşıma kapasitesi_800 mm erişim_IP20</a>	27,610.00	EC003245	<a href="#">684912</a>	4549734445290	#		IB	IBA	JPN	8479.5000.00
<a href="#">RL4-1166000</a>	<a href="#">eCobra 600 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_EtherCAT</a>	20,300.00	EC003245	<a href="#">695944</a>	4549734671156	#		IB	IBA	JPN	8479.5000.00
<a href="#">RL4-1166010</a>	<a href="#">eCobra 600 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_Cleanroom_EtherCAT</a>	23,040.00	EC003245	<a href="#">695943</a>	4549734671163	#		IB	IBA	JPN	8479.5000.00
<a href="#">RL4-1168000</a>	<a href="#">eCobra 800 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_EtherCAT</a>	25,140.00	EC003245	<a href="#">695940</a>	4549734671194	#		IB	IBA	JPN	8479.5000.00
<a href="#">RL4-1168010</a>	<a href="#">eCobra 800 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_Cleanroom_EtherCAT</a>	27,910.00	EC003245	<a href="#">695939</a>	4549734671200	#		IB	IBA	JPN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">RL4-1168030</a>	<a href="#">eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT</a>	30,450.00	EC003245	<a href="#">695938</a>	4549734671217			IB	IBA	JPN	8479.5000.00
<a href="#">RL4-2166000</a>	<a href="#">eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT</a>	25,070.00	EC003245	<a href="#">695942</a>	4549734671170			IB	IBA	JPN	8479.5000.00
<a href="#">RL4-2166010</a>	<a href="#">eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT</a>	27,860.00	EC003245	<a href="#">695941</a>	4549734671187			IB	IBA	JPN	8479.5000.00
<a href="#">RL4-2168000</a>	<a href="#">eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT</a>	29,340.00	EC003245	<a href="#">695937</a>	4549734671224			IB	IBA	JPN	8479.5000.00
<a href="#">RL4-2168010</a>	<a href="#">eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT</a>	32,190.00	EC003245	<a href="#">695936</a>	4549734671231			IB	IBA	JPN	8479.5000.00
<a href="#">RL4-2168030</a>	<a href="#">eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT</a>	34,720.00	EC003245	<a href="#">695935</a>	4549734671248			IB	IBA	JPN	8479.5000.00
<a href="#">RS4-2053002</a>	<a href="#">I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET</a>	11,140.00	EC003245	<a href="#">699544</a>	4549734693011			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2054002</a>	<a href="#">I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET</a>	12,380.00	EC003245	<a href="#">699543</a>	4549734693028	#		IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2054102</a>	<a href="#">I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FNET</a>	12,380.00	EC003245	<a href="#">699541</a>	4549734693066			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2055002</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET</a>	13,610.00	EC003245	<a href="#">699538</a>	4549734693035	#		IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2055004</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-FNET</a>	14,840.00	EC003245	<a href="#">699537</a>	4549734693042	#		IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2055102</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FNET</a>	13,610.00	EC003245	<a href="#">699536</a>	4549734693073			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2055104</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-FNET</a>	14,690.00	EC003245	<a href="#">699535</a>	4549734693080			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2056502</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	26,890.00	EC003245	<a href="#">207758</a>	4549734759557			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056504</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	28,060.00	EC003245	<a href="#">207761</a>	4549734759588			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056542</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	36,410.00	EC003245	<a href="#">207760</a>	4549734759571			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056544</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	37,560.00	EC003245	<a href="#">207763</a>	4549734759601			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056553</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	29,580.00	EC003245	<a href="#">207759</a>	4549734759564			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056555</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	30,720.00	EC003245	<a href="#">207762</a>	4549734759595			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056702</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	26,890.00	EC003245	<a href="#">207764</a>	4549734759618			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056704</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	28,060.00	EC003245	<a href="#">207767</a>	4549734759649			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056742</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	36,410.00	EC003245	<a href="#">207766</a>	4549734759632			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056744</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	37,560.00	EC003245	<a href="#">207769</a>	4549734759663			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056753</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	29,580.00	EC003245	<a href="#">207765</a>	4549734759625			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2056755</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	30,720.00	EC003245	<a href="#">207768</a>	4549734759656			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057502</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	28,060.00	EC003245	<a href="#">207770</a>	4549734759670			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057504</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	29,240.00	EC003245	<a href="#">207773</a>	4549734759700			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057542</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	37,560.00	EC003245	<a href="#">207772</a>	4549734759694			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057544</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	38,690.00	EC003245	<a href="#">207775</a>	4549734759724			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057553</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	30,720.00	EC003245	<a href="#">207771</a>	4549734759687			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057555</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	31,850.00	EC003245	<a href="#">207774</a>	4549734759717			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057702</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	28,060.00	EC003245	<a href="#">207776</a>	4549734759731			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057704</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	29,240.00	EC003245	<a href="#">207779</a>	4549734759762			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057742</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	37,560.00	EC003245	<a href="#">207778</a>	4549734759755			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057744</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	38,690.00	EC003245	<a href="#">207781</a>	4549734759786			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057753</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	30,720.00	EC003245	<a href="#">207777</a>	4549734759748			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2057755</a>	<a href="#">I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	31,850.00	EC003245	<a href="#">207780</a>	4549734759779			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058502</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	29,240.00	EC003245	<a href="#">207782</a>	4549734759793			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058504</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET</a>	30,410.00	EC003245	<a href="#">207785</a>	4549734759823			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058542</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	38,690.00	EC003245	<a href="#">207786</a>	4549734759816			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058544</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET</a>	39,840.00	EC003245	<a href="#">207783</a>	4549734759847			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058553</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	31,850.00	EC003245	<a href="#">207787</a>	4549734759809			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058555</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET</a>	33,000.00	EC003245	<a href="#">207784</a>	4549734759830			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058702</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	29,240.00	EC003245	<a href="#">207788</a>	4549734759854			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058704</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET</a>	30,410.00	EC003245	<a href="#">207791</a>	4549734759885			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058742</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	38,690.00	EC003245	<a href="#">207790</a>	4549734759878			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058744</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET</a>	39,840.00	EC003245	<a href="#">207793</a>	4549734759908			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058753</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	31,850.00	EC003245	<a href="#">207789</a>	4549734759861			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2058755</a>	<a href="#">I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET</a>	33,000.00	EC003245	<a href="#">207792</a>	4549734759892			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2063002</a>	<a href="#">I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT</a>	11,140.00	EC003245	708115	4549734766623			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2063102</a>	<a href="#">I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT</a>	11,140.00	EC003245	708111	4549734766661			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2064002</a>	<a href="#">I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT</a>	12,380.00	EC003245	708114	4549734766630			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2064102</a>	<a href="#">I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT</a>	12,380.00	EC003245	708110	4549734766678			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2065002</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT</a>	13,610.00	EC003245	708113	4549734766647			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2065004</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-FCAT</a>	14,840.00	EC003245	708112	4549734766654			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2065102</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT</a>	13,610.00	EC003245	708109	4549734766685			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2065104</a>	<a href="#">I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-FCAT</a>	14,840.00	EC003245	708108	4549734766692			IB	IBA	CHN	8479.5000.00
<a href="#">RS4-2066502</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	26,890.00	EC003245	<a href="#">208104</a>	4549734704359			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2066504</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FCAT</a>	28,060.00	EC003245	<a href="#">208103</a>	4549734704366			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2066542</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	36,410.00	EC003245	<a href="#">203592</a>	4549734738712			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2066544</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT</a>	37,560.00	EC003245	<a href="#">203591</a>	4549734738729			IB	IBA	NLD	8479.5000.00
<a href="#">RS4-2066553</a>	<a href="#">I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table</a>										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2066742	<a href="#">i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	36,410.00	EC003245	<a href="#">203598</a>	4549734738651			IB	IBA	NLD	8479.5000.00
RS4-2066744	<a href="#">i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	37,560.00	EC003245	<a href="#">203597</a>	4549734738668			IB	IBA	NLD	8479.5000.00
RS4-2066753	<a href="#">i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	29,580.00	EC003245	<a href="#">203586</a>	4549734738774			IB	IBA	NLD	8479.5000.00
RS4-2066755	<a href="#">i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	30,720.00	EC003245	<a href="#">203585</a>	4549734738781			IB	IBA	NLD	8479.5000.00
RS4-2067502	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FCAT</a>	28,060.00	EC003245	<a href="#">208100</a>	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FCAT</a>	29,240.00	EC003245	<a href="#">208099</a>	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067542	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT</a>	37,560.00	EC003245	<a href="#">203590</a>	4549734738736			IB	IBA	NLD	8479.5000.00
RS4-2067544	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT</a>	38,690.00	EC003245	<a href="#">203589</a>	4549734738743			IB	IBA	NLD	8479.5000.00
RS4-2067553	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT</a>	30,720.00	EC003245	<a href="#">203578</a>	4549734738859			IB	IBA	NLD	8479.5000.00
RS4-2067555	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT</a>	31,850.00	EC003245	<a href="#">203577</a>	4549734738866			IB	IBA	NLD	8479.5000.00
RS4-2067702	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FCAT</a>	28,060.00	EC003245	<a href="#">208098</a>	4549734704410			IB	IBA	NLD	8479.5000.00
RS4-2067704	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FCAT</a>	29,240.00	EC003245	<a href="#">208097</a>	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2067742	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	37,560.00	EC003245	<a href="#">203596</a>	4549734738675			IB	IBA	NLD	8479.5000.00
RS4-2067744	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	38,690.00	EC003245	<a href="#">203595</a>	4549734738682			IB	IBA	NLD	8479.5000.00
RS4-2067753	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	30,720.00	EC003245	<a href="#">203584</a>	4549734738798			IB	IBA	NLD	8479.5000.00
RS4-2067755	<a href="#">i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	31,850.00	EC003245	<a href="#">203583</a>	4549734738804			IB	IBA	NLD	8479.5000.00
RS4-2068502	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FCAT</a>	29,240.00	EC003245	<a href="#">208096</a>	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FCAT</a>	30,410.00	EC003245	<a href="#">208095</a>	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068542	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT</a>	38,690.00	EC003245	<a href="#">203588</a>	4549734738750			IB	IBA	NLD	8479.5000.00
RS4-2068544	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT</a>	39,840.00	EC003245	<a href="#">203587</a>	4549734738767			IB	IBA	NLD	8479.5000.00
RS4-2068553	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT</a>	31,850.00	EC003245	<a href="#">203576</a>	4549734738873			IB	IBA	NLD	8479.5000.00
RS4-2068555	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT</a>	33,000.00	EC003245	<a href="#">203575</a>	4549734738880			IB	IBA	NLD	8479.5000.00
RS4-2068702	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FCAT</a>	29,240.00	EC003245	<a href="#">208094</a>	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FCAT</a>	30,410.00	EC003245	<a href="#">208093</a>	4549734704465	#		IB	IBA	NLD	8479.5000.00
RS4-2068742	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	38,690.00	EC003245	<a href="#">203594</a>	4549734738699			IB	IBA	NLD	8479.5000.00
RS4-2068744	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT</a>	39,840.00	EC003245	<a href="#">203593</a>	4549734738705			IB	IBA	NLD	8479.5000.00
RS4-2068753	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	31,850.00	EC003245	<a href="#">203582</a>	4549734738811			IB	IBA	NLD	8479.5000.00
RS4-2068755	<a href="#">i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT</a>	33,000.00	EC003245	<a href="#">203581</a>	4549734738828			IB	IBA	NLD	8479.5000.00
<b>OAT Delta</b>											
17203-45604	<a href="#">Hornet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC</a>	32,790.00	EC003245	<a href="#">683062</a>	4549734263740			IB	IBB	NLD	8479.5000.00
17214-26001	<a href="#">Parallel Robot Quattro ePLC650H P31, 46.25° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling</a>	46,070.00	EC003245	<a href="#">683109</a>	4549734263771			IB	IBB	NLD	8479.5000.00
17214-26004	<a href="#">Parallel Robot Quattro ePLC650H P31, 185° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling</a>	46,070.00	EC003245	<a href="#">683111</a>	4549734263795			IB	IBB	NLD	8479.5000.00
RX3-2065600	<a href="#">iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, iCS-FCAT</a>	29,780.00	EC003245	<a href="#">200740</a>	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	<a href="#">iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, iCS-FCAT</a>	34,730.00	EC003245	<a href="#">200742</a>	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	<a href="#">iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, iCS-FCAT</a>	31,010.00	EC003245	<a href="#">200741</a>	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	<a href="#">iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, iCS-FCAT</a>	35,960.00	EC003245	<a href="#">200743</a>	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	<a href="#">iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	45,880.00	EC003245	<a href="#">200744</a>	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	45,880.00	EC003245	<a href="#">200747</a>	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	45,880.00	EC003245	<a href="#">200750</a>	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	45,880.00	EC003245	<a href="#">200753</a>	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	<a href="#">iX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200745</a>	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	<a href="#">iX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200748</a>	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	<a href="#">iX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200751</a>	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	<a href="#">iX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200754</a>	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	<a href="#">iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	47,110.00	EC003245	<a href="#">200746</a>	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	47,110.00	EC003245	<a href="#">200749</a>	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	47,110.00	EC003245	<a href="#">200752</a>	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	<a href="#">iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	47,110.00	EC003245	<a href="#">200755</a>	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	<a href="#">iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	52,100.00	EC003245	<a href="#">200756</a>	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	52,100.00	EC003245	<a href="#">200759</a>	4549734704663			IB	IBB	NLD	8479.5000.00
RX4-2166302	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	52,100.00	EC003245	<a href="#">200762</a>	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT</a>	52,100.00	EC003245	<a href="#">200765</a>	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	<a href="#">iX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	59,650.00	EC003245	<a href="#">200757</a>	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	<a href="#">iX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	59,650.00	EC003245	<a href="#">200760</a>	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	<a href="#">iX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	59,650.00	EC003245	<a href="#">200763</a>	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	<a href="#">iX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT</a>	59,650.00	EC003245	<a href="#">200766</a>	4549734704731			IB	IBB	NLD	8479.5000.00
RX4-2166320	<a href="#">iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200758</a>	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200761</a>	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200764</a>	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	<a href="#">iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT</a>	53,350.00	EC003245	<a href="#">200767</a>	4549734704748			IB	IBB	NLD	8479.5000.00
<b>OAT Eklemleri</b>											
17201-36000	<a href="#">Articulated Robot Viper ePLC650, 5 kg taşıma kapasitesi, 653 mm erişim, IP40</a>	33,130.00	EC003245	<a href="#">682015</a>	4548583805330			IB	IBC	JPN	8479.5000.00
17201-38000	<a href="#">Articulated Robot Viper ePLC850, 5 kg taşıma kapasitesi, 855 mm erişim, IP40</a>	40,300.00	EC003245	<a href="#">682014</a>	4548583805347	#		IB	IBC	JPN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">RL6-2066000</a>	<a href="#">Viper 650, 5.kg payload, 653 mm reach, 6.axis, IP40, EtherCAT</a>	37,610.00	EC003245	<a href="#">699099</a>	4549734685795			IB	IBC	JPN	8479.5000.00
<a href="#">RL6-2066010</a>	<a href="#">Viper 650, 5.kg payload, 653 mm reach, 6.axis, IP65, EtherCAT</a>	42,290.00	EC003245	<a href="#">699098</a>	4549734685801			IB	IBC	JPN	8479.5000.00
<a href="#">RL6-2066020</a>	<a href="#">Viper 650, 5.kg payload, 653 mm reach, 6.axis, Cleanroom, EtherCAT</a>	46,130.00	EC003245	<a href="#">699097</a>	4549734685818			IB	IBC	JPN	8479.5000.00
<a href="#">RL6-2068000</a>	<a href="#">Viper 850, 5.kg payload, 855 mm reach, 6.axis, IP40, EtherCAT</a>	39,120.00	EC003245	<a href="#">699096</a>	4549734685825			IB	IBC	JPN	8479.5000.00
<a href="#">RL6-2068010</a>	<a href="#">Viper 850, 5.kg payload, 855 mm reach, 6.axis, IP65, EtherCAT</a>	46,260.00	EC003245	<a href="#">699095</a>	4549734685832			IB	IBC	JPN	8479.5000.00
<a href="#">RL6-2068020</a>	<a href="#">Viper 850, 5.kg payload, 855 mm reach, 6.axis, Cleanroom, EtherCAT</a>	50,500.00	EC003245	<a href="#">699094</a>	4549734685849			IB	IBC	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">37032-00001</a>	<a href="#">Mobile Robot, LD-60, without Battery, with OS32C LIDAR</a>	32,020.00	EC000000	<a href="#">687561</a>	4549734491303			IB	IBD	JPN	8479.5000.00
<a href="#">37032-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR</a>	34,690.00	EC000000	<a href="#">687599</a>	4549734491310			IB	IBD	JPN	8479.5000.00
<a href="#">37032-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR</a>	36,380.00	EC000000	<a href="#">687560</a>	4549734491327	#		IB	IBD	JPN	8479.5000.00
<a href="#">37032-20000</a>	<a href="#">Mobile Robot, LD-60, FSD, without Battery, with OS32C LIDAR</a>	37,830.00	EC000000	<a href="#">687554</a>	4549734491396			IB	IBD	JPN	8479.5000.00
<a href="#">37032-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-60, FSD, Charger, without Battery, with OS32C LIDAR</a>	40,500.00	EC000000	<a href="#">687553</a>	4549734491402			IB	IBD	JPN	8479.5000.00
<a href="#">37032-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-60, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR</a>	42,190.00	EC000000	<a href="#">687552</a>	4549734491419			IB	IBD	JPN	8479.5000.00
<a href="#">37042-00000</a>	<a href="#">Mobile Robot, LD-90, without Battery, with OS32C LIDAR</a>	32,020.00	EC000000	<a href="#">687559</a>	4549734491334			IB	IBD	JPN	8479.5000.00
<a href="#">37042-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR</a>	34,690.00	EC000000	<a href="#">687600</a>	4549734491341	#		IB	IBD	JPN	8479.5000.00
<a href="#">37042-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR</a>	36,380.00	EC000000	<a href="#">687558</a>	4549734491358			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20000</a>	<a href="#">Mobile Robot, LD-90, FSD, without Battery, with OS32C LIDAR</a>	37,830.00	EC000000	<a href="#">687551</a>	4549734491426			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-90, FSD, Charger, without Battery, with OS32C LIDAR</a>	40,500.00	EC000000	<a href="#">687550</a>	4549734491433			IB	IBD	JPN	8479.5000.00
<a href="#">37042-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-90, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR</a>	42,190.00	EC000000	<a href="#">687549</a>	4549734491440			IB	IBD	JPN	8479.5000.00
<a href="#">37222-00000</a>	<a href="#">Mobile Robot, LD-250, with OS32C LIDAR, without Battery</a>	43,640.00	EC000000	<a href="#">690743</a>	4549734578646			IB	IBD	JPN	8479.5000.00
<a href="#">37222-00002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-250, with Charger, OS32C LIDAR, without Battery</a>	46,320.00	EC000000	<a href="#">690744</a>	4549734578653	#		IB	IBD	JPN	8479.5000.00
<a href="#">37222-10004</a>	<a href="#">Mobile Robot Starter Kit, LD-250, with Charger, Joystick, Top Plate, OS32C LIDAR, without Battery</a>	48,020.00	EC000000	<a href="#">690745</a>	4549734578660			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20000</a>	<a href="#">Mobile Robot, LD-250, FSD, without Battery</a>	51,550.00	EC000000	<a href="#">699234</a>	4549734670982			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20002</a>	<a href="#">Mobile Robot Docking Station Kit, LD-250, FSD, with Charger, without Battery</a>	54,200.00	EC000000	<a href="#">699233</a>	4549734670999			IB	IBD	JPN	8479.5000.00
<a href="#">37222-20004</a>	<a href="#">Mobile Robot Starter Kit, LD-250, FSD, with Charger, Joystick, Top Plate, without Battery</a>	55,900.00	EC000000	<a href="#">699232</a>	4549734671002			IB	IBD	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">37142-00010</a>	<a href="#">Mobile Robot, LD-105CT, without Battery, with OS32C LIDAR</a>	77,150.00	EC000000	<a href="#">688848</a>	4549734549707			IB	IBD	JPN	8479.5000.00
<a href="#">37142-00012</a>	<a href="#">Mobile Robot Docking Station Kit, LD-105CT, with Charger, without Battery, with OS32C LIDAR</a>	80,300.00	EC000000	<a href="#">688849</a>	4549734549714			IB	IBD	JPN	8479.5000.00
<a href="#">37142-01014</a>	<a href="#">Mobile Robot Starter Kit, LD-105CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR</a>	89,700.00	EC000000	<a href="#">688850</a>	4549734549721			IB	IBD	JPN	8479.5000.00
<a href="#">37162-00010</a>	<a href="#">Mobile Robot, LD-130CT, without Battery, with OS32C LIDAR</a>	77,150.00	EC000000	<a href="#">688851</a>	4549734549738			IB	IBD	JPN	8479.5000.00
<a href="#">37162-00012</a>	<a href="#">Mobile Robot Docking Station, LD-130CT, with Charger, without Battery, with OS32C LIDAR</a>	80,300.00	EC000000	<a href="#">688852</a>	4549734549745			IB	IBD	JPN	8479.5000.00
<a href="#">37162-01014</a>	<a href="#">Mobile Robot Starter Kit, LD-130CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR</a>	89,700.00	EC000000	<a href="#">688853</a>	4549734549752			IB	IBD	JPN	8479.5000.00
<b>OAT Mobil Hafif Görev</b>											
<a href="#">20452-000</a>	<a href="#">Mobile Robot Battery for all LD</a>	4,681.00	EC000000	<a href="#">690742</a>	4549734580120			IB	IBD	USA	8507.6000.90
<b>OAT İşbirlikçi Robotlar</b>											
<a href="#">RT6-0007001</a>	<a href="#">Bundle, Cobot, TM5-700, HW3.2</a>	28,730.00	EC003245	<a href="#">701888</a>	4549734596527			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0007002</a>	<a href="#">Bundle, Cobot, TM5-700, 12 m cable, HW3.2</a>	29,930.00	EC003245	<a href="#">701889</a>	4549734596534			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0007021</a>	<a href="#">Bundle, Cobot, TM5-700, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701923</a>	4549734671354			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0007022</a>	<a href="#">Bundle, Cobot, TM5-700, 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	31,130.00	EC003245	<a href="#">701924</a>	4549734671361			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0007031</a>	<a href="#">Bundle, Cobot, TM5-700, HW3.2, Food Grade Grease</a>	31,610.00	EC003245	<a href="#">707032</a>	4549734751728			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0007041</a>	<a href="#">Bundle, Cobot, TM5-700, HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	32,930.00	EC003245	<a href="#">707024</a>	4549734751803			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009001</a>	<a href="#">Bundle, Cobot, TM5-900, HW3.2</a>	28,730.00	EC003245	<a href="#">701895</a>	4549734596596	#		IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009002</a>	<a href="#">Bundle, Cobot, TM5-900, 12 m cable, HW3.2</a>	29,930.00	EC003245	<a href="#">701896</a>	4549734596602			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009021</a>	<a href="#">Bundle, Cobot, TM5-900, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701929</a>	4549734671415			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009022</a>	<a href="#">Bundle, Cobot, TM5-900, 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	31,130.00	EC003245	<a href="#">701930</a>	4549734671422			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009031</a>	<a href="#">Bundle, Cobot, TM5-900, HW3.2, Food Grade Grease</a>	31,610.00	EC003245	<a href="#">707031</a>	4549734751735			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0009041</a>	<a href="#">Bundle, Cobot, TM5-900, HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	32,930.00	EC003245	<a href="#">707023</a>	4549734751810			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017001</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), HW3.2</a>	27,530.00	EC003245	<a href="#">701890</a>	4549734596541			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017002</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2</a>	28,730.00	EC003245	<a href="#">701891</a>	4549734596558			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017021</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP</a>	28,740.00	EC003245	<a href="#">701925</a>	4549734671378			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017022</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701926</a>	4549734671385			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017031</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), HW3.2, Food Grade Grease</a>	30,290.00	EC003245	<a href="#">707030</a>	4549734751742			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0017041</a>	<a href="#">Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	31,620.00	EC003245	<a href="#">707022</a>	4549734751827			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019001</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), HW3.2</a>	27,530.00	EC003245	<a href="#">701898</a>	4549734596626			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019002</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2</a>	28,730.00	EC003245	<a href="#">701899</a>	4549734596633			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019021</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP</a>	28,740.00	EC003245	<a href="#">701932</a>	4549734671446			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019022</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2, PROFINET &amp; EtherNet/IP</a>	29,940.00	EC003245	<a href="#">701933</a>	4549734671453			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019031</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), HW3.2, Food Grade Grease</a>	30,290.00	EC003245	<a href="#">707029</a>	4549734751759			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0019041</a>	<a href="#">Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET &amp; EtherNet/IP, Food Grade Grease</a>	31,620.00	EC003245	<a href="#">707021</a>	4549734751834			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0107001</a>	<a href="#">Bundle, Cobot, TM5M-700, HW3.2</a>	32,320.00	EC003245	<a href="#">701892</a>	4549734596565			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0107011</a>	<a href="#">Bundle, Cobot, TM5M-700, Semi, HW3.2</a>	35,900.00	EC003245	<a href="#">701893</a>	4549734596572			IB	IBE	TWN	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">RT6-0107021</a>	<a href="#">Bundle_Cobot_TM5M-700_HW3.2_PROFINET &amp; EtherNet/IP</a>	33,530.00	EC003245	<a href="#">201927</a>	4549734671392			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0109001</a>	<a href="#">Bundle_Cobot_TM5M-900_HW3.2</a>	32,320.00	EC003245	<a href="#">201892</a>	4549734596619			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0109011</a>	<a href="#">Bundle_Cobot_TM5M-900_Semi_HW3.2</a>	35,900.00	EC003245	<a href="#">201900</a>	4549734596640			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0109021</a>	<a href="#">Bundle_Cobot_TM5M-900_HW3.2_PROFINET &amp; EtherNet/IP</a>	33,530.00	EC003245	<a href="#">201931</a>	4549734671439			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0117001</a>	<a href="#">Bundle_Cobot_TM5MX-700(model without camera)_HW3.2</a>	31,120.00	EC003245	<a href="#">201894</a>	4549734596589			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0117021</a>	<a href="#">Bundle_Cobot_TM5MX-700(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	32,330.00	EC003245	<a href="#">201928</a>	4549734671408			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0119001</a>	<a href="#">Bundle_Cobot_TM5MX-900(model without camera)_HW3.2</a>	31,120.00	EC003245	<a href="#">201901</a>	4549734596657			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-0119021</a>	<a href="#">Bundle_Cobot_TM5MX-900(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	32,330.00	EC003245	<a href="#">201934</a>	4549734671460			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001301</a>	<a href="#">Bundle_Cobot_TM12_HW3.2</a>	39,500.00	EC003245	<a href="#">201902</a>	4549734596664	#		IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001302</a>	<a href="#">Bundle_Cobot_TM12_12 m cable_HW3.2</a>	40,700.00	EC003245	<a href="#">201903</a>	4549734596671			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001321</a>	<a href="#">Bundle_Cobot_TM12_HW3.2_PROFINET &amp; EtherNet/IP</a>	40,720.00	EC003245	<a href="#">201935</a>	4549734671477			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001322</a>	<a href="#">Bundle_Cobot_TM12_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	41,910.00	EC003245	<a href="#">201936</a>	4549734671484			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001331</a>	<a href="#">Bundle_Cobot_TM12_HW3.2_Food Grade Grease</a>	43,440.00	EC003245	<a href="#">202028</a>	4549734751766			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1001341</a>	<a href="#">Bundle_Cobot_TM12_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	44,790.00	EC003245	<a href="#">202020</a>	4549734751841			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011301</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2</a>	38,300.00	EC003245	<a href="#">201904</a>	4549734596688			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011302</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2</a>	39,500.00	EC003245	<a href="#">201905</a>	4549734596695			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011321</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	39,520.00	EC003245	<a href="#">201937</a>	4549734671491	#		IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011322</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	40,720.00	EC003245	<a href="#">201938</a>	4549734671507			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011331</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_Food Grade Grease</a>	42,140.00	EC003245	<a href="#">202026</a>	4549734751780			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1011341</a>	<a href="#">Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	43,470.00	EC003245	<a href="#">202018</a>	4549734751865			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1101301</a>	<a href="#">Bundle_Cobot_TM12M_HW3.2</a>	43,100.00	EC003245	<a href="#">201906</a>	4549734596701			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1101311</a>	<a href="#">Bundle_Cobot_TM12M_Semi_HW3.2</a>	47,880.00	EC003245	<a href="#">201907</a>	4549734596718			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1101321</a>	<a href="#">Bundle_Cobot_TM12M_HW3.2_PROFINET &amp; EtherNet/IP</a>	44,310.00	EC003245	<a href="#">201939</a>	4549734671514			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1111301</a>	<a href="#">Bundle_Cobot_TM12MX(model without camera)_HW3.2</a>	41,900.00	EC003245	<a href="#">201908</a>	4549734596725			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-1111321</a>	<a href="#">Bundle_Cobot_TM12MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">201940</a>	4549734671521			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001101</a>	<a href="#">Bundle_Cobot_TM14_HW3.2</a>	41,900.00	EC003245	<a href="#">201909</a>	4549734596732			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001102</a>	<a href="#">Bundle_Cobot_TM14_12 m cable_HW3.2</a>	43,100.00	EC003245	<a href="#">201910</a>	4549734596749			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001121</a>	<a href="#">Bundle_Cobot_TM14_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">201941</a>	4549734671538			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001122</a>	<a href="#">Bundle_Cobot_TM14_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	44,310.00	EC003245	<a href="#">201942</a>	4549734671545			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001131</a>	<a href="#">Bundle_Cobot_TM14_HW3.2_Food Grade Grease</a>	46,090.00	EC003245	<a href="#">202022</a>	4549734751773			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2001141</a>	<a href="#">Bundle_Cobot_TM14_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	47,420.00	EC003245	<a href="#">202019</a>	4549734751858			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011101</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2</a>	40,700.00	EC003245	<a href="#">201911</a>	4549734596756			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011102</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2</a>	41,900.00	EC003245	<a href="#">201912</a>	4549734596763			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011121</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	41,910.00	EC003245	<a href="#">201943</a>	4549734671552			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011122</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,110.00	EC003245	<a href="#">201944</a>	4549734671569			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011131</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_Food Grade Grease</a>	44,770.00	EC003245	<a href="#">202025</a>	4549734751797			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2011141</a>	<a href="#">Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP_Food Grade Grease</a>	46,100.00	EC003245	<a href="#">202017</a>	4549734751872			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2101101</a>	<a href="#">Bundle_Cobot_TM14M_HW3.2</a>	45,490.00	EC003245	<a href="#">201913</a>	4549734596770			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2101111</a>	<a href="#">Bundle_Cobot_TM14M_Semi_HW3.2</a>	50,300.00	EC003245	<a href="#">201914</a>	4549734596787			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2101121</a>	<a href="#">Bundle_Cobot_TM14M_HW3.2_PROFINET &amp; EtherNet/IP</a>	46,690.00	EC003245	<a href="#">201945</a>	4549734671576			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2111101</a>	<a href="#">Bundle_Cobot_TM14MX(model without camera)_HW3.2</a>	44,300.00	EC003245	<a href="#">201915</a>	4549734596794			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-2111121</a>	<a href="#">Bundle_Cobot_TM14MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	45,510.00	EC003245	<a href="#">201887</a>	4549734671583			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3009001</a>	<a href="#">Bundle_Cobot_TM16_HW3.2</a>	45,540.00	EC003245	<a href="#">208136</a>	4549734766531			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3009021</a>	<a href="#">Bundle_Cobot_TM16_HW3.2_PROFINET &amp; EtherNet/IP</a>	46,730.00	EC003245	<a href="#">208131</a>	4549734766586			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3019001</a>	<a href="#">Bundle_Cobot_TM16X(model without camera)_HW3.2</a>	42,290.00	EC003245	<a href="#">208135</a>	4549734766548			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3019021</a>	<a href="#">Bundle_Cobot_TM16X(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	43,470.00	EC003245	<a href="#">208130</a>	4549734766593			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3109001</a>	<a href="#">Bundle_Cobot_TM16M_HW3.2</a>	48,790.00	EC003245	<a href="#">208134</a>	4549734766555			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3109011</a>	<a href="#">Bundle_Cobot_TM16M_Semi_HW3.2</a>	53,150.00	EC003245	<a href="#">208132</a>	4549734766579			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3109021</a>	<a href="#">Bundle_Cobot_TM16M_HW3.2_PROFINET &amp; EtherNet/IP</a>	49,980.00	EC003245	<a href="#">208129</a>	4549734766609			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3119001</a>	<a href="#">Bundle_Cobot_TM16MX(model without camera)_HW3.2</a>	46,620.00	EC003245	<a href="#">208133</a>	4549734766562			IB	IBE	TWN	8479.5000.00
<a href="#">RT6-3119021</a>	<a href="#">Bundle_Cobot_TM16MX(model without camera)_HW3.2_PROFINET &amp; EtherNet/IP</a>	47,820.00	EC003245	<a href="#">208128</a>	4549734766616			IB	IBE	TWN	8479.5000.00
<b>Robot Mobil Agir Hizmet</b>											
<a href="#">37480-00000</a>	<a href="#">Mobile Robot_HD-1500_without Battery</a>	101,200.00	EC000000	<a href="#">695895</a>	4549734670388			IB	IBH	USA	8479.5000.00
<a href="#">37480-00002</a>	<a href="#">Mobile Robot Docking Station Kit_HD-1500_Charger_No Battery</a>	116,100.00	EC000000	<a href="#">695903</a>	4549734670302			IB	IBH	USA	8479.5000.00
<a href="#">37480-00010</a>	<a href="#">Mobile Robot_HD-1500_Side Lasers_without Battery</a>	106,500.00	EC000000	<a href="#">695892</a>	4549734670418			IB	IBH	USA	8479.5000.00
<a href="#">37480-00100</a>	<a href="#">Mobile Robot_HD-1500_Single HAPS_without Battery</a>	103,400.00	EC000000	<a href="#">695894</a>	4549734670395			IB	IBH	USA	8479.5000.00
<a href="#">37480-00110</a>	<a href="#">Mobile Robot_HD-1500_Single HAPS_Side Lasers_without Battery</a>	108,700.00	EC000000	<a href="#">695891</a>	4549734670449			IB	IBH	USA	8479.5000.00
<a href="#">37480-00200</a>	<a href="#">Mobile Robot_HD-1500_Double HAPS_without Battery</a>	105,500.00	EC000000	<a href="#">695893</a>	4549734670401			IB	IBH	USA	8479.5000.00
<a href="#">37480-00210</a>	<a href="#">Mobile Robot_HD-1500_Double HAPS_Side Lasers_without Battery</a>	110,800.00	EC000000	<a href="#">695890</a>	4549734670456			IB	IBH	USA	8479.5000.00
<a href="#">37480-10004</a>	<a href="#">Mobile Robot Starter Kit_HD-1500_Charger_Pendant_Top Plate_without Battery</a>	119,300.00	EC000000	<a href="#">695889</a>	4549734670494			IB	IBH	USA	8479.5000.00
<a href="#">37480-10104</a>	<a href="#">Mobile Robot Starter Kit_HD-1500_Single HAPS_Charger_Pendant_Top Plate_without Battery</a>	121,500.00	EC000000	<a href="#">695888</a>	4549734670500			IB	IBH	USA	8479.5000.00
<a href="#">37480-10114</a>	<a href="#">Mobile Robot Starter Kit_HD-1500_Single HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery</a>	126,800.00	EC000000	<a href="#">695886</a>	4549734670524			IB	IBH	USA	8479.5000.00
<a href="#">37480-10204</a>	<a href="#">Mobile Robot Starter Kit_HD-1500_Double HAPS_Charger_Pendant_Top Plate_without Battery</a>	123,600.00	EC000000	<a href="#">695887</a>	4549734670517			IB	IBH	USA	8479.5000.00
<a href="#">37480-10214</a>	<a href="#">Mobile Robot Starter Kit_HD-1500_Double HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery</a>	128,900.00	EC000000	<a href="#">695885</a>	4549734670531			IB	IBH	USA	8479.5000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Robot Mobil Agir Hizmet</b>											
68310-000	Mobile Robot Charging Station - Power Supply (For HD-1500)	11,830.00	EC000000	695897	4549734670623			IB	IBH	USA	8479.9070.99
68330-000	Mobile Robot Battery for HD-1500	18,540.00	EC000000	695899	4549734670609			IB	IBH	USA	8507.6000.90
68910-000	Mobile Robot Charging Station - Docking Target (For HD-1500)	3,408.00	EC000000	695896	4549734670630			IB	IBH	USA	8479.9070.99
68910-010	Mobile Robot Charging Station - Charging Bundle (Power Supply and Docking Target) (For HD-1500)	15,130.00	EC000000	695902	4549734670579			IB	IBH	USA	8479.9070.99
68925-010	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single Sensor, Magnetic tape, 50 m roll	4,239.00	EC000000	707921	4549734764117			IB	IBH	USA	8479.9070.99
68925-020	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double Sensor, Magnetic tape, 50 m roll	5,135.00	EC000000	707922	4549734764124			IB	IBH	USA	8479.9070.99
68940-000L	Pendant (for HD-1500)	1,598.00	EC000000	695900	4549734670593			IB	IBH	USA	8479.9070.99
68945-010	Slide Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	5,860.00	EC000000	695901	4549734670586			IB	IBH	USA	8479.9070.99
68950-000	Top Plate for HD-1500	1,811.00	EC000000	695898	4549734670616			IB	IBH	USA	8479.9070.99
68955-000	Wireless Antenna Extension Kit - For HD-1500	100.00	EC000000	707823	4549734764131			IB	IBH	TWN	8479.9070.99
<b>OAT Diğer Robotlar</b>											
2FG7-GRIPPER	2FG7 Gripper OnRobot	4,166.00	EC003554	699513	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	4,801.00	EC003554	699475	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2-1	Robotiq Gripper - Kit Dual - Cable Splitter	189.30	EC003554	688232	4549734970679			IB	IBS	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapter plate with a "Y" shape to install 2 grippers at the wrist	519.00	EC003554	688233	4549734970686			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	4,698.00	EC003554	687100	4549734967860			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	4,546.00	EC003554	687101	4549734967877	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	4,546.00	EC003554	691034	4549734985215			IB	IBS	CAN	8479.9070.99
DUAL-QUICK-CHANGER	Dual Quick Changer OnRobot	2,659.00	EC003554	696375	4549734889704			IB	IBS	DNK	8479.9070.99
DUAL-QUICK-CHANGER-DEMO	Dual Quick Changer OnRobot Demo	2,097.00	EC003554	696420	4549734889971			IB	IBS	DNK	8479.9070.99
ETS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	4,802.00	EC003554	702920	4549734796330			IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	880.50	EC003554	696381	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	880.50	EC003554	696380	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	880.50	EC003554	696379	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	5,330.00	EC003554	699516	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-F kit	3,783.00	EC003554	687099	4549734967853			IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-F kit with Wrist Connect Kit	3,783.00	EC003554	691033	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	793.50	EC003554	691042	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	384.50	EC003554	691043	4549734985307			IB	IBS	CAN	8479.9070.99
LIFT-100-ONROBOT	Lift100 for Omron TM Cobot	13,460.00	EC003554	707693	4549734836173			IB	IBS	DNK	8479.9070.99
MG10	MG10-Gripper OnRobot	2,513.00	EC003554	702226	4549734792417			IB	IBS	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	898.50	EC003554	699469	4549734892445			IB	IBS	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	3,126.00	EC003554	699527	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,211.00	EC003554	699528	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,247.00	EC003554	696376	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	898.50	EC003554	696419	4549734889964			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-DEMO	Quick Changer Robot Side OnRobot Demo	448.90	EC003554	696417	4549734889940			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-NEW	Quick Changer Robot Side OnRobot	594.00	EC003554	707692	4549734836166			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	563.00	EC003554	696377	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	448.90	EC003554	696418	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M3	OnRobot Rail M3	302.40	EC003554	708034	4549734837019			IB	IBS	JPN	8479.9070.99
RAIL-M4	OnRobot Rail M4	299.30	EC003554	699514	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	10,230.00	EC003554	699477	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	5,090.00	EC003554	696374	4549734889698			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	3,963.00	EC003554	696414	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	6,100.00	EC003554	696383	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	4,752.00	EC003554	696415	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	8,115.00	EC003554	699495	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,377.00	EC003554	699512	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2,335.00	EC003554	699515	4549734892773			IB	IBS	DNK	8479.9070.99
SG-AH	Soft Gripper SG-A-H OnRobot	1,066.00	EC003554	699473	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	1,066.00	EC003554	699472	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	4,310.00	EC003554	699474	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	1,066.00	EC003554	699471	4549734892469			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	5,725.00	EC003554	696382	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	4,130.00	EC003554	696416	4549734889933			IB	IBS	DNK	8479.9070.99
VGC10	VGC10-Gripper OnRobot	3,401.00	EC003554	699476	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender Only for Cobots with camera - OnRobot	142.30	EC003554	702227	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	5,770.00	EC003554	702228	4549734792431			IB	IBS	DNK	8479.9070.99
<b>OAT İşbirlikçi Aksesuarlar</b>											
RT6-A00002	Accessory TM Kit Calibration Set with Additional Pin	419.00	EC003554	701917	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A00004	Accessory TM USB DONGLE	171.70	EC003554	702285	4549734488884			IB	IBV	TWN	8471.8000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">RT6-A000008</a>	<a href="#">Accessory, TM, TM LAND MARK</a>	8.40	EC003554	<a href="#">701918</a>	4549734488891			IB	IBV	TWN	8479.5000.00
<a href="#">RT6-A000009</a>	<a href="#">Accessory, TM, ROBOT STAND</a>	3,580.00	EC003554	<a href="#">701919</a>	4549734488907			IB	IBV	TWN	8479.5000.00
<a href="#">RT6-A000012</a>	<a href="#">Accessory, TM, Kit, SSD with Cable</a>	311.20	EC003554	<a href="#">701921</a>	4549734488921			IB	IBV	CHN	8479.5000.00
<a href="#">RT6-A000020</a>	<a href="#">Omron TM Cobot Teach Pendant</a>	2,833.00	EC003554	701368	4549734717885			IB	IBV	TWN	8479.9070.99
<a href="#">RT6-A000021</a>	<a href="#">Accessory, OMBON LAND MARK</a>	8.30	EC003554	702012	4549734715713			IB	IBV	TWN	8479.5000.00
<b>OAT İşbirlikçi Aksesuarlar</b>											
<a href="#">RT6-S100000</a>	<a href="#">License, Software, TM Identify &amp; Measure</a>	2,598.00	EC003554	<a href="#">703481</a>	4549734488969			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100002</a>	<a href="#">License, Software, TM External Vision</a>	1,066.00	EC003554	<a href="#">703480</a>	4549734488976			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100003</a>	<a href="#">License, Software, TM OCR</a>	731.00	EC003554	<a href="#">703479</a>	4549734488983			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100005</a>	<a href="#">License, Software, TMFlow Editor - Offline AOI</a>	635.50	EC003554	<a href="#">703478</a>	4549734488990			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100006</a>	<a href="#">License, Software, Omron TM Operator Suite</a>	1,885.00	EC003554	701372	4549734711449			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S100009</a>	<a href="#">License, Software, Omron TM Runtime &amp; Palletizing Wizard</a>	426.60	EC003554	701369	4549734711470			IB	IBV	TWN	8523.5190.00
<a href="#">RT6-S200001</a>	<a href="#">License, TMFlow Editor</a>	635.50	EC003554	<a href="#">703482</a>	4549734488945			IB	IBV	TWN	8523.5190.00
<b>OAT Mobil Aksesuarlar</b>											
<a href="#">20271-900</a>	<a href="#">Primary Fleet Manager, FM2100 Base package, 120 Day Temporary FLOW Core License</a>	10,280.00	EC000000	<a href="#">701985</a>	4549734511315	#		IB	IBW	USA	8479.9070.99
<a href="#">20271-901</a>	<a href="#">Secondary Fleet Manager, FM2100 Base package, 120 Day Temporary FLOW Core License</a>	10,280.00	EC000000	<a href="#">701986</a>	4549734511322			IB	IBW	USA	8479.9070.99
<a href="#">20271-903</a>	<a href="#">Bundle, Fleet Simulator, FM2100 appliance and Perpetual Fleet Simulator License</a>	18,020.00	EC000000	<a href="#">701988</a>	4549734511346			IB	IBW	USA	8479.9070.99
<b>OAT Mobil Aksesuarlar</b>											
<a href="#">12477-000</a>	<a href="#">Mobile Robot Charging Station (For LD-60/90/250)</a>	7,045.00	EC000000	<a href="#">680095</a>	4549734189873			IB	IBW	JPN	8479.9070.99
<a href="#">12477-050</a>	<a href="#">Mobile Robot Charging Station - Extended Wall mount (For Cart Transporters)</a>	7,045.00	EC000000	<a href="#">680090</a>	4549734189880			IB	IBW	JPN	8479.9070.99
<a href="#">12944-000</a>	<a href="#">Top Plate Assembly for LD-60/90</a>	1,327.00	EC000000	<a href="#">691058</a>	4549734578356			IB	IBW	JPN	8479.9070.99
<a href="#">13456-000</a>	<a href="#">Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250</a>	6,120.00	EC000000	<a href="#">703215</a>	4549734123013			IB	IBW	MYS	8479.9070.99
<a href="#">13456-100</a>	<a href="#">Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250</a>	6,655.00	EC000000	<a href="#">703214</a>	4549734133852			IB	IBW	MYS	8479.9070.99
<a href="#">13558-000</a>	<a href="#">Joystick (for all LD)</a>	1,224.00	EC000000	<a href="#">679605</a>	4549734123655	#		IB	IBW	USA	8537.1098.99
<a href="#">13605-000</a>	<a href="#">HMI (7" touchscreen, cables, power supply, mounting gasket)</a>	4,167.00	EC000000	<a href="#">679611</a>	4549734123211	#		IB	IBW	GBR	8479.9070.99
<a href="#">13660-000</a>	<a href="#">Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll</a>	4,364.00	EC000000	<a href="#">703096</a>	4549734737814			IB	IBW	USA	8479.9070.99
<a href="#">13660-100</a>	<a href="#">Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll</a>	3,866.00	EC000000	<a href="#">703097</a>	4549734737807			IB	IBW	USA	8479.9070.99
<a href="#">13700-000</a>	<a href="#">Mobile Robot Acuity Option with leveling kit</a>	8,540.00	EC000000	<a href="#">679598</a>	4549734133821			IB	IBW	DEU	8479.9070.99
<a href="#">13700-100</a>	<a href="#">Mobile Robot Acuity Option without leveling kit</a>	7,540.00	EC000000	<a href="#">679602</a>	4549734133838			IB	IBW	DEU	8479.9070.99
<a href="#">14165-000</a>	<a href="#">DB4HD Breakout cable</a>	480.90	EC000000	<a href="#">679615</a>	4549734133845	#		IB	IBW	USA	8544.4290.90
<a href="#">14925-000</a>	<a href="#">Magnetic Tape, 25 mm wide for Track Following Sensor, 50 m Length - For all LD</a>	513.50	EC000000	<a href="#">702960</a>	4549734694742			IB	IBW	JPN	8479.9070.99
<a href="#">20458-002</a>	<a href="#">Top Plate Assembly for LD-250</a>	1,151.00	EC000000	<a href="#">695379</a>	4549734664516			IB	IBW	JPN	8479.9070.99
<a href="#">21374-000</a>	<a href="#">Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Double Sensor, Magnetic tape, 50 m roll</a>	5,395.00	EC000000	<a href="#">703098</a>	4549734737791			IB	IBW	USA	8479.9070.99
<a href="#">21374-100</a>	<a href="#">Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll</a>	4,451.00	EC000000	<a href="#">703099</a>	4549734737784			IB	IBW	USA	8479.9070.99
<b>OAT Aksesuarlar</b>											
<a href="#">02853-000</a>	<a href="#">ADEPT Cobra 600/800 All Spare_Part Valve Kit, 24VDC</a>	974.50	EC003554	<a href="#">698719</a>	4549734680714			IB	IBZ	USA	8479.9070.99
<a href="#">10051-003</a>	<a href="#">ADEPT Cobra 600/800 All Spare_Part T20 Pendant Adapter Cable</a>	543.50	EC003554	<a href="#">698722</a>	4549734680370			IB	IBZ	CHN	8544.4290.90
<a href="#">18823-100</a>	<a href="#">Cable, USER to Wire Lead, 1.5m</a>	313.20	EC003554	708308	4549734770163			IB	IBZ	MYS	8544.4290.90
<a href="#">18908-000</a>	<a href="#">Bracket, Camera Mount, i4H-SCABA</a>	740.00	EC003554	708312	4549734770125			IB	IBZ	USA	8479.9070.99
<a href="#">19106-100</a>	<a href="#">Tool Flange, i4H, Legacy Mount</a>	334.80	EC003554	708313	4549734770118			IB	IBZ	NLD	8479.9070.99
<a href="#">19140-100</a>	<a href="#">Cable, TIO to Wire Lead, 1.5m</a>	270.00	EC003554	708307	4549734770170			IB	IBZ	MYS	8544.4290.90
<a href="#">19165-000</a>	<a href="#">Solenoid Valve Kit, i4H</a>	902.00	EC003554	708310	4549734770149			IB	IBZ	JPN	8479.9070.99
<a href="#">19464-003F</a>	<a href="#">Kit, Bellows Add-on, 210mm, i4H</a>	3,564.00	EC003554	708302	4549734767910			IB	IBZ	NLD	8479.9070.99
<a href="#">19464-004F</a>	<a href="#">Kit, Bellows Add-on, 410mm, i4H</a>	4,817.00	EC003554	708303	4549734767927			IB	IBZ	NLD	8479.9070.99
<a href="#">20089-000</a>	<a href="#">Bracket, Wall Mount, i4H</a>	1,210.00	EC003554	708309	4549734770156			IB	IBZ	TWN	8479.9070.99
<a href="#">21636-000</a>	<a href="#">i4H Adapter Plate (available to mount the robot to a mounting surface designed for an eCobra 600/800 robot type)</a>	266.70	EC003554	702734	4549734723008			IB	IBZ	USA	8479.9070.99
<a href="#">22295-000</a>	<a href="#">Adapter, Camera Mount, i4H-SCABA</a>	189.00	EC003554	708311	4549734770132			IB	IBZ	USA	8479.9070.99
<a href="#">22839-000</a>	<a href="#">Kit, Bellows, i4L, 180mm Outil</a>	2,279.00	EC003554	708316	4549734763936			IB	IBZ	JPN	8479.9070.99
<a href="#">22868-000</a>	<a href="#">Kit, Bellows, i4L, 350mm Outil</a>	3,095.00	EC003554	708317	4549734763929			IB	IBZ	JPN	8479.9070.99
<a href="#">22871-000</a>	<a href="#">Kit, i4L, Camera Mount</a>	161.00	EC003554	708319	4549734763905			IB	IBZ	USA	8479.9070.99
<a href="#">22872-000</a>	<a href="#">Kit, Solenoid Valve, i4L</a>	837.00	EC003554	708318	4549734763912			IB	IBZ	JPN	8479.9070.99
<a href="#">23912-000</a>	<a href="#">Kit, 24V DC Supply, 240W, 5 Meter, Fixed Accessories</a>	243.00	EC003554	708315	4549734763943			IB	IBZ	IDN	8504.4030.00
<a href="#">23913-000</a>	<a href="#">Kit, 48V DC Supply, 960W, 5 Meter, Fix Accessories</a>	875.00	EC003554	708314	4549734763950			IB	IBZ	IDN	8504.4030.00
<b>OAT Aksesuarlar</b>											
<a href="#">14161-200</a>	<a href="#">Kit, Intelligent Force Sensing, Viper 650/850</a>	13,710.00	EC003554	<a href="#">698735</a>	4549734677295			IB	IBZ	USA	8479.9070.99
<b>OAT Aksesuarlar</b>											
<a href="#">14161-300</a>	<a href="#">Kit, Intelligent Force Sensing, Hornet and Quattro</a>	13,270.00	EC003554	<a href="#">673729</a>	4548583989931			IB	IBZ	USA	8479.9070.99
<a href="#">14161-300</a>	<a href="#">Kit, Intelligent Force Sensing, Hornet and Quattro</a>	13,270.00	EC003554	<a href="#">698734</a>	4549734677301			IB	IBZ	USA	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>OAT Aksesuarlar</b>											
05284-101	<a href="#">Anyfeeder Surface, POM, Flat, White, SX240</a>	449.30	EC000000	682872	4549734264648			IB	IBZ	CHE	8479.9070.99
05284-208	<a href="#">Anyfeeder Backlight - IR 875 nm, SX240</a>	4,732.00		682875	4549734264716			IB	IBZ	CHE	8479.9070.99
09725-301	<a href="#">Anyfeeder Surface, POM, Flat, White, SXM140</a>	351.00	EC000000	682842	4549734264785			IB	IBZ	CHE	8479.9070.99
12480-501	<a href="#">Anyfeeder SX240, No Feed Surface, Integrated Backlight (IR)</a>	37,910.00		687078	4549734491525			IB	IBZ	CHE	8479.9070.99
14269-003	<a href="#">Anyfeeder Surface, POM, Flat, White, SX340</a>	856.50	EC000000	682882	4549734264860			IB	IBZ	CHE	8479.9070.99
14269-500	<a href="#">Anyfeeder SX-340 without Feed Surface</a>	40,880.00		682851	4549734264907			IB	IBZ	CHE	8479.9070.99
14269-501	<a href="#">Anyfeeder SX340, No Feed Surface, Integrated Backlight (IR)</a>	47,770.00		687076	4549734491549			IB	IBZ	CHE	8479.9070.99
18819-500	<a href="#">Anyfeeder SXM-140 without Feed Surface</a>	30,080.00		682854	4549734264938			IB	IBZ	CHE	8479.9070.99
<b>OAT Aksesuarlar</b>											
01056-030	<a href="#">ACF Adept Sight 3.0 Vision Software</a>	5,355.00	EC003554	698752	4549734676960			IB	IBZ	USA	8479.9070.99
04677-030	<a href="#">IO Blox uzatma kablosu, 3.0M (IO Blox'u robota bağlar)</a>	226.50	EC003554	698748	4549734677028			IB	IBZ	USA	8544.4290.90
04679-003	<a href="#">IO Blox uzatma kablosu, 30M (IO Blox'u IO Blox'a bağlar)</a>	226.50	EC003554	698750	4549734677004			IB	IBZ	USA	8544.4290.90
09187-000	<a href="#">ACF PackXpert License</a>	3,180.00	EC003554	698753	4549734676946			IB	IBZ	USA	8479.9070.99
09187-010	<a href="#">ACF PackXpert ve ACF adeptSight Vision</a>	7,740.00	EC003554	698751	4549734676991			IB	IBZ	USA	8479.9070.99
09438-000	<a href="#">Breakout Terminal Block, DB50 Male, DIN Rail Mount</a>	416.40	EC003554	698747	4549734677035			IB	IBZ	USA	8536.9010.00
09443-000	<a href="#">Kablo, Konveyör enkoderi, M12 Dişi, Y-Adapter, 2-enkoder desteği, 3 Metre</a>	220.30	EC003554	698745	4549734677172	#		IB	IBZ	USA	8544.4290.90
09446-050	<a href="#">enkoder uzatma kablosu, M12 Erkek, M12 Dişi, 8pin, 5 Metre</a>	327.40	EC003554	698744	4549734677189	#		IB	IBZ	USA	8544.4290.90
09742-000	<a href="#">Adept TR-1 Konveyör Enkoder Kit</a>	1,644.00	EC003554	698717	4549734680783			IB	IBZ	USA	8479.9070.99
09742-001	<a href="#">Adept TR-1 Konveyör enkoder Kit, IP65</a>	1,090.00	EC003554	698718	4549734680738			IB	IBZ	USA	8479.9070.99
10046-010	<a href="#">T20 Pendant, 10m Kablolu</a>	2,610.00	EC003554	698737	4549734677271			IB	IBZ	USA	8537.1098.99
10048-000	<a href="#">T20 Pendant, Jumper Plug</a>	113.10	EC003554	698728	4549734678261			IB	IBZ	USA	8536.9010.00
11585-000	<a href="#">Kablo, eAIR XSYS Kablosu, 4 m</a>	172.00	EC003554	687054	4549734492089			IB	IBZ	USA	8479.9070.99
13323-000	<a href="#">Kablo montajı XSYSTEM Adapter, jampere ile birlikte</a>	172.00	EC003554	687053	4549734492096			IB	IBZ	USA	8479.9070.99
13463-000	<a href="#">XBELTIO Kablosu</a>	349.90	EC003554	687052	4549734492102	#		IB	IBZ	USA	8479.9070.99
14161-100	<a href="#">Kit, Intelligent Force Sensing, eCobra, 600/800 (Std./Pro)</a>	13,270.00	EC003554	698736	4549734677288			IB	IBZ	USA	8479.9070.99
19300-000	<a href="#">SmartController EX</a>	4,747.00	EC003554	698746	4549734677066			IB	IBZ	USA	8479.9070.99
20410-000	<a href="#">ACF Sight Software License (4 x)</a>	5,765.00	EC003554	688613	4549734524070	#		IB	IBZ	USA	8523.5190.00
20433-000	<a href="#">PackXpert + ACF Sight Software License (4 x)</a>	8,340.00	EC003554	688614	4549734524087	#		IB	IBZ	USA	8523.5190.00
21857-100	<a href="#">Kit, Small Scanner + 3D Pick Manager License</a>	23,700.00	EC003554	702136	4549734605465			IB	IBZ	SVK	8479.9070.99
21857-200	<a href="#">Kit, Medium Scanner + 3D Pick Manager License</a>	29,630.00	EC003554	702135	4549734605472			IB	IBZ	SVK	8479.9070.99
21857-300	<a href="#">Kit, Large Scanner + 3D Pick Manager License</a>	35,550.00	EC003554	702134	4549734605489			IB	IBZ	SVK	8479.9070.99
21857-900	<a href="#">Calibration Kit 3D Pick Manager</a>	142.30	EC003554	703000	4549734605496			IB	IBZ	SVK	8479.9070.99
24114-250	<a href="#">Kit, Kamera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS</a>	1,400.00	EC003554	687063	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-300	<a href="#">Kit, Kamera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS</a>	3,915.00	EC003554	687061	4549734492010	#		IB	IBZ	DEU	8479.9070.99
27400-29006	<a href="#">Lamp, Filmt, W2x4.6D.6V1.2</a>	14.13	EC003554	698732	4549734677585			IB	IBZ	USA	8539.2998.90
90330-01080	<a href="#">Digital I/O Cable, 5 m</a>	786.00	EC003554	698721	4549734680417			IB	IBZ	USA	8544.4290.90
90356-30100	<a href="#">IO Blox 8/IP-8/OP to (genişleme - bir önceki IO Blox'a bağlar)</a>	559.50	EC003554	698724	4549734679800			IB	IBZ	USA	8536.9010.00
90356-30200	<a href="#">IO Blox 8/IP-8/OP (1st IO Blox - robot'a bağlar)</a>	559.50	EC003554	698723	4549734679930			IB	IBZ	USA	8536.9010.00
90356-40100	<a href="#">XIO Termination Block, 12/IP-8/OP</a>	559.50	EC003554	698725	4549734679572			IB	IBZ	USA	8536.9010.00
90565-010	<a href="#">AC Power Cable Kit</a>	786.00	EC003554	698742	4549734677202			IB	IBZ	USA	8544.4290.90
AC1-152000	<a href="#">IPC Robots, Application Controller</a>	4,749.00	EC003554	688611	4549734524056	#		IB	IBZ	NLD	8471.5000.00
<b>Servo Süürücüler 1S-Serisi</b>											
R88D-1SN01H-ECT	<a href="#">1S servo sürücü, EtherCAT, 100 W, 1~ 230 VAC</a>	904.00	EC002572	670725	4548583789166	#		MB	MBA	JPN	8501.4020.80
R88D-1SN02H-ECT	<a href="#">1S servo sürücü, EtherCAT, 200 W, 1~ 230 VAC</a>	1,114.00	EC002572	670719	4548583789173	#		MB	MBA	JPN	8501.4020.80
R88D-1SN04H-ECT	<a href="#">1S servo sürücü, EtherCAT, 400 W, 1~ 230 VAC</a>	1,185.00	EC002572	670727	4548583789180	#		MB	MBA	JPN	8501.4020.80
R88D-1SN06F-ECT	<a href="#">1S servo sürücü, EtherCAT, 600 W, 3~ 400 VAC</a>	1,217.00	EC002572	670720	4548583789241	#		MB	MBA	JPN	8501.4020.80
R88D-1SN08H-ECT	<a href="#">1S servo sürücü, EtherCAT, 800 W, 1~ 230 VAC</a>	1,209.00	EC002572	670726	4548583789197	#		MB	MBA	JPN	8501.4020.80
R88D-1SN10F-ECT	<a href="#">1S servo sürücü, EtherCAT, 1 kW, 3~ 400 VAC</a>	1,301.00	EC002572	670723	4548583789258	#		MB	MBA	JPN	8501.4020.80
R88D-1SN150F-ECT	<a href="#">1S servo drive, EtherCAT type, 1.5 kW, 3~ 400 VAC</a>	7,480.00	EC002572	689222	4549734210041	#		MB	MBA	JPN	9032.8900.90
R88D-1SN15F-ECT	<a href="#">1S servo sürücü, EtherCAT, 1.5 kW, 3~ 400 VAC</a>	1,353.00	EC002572	670721	4548583789265	#		MB	MBA	JPN	8501.4020.80
R88D-1SN15H-ECT	<a href="#">1S servo sürücü, EtherCAT, 1.5 kW, 1~ 230 VAC</a>	1,761.00	EC002572	670724	4548583789210	#		MB	MBA	JPN	8501.4020.80
R88D-1SN20F-ECT	<a href="#">1S servo sürücü, EtherCAT, 2 kW, 3~ 400 VAC</a>	1,641.00	EC002572	670728	4548583789272	#		MB	MBA	JPN	8501.4020.80
R88D-1SN30F-ECT	<a href="#">1S servo sürücü, EtherCAT, 3 kW, 3~ 400 VAC</a>	1,792.00	EC002572	670722	4548583789289	#		MB	MBA	JPN	8501.4020.80
R88D-1SN55F-ECT	<a href="#">1S servo drive, EtherCAT type, 5.5 kW, 3~ 400 VAC</a>	2,725.00	EC002572	689220	4549734210027	#		MB	MBA	PHL	9032.8900.90
R88D-1SN75F-ECT	<a href="#">1S servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC</a>	4,859.00	EC002572	689221	4549734210034	#		MB	MBA	PHL	9032.8900.90
<b>Servo Süürücüler 1S-Serisi</b>											
R88D-1SAN02H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 200 W, 1~ 230 VAC</a>	1,359.00	EC002572	693630	4549734219419			MB	MBA	CHN	8501.4020.80
R88D-1SAN04H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 400 W, 1~ 230 VAC</a>	1,447.00	EC002572	693631	4549734219426	#		MB	MBA	CHN	8501.4020.80
R88D-1SAN08H-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 800 W, 1~ 230 VAC</a>	1,476.00	EC002572	693632	4549734219433			MB	MBA	CHN	8501.4020.80
R88D-1SAN10F-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 1 kW, 3~ 400 VAC</a>	1,588.00	EC002572	695499	4549734219488			MB	MBA	CHN	9032.8900.90
R88D-1SAN15F-ECT	<a href="#">1SA servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400 VAC</a>	1,650.00	EC002572	695498	4549734219495			MB	MBA	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88D-1SAN15H-ECT</a>	1SA servo drive with safety, EtherCAT type, 1.5 kW, 1~230 VAC	2,148.00	EC002572	<a href="#">695500</a>	4549734219457			MB	MBA	CHN	9032.8900.90
<a href="#">R88D-1SAN20F-ECT</a>	1SA servo drive with safety, EtherCAT type, 2 kW, 3~400 VAC	2,005.00	EC002572	<a href="#">695497</a>	4549734219501	#		MB	MBA	CHN	9032.8900.90
<a href="#">R88D-1SAN30F-ECT</a>	1SA servo drive with safety, EtherCAT type, 3 kW, 3~400 VAC	2,187.00	EC002572	<a href="#">695496</a>	4549734219518			MB	MBA	CHN	9032.8900.90
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1L1K030C-BS2</a>	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,109.00	EC001851	<a href="#">672247</a>	4548583789890	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030C-S2</a>	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,798.00	EC001851	<a href="#">672248</a>	4548583789739	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030H-BS2</a>	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2,412.00	EC001851	<a href="#">681567</a>	4549734172479	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030H-S2</a>	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	1,997.00	EC001851	<a href="#">681573</a>	4549734172462	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030T-BS2</a>	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,116.00	EC001851	<a href="#">672245</a>	4548583789845	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K030T-S2</a>	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,751.00	EC001851	<a href="#">672254</a>	4548583789685	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530C-BS2</a>	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,292.00	EC001851	<a href="#">672249</a>	4548583789906	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530C-S2</a>	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1,840.00	EC001851	<a href="#">672250</a>	4548583789746	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530H-BS2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	2,778.00	EC001851	<a href="#">681574</a>	4549734172493	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530H-S2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	2,264.00	EC001851	<a href="#">681568</a>	4549734172486	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530T-BS2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,439.00	EC001851	<a href="#">672246</a>	4548583789852	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L1K530T-S2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1,987.00	EC001851	<a href="#">672255</a>	4548583789692	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L2K030C-BS2</a>	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, frenli	2,729.00	EC001851	<a href="#">672244</a>	4548583789913	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L2K030C-S2</a>	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,267.00	EC001851	<a href="#">672257</a>	4548583789753	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L3K030C-BS2</a>	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, frenli	3,055.00	EC001851	<a href="#">672251</a>	4548583789920	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L3K030C-S2</a>	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2,597.00	EC001851	<a href="#">672252</a>	4548583789760	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L4K030C-BS2</a>	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake	3,840.00	EC001851	<a href="#">689224</a>	4549734210669	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L4K030C-S2</a>	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder	3,197.00	EC001851	<a href="#">689223</a>	4549734210645	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L5K030C-BS2</a>	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake	4,731.00	EC001851	<a href="#">689226</a>	4549734210744	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L5K030C-S2</a>	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder	4,080.00	EC001851	<a href="#">689225</a>	4549734210720	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1L75030C-BS2</a>	1S AC servo motor, 7.5 kW, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	2,090.00	EC001851	<a href="#">672253</a>	4548583789883	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1L75030C-S2</a>	1S AC servo motor, 7.5 kW, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,711.00	EC001851	<a href="#">672256</a>	4548583789722	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1M10030H-BS2</a>	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	1,003.00	EC001851	<a href="#">681576</a>	4549734172394	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030H-S2</a>	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	728.50	EC001851	<a href="#">681572</a>	4549734172387	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030T-BS2</a>	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, frenli	1,253.00	EC001851	<a href="#">670732</a>	4548583789807	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M10030T-S2</a>	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder	909.50	EC001851	<a href="#">670742</a>	4548583789847	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030H-BS2</a>	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	1,067.00	EC001851	<a href="#">681570</a>	4549734172417	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030H-S2</a>	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	781.50	EC001851	<a href="#">681565</a>	4549734172400	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030T-BS2</a>	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, frenli	1,336.00	EC001851	<a href="#">670746</a>	4548583789814	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M20030T-S2</a>	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	976.50	EC001851	<a href="#">670733</a>	4548583789854	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030H-BS2</a>	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1,230.00	EC001851	<a href="#">681566</a>	4549734172431	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030H-S2</a>	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	915.00	EC001851	<a href="#">681571</a>	4549734172424	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030T-BS2</a>	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, frenli	1,535.00	EC001851	<a href="#">670749</a>	4548583789821	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40030T-S2</a>	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,142.00	EC001851	<a href="#">670755</a>	4548583789861	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030H-BS2</a>	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1,419.00	EC001851	<a href="#">681563</a>	4549734172455	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030H-S2</a>	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	1,066.00	EC001851	<a href="#">681561</a>	4549734172448	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030T-BS2</a>	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	1,768.00	EC001851	<a href="#">670759</a>	4548583789838	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M75030T-S2</a>	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,334.00	EC001851	<a href="#">670744</a>	4548583789878	#		MB	MBB	PHL	8501.5100.90
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1M11K015C-BS2</a>	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	6,775.00	EC001851	<a href="#">689234</a>	4549734211062	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M11K015C-S2</a>	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	5,600.00	EC001851	<a href="#">689233</a>	4549734211048	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M15K015C-BS2</a>	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	8,250.00	EC001851	<a href="#">689236</a>	4549734211147	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M15K015C-S2</a>	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	7,075.00	EC001851	<a href="#">689235</a>	4549734211123	#		MB	MBB	JPN	8501.5230.90
<a href="#">R88M-1M1K020C-BS2</a>	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,760.00	EC001851	<a href="#">679973</a>	4549734165204	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020C-S2</a>	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,251.00	EC001851	<a href="#">679958</a>	4549734165105	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020H-BS2</a>	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	2,073.00	EC001851	<a href="#">681569</a>	4549734172516	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020H-S2</a>	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1,643.00	EC001851	<a href="#">681575</a>	4549734172509	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020T-BS2</a>	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,818.00	EC001851	<a href="#">680427</a>	4549734165143	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K020T-S2</a>	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,442.00	EC001851	<a href="#">679974</a>	4549734165044	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520C-BS2</a>	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	1,872.00	EC001851	<a href="#">679985</a>	4549734165211	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520C-S2</a>	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,584.00	EC001851	<a href="#">679978</a>	4549734165112	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520H-BS2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	2,149.00	EC001851	<a href="#">681564</a>	4549734172530	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520H-S2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	1,780.00	EC001851	<a href="#">681577</a>	4549734172523	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520T-BS2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	1,888.00	EC001851	<a href="#">679957</a>	4549734165150	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M1K520T-S2</a>	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,563.00	EC001851	<a href="#">679979</a>	4549734165051	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K020C-BS2</a>	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder, frenli	2,079.00	EC001851	<a href="#">679953</a>	4549734165228	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K020C-S2</a>	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder	1,704.00	EC001851	<a href="#">679952</a>	4549734165129	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K020C-BS2</a>	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder, frenli	2,570.00	EC001851	<a href="#">679972</a>	4549734165235	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K020C-S2</a>	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder	2,019.00	EC001851	<a href="#">679984</a>	4549734165136	#		MB	MBB	PHL	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88M-1M40020C-BS2</a>	<a href="#">1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, frenli</a>	1,623.00	EC001851	<a href="#">681595</a>	4549734165181	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M40020C-S2</a>	<a href="#">1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder</a>	1,161.00	EC001851	<a href="#">681597</a>	4549734165082	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M4K015C-BS2</a>	<a href="#">1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake</a>	3,018.00	EC001851	<a href="#">689228</a>	4549734210829	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M4K015C-S2</a>	<a href="#">1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder</a>	2,369.00	EC001851	<a href="#">689227</a>	4549734210805	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M5K515C-BS2</a>	<a href="#">1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake</a>	3,314.00	EC001851	<a href="#">689230</a>	4549734210904	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M5K515C-S2</a>	<a href="#">1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder</a>	2,665.00	EC001851	<a href="#">689229</a>	4549734210881	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M60020C-BS2</a>	<a href="#">1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, frenli</a>	1,687.00	EC001851	<a href="#">681596</a>	4549734165198	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M60020C-S2</a>	<a href="#">1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder</a>	1,215.00	EC001851	<a href="#">681594</a>	4549734165099	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1M7K515C-BS2</a>	<a href="#">1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake</a>	5,450.00	EC001851	<a href="#">689232</a>	4549734210980	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M7K515C-S2</a>	<a href="#">1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder</a>	4,798.00	EC001851	<a href="#">689231</a>	4549734210966	#		MB	MBB	PHL	8501.5220.89
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1M2K010C-BS2</a>	<a href="#">1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder, frenli</a>	3,060.00	EC001851	<a href="#">680412</a>	4549734165860	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M2K010C-S2</a>	<a href="#">1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder</a>	2,492.00	EC001851	<a href="#">680268</a>	4549734165808	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K010C-BS2</a>	<a href="#">1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder, frenli</a>	3,645.00	EC001851	<a href="#">679950</a>	4549734165877	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M3K010C-S2</a>	<a href="#">1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder</a>	3,124.00	EC001851	<a href="#">679975</a>	4549734165815	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010C-BS2</a>	<a href="#">1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli</a>	1,987.00	EC001851	<a href="#">679976</a>	4549734165853	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010C-S2</a>	<a href="#">1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder</a>	1,641.00	EC001851	<a href="#">679980</a>	4549734165792	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010T-BS2</a>	<a href="#">1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli</a>	2,073.00	EC001851	<a href="#">679951</a>	4549734165822	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1M90010T-S2</a>	<a href="#">1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder</a>	1,633.00	EC001851	<a href="#">679962</a>	4549734165761	#		MB	MBB	PHL	8501.5220.89
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1A11K030C-BS2</a>	<a href="#">1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake</a>	2,571.00	EC001851	<a href="#">695577</a>	4549734220378	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030C-S2</a>	<a href="#">1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder</a>	2,193.00	EC001851	<a href="#">695578</a>	4549734220354	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030T-BS2</a>	<a href="#">1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake</a>	2,582.00	EC001851	<a href="#">695579</a>	4549734219815	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K030T-S2</a>	<a href="#">1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder</a>	2,137.00	EC001851	<a href="#">695580</a>	4549734219792	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530C-BS2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake</a>	2,798.00	EC001851	<a href="#">695581</a>	4549734220453	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530C-S2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder</a>	2,244.00	EC001851	<a href="#">695582</a>	4549734220439	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530T-BS2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake</a>	2,976.00	EC001851	<a href="#">695583</a>	4549734219891	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A11K530T-S2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder</a>	2,422.00	EC001851	<a href="#">695584</a>	4549734219877	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A12K030C-BS2</a>	<a href="#">1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake</a>	3,327.00	EC001851	<a href="#">695585</a>	4549734220538	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A12K030C-S2</a>	<a href="#">1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder</a>	2,766.00	EC001851	<a href="#">695586</a>	4549734220514	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A13K030C-BS2</a>	<a href="#">1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake</a>	3,725.00	EC001851	<a href="#">695587</a>	4549734220613	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A13K030C-S2</a>	<a href="#">1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder</a>	3,169.00	EC001851	<a href="#">695588</a>	4549734220590	#		MB	MBB	JPN	8501.5220.89
<a href="#">R88M-1A175030C-BS2</a>	<a href="#">1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake</a>	2,550.00	EC001851	<a href="#">695589</a>	4549734220293	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1A175030C-S2</a>	<a href="#">1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder</a>	2,086.00	EC001851	<a href="#">695590</a>	4549734220279	#		MB	MBB	JPN	8501.5100.90
<a href="#">R88M-1AM20030T-BS2</a>	<a href="#">1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake</a>	1,630.00	EC001851	<a href="#">695595</a>	4549734219570	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM20030T-S2</a>	<a href="#">1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder</a>	1,192.00	EC001851	<a href="#">695596</a>	4549734219556	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM40030T-BS2</a>	<a href="#">1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake</a>	1,872.00	EC001851	<a href="#">695599</a>	4549734219655	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM40030T-S2</a>	<a href="#">1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder</a>	1,394.00	EC001851	<a href="#">695600</a>	4549734219631	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM75030T-BS2</a>	<a href="#">1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake</a>	2,157.00	EC001851	<a href="#">695601</a>	4549734219730	#		MB	MBB	PHL	8501.5100.90
<a href="#">R88M-1AM75030T-S2</a>	<a href="#">1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder</a>	1,626.00	EC001851	<a href="#">695602</a>	4549734219716	#		MB	MBB	PHL	8501.5100.90
<b>Servo Motorlar 1S-Serisi</b>											
<a href="#">R88M-1AM1K515C-BS2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake</a>	2,285.00	EC001851	<a href="#">695591</a>	4549734220699	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515C-S2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder</a>	1,932.00	EC001851	<a href="#">695592</a>	4549734220675	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515T-BS2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake</a>	2,303.00	EC001851	<a href="#">695593</a>	4549734220132	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM1K515T-S2</a>	<a href="#">1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder</a>	1,906.00	EC001851	<a href="#">695594</a>	4549734220118	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM3K015C-BS2</a>	<a href="#">1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake</a>	3,135.00	EC001851	<a href="#">695597</a>	4549734220774	#		MB	MBB	PHL	8501.5220.89
<a href="#">R88M-1AM3K015C-S2</a>	<a href="#">1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder</a>	2,463.00	EC001851	<a href="#">695598</a>	4549734220750	#		MB	MBB	PHL	8501.5220.89
<b>Servo Aksesuarları-2</b>											
<a href="#">R88A-CR1A001-SCE-E</a>	<a href="#">1S serisi servo enkoder kablo su, 1.5m, 230V: 50-750W</a>	118.80	EC002615	<a href="#">670619</a>	4548583972438	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A003CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 3m, 230V: 50-750W</a>	124.80	EC002615	<a href="#">670612</a>	4548583972360	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A005CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 5m, 230V: 50-750W</a>	133.40	EC002615	<a href="#">670623</a>	4548583972476	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A010CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 10m, 230V: 50-750W</a>	154.90	EC002615	<a href="#">670620</a>	4548583972445	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A015CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 15m, 230V: 50-750W</a>	181.20	EC002615	<a href="#">670624</a>	4548583972483	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A020CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 20m, 230V: 50-750W</a>	222.00	EC002615	<a href="#">670613</a>	4548583972377	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1A030CF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 30m, 230V: 50-750W</a>	295.90	EC002615	<a href="#">670615</a>	4548583972391	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B001-SNF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 1.5m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	144.30	EC002615	<a href="#">670621</a>	4548583972452	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B003NF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 3m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	148.00	EC002615	<a href="#">670616</a>	4548583972407	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B005NF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 5m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	155.10	EC002615	<a href="#">670618</a>	4548583972421	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B010NF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 10m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	184.90	EC002615	<a href="#">670622</a>	4548583972469	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B015NF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 15m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	210.90	EC002615	<a href="#">670625</a>	4548583972490	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1B020NF-E</a>	<a href="#">1S serisi servo enkoder kablo su, 20m, 230V: 900W-1.5kW, 400V: 400W-1.5kW</a>	258.70	EC002615	<a href="#">670626</a>	4548583972506	#		MB	MBZ	ITA	8544.4290.90



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CR1R030NF-E</a>	<a href="#">1S serisi servo enkoder kablosu, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW</a>	343.60	EC002615	<a href="#">670629</a>	4548583972537	#		MB	MBZ	ITA	8544.4290.90
<a href="#">R88A-CR1R040NF-E</a>	<a href="#">1S serisi servo enkoder kablosu, 40m, 230V: 900W-1.5kW, 400V: 400W-15kW</a>	432.40	EC002615	<a href="#">670628</a>	4548583972520	#		MB	MBZ	ITA	8544.4290.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-CA1A001-SBF-E</a>	<a href="#">1S serisi servo fren kablosu, 1.5m, 230V: 100-750W</a>	111.00	EC002615	<a href="#">670638</a>	4548583972629	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A001-SSE-F</a>	<a href="#">1S serisi servo motor güç kablosu, 1.5m, 230V: 100-750W</a>	170.00	EC002615	<a href="#">670658</a>	4548583972827	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003BF-E</a>	<a href="#">1S serisi servo fren kablosu, 3m, 230V: 100-750W</a>	118.30	EC002615	<a href="#">670632</a>	4548583972568	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003BFR</a>	<a href="#">1S series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	65.65	EC002615	<a href="#">685019</a>	4549734196208	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A003SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 3m, 230V: 100-750W</a>	174.00	EC002615	<a href="#">670671</a>	4548583972957	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A003SFR</a>	<a href="#">1S series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	110.70	EC002615	<a href="#">685015</a>	4549734196154	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A005BF-E</a>	<a href="#">1S serisi servo fren kablosu, 5m, 230V: 100-750W</a>	122.10	EC002615	<a href="#">670637</a>	4548583972612	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A005SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 5m, 230V: 100-750W</a>	181.20	EC002615	<a href="#">670672</a>	4548583972964	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010BF-E</a>	<a href="#">1S serisi servo fren kablosu, 10m, 230V: 100-750W</a>	140.60	EC002615	<a href="#">670634</a>	4548583972582	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010BFR</a>	<a href="#">1S series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	149.30	EC002615	<a href="#">685020</a>	4549734196222	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A010SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 10m, 230V: 100-750W</a>	207.30	EC002615	<a href="#">670676</a>	4548583973008	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A010SFR</a>	<a href="#">1S series motor flexible power cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	224.70	EC002615	<a href="#">685016</a>	4549734196178	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A015BF-E</a>	<a href="#">1S serisi servo fren kablosu, 15m, 230V: 100-750W</a>	160.90	EC002615	<a href="#">670633</a>	4548583972575	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A015BFR</a>	<a href="#">1S series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	500.00	EC002615	<a href="#">685021</a>	4549734196239	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A015SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 15m, 230V: 100-750W</a>	258.70	EC002615	<a href="#">670643</a>	4548583972674	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A015SFR</a>	<a href="#">1S series motor flexible power cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	325.90	EC002615	<a href="#">685017</a>	4549734196185	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A020BF-E</a>	<a href="#">1S serisi servo fren kablosu, 20m, 230V: 100-750W</a>	177.40	EC002615	<a href="#">670635</a>	4548583972599	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A020BFR</a>	<a href="#">1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	741.50	EC002615	<a href="#">685022</a>	4549734196246	#		MB	MBZ	CHN	8544.4999.00
<a href="#">R88A-CA1A020SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 20m, 230V: 100-750W</a>	292.00	EC002615	<a href="#">670653</a>	4548583972773	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A020SFR</a>	<a href="#">1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting</a>	863.00	EC002615	<a href="#">707320</a>	454973422537	#		MB	MBZ	CHN	8544.4290.90
<a href="#">R88A-CA1A030BF-E</a>	<a href="#">1S serisi servo fren kablosu, 30m, 230V: 100-750W</a>	214.60	EC002615	<a href="#">670631</a>	4548583972551	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1A030SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 30m, 230V: 100-750W</a>	354.50	EC002615	<a href="#">670655</a>	4548583972797	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C001-SSE-F</a>	<a href="#">1S serisi servo motor güç kablosu, 1.5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	170.00	EC002615	<a href="#">670664</a>	4548583972889	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C003BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 3m, frenli, 230V: 900W-1.5kW</a>	247.60	EC002615	<a href="#">670650</a>	4548583972742	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C003SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 3m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	177.40	EC002615	<a href="#">670683</a>	4548583973077	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C005BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 5m, frenli, 230V: 900W-1.5kW</a>	273.70	EC002615	<a href="#">670645</a>	4548583972698	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C005SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	196.00	EC002615	<a href="#">670640</a>	4548583972643	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C007SF-E</a>	<a href="#">1S series servo motor power cable, 7 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W &amp; 2 k W (2000 &amp; 3000 rpm)</a>	252.70	EC002615	<a href="#">680413</a>	4549734938822	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C010BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 10m, frenli, 230V: 900W-1.5kW</a>	332.60	EC002615	<a href="#">670668</a>	4548583972926	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C010SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 10m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	232.90	EC002615	<a href="#">670659</a>	4548583972834	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C015BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 15m, frenli, 230V: 900W-1.5kW</a>	399.20	EC002615	<a href="#">670663</a>	4548583972872	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C015SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 15m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	277.20	EC002615	<a href="#">670679</a>	4548583973039	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C020SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 20m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	421.10	EC002615	<a href="#">670641</a>	4548583972650	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1C030SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 30m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW &amp; 2kW(2000-3000rpm)</a>	541.50	EC002615	<a href="#">670669</a>	4548583972933	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E001-SSE-F</a>	<a href="#">1S serisi servo motor güç kablosu, 1.5m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	199.70	EC002615	<a href="#">670670</a>	4548583972940	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E003BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 3m, frenli, 400V: 400W-3kW</a>	288.60	EC002615	<a href="#">670639</a>	4548583972636	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E003SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 3m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	214.60	EC002615	<a href="#">670648</a>	4548583972728	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E005BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 5m, frenli, 400V: 400W-3kW</a>	321.50	EC002615	<a href="#">670660</a>	4548583972841	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E005SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 5m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	232.90	EC002615	<a href="#">670674</a>	4548583972988	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E010BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 10m, frenli, 400V: 400W-3kW</a>	399.20	EC002615	<a href="#">670678</a>	4548583973022	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E010SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 10m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	299.50	EC002615	<a href="#">670642</a>	4548583972667	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E015BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 15m, frenli, 400V: 400W-3kW</a>	494.80	EC002615	<a href="#">670666</a>	4548583972902	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E015SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 15m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	369.50	EC002615	<a href="#">670644</a>	4548583972681	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E020BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 20m, frenli, 400V: 400W-3kW</a>	577.00	EC002615	<a href="#">670662</a>	4548583972865	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E020SF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 20m, frensiz, 400V: 2kW(1000rpm) &amp; 3kW</a>	468.70	EC002615	<a href="#">670680</a>	4548583973046	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E030BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 30m, frenli, 400V: 400W-3kW</a>	772.50	EC002615	<a href="#">670682</a>	4548583973060	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1E040BF-E</a>	<a href="#">1S serisi servo motor güç kablosu, 40m, frenli, 400V: 400W-3kW</a>	994.50	EC002615	<a href="#">670649</a>	4548583972735	#		MB	MBZ	ITA	8544.4999.00
<a href="#">R88A-CA1G003BF-E</a>	<a href="#">1S series servo motor power cable, 3 m, with brake, 400 V: 4 kW to 5.5 kW</a>	303.30	EC002615	<a href="#">689535</a>	4549734209755	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G003SF-E</a>	<a href="#">1S series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW</a>	262.70	EC002615	<a href="#">689536</a>	4549734209670	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G005BF-E</a>	<a href="#">1S series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW</a>	336.30	EC002615	<a href="#">689537</a>	4549734209762	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G005SF-E</a>	<a href="#">1S series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW</a>	292.20	EC002615	<a href="#">689538</a>	4549734209687	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G010BF-E</a>	<a href="#">1S series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW</a>	441.70	EC002615	<a href="#">689539</a>	4549734209779	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G010SF-E</a>	<a href="#">1S series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW</a>	376.80	EC002615	<a href="#">689540</a>	4549734209694	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G015BF-E</a>	<a href="#">1S series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW</a>	557.50	EC002615	<a href="#">689541</a>	4549734209786	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G015SF-E</a>	<a href="#">1S series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW</a>	456.30	EC002615	<a href="#">689542</a>	4549734209700	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G020BF-E</a>	<a href="#">1S series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW</a>	666.50	EC002615	<a href="#">689543</a>	4549734209793	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1G020SF-E</a>	<a href="#">1S series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW</a>	543.00	EC002615	<a href="#">689544</a>	4549734209717	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H003BF-E</a>	<a href="#">1S series servo motor power cable, 3 m, with brake, 400 V: 7.5 kW</a>	376.80	EC002615	<a href="#">689547</a>	4549734451338	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H003SF-E</a>	<a href="#">1S series servo motor power cable, 3 m, non braked, 400 V: 7.5 kW</a>	347.40	EC002615	<a href="#">689548</a>	4549734451284	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H005BF-E</a>	<a href="#">1S series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW</a>	479.80	EC002615	<a href="#">689549</a>	4549734451345	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H005SF-E</a>	<a href="#">1S series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW</a>	424.50	EC002615	<a href="#">689550</a>	4549734451291	#		MB	MBZ	POL	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">R88A-CA1H010BF</a>	1S series servo motor power cable, 10 m, with brake, 400 V, 7.5 kW	632.00	EC002615	<a href="#">689551</a>	4549734451352	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H010SF</a>	1S series servo motor power cable, 10 m, non braked, 400 V, 7.5 kW	604.50	EC002615	<a href="#">689552</a>	4549734451307	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H015BF</a>	1S series servo motor power cable, 15 m, with brake, 400 V, 7.5 kW	799.00	EC002615	<a href="#">689553</a>	4549734451369	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H015SF</a>	1S series servo motor power cable, 15 m, non braked, 400 V, 7.5 kW	794.00	EC002615	<a href="#">689554</a>	4549734451314	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1H020SF</a>	1S series servo motor power cable, 20 m, non braked, 400 V, 7.5 kW	975.50	EC002615	<a href="#">689556</a>	4549734451321	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J005SE</a>	1S series servo motor power cable, 5 m, non braked, 400 V, 11 kW & 15 kW	545.00	EC002615	<a href="#">689866</a>	4549734209847	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J010SE</a>	1S series servo motor power cable, 10 m, non braked, 400 V, 11 kW & 15 kW	811.00	EC002615	<a href="#">689868</a>	4549734209854	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J015SE</a>	1S series servo motor power cable, 15 m, non braked, 400 V, 11 kW & 15 kW	1,049.00	EC002615	<a href="#">689870</a>	4549734209861	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J020SE</a>	1S series servo motor power cable, 20 m, with brake, 400 V, 11 kW & 15 kW	1,289.00	EC002615	<a href="#">689871</a>	4549734209953	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CA1J020SF</a>	1S series servo motor power cable, 20 m, non braked, 400 V, 11 kW & 15 kW	1,285.00	EC002615	<a href="#">689872</a>	4549734209878	#		MB	MBZ	POL	8544.4290.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-F11S103-SE</a>	1S Servo RFI filtre, 230 VAC tek-faz, 100 and 200 W drives	79.10	EC002564	<a href="#">670528</a>	4548583971677	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S105-SE</a>	1S Servo RFI filtre, 230 VAC tek-faz, 400 W sürücü	84.75	EC002564	<a href="#">670529</a>	4548583971684	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S108-SE</a>	1S Servo RFI filtre, 230 VAC tek-faz, 800 W sürücü	90.35	EC002564	<a href="#">670527</a>	4548583971660	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S116-SE</a>	1S Servo RFI filtre, 230 VAC tek-faz, 1.5 kW sürücü	114.90	EC002564	<a href="#">670531</a>	4548583971707	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S309-SE</a>	1S Servo RFI filtre, 400 VAC, 600 W - 3 kW sürücü	120.70	EC002564	<a href="#">670530</a>	4548583971691	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S330-SE</a>	1S Servo RFI filtre, 400 VAC, for 5.5 kW to 7.5 kW drives	234.10	EC002564	<a href="#">689239</a>	4549734976558	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11S350-SE</a>	1S Servo RFI filtre, 400 VAC, for 15 kW drives	354.10	EC002564	<a href="#">689240</a>	4549734976565	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11SA108-SE</a>	1SA Servo RFI filtre, 230 VAC single-phase, for 200 W to 800 W drives	109.70	EC002564	<a href="#">690847</a>	4549734984287	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11SA116-SE</a>	1SA Servo RFI filtre, 230 VAC single-phase, for 1.5 kW drives	143.00	EC002564	<a href="#">690848</a>	4549734984294	#		MB	MBZ	THA	8529.9097.90
<a href="#">R88A-F11SA309-SE</a>	1SA Servo RFI filtre, 400 VAC, for 1 kW to 3 kW drives	145.50	EC002564	<a href="#">690849</a>	4549734984300	#		MB	MBZ	THA	8529.9097.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-CX1A003BF</a>	1SA series servo hybrid cable, 3 m, with brake, 230V, 200-750W	449.80	EC002615	<a href="#">693618</a>	4549734218931	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A003SF</a>	1SA series servo hybrid cable, 3 m, non braked, 230V, 200-750W	348.10	EC002615	<a href="#">693623</a>	4549734219013	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A005BF</a>	1SA series servo hybrid cable, 5 m, with brake, 230V, 200-750W	507.50	EC002615	<a href="#">693619</a>	4549734218948	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A005SF</a>	1SA series servo hybrid cable, 5 m, non braked, 230V, 200-750W	406.10	EC002615	<a href="#">693624</a>	4549734219020	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A010BF</a>	1SA series servo hybrid cable, 10 m, with brake, 230V, 200-750W	595.50	EC002615	<a href="#">693620</a>	4549734218955	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A010SF</a>	1SA series servo hybrid cable, 10 m, non braked, 230V, 200-750W	493.10	EC002615	<a href="#">693625</a>	4549734219037	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A015BF</a>	1SA series servo hybrid cable, 15 m, with brake, 230V, 200-750W	711.50	EC002615	<a href="#">693621</a>	4549734218962	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A015SF</a>	1SA series servo hybrid cable, 15 m, non braked, 230V, 200-750W	610.00	EC002615	<a href="#">693626</a>	4549734219044	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A020BF</a>	1SA series servo hybrid cable, 20 m, with brake, 230V, 200-750W	856.50	EC002615	<a href="#">693622</a>	4549734218979	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1A020SF</a>	1SA series servo hybrid cable, 20 m, non braked, 230V, 200-750W	755.00	EC002615	<a href="#">693627</a>	4549734219051	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1BE10BF</a>	1SA series servo EXTENSION hybrid cable, 10 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	<a href="#">695502</a>	4549734451840	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1BE20BF</a>	1SA series servo EXTENSION hybrid cable, 20 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	929.00	EC002615	<a href="#">695501</a>	4549734451857	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C003BF</a>	1SA series servo hybrid cable, 3 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	493.10	EC002615	<a href="#">695507</a>	4549734451659	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C003SF</a>	1SA series servo hybrid cable, 3 m, non braked, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	391.70	EC002615	<a href="#">695512</a>	4549734451604	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C005BF</a>	1SA series servo hybrid cable, 5 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	551.50	EC002615	<a href="#">695506</a>	4549734451666	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C005SF</a>	1SA series servo hybrid cable, 5 m, non braked, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	449.80	EC002615	<a href="#">695511</a>	4549734451611	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C010BF</a>	1SA series servo hybrid cable, 10 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	639.00	EC002615	<a href="#">695505</a>	4549734451673	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C010SF</a>	1SA series servo hybrid cable, 10 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	537.00	EC002615	<a href="#">695510</a>	4549734451628	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C015BF</a>	1SA series servo hybrid cable, 15 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	755.00	EC002615	<a href="#">695504</a>	4549734451680	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C015SF</a>	1SA series servo hybrid cable, 15 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	<a href="#">695509</a>	4549734451635	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C020BF</a>	1SA series servo hybrid cable, 20 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	900.00	EC002615	<a href="#">695503</a>	4549734451697	#		MB	MBZ	POL	8544.4290.90
<a href="#">R88A-CX1C020SF</a>	1SA series servo hybrid cable, 20 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	799.00	EC002615	<a href="#">695508</a>	4549734451642	#		MB	MBZ	POL	8544.4290.90
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-CN101A</a>	1S motor connector (CNC) for 230 V, 0.1 to 1 kW	108.40	EC002584	<a href="#">674155</a>	4548583859623	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN101R</a>	1S connector for encoder cable (drive side)	73.00	EC002584	<a href="#">673346</a>	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN102A</a>	1S motor connector (CNC) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	127.20	EC002584	<a href="#">674154</a>	4548583863064	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN102P</a>	1S main circuit connector (CNA) for 230 V, 0.1 to 1 kW	152.20	EC002584	<a href="#">674151</a>	4548583859593	#		MB	MBZ	JPN	8536.9010.00
<a href="#">R88A-CN104R</a>	1S connector for encoder cable (motor side), for 400 V and from 900 W, 230 V motors	91.70	EC002584	<a href="#">673345</a>	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN111A</a>	1S connector for power cable (motor side), for 100-750 W, 230 V motors	83.05	EC002584	<a href="#">673344</a>	4548583789111	#		MB	MBZ	CHN	8536.9010.00
<a href="#">R88A-CN111B</a>	1S connector for brake cable (motor side)	63.00	EC002584	<a href="#">673343</a>	4548583789128	#		MB	MBZ	CHN	8536.9010.00
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-RR12025</a>	External regeneration resistor, capacity: 24 W, 25 Ohm	93.75	EC002615	<a href="#">673209</a>	4548583786905	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30020</a>	External regeneration resistor, 60 W, 20 Ohm	274.60	EC002615	<a href="#">672007</a>	4548583786950	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30025</a>	External regeneration resistor, capacity: 60 W, 25 Ohm	274.60	EC002615	<a href="#">673204</a>	4548583786967	#		MB	MBZ	JPN	8533.4090.00
<a href="#">R88A-RR30033</a>	External regeneration resistor, capacity: 60 W, 33 Ohm	274.60	EC002615	<a href="#">673207</a>	4548583786974	#		MB	MBZ	JPN	8533.4090.00
<b>Servo Aksesuarları -2</b>											
<a href="#">R88A-SC011SE</a>	1S series cable clamp A. Used in 230 V drives up to 750 W	10.95	EC002584	<a href="#">675088</a>	4548583996397	#		MB	MBZ	ITA	8504.5000.90
<a href="#">R88A-SC021SE</a>	1S series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	12.15	EC002584	<a href="#">675089</a>	4548583996403	#		MB	MBZ	ITA	8504.5000.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-SC10CA	1S series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	52.00	EC002584	693647	4549734540001			MB	MBZ	JPN	8504.5000.90
R88A-SC10CX-PE	1SA series cable shield clamp S. Used in 230V and 400 V drives	47.86	EC002584	701015	4549734896702			MB	MBZ	POL	7326.9098.90
<b>Endüstriyel PC NY</b>											
NYB1C-31001	Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232C	3,934.00	EC001413	686603	4549734142977			NA	NAA	NLD	8471.4100.00
NYB1E-514P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), PCIe slot, NY Monitor Link	9,815.00	EC001413	207245	4549734755399			NA	NAA	NLD	8471.4100.00
NYB1E-524P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), PCIe slot + HW RAID1, NY Monitor Link	11,020.00	EC001413	207244	4549734755405			NA	NAA	NLD	8471.4100.00
NYB27-30460	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,400.00	EC001413	200137	4549734687881			NA	NAA	NLD	8471.4100.00
NYB27-30466	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,710.00	EC001413	200136	4549734687898			NA	NAA	NLD	8471.4100.00
NYB27-30470	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,740.00	EC001413	200131	4549734687942			NA	NAA	NLD	8471.4100.00
NYB27-30476	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,050.00	EC001413	200130	4549734687959			NA	NAA	NLD	8471.4100.00
NYB27-314D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,875.00	EC001413	200152	4549734687737			NA	NAA	NLD	8471.4100.00
NYB27-314D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,875.00	EC001413	200151	4549734687744			NA	NAA	NLD	8471.4100.00
NYB27-314D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,145.00	EC001413	200150	4549734687751			NA	NAA	NLD	8471.4100.00
NYB27-314K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,055.00	EC001413	200161	4549734687379			NA	NAA	NLD	8471.4100.00
NYB27-314K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,055.00	EC001413	200162	4549734687386			NA	NAA	NLD	8471.4100.00
NYB27-314K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,330.00	EC001413	200163	4549734687393			NA	NAA	NLD	8471.4100.00
NYB27-314L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,340.00	EC001413	200170	4549734687461			NA	NAA	NLD	8471.4100.00
NYB27-314L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,340.00	EC001413	200171	4549734687478			NA	NAA	NLD	8471.4100.00
NYB27-314L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,615.00	EC001413	200172	4549734687485			NA	NAA	NLD	8471.4100.00
NYB27-314M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,925.00	EC001413	200179	4549734687553			NA	NAA	NLD	8471.4100.00
NYB27-314M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,925.00	EC001413	200180	4549734687560			NA	NAA	NLD	8471.4100.00
NYB27-314M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,195.00	EC001413	200181	4549734687577			NA	NAA	NLD	8471.4100.00
NYB27-314P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,595.00	EC001413	200187	4549734687645			NA	NAA	NLD	8471.4100.00
NYB27-314P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,595.00	EC001413	200188	4549734687652			NA	NAA	NLD	8471.4100.00
NYB27-314P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,860.00	EC001413	200189	4549734687669			NA	NAA	NLD	8471.4100.00
NYB27-324D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,100.00	EC001413	203271	4549734730518			NA	NAA	NLD	8471.4100.00
NYB27-324D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,100.00	EC001413	203272	4549734730525			NA	NAA	NLD	8471.4100.00
NYB27-324D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,065.00	EC001413	207175	4549734730532			NA	NAA	NLD	8471.4100.00
NYB27-324D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,100.00	EC001413	203273	4549734730549			NA	NAA	NLD	8471.4100.00
NYB27-324E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,245.00	EC001413	203281	4549734730631			NA	NAA	NLD	8471.4100.00
NYB27-324E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,245.00	EC001413	203282	4549734730648			NA	NAA	NLD	8471.4100.00
NYB27-324E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,525.00	EC001413	203283	4549734730655			NA	NAA	NLD	8471.4100.00
NYB27-324E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,245.00	EC001413	203284	4549734730662			NA	NAA	NLD	8471.4100.00
NYB27-324K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,285.00	EC001413	203236	4549734730037			NA	NAA	NLD	8471.4100.00
NYB27-324K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,285.00	EC001413	203237	4549734730044			NA	NAA	NLD	8471.4100.00
NYB27-324K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,560.00	EC001413	203238	4549734730051			NA	NAA	NLD	8471.4100.00
NYB27-324K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,280.00	EC001413	203239	4549734730068			NA	NAA	NLD	8471.4100.00
NYB27-324L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,570.00	EC001413	203248	4549734730150			NA	NAA	NLD	8471.4100.00
NYB27-324L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,570.00	EC001413	203249	4549734730167			NA	NAA	NLD	8471.4100.00
NYB27-324L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,280.00	EC001413	203195	4549734730174			NA	NAA	NLD	8471.4100.00
NYB27-324L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,595.00	EC001413	203250	4549734730181			NA	NAA	NLD	8471.4100.00
NYB27-324M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,825.00	EC001413	203354	4549734730273			NA	NAA	NLD	8471.4100.00
NYB27-324M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,825.00	EC001413	203355	4549734730280			NA	NAA	NLD	8471.4100.00
NYB27-324M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,060.00	EC001413	203356	4549734730297			NA	NAA	NLD	8471.4100.00
NYB27-324M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,860.00	EC001413	203357	4549734730303			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-324P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,825.00	EC001413	<a href="#">203259</a>	4549734730396			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,825.00	EC001413	<a href="#">203260</a>	4549734730402			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,085.00	EC001413	<a href="#">203261</a>	4549734730419			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-324P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,820.00	EC001413	<a href="#">203262</a>	4549734730426			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40460</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,525.00	EC001413	<a href="#">200135</a>	4549734687904			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40466</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	5,840.00	EC001413	<a href="#">200134</a>	4549734687911			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40470</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,865.00	EC001413	<a href="#">200129</a>	4549734687966			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-40476</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,185.00	EC001413	<a href="#">200128</a>	4549734687973			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,005.00	EC001413	<a href="#">200149</a>	4549734687768			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,005.00	EC001413	<a href="#">200148</a>	4549734687775			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,275.00	EC001413	<a href="#">200147</a>	4549734687782			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,185.00	EC001413	<a href="#">200164</a>	4549734687409			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,185.00	EC001413	<a href="#">200165</a>	4549734687416			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,455.00	EC001413	<a href="#">200166</a>	4549734687423			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,465.00	EC001413	<a href="#">200173</a>	4549734687492			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,465.00	EC001413	<a href="#">200174</a>	4549734687508			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,745.00	EC001413	<a href="#">200175</a>	4549734687515			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,575.00	EC001413	<a href="#">200119</a>	4549734687584			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,055.00	EC001413	<a href="#">200182</a>	4549734687591			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,315.00	EC001413	<a href="#">200183</a>	4549734687607			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,715.00	EC001413	<a href="#">200190</a>	4549734687676			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,715.00	EC001413	<a href="#">200191</a>	4549734687683			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,990.00	EC001413	<a href="#">200125</a>	4549734687690			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-414P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, GigE LAN</a>	7,520.00	EC001413	<a href="#">207394</a>	4549734758567			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,235.00	EC001413	<a href="#">203274</a>	4549734730556			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,235.00	EC001413	<a href="#">203275</a>	4549734730563			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,505.00	EC001413	<a href="#">203276</a>	4549734730570			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,225.00	EC001413	<a href="#">203277</a>	4549734730587			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,380.00	EC001413	<a href="#">203285</a>	4549734730679			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,380.00	EC001413	<a href="#">203286</a>	4549734730686			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,655.00	EC001413	<a href="#">203287</a>	4549734730693			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424E9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,375.00	EC001413	<a href="#">203288</a>	4549734730709			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,410.00	EC001413	<a href="#">203240</a>	4549734730075			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,410.00	EC001413	<a href="#">203241</a>	4549734730082			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,685.00	EC001413	<a href="#">203242</a>	4549734730099			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424K9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,410.00	EC001413	<a href="#">203243</a>	4549734730105			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,695.00	EC001413	<a href="#">203251</a>	4549734730198			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,695.00	EC001413	<a href="#">203252</a>	4549734730204			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,965.00	EC001413	<a href="#">203253</a>	4549734730211			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424L9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,695.00	EC001413	<a href="#">203254</a>	4549734730228			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	8,065.00	EC001413	<a href="#">203358</a>	4549734730310			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	8,065.00	EC001413	<a href="#">203359</a>	4549734730327			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	8,300.00	EC001413	<a href="#">203360</a>	4549734730334			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424M9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	8,100.00	EC001413	<a href="#">203361</a>	4549734730341			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-424P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,945.00	EC001413	<a href="#">203263</a>	4549734730433			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,945.00	EC001413	<a href="#">203264</a>	4549734730440			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,220.00	EC001413	<a href="#">203265</a>	4549734730457			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-424P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,945.00	EC001413	<a href="#">203266</a>	4549734730464			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50460</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	5,820.00	EC001413	<a href="#">200133</a>	4549734687928			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50466</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,135.00	EC001413	<a href="#">200132</a>	4549734687935			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50470</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	6,175.00	EC001413	<a href="#">200127</a>	4549734687980			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-50476</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	6,485.00	EC001413	<a href="#">200126</a>	4549734687997			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,310.00	EC001413	<a href="#">200146</a>	4549734687799			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,310.00	EC001413	<a href="#">200145</a>	4549734687805			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,570.00	EC001413	<a href="#">200144</a>	4549734687812			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,485.00	EC001413	<a href="#">200167</a>	4549734687430			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,485.00	EC001413	<a href="#">200168</a>	4549734687447			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,755.00	EC001413	<a href="#">200169</a>	4549734687454			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,765.00	EC001413	<a href="#">200176</a>	4549734687522			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,765.00	EC001413	<a href="#">200177</a>	4549734687539			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,040.00	EC001413	<a href="#">200178</a>	4549734687546			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	7,345.00	EC001413	<a href="#">200184</a>	4549734687614			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,345.00	EC001413	<a href="#">200185</a>	4549734687621			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,615.00	EC001413	<a href="#">200186</a>	4549734687638			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	7,020.00	EC001413	<a href="#">200155</a>	4549734687706			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	7,020.00	EC001413	<a href="#">200154</a>	4549734687713			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-514P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	7,295.00	EC001413	<a href="#">200153</a>	4549734687720			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,530.00	EC001413	<a href="#">203222</a>	4549734730594			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,530.00	EC001413	<a href="#">203278</a>	4549734730600			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,800.00	EC001413	<a href="#">203279</a>	4549734730617			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524D9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,525.00	EC001413	<a href="#">203280</a>	4549734730624			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,685.00	EC001413	<a href="#">203289</a>	4549734730716			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,685.00	EC001413	<a href="#">203290</a>	4549734730723			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524F6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,960.00	EC001413	<a href="#">203291</a>	4549734730730			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524F9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,685.00	EC001413	<a href="#">203223</a>	4549734730747			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,705.00	EC001413	<a href="#">203244</a>	4549734730112			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,705.00	EC001413	<a href="#">203245</a>	4549734730129			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,980.00	EC001413	<a href="#">203246</a>	4549734730136			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524K9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,705.00	EC001413	<a href="#">203247</a>	4549734730143			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,990.00	EC001413	<a href="#">203255</a>	4549734730235			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,990.00	EC001413	<a href="#">203256</a>	4549734730242			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,265.00	EC001413	<a href="#">203257</a>	4549734730259			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524L9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	6,990.00	EC001413	<a href="#">203258</a>	4549734730266			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	8,305.00	EC001413	<a href="#">203362</a>	4549734730358			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	8,305.00	EC001413	<a href="#">203363</a>	4549734730365			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	8,535.00	EC001413	<a href="#">203364</a>	4549734730372			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524M9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	8,345.00	EC001413	<a href="#">203365</a>	4549734730389			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB27-524P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	7,245.00	EC001413	<a href="#">703267</a>	4549734730471			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	7,245.00	EC001413	<a href="#">703268</a>	4549734730488			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	7,520.00	EC001413	<a href="#">703269</a>	4549734730495			NA	NAA	NLD	8471.4100.00
<a href="#">NYB27-524P9</a>	<a href="#">Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port</a>	7,245.00	EC001413	<a href="#">703270</a>	4549734730501			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20450</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,265.00	EC001413	<a href="#">688960</a>	4549734532761			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20456</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,608.00	EC001413	<a href="#">688961</a>	4549734532778			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20460</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,402.00	EC001413	<a href="#">688962</a>	4549734532785			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20466</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,746.00	EC001413	<a href="#">688963</a>	4549734532792			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20470</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,692.00	EC001413	<a href="#">688964</a>	4549734532808			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-20476</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,037.00	EC001413	<a href="#">688965</a>	4549734532815			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30450</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,348.00	EC001413	<a href="#">688966</a>	4549734532846			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30456</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,692.00	EC001413	<a href="#">688969</a>	4549734532853			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30460</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,487.00	EC001413	<a href="#">688970</a>	4549734532860			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30466</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,828.00	EC001413	<a href="#">688971</a>	4549734532877			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30470</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,777.00	EC001413	<a href="#">688972</a>	4549734532884			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2A-30476</a>	<a href="#">Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,120.00	EC001413	<a href="#">688973</a>	4549734532891			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20450</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,478.00	EC001413	<a href="#">702558</a>	4549734754712			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20456</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,833.00	EC001413	<a href="#">702559</a>	4549734754729			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,627.00	EC001413	<a href="#">702557</a>	4549734719674			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20466</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	2,982.00	EC001413	<a href="#">702560</a>	4549734754736			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20470</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,935.00	EC001413	<a href="#">702561</a>	4549734754743			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-20476</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,290.00	EC001413	<a href="#">702562</a>	4549734754750			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21491</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,220.00	EC001413	<a href="#">702563</a>	4549734754767			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21492</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,220.00	EC001413	<a href="#">702564</a>	4549734754774			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-21496</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,725.00	EC001413	<a href="#">702565</a>	4549734754781			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	3,884.00	EC001413	<a href="#">702566</a>	4549734754798			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	3,884.00	EC001413	<a href="#">702567</a>	4549734754804			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214C6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,386.00	EC001413	<a href="#">702568</a>	4549734754811			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,160.00	EC001413	<a href="#">702569</a>	4549734754828			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,160.00	EC001413	<a href="#">702570</a>	4549734754835			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-214K6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,665.00	EC001413	<a href="#">702571</a>	4549734754842			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30450</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,660.00	EC001413	<a href="#">702572</a>	4549734754859			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30456</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,014.00	EC001413	<a href="#">702573</a>	4549734754866			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port</a>	3,075.00	EC001413	<a href="#">702006</a>	4549734719681			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30470</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port</a>	3,474.00	EC001413	<a href="#">702007</a>	4549734719698			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-30476</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	3,474.00	EC001413	<a href="#">702574</a>	4549734754873			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31491</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,335.00	EC001413	<a href="#">702575</a>	4549734754880			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31492</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,335.00	EC001413	<a href="#">702576</a>	4549734754897			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-31496</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,845.00	EC001413	<a href="#">702577</a>	4549734754903			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	3,996.00	EC001413	<a href="#">702578</a>	4549734754910			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	3,996.00	EC001413	<a href="#">702579</a>	4549734754927			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314C6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,500.00	EC001413	<a href="#">702580</a>	4549734754934			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K1</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, No I/F option</a>	4,273.00	EC001413	<a href="#">702581</a>	4549734754941			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K2</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,273.00	EC001413	<a href="#">702582</a>	4549734754958			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-314K6</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,778.00	EC001413	<a href="#">702583</a>	4549734754965			NA	NAA	NLD	8471.4100.00
<a href="#">NYB2C-40460</a>	<a href="#">Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	2,593.00	EC001413	<a href="#">702584</a>	4549734754972			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21491</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,910.00	EC001413	<a href="#">702609</a>	4549734754989			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21492</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,910.00	EC001413	<a href="#">702610</a>	4549734754996			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-21496</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,415.00	EC001413	<a href="#">702611</a>	4549734755009			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,563.00	EC001413	<a href="#">702612</a>	4549734755016			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,563.00	EC001413	<a href="#">702613</a>	4549734755023			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214C6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,070.00	EC001413	<a href="#">702614</a>	4549734755030			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,840.00	EC001413	<a href="#">702615</a>	4549734755047			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,840.00	EC001413	<a href="#">702616</a>	4549734755054			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-214K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,345.00	EC001413	<a href="#">702617</a>	4549734755061			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,704.00	EC001413	<a href="#">703391</a>	4549734729499			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,704.00	EC001413	<a href="#">703392</a>	4549734729505			NA	N		

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB35-224L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,060.00	EC001413	<a href="#">703394</a>	4549734729529			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,060.00	EC001413	<a href="#">703395</a>	4549734729536			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-224L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,300.00	EC001413	<a href="#">703396</a>	4549734729543			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30370</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Fnt. (64-bit), no PCIe slot, no option port</a>	3,719.00	EC001413	<a href="#">683638</a>	4549734262552			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30450</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	3,836.00	EC001413	<a href="#">702618</a>	4549734755078			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30456</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,192.00	EC001413	<a href="#">702619</a>	4549734755085			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	3,984.00	EC001413	<a href="#">702620</a>	4549734755092			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30466</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,338.00	EC001413	<a href="#">702621</a>	4549734755108			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30470</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,842.00	EC001413	<a href="#">703221</a>	4549734737449			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-30476</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	5,245.00	EC001413	<a href="#">702622</a>	4549734755115			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31491</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	6,030.00	EC001413	<a href="#">702623</a>	4549734755122			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31492</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	6,030.00	EC001413	<a href="#">702624</a>	4549734755139			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-31496</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	6,530.00	EC001413	<a href="#">702625</a>	4549734755146			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,678.00	EC001413	<a href="#">702626</a>	4549734755153			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,678.00	EC001413	<a href="#">702627</a>	4549734755160			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314C6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,185.00	EC001413	<a href="#">702628</a>	4549734755177			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,954.00	EC001413	<a href="#">702629</a>	4549734755184			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,954.00	EC001413	<a href="#">702630</a>	4549734755191			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-314K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,460.00	EC001413	<a href="#">702631</a>	4549734755207			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,549.00	EC001413	<a href="#">703397</a>	4549734729550			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,549.00	EC001413	<a href="#">703398</a>	4549734729567			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,820.00	EC001413	<a href="#">703399</a>	4549734729574			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-3149E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,694.00	EC001413	<a href="#">703400</a>	4549734729581			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,694.00	EC001413	<a href="#">703401</a>	4549734729598			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,969.00	EC001413	<a href="#">703402</a>	4549734729604			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,839.00	EC001413	<a href="#">703403</a>	4549734729611			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,839.00	EC001413	<a href="#">703404</a>	4549734729628			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,105.00	EC001413	<a href="#">703405</a>	4549734729635			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,195.00	EC001413	<a href="#">703406</a>	4549734729642			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,195.00	EC001413	<a href="#">703407</a>	4549734729659			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,430.00	EC001413	<a href="#">703408</a>	4549734729666			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,485.00	EC001413	<a href="#">703409</a>	4549734729673			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,485.00	EC001413	<a href="#">703410</a>	4549734729680			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,710.00	EC001413	<a href="#">703411</a>	4549734729697			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,430.00	EC001413	<a href="#">703412</a>	4549734729703			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,430.00	EC001413	<a href="#">703413</a>	4549734729710			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-324P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,690.00	EC001413	<a href="#">703414</a>	4549734729727			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40456</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,172.00	EC001413	<a href="#">702632</a>	4549734755214			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40456</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,529.00	EC001413	<a href="#">702633</a>	4549734755221			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,320.00	EC001413	<a href="#">702634</a>	4549734755238			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40466</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,676.00	EC001413	<a href="#">702635</a>	4549734755245			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40470</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,628.00	EC001413	<a href="#">702636</a>	4549734755252			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-40476</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link</a>	4,982.00	EC001413	<a href="#">702637</a>	4549734755269			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,632.00	EC001413	<a href="#">702638</a>	4549734755276			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,627.00	EC001413	<a href="#">702639</a>	4549734755283			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,915.00	EC001413	<a href="#">702640</a>	4549734755290			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	4,715.00	EC001413	<a href="#">702641</a>	4549734755306			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,715.00	EC001413	<a href="#">702642</a>	4549734755313			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	4,998.00	EC001413	<a href="#">702643</a>	4549734755320			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYB35-414K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 LTSC, 1 PCIe + 2 drive slots, RS-232C</a>	5,310.00	EC001413	<a href="#">207158</a>	4549734752671			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	4,825.00	EC001413	<a href="#">207644</a>	4549734755337			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,110.00	EC001413	<a href="#">207645</a>	4549734755344			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C</a>	5,130.00	EC001413	<a href="#">207646</a>	4549734755351			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D</a>	5,165.00	EC001413	<a href="#">207647</a>	4549734755368			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-414M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link</a>	5,430.00	EC001413	<a href="#">207648</a>	4549734755375			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,712.00	EC001413	<a href="#">203415</a>	4549734729734			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,712.00	EC001413	<a href="#">203416</a>	4549734729741			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424D6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	4,980.00	EC001413	<a href="#">203417</a>	4549734729758			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,859.00	EC001413	<a href="#">203418</a>	4549734729765			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,859.00	EC001413	<a href="#">203419</a>	4549734729772			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424E6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,135.00	EC001413	<a href="#">203420</a>	4549734729789			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	4,993.00	EC001413	<a href="#">203421</a>	4549734729796			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	4,993.00	EC001413	<a href="#">203422</a>	4549734729802			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424K6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,260.00	EC001413	<a href="#">203423</a>	4549734729819			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,345.00	EC001413	<a href="#">203424</a>	4549734729826			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,345.00	EC001413	<a href="#">203425</a>	4549734729833			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424L6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,615.00	EC001413	<a href="#">203426</a>	4549734729840			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	6,715.00	EC001413	<a href="#">203427</a>	4549734729857			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	6,715.00	EC001413	<a href="#">203428</a>	4549734729864			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424M6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	6,950.00	EC001413	<a href="#">203429</a>	4549734729871			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P1</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C</a>	5,580.00	EC001413	<a href="#">203379</a>	4549734729888			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P2</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D</a>	5,580.00	EC001413	<a href="#">203380</a>	4549734729895			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-424P6</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link</a>	5,845.00	EC001413	<a href="#">203382</a>	4549734729901			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-50460</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option</a>	4,553.00	EC001413	<a href="#">207649</a>	4549734755382			NA	NAA	NLD	8471.4100.00
<a href="#">NYB35-50469</a>	<a href="#">Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, 4 Ethernet Ports</a>	6,730.00	EC001413	<a href="#">208443</a>	4549734772501			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYP27-30000-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,235.00	EC001414	<a href="#">200263</a>	4549734688000			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,545.00	EC001414	<a href="#">200264</a>	4549734688017			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,090.00	EC001414	<a href="#">200269</a>	4549734688062			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,400.00	EC001414	<a href="#">200270</a>	4549734688079			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,425.00	EC001414	<a href="#">200275</a>	4549734688123			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,730.00	EC001414	<a href="#">200276</a>	4549734688130			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,370.00	EC001414	<a href="#">200265</a>	4549734688024			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,675.00	EC001414	<a href="#">200266</a>	4549734688031			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,220.00	EC001414	<a href="#">200271</a>	4549734688086			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,525.00	EC001414	<a href="#">200272</a>	4549734688093			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,555.00	EC001414	<a href="#">200277</a>	4549734688147			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-40476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,855.00	EC001414	700278	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,650.00	EC001414	700267	4549734688048			NA	NAA	NLD	8471.4100.00
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	700268	4549734688055			NA	NAA	NLD	8471.4100.00
NYP27-50460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,500.00	EC001414	700273	4549734688109			NA	NAA	NLD	8471.4100.00
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,820.00	EC001414	700274	4549734688116			NA	NAA	NLD	8471.4100.00
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,840.00	EC001414	700279	4549734688161			NA	NAA	NLD	8471.4100.00
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,155.00	EC001414	700280	4549734688178			NA	NAA	NLD	8471.4100.00
NYP2A-20450-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,691.00	EC001414	688976	4549734532921			NA	NAA	NLD	8471.4100.00
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,815.00	EC001414	688977	4549734532938			NA	NAA	NLD	8471.4100.00
NYP2C-20360-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	3,388.00	EC001414	683653	4549734262712			NA	NAA	NLD	8471.4100.00
NYP2C-20450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,155.00	EC001414	707924	4549734755412			NA	NAA	NLD	8471.4100.00
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,304.00	EC001414	707927	4549734755450			NA	NAA	NLD	8471.4100.00
NYP2C-20470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,613.00	EC001414	707930	4549734755498			NA	NAA	NLD	8471.4100.00
NYP2C-21491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414	707948	4549734755535			NA	NAA	NLD	8471.4100.00
NYP2C-21492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414	707952	4549734755559			NA	NAA	NLD	8471.4100.00
NYP2C-21496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,180.00	EC001414	707956	4549734755573			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414	707960	4549734755597			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414	707964	4549734755610			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,710.00	EC001414	707968	4549734755634			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,460.00	EC001414	707972	4549734755658			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,460.00	EC001414	707974	4549734755672			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,015.00	EC001414	707978	4549734755696			NA	NAA	NLD	8471.4100.00
NYP2C-30450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,336.00	EC001414	707982	4549734755719			NA	NAA	NLD	8471.4100.00
NYP2C-30460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,485.00	EC001414	707988	4549734755757			NA	NAA	NLD	8471.4100.00
NYP2C-30470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,792.00	EC001414	707995	4549734755795			NA	NAA	NLD	8471.4100.00
NYP2C-31491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414	707999	4549734755818			NA	NAA	NLD	8471.4100.00
NYP2C-31492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414	708003	4549734755832			NA	NAA	NLD	8471.4100.00
NYP2C-31496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,300.00	EC001414	708007	4549734755856			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414	708011	4549734755870			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414	708015	4549734755894			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,840.00	EC001414	708019	4549734755917			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,585.00	EC001414	708023	4549734755931			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP2C-314K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,585.00	EC001414	<a href="#">708027</a>	4549734755955			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">702923</a>	4549734755979			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,300.00	EC001414	<a href="#">702863</a>	4549734755993			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,300.00	EC001414	<a href="#">702861</a>	4549734756013			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21496-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,850.00	EC001414	<a href="#">702859</a>	4549734756037			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">702857</a>	4549734756051			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">702855</a>	4549734756075			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,395.00	EC001414	<a href="#">702853</a>	4549734756099			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">702851</a>	4549734756112			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,150.00	EC001414	<a href="#">702849</a>	4549734756136			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,695.00	EC001414	<a href="#">702847</a>	4549734756150			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,520.00	EC001414	<a href="#">708183</a>	4549734756174			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,660.00	EC001414	<a href="#">708227</a>	4549734756211			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31491-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,430.00	EC001414	<a href="#">702845</a>	4549734756297			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31492-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,430.00	EC001414	<a href="#">702843</a>	4549734756310			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31496-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	8,980.00	EC001414	<a href="#">702841</a>	4549734756334			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,960.00	EC001414	<a href="#">702839</a>	4549734756358			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,960.00	EC001414	<a href="#">702837</a>	4549734756372			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,520.00	EC001414	<a href="#">702835</a>	4549734756396			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K1-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,275.00	EC001414	<a href="#">702877</a>	4549734756419			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K2-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,275.00	EC001414	<a href="#">702879</a>	4549734756433			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K6-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	7,820.00	EC001414	<a href="#">702881</a>	4549734756457			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	5,855.00	EC001414	<a href="#">708235</a>	4549734756471			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40460-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,005.00	EC001414	<a href="#">708239</a>	4549734756518			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40470-12WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type</a>	6,315.00	EC001414	<a href="#">708243</a>	4549734756556			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYP27-30000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,475.00	EC001414	<a href="#">700281</a>	4549734688185			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,795.00	EC001414	<a href="#">700282</a>	4549734688192			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,335.00	EC001414	<a href="#">700287</a>	4549734688246			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,645.00	EC001414	<a href="#">700288</a>	4549734688253			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,670.00	EC001414	<a href="#">700293</a>	4549734688307			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,975.00	EC001414	<a href="#">700294</a>	4549734688314			NA	NAA	NLD	8471.4100.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP27-40000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,610.00	EC001414	<a href="#">700283</a>	4549734688208			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,915.00	EC001414	<a href="#">700284</a>	4549734688215			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,460.00	EC001414	<a href="#">700289</a>	4549734688260			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,770.00	EC001414	<a href="#">700290</a>	4549734688277			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,795.00	EC001414	<a href="#">700295</a>	4549734688321			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,100.00	EC001414	<a href="#">700296</a>	4549734688338			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,900.00	EC001414	<a href="#">700285</a>	4549734688222			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,200.00	EC001414	<a href="#">700286</a>	4549734688239			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,745.00	EC001414	<a href="#">700291</a>	4549734688284			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50466-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,060.00	EC001414	<a href="#">700292</a>	4549734688291			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,085.00	EC001414	<a href="#">700297</a>	4549734688345			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,390.00	EC001414	<a href="#">700298</a>	4549734688352			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	3,913.00	EC001414	<a href="#">688985</a>	4549734533010			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,035.00	EC001414	<a href="#">688986</a>	4549734533027			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20350-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen</a>	3,525.00	EC001414	<a href="#">683650</a>	4549734262682			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,473.00	EC001414	<a href="#">707925</a>	4549734755429			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,476.00	EC001414	<a href="#">707928</a>	4549734755467			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,928.00	EC001414	<a href="#">707944</a>	4549734755504			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,660.00	EC001414	<a href="#">707950</a>	4549734755542			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,660.00	EC001414	<a href="#">707954</a>	4549734755566			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-21496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,205.00	EC001414	<a href="#">707958</a>	4549734755580			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,200.00	EC001414	<a href="#">707962</a>	4549734755603			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,200.00	EC001414	<a href="#">707966</a>	4549734755627			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,760.00	EC001414	<a href="#">707970</a>	4549734755641			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,515.00	EC001414	<a href="#">707973</a>	4549734755665			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,515.00	EC001414	<a href="#">707976</a>	4549734755689			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-214K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,060.00	EC001414	<a href="#">707980</a>	4549734755702			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30360-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen</a>	3,782.00	EC001414	<a href="#">683658</a>	4549734262767	#		NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,656.00	EC001414	<a href="#">707984</a>	4549734755726			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	4,801.00	EC001414	<a href="#">707990</a>	4549734755764			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,110.00	EC001414	<a href="#">707997</a>	4549734755801			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-31491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,785.00	EC001414	<a href="#">708001</a>	4549734755825			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP2C-31492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,785.00	EC001414	<a href="#">708005</a>	4549734755849			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-31496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">708009</a>	4549734755863			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,325.00	EC001414	<a href="#">708013</a>	4549734755887			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,325.00	EC001414	<a href="#">708017</a>	4549734755900			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">708021</a>	4549734755924			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,635.00	EC001414	<a href="#">708025</a>	4549734755948			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,635.00	EC001414	<a href="#">708029</a>	4549734755962			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-314K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707934</a>	4549734755986			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">707862</a>	4549734756006			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,330.00	EC001414	<a href="#">707860</a>	4549734756020			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-21496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,840.00	EC001414	<a href="#">707858</a>	4549734756044			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,840.00	EC001414	<a href="#">707856</a>	4549734756068			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,885.00	EC001414	<a href="#">707854</a>	4549734756082			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,425.00	EC001414	<a href="#">707852</a>	4549734756105			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707850</a>	4549734756129			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">707848</a>	4549734756143			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-214K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,725.00	EC001414	<a href="#">707846</a>	4549734756167			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,820.00	EC001414	<a href="#">708224</a>	4549734756181			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	5,970.00	EC001414	<a href="#">708228</a>	4549734756228			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,280.00	EC001414	<a href="#">708231</a>	4549734756259			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-15WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, Ni plating</a>	6,635.00	EC001414	<a href="#">708232</a>	4549734756266			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31491-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">707844</a>	4549734756303			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31492-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">707842</a>	4549734756327			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-31496-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	8,990.00	EC001414	<a href="#">707840</a>	4549734756341			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">707838</a>	4549734756365			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">707836</a>	4549734756389			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314C6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,555.00	EC001414	<a href="#">707834</a>	4549734756402			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K1-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">707878</a>	4549734756426			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K2-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">707880</a>	4549734756440			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-314K6-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	7,850.00	EC001414	<a href="#">707882</a>	4549734756464			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,155.00	EC001414	<a href="#">708236</a>	4549734756488			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40460-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,305.00	EC001414	<a href="#">708240</a>	4549734756525			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP35-40470-15WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type</a>	6,625.00	EC001414	<a href="#">708244</a>	4549734756563			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYP27-30000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,185.00	EC001414	<a href="#">700299</a>	4549734688369			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,455.00	EC001414	<a href="#">700335</a>	4549734688543			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,490.00	EC001414	<a href="#">700300</a>	4549734688376			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,755.00	EC001414	<a href="#">700334</a>	4549734688550			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,040.00	EC001414	<a href="#">700347</a>	4549734688420			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,305.00	EC001414	<a href="#">700329</a>	4549734688604			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,340.00	EC001414	<a href="#">700346</a>	4549734688437			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,610.00	EC001414	<a href="#">700328</a>	4549734688611			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,375.00	EC001414	<a href="#">700341</a>	4549734688482			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,635.00	EC001414	<a href="#">700323</a>	4549734688666			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,680.00	EC001414	<a href="#">700340</a>	4549734688499			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-30476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,945.00	EC001414	<a href="#">700305</a>	4549734688673			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,305.00	EC001414	<a href="#">700301</a>	4549734688383			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,575.00	EC001414	<a href="#">700333</a>	4549734688567			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,615.00	EC001414	<a href="#">700302</a>	4549734688390			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,885.00	EC001414	<a href="#">700332</a>	4549734688574			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,160.00	EC001414	<a href="#">700345</a>	4549734688444			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,430.00	EC001414	<a href="#">700327</a>	4549734688628			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,465.00	EC001414	<a href="#">700344</a>	4549734688451			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,735.00	EC001414	<a href="#">700326</a>	4549734688635			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,495.00	EC001414	<a href="#">700339</a>	4549734688505			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,760.00	EC001414	<a href="#">700306</a>	4549734688680			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,810.00	EC001414	<a href="#">700338</a>	4549734688512			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-40476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,070.00	EC001414	<a href="#">700307</a>	4549734688697			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,600.00	EC001414	<a href="#">700303</a>	4549734688406			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,860.00	EC001414	<a href="#">700331</a>	4549734688581			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,910.00	EC001414	<a href="#">700304</a>	4549734688413			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50006-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,180.00	EC001414	<a href="#">700330</a>	4549734688598			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,450.00	EC001414	<a href="#">700343</a>	4549734688468			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	8,715.00	EC001414	<a href="#">700325</a>	4549734688642			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP27-50466-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,760.00	EC001414	<a href="#">700342</a>	4549734688475			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50466-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,030.00	EC001414	<a href="#">700324</a>	4549734688659			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	8,790.00	EC001414	<a href="#">700337</a>	4549734688529			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,055.00	EC001414	<a href="#">700308</a>	4549734688703			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	9,100.00	EC001414	<a href="#">700336</a>	4549734688536			NA	NAA	NLD	8471.4100.00
<a href="#">NYP27-50476-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	9,365.00	EC001414	<a href="#">700309</a>	4549734688710			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2A-20460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	4,650.00	EC001414	<a href="#">689015</a>	4549734539555			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,160.00	EC001414	<a href="#">707926</a>	4549734755436			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,530.00	EC001414	<a href="#">708217</a>	4549734755443			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,290.00	EC001414	<a href="#">707929</a>	4549734755474			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,665.00	EC001414	<a href="#">708218</a>	4549734755481			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,575.00	EC001414	<a href="#">707946</a>	4549734755511			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-20470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,020.00	EC001414	<a href="#">708219</a>	4549734755528			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30370-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,680.00	EC001414	<a href="#">688869</a>	4549734538886			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,265.00	EC001414	<a href="#">707986</a>	4549734755733			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,660.00	EC001414	<a href="#">708220</a>	4549734755740			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,400.00	EC001414	<a href="#">707992</a>	4549734755771			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	5,660.00	EC001414	<a href="#">707994</a>	4549734755788			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	5,680.00	EC001414	<a href="#">708036</a>	4549734717847			NA	NAA	NLD	8471.4100.00
<a href="#">NYP2C-30470-19WC1002</a>	<a href="#">Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE</a>	5,260.00	EC001414	<a href="#">708035</a>	4549734717854			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30370-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">688876</a>	4549734539036			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30370-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,295.00	EC001414	<a href="#">695744</a>	4549734539111			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,565.00	EC001414	<a href="#">708225</a>	4549734756198			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,885.00	EC001414	<a href="#">708226</a>	4549734756204			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,730.00	EC001414	<a href="#">708229</a>	4549734756235			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,015.00	EC001414	<a href="#">708230</a>	4549734756242			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,010.00	EC001414	<a href="#">708233</a>	4549734756273			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-30470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,295.00	EC001414	<a href="#">708234</a>	4549734756280			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40000-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	6,590.00	EC001414	<a href="#">708181</a>	4549734539067			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,800.00	EC001414	<a href="#">708237</a>	4549734756495			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40450-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,125.00	EC001414	<a href="#">708238</a>	4549734756501			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40460-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	6,925.00	EC001414	<a href="#">708241</a>	4549734756532			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">NYP35-40460-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,255.00	EC001414	<a href="#">708242</a>	4549734756549			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40470-19WC1000</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type</a>	7,215.00	EC001414	<a href="#">708245</a>	4549734756570			NA	NAA	NLD	8471.4100.00
<a href="#">NYP35-40470-19WC1100</a>	<a href="#">Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating</a>	7,615.00	EC001414	<a href="#">708246</a>	4549734756587			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS12-1300-0XX44576X</a>	<a href="#">Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (Non-ECC), 256 GB CFast iMLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port</a>	8,510.00	EC001413	<a href="#">701559</a>	4549734598712			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-1300-1XX443P1X</a>	<a href="#">Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 1 TB SSD 3D TLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, RS-232C</a>	8,375.00	EC001413	<a href="#">701598</a>	4549734598323			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS32-1500-012443660</a>	<a href="#">Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 128 GB CFast iMLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port, 15.4" display with capacitive touchscreen</a>	11,170.00	EC001414	<a href="#">701524</a>	4549734599061			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYS12-2300-1XX445T1X</a>	<a href="#">AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	16,080.00	EC001413	<a href="#">703559</a>	4549734695558			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-2400-1XX445T1X</a>	<a href="#">AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	16,620.00	EC001413	<a href="#">703560</a>	4549734695565			NA	NAA	NLD	8471.4100.00
<a href="#">NYS12-2500-1XX445T1X</a>	<a href="#">AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232</a>	17,440.00	EC001413	<a href="#">703561</a>	4549734695572			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-2300-112445T10</a>	<a href="#">AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	17,180.00	EC001414	<a href="#">703565</a>	4549734695619			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-2400-112445T10</a>	<a href="#">AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	17,730.00	EC001414	<a href="#">703566</a>	4549734695626			NA	NAA	NLD	8471.4100.00
<a href="#">NYS32-2500-112445T10</a>	<a href="#">AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen</a>	18,520.00	EC001414	<a href="#">703567</a>	4549734695633			NA	NAA	NLD	8471.4100.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM12W-C1060</a>	<a href="#">Endüstriyel Monitör, kapasitif dokunmatik ekranlı 12.1" ekran, Yerlesik montaj, NYML bağlantı noktası</a>	2,367.00	EC001428	<a href="#">686605</a>	4549734158268			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM15W-C1000</a>	<a href="#">Endüstriyel Monitör, 15.4" kapasitif multitouch ekran, DVI-D</a>	2,122.00	EC001428	<a href="#">686606</a>	4548583813038			NA	NAA	NLD	8528.5291.00
<a href="#">NYM15W-C1060</a>	<a href="#">Endüstriyel Monitör, kapasitif dokunmatik ekranlı 15.4" ekran, Yerlesik montaj, NYML bağlantı noktası</a>	2,495.00	EC001428	<a href="#">686604</a>	4549734158275			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NYM19W-C1000</a>	<a href="#">Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port</a>	2,761.00	EC001428	<a href="#">688734</a>	4549734279239			NA	NAA	NLD	8528.5291.00
<b>Endüstriyel PC NY</b>											
<a href="#">NY000-AC00 2M</a>	<a href="#">DVI kablosu 2 m</a>	97.15	EC002584	<a href="#">686292</a>	4548583873391			NA	NAA	NLD	8544.4290.90
<b>Endüstriyel PC NY</b>											
<a href="#">NY000-AB00</a>	<a href="#">Box PC için duvar tipi montaj aparatı</a>	70.45	EC002584	<a href="#">686299</a>	4548583873308			NA	NAA	NLD	8471.8000.00
<a href="#">NY000-AB01</a>	<a href="#">Box PC için kitap tipi montaj aparatı</a>	63.80	EC002584	<a href="#">686298</a>	4548583873315			NA	NAA	NLD	8471.8000.00
<b>Yazılım HMI</b>											
<a href="#">NA-RTL D01</a>	<a href="#">Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License</a>	1,793.00	EC001435	<a href="#">694867</a>	4549734592536	#		OA	OAB	NLD	8523.5190.00
<b>Scada Yazılımı</b>											
<a href="#">RTC4</a>	<a href="#">MOVICON NEXT V4 Run Time Client</a>	1,826.00	EC001435	696452	4549734890243			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-20K</a>	<a href="#">Movicon Pro Runtime Scada 20,000 Tags</a>	7,300.00	EC001435	696456	4549734890281			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-20K-1W</a>	<a href="#">Movicon Next Pro Run Time Client Server 20,000 tags 1x Web Client Option</a>	8,270.00	EC001435	696444	4549734890175			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-40K</a>	<a href="#">Movicon Pro Runtime Scada 40,000 Tags</a>	8,395.00	EC001435	696455	4549734890274			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags</a>	5,350.00	EC001435	696454	4549734890267			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-1W</a>	<a href="#">Movicon Pro SCADA Client/Server 5000 tag + 1 Web client</a>	6,210.00	EC001435	696453	4549734890250			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-1W-O</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option</a>	7,180.00	EC001435	700418	4549734894593			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-5W-A</a>	<a href="#">Movicon Next Pro Run Time Client Server 5000 tags 5x Web Client Option + Alarm Dispatcher</a>	10,580.00	EC001435	696443	4549734890168			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-5W-O-AS-3D</a>	<a href="#">Movicon Pro SCADA Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization</a>	12,420.00	EC001435	696438	4549734890113			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-A</a>	<a href="#">Movicon Next Pro Run Time Client Server 5000 tags + Alarm Dispatcher</a>	6,235.00	EC001435	696457	4549734890298			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-M</a>	<a href="#">Movicon Next Pro Run Time Client Server 5000 tags + Multidriver (32) option</a>	6,235.00	EC001435	696458	4549734890304			OB	OBA	ITA	8523.5190.00
<a href="#">RTCS4-F-5K-O</a>	<a href="#">Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option</a>	6,330.00	EC001435	700707	4549734895019			OB	OBA	ITA	8523.5190.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<b>Scada Yazılımı (OEM ve aksesuar)</b>											
<a href="#">DEV4</a>	<a href="#">Movicon Next V4 SCADA Editor, 1 License</a>	2,311.00	EC001435	696211	4549734999595			OB	OBZ	ITA	8523.5190.00
<a href="#">DEV403L</a>	<a href="#">Movicon 4 SCADA Editor 3 Licenses package</a>	3,232.00	EC001435	696292	4549734889230			OB	OBZ	ITA	8523.5190.00
<a href="#">DEV410L</a>	<a href="#">Movicon 4 SCADA Editor 10 Licenses package</a>	6,470.00	EC001435	696291	4549734889223			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-0W-0</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM</a>	1,826.00	EC001435	696262	4549734999922			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-0W-0-3D</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option</a>	2,031.00	EC001435	696263	4549734999939			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-0W-H</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option</a>	2,432.00	EC001435	696264	4549734999946			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-0W-H-3D</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D Option</a>	2,639.00	EC001435	696265	4549734999953			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-1W-0</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option</a>	2,128.00	EC001435	696266	4549734999960			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-1W-H</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option</a>	2,735.00	EC001435	696267	4549734999977			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-1W-H-3D</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data logger+3D Option</a>	2,941.00	EC001435	696268	4549734999984			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-2K-5W-H</a>	<a href="#">MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data logger</a>	3,948.00	EC001435	696269	4549734889001			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-0W-0</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM</a>	2,386.00	EC001435	696270	4549734889018			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-0W-0-3D</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option</a>	2,592.00	EC001435	696271	4549734889025			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-0W-H</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option</a>	2,993.00	EC001435	696272	4549734889032			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-0W-H-3D</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D Option</a>	3,199.00	EC001435	696274	4549734889056			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-1W-0</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option</a>	2,692.00	EC001435	696276	4549734889070			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-1W-H</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option with 1 webclients option</a>	3,298.00	EC001435	696277	4549734889087			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-2W-H</a>	<a href="#">Movicon OEM Runtime Client-Server 4,000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option</a>	3,603.00	EC001435	700822	4549734895620			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-2W-H-IDRV</a>	<a href="#">Movicon OEM Runtime Client-Server 4,000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver</a>	3,807.00	EC001435	699036	4549734891479			OB	OBZ	ITA	8523.5190.00
<a href="#">RTH4-4K-5W-0</a>	<a href="#">MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option</a>	3,847.00	EC001435	696278	4549734889094			OB	OBZ	ITA	8523.5190.00
<b>Filo Yönetim Yazılım Lisansı</b>											
<a href="#">20271-701</a>	<a href="#">License, 1 Yr. FLOW iO</a>	1,000.00	EC000000	707321	4549734750929			OC	OCA	USA	8479.5000.00
<a href="#">20271-800</a>	<a href="#">License, 1 Yr. Fleet Operations Workspace Core, Primary</a>	1,000.00	EC000000	690680	4549734511254			OC	OCA	USA	8479.5000.00
<a href="#">20271-802</a>	<a href="#">License, 1 Yr. Fleet Operations Workspace Core, Secondary</a>	1,000.00	EC000000	690668	4549734511278			OC	OCA	USA	8479.5000.00
<a href="#">20271-806</a>	<a href="#">License, 5 Yr. Fleet Operations Workspace Core, Primary</a>	6,250.00	EC000000	690670	4549734547475			OC	OCA	USA	8479.5000.00
<a href="#">20271-807</a>	<a href="#">License, 5 Yr. Fleet Operations Workspace Core, Secondary</a>	6,250.00	EC000000	690671	4549734547482			OC	OCA	USA	8479.5000.00
<b>Mobil Diğer lisanslar</b>											
<a href="#">20271-804</a>	<a href="#">License, Fleet Simulator, Perpetual Fleet Simulator License for existing FM2100 devices</a>	9,345.00	EC000000	694788	4549734511292			OC	OCB	USA	8479.5000.00
<a href="#">20271-805</a>	<a href="#">License, One-Shot, Cell Alignment Positioning System (CAPS)</a>	2,515.00	EC000000	690669	4549734511308			OC	OCB	USA	8479.5000.00
<b>İzleme Ürünü K6</b>											
<a href="#">K6CM-CI2MA-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters</a>	1,467.00	EC002613	695077	4549734605182			RA	RAA	JPN	9030.3370.00
<a href="#">K6CM-CI2MD-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters</a>	1,467.00	EC002613	695076	4549734605199			RA	RAA	JPN	9030.3370.00
<a href="#">K6CM-ISMA-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP</a>	1,098.00	EC002613	680571	4549734178716			RA	RAA	JPN	9030.3370.00
<a href="#">K6CM-ISMD-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP</a>	1,098.00	EC002613	680572	4549734178723			RA	RAA	JPN	9030.3370.00
<a href="#">K6CM-VBMA-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration &amp; temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP</a>	1,087.00	EC002613	680567	4549734178679			RA	RAA	JPN	9030.8900.00
<a href="#">K6CM-VBMD-FIP</a>	<a href="#">Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration &amp; Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP</a>	1,087.00	EC002613	680562	4549734178686			RA	RAA	JPN	9030.8900.00
<b>İzleme Ürünü K6</b>											
<a href="#">K6PM-THMD-FIP</a>	<a href="#">Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP</a>	1,292.00	EC000601	690911	4549734500920			RA	RAA	JPN	9031.8080.00
<b>İzleme Ürünü K6</b>											
<a href="#">K7GE-MGMA</a>	<a href="#">Insulation Resistance Monitoring Device for 3-phase &amp; servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU</a>	1,246.00	EC002498	700665	4549734673921			RA	RAA	JPN	9030.3370.00
<a href="#">K7GE-MGMD</a>	<a href="#">Insulation Resistance Monitoring Device for 3-phase &amp; servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU</a>	1,246.00	EC002498	700664	4549734673938			RA	RAA	JPN	9030.3370.00
<b>K7T Condition Monitoring Controller</b>											
<a href="#">K7TM-A2MA</a>	<a href="#">Heater resistance monitoring device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU</a>	1,296.00	EC002498	707588	4549734725385			RA	RAB	JPN	9030.3370.00
<a href="#">K7TM-A2MD</a>	<a href="#">Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU</a>	1,296.00	EC002498	707587	4549734725392			RA	RAB	JPN	9030.3370.00
<b>İzleme Ürünü Aksesuarı K6</b>											
<a href="#">K6CM-CIC8005</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current</a>	130.40	EC002048	680570	4549734178747			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-CIC8025</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current</a>	142.30	EC002048	680563	4549734178754			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-CIC8100</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current</a>	154.20	EC002048	680568	4549734178761			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-CIC8200</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current</a>	177.80	EC002048	680564	4549734178778			RA	RAZ	JPN	9030.3370.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">K6CM-CICB400</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 400A rated primary-side current</a>	213.30	EC002048	<a href="#">680561</a>	4549734178785			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-CICB600</a>	<a href="#">CT sensor for Current analysis model K6CM-CIM, 600A rated primary-side current</a>	237.00	EC002048	<a href="#">680566</a>	4549734178792			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-IS7B152</a>	<a href="#">ZCT sensor for Insulation Resistance model K6CM-ISM, 200 to 480 VAC, 52mm dia. Through hole</a>	889.00	EC002615	<a href="#">680560</a>	4549734178808			RA	RAZ	JPN	9030.3370.00
<a href="#">K6CM-VBS1</a>	<a href="#">Sensor head &amp; Pre-amplifier for Vibration &amp; temperature model K6CM-VBS1, M6 screw attachment part also included</a>	759.00	EC002615	<a href="#">680565</a>	4549734178730			RA	RAZ	JPN	9030.8900.00
<a href="#">K6CM-VBSAT1</a>	<a href="#">Adhesive attachment for the vibration and temperature sensor K6CM-VBS1</a>	49.77	EC002615	<a href="#">700456</a>	4549734489058			RA	RAZ	JPN	9030.8900.00
<b>İzleme Ürünü Aksesuarı K6</b>											
<a href="#">K6PM-THS3232</a>	<a href="#">Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° x 90°</a>	901.00	EC001195	<a href="#">690912</a>	4549734500937			RA	RAZ	JPN	9031.8080.00
<b>İzleme Ürünü Aksesuarı K6</b>											
<a href="#">K7GE-MG1</a>	<a href="#">Probe unit for Insulation Resistance Monitoring Device K7GE-MGM</a>	296.30	EC002498	<a href="#">700663</a>	4549734673945			RA	RAZ	JPN	9030.3370.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-HD213DV</a>	<a href="#">Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased</a>	630.00	EC003015	<a href="#">696468</a>	4549734667029			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213DV-CS</a>	<a href="#">Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased</a>	630.00	EC003015	<a href="#">696466</a>	4549734667043			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213SDI</a>	<a href="#">HD SDI Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased</a>	731.50	EC003015	<a href="#">696467</a>	4549734667036			SA	SAA	JPN	9031.9000.00
<a href="#">STC-HD213SDI-CS</a>	<a href="#">HD SDI Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased</a>	731.50	EC003015	<a href="#">696465</a>	4549734667050			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">31940-010-E</a>	<a href="#">Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,055.00	EC003015	699014	4549734891349			SA	SAA	JPN	9031.9000.00
<a href="#">31940-011-E</a>	<a href="#">Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,055.00	EC003015	699012	4549734891332			SA	SAA	JPN	9031.9000.00
<a href="#">31940-100-E</a>	<a href="#">Kit, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,098.00	EC003015	698990	4549734891226			SA	SAA	JPN	9031.9000.00
<a href="#">31940-120-E</a>	<a href="#">Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,167.00	EC003015	698988	4549734891219			SA	SAA	JPN	9031.9000.00
<a href="#">31940-121-E</a>	<a href="#">Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,167.00	EC003015	698986	4549734891202			SA	SAA	JPN	9031.9000.00
<a href="#">31940-130-E</a>	<a href="#">Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,077.00	EC003015	699010	4549734891325			SA	SAA	JPN	9031.9000.00
<a href="#">31940-131-E</a>	<a href="#">Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,077.00	EC003015	699008	4549734891318			SA	SAA	JPN	9031.9000.00
<a href="#">31940-160-E</a>	<a href="#">Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,092.00	EC003015	699006	4549734891301			SA	SAA	JPN	9031.9000.00
<a href="#">31940-161-E</a>	<a href="#">Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,092.00	EC003015	699004	4549734891295			SA	SAA	JPN	9031.9000.00
<a href="#">31940-200-E</a>	<a href="#">Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,182.00	EC003015	699002	4549734891288			SA	SAA	JPN	9031.9000.00
<a href="#">31940-201-E</a>	<a href="#">Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,182.00	EC003015	699000	4549734891271			SA	SAA	JPN	9031.9000.00
<a href="#">31940-240-E</a>	<a href="#">Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,227.00	EC003015	698984	4549734891196			SA	SAA	JPN	9031.9000.00
<a href="#">31940-241-E</a>	<a href="#">Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,227.00	EC003015	698982	4549734891189			SA	SAA	JPN	9031.9000.00
<a href="#">31940-320-E</a>	<a href="#">Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,242.00	EC003015	698998	4549734891264			SA	SAA	JPN	9031.9000.00
<a href="#">31940-321-E</a>	<a href="#">Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,242.00	EC003015	698996	4549734891257			SA	SAA	JPN	9031.9000.00
<a href="#">31940-500-E</a>	<a href="#">Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,376.00	EC003015	698980	4549734891172			SA	SAA	JPN	9031.9000.00
<a href="#">31940-501-E</a>	<a href="#">Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,376.00	EC003015	698978	4549734891165			SA	SAA	JPN	9031.9000.00
<a href="#">31940-530-E</a>	<a href="#">Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,038.00	EC003015	698994	4549734891240			SA	SAA	JPN	9031.9000.00
<a href="#">31940-531-E</a>	<a href="#">Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount</a>	1,038.00	EC003015	698992	4549734891233			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBA1002POE</a>	<a href="#">GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT9J003, 1/2.3", 1.67 µm, 10.3 fps, Rolling Shutter, C Mount, Cased, POE</a>	659.50	EC003015	<a href="#">695958</a>	4549734594929			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBA503POE</a>	<a href="#">GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE</a>	549.50	EC003015	<a href="#">695913</a>	4549734594882			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MB132POE</a>	<a href="#">GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE</a>	512.50	EC003015	<a href="#">695960</a>	4549734594844			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS1242POE</a>	<a href="#">GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE</a>	1,116.00	EC003015	<a href="#">690610</a>	4549734548496			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS163POE</a>	<a href="#">GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE</a>	541.00	EC003015	<a href="#">690602</a>	4549734548410			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS202POE</a>	<a href="#">GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE</a>	751.00	EC003015	<a href="#">690604</a>	4549734548434			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS2041POE</a>	<a href="#">GigE Vision Area Scan Camera, 20.0 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE</a>	1,141.00	EC003015	<a href="#">690612</a>	4549734548519			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS231POE</a>	<a href="#">GigE Vision Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE</a>	757.50	EC003015	<a href="#">695907</a>	4549734664325			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS312POE</a>	<a href="#">GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels, 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE</a>	998.00	EC003015	<a href="#">690606</a>	4549734548458			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS43POE</a>	<a href="#">GigE Vision Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE</a>	494.30	EC003015	<a href="#">690600</a>	4549734548397			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS500POE</a>	<a href="#">GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE</a>	1,126.00	EC003015	<a href="#">690608</a>	4549734548472			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS52POE</a>	<a href="#">GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE</a>	512.50	EC003015	<a href="#">695915</a>	4549734594868			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS62POE</a>	<a href="#">GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE</a>	586.50	EC003015	<a href="#">695911</a>	4549734594905			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MBS81POE</a>	<a href="#">GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE</a>	2,197.00	EC003015	<a href="#">695909</a>	4549734594936			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS503POE</a>	<a href="#">GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX287, 1/2.9", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE</a>	549.50	EC003015	<a href="#">695912</a>	4549734594899			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS132POE</a>	<a href="#">GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE</a>	512.50	EC003015	<a href="#">695959</a>	4549734594851			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS1228POE</a>	<a href="#">GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX304, 1.1", 3.45 µm, 8.9 fps, Global Shutter, C Mount, Cased, POE</a>	2,931.00	EC003015	<a href="#">694006</a>	4549734594967			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS1242POE</a>	<a href="#">GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE</a>	1,116.00	EC003015	<a href="#">690611</a>	4549734548502			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS163POE</a>	<a href="#">GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE</a>	541.00	EC003015	<a href="#">690603</a>	4549734548427			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS202POE</a>	<a href="#">GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE</a>	751.00	EC003015	<a href="#">690605</a>	4549734548441			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS2041POE</a>	<a href="#">GigE Vision Area Scan Camera, 20.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE</a>	1,141.00	EC003015	<a href="#">690613</a>	4549734548526			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS312POE</a>	<a href="#">GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels, 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE</a>	998.00	EC003015	<a href="#">690607</a>	4549734548465			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS43POE</a>	<a href="#">GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE</a>	494.30	EC003015	<a href="#">690601</a>	4549734548403			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS500POE</a>	<a href="#">GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE</a>	1,126.00	EC003015	<a href="#">690609</a>	4549734548489			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS52POE</a>	<a href="#">GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE</a>	512.50	EC003015	<a href="#">695914</a>	4549734594875			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS62POE</a>	<a href="#">GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE</a>	586.50	EC003015	<a href="#">695910</a>	4549734594912			SA	SAA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">STC-MCS881POE</a>	<a href="#">GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C-Mount, Cased, POE</a>	2,197.00	EC003015	<a href="#">695908</a>	4549734594943			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-MBS70BU3V</a>	<a href="#">USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C-Mount, Cased</a>	2,380.00	EC003015	<a href="#">696370</a>	4549734609814			SA	SAA	JPN	9031.9000.00
<a href="#">STC-MCS70BU3V</a>	<a href="#">USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C-Mount, Cased</a>	2,380.00	EC003015	<a href="#">696369</a>	4549734609920			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-CMB120AOPO</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698800</a>	4549734609937			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMB120AOPO-F</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698799</a>	4549734609944			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMB120AOPT-F</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount,</a>	6,315.00	EC003015	<a href="#">698807</a>	4549734199544			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPO</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698798</a>	4549734609951			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPO-F</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount, 1x OSFP + Optical connector, 40Gbps</a>	6,315.00	EC003015	<a href="#">698797</a>	4549734609968			SA	SAA	JPN	9031.9000.00
<a href="#">STC-CMC120AOPT-F</a>	<a href="#">Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount,</a>	6,315.00	EC003015	<a href="#">698808</a>	4549734199551			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">STC-OSB250CL</a>	<a href="#">Camera Link Area Scan Camera, 25 MP, Monochrome, Pyrhon 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased</a>	6,005.00	EC003015	<a href="#">698579</a>	4549734609890			SA	SAA	JPN	9031.9000.00
<a href="#">STC-OSB250CL-E</a>	<a href="#">Camera Link Area Scan Camera, 25 MP, Monochrome, Pyrhon 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F-Mount, Cased</a>	6,005.00	EC003015	<a href="#">698578</a>	4549734609906			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPB202PCL</a>	<a href="#">Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C-Mount, Cased, POCL</a>	818.50	EC003015	<a href="#">698325</a>	4549734609999			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPB2PCL</a>	<a href="#">Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C-Mount, Cased, POCL</a>	562.00	EC003015	<a href="#">698327</a>	4549734609975			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPC202PCL</a>	<a href="#">Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C-Mount, Cased, POCL</a>	818.50	EC003015	<a href="#">698324</a>	4549734610001			SA	SAA	JPN	9031.9000.00
<a href="#">STC-SPC2PCL</a>	<a href="#">Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C-Mount, Cased, POCL</a>	563.00	EC003015	<a href="#">698326</a>	4549734609982			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar</b>											
<a href="#">FS-B2KU7DGF5-C</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE</a>	1,740.00	EC003015	<a href="#">699136</a>	4549734667142			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGF5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE</a>	1,786.00	EC003015	<a href="#">699135</a>	4549734667159			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGF5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE</a>	1,764.00	EC003015	<a href="#">699134</a>	4549734667166			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B2KU7DGF5-C</a>	<a href="#">GigE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz, C-Mount, POE</a>	1,531.00	EC003015	<a href="#">696087</a>	4549734609807			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B4KU7DGF5-E</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, F-Mount, POE</a>	2,153.00	EC003015	<a href="#">699138</a>	4549734667128			SA	SAA	JPN	9031.9000.00
<a href="#">FS-B4KU7DGF5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, M42-Mount, POE</a>	2,117.00	EC003015	<a href="#">699137</a>	4549734667135			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGF5-C</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE</a>	1,740.00	EC003015	<a href="#">699131</a>	4549734669900			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGF5-F</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE</a>	1,786.00	EC003015	<a href="#">699130</a>	4549734669917			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C2KU7DGF5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE</a>	1,764.00	EC003015	<a href="#">699129</a>	4549734669924			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C4KU7DGF5-E</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE</a>	2,153.00	EC003015	<a href="#">699133</a>	4549734669887			SA	SAA	JPN	9031.9000.00
<a href="#">FS-C4KU7DGF5-M42</a>	<a href="#">GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE</a>	2,153.00	EC003015	<a href="#">699132</a>	4549734669894			SA	SAA	JPN	9031.9000.00
<b>Endüstriyel Kameralar için Aksesuar</b>											
<a href="#">CAB-USB3-02</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m</a>	42.71	EC003015	<a href="#">698597</a>	4549734667180			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-02-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m</a>	100.20	EC003015	<a href="#">698601</a>	4549734667234			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-03</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m</a>	51.25	EC003015	<a href="#">698596</a>	4549734667197			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-03-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m</a>	124.70	EC003015	<a href="#">698600</a>	4549734667241			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-05</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m</a>	59.85	EC003015	<a href="#">698595</a>	4549734667203			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-05-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m</a>	183.10	EC003015	<a href="#">698599</a>	4549734667258			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-07</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m</a>	128.40	EC003015	<a href="#">698594</a>	4549734667210			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-07-RB</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m</a>	305.10	EC003015	<a href="#">698598</a>	4549734667265			SA	SAB	PHL	8544.4290.90
<a href="#">CAB-USB3-10</a>	<a href="#">USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m</a>	231.80	EC003015	<a href="#">698593</a>	4549734667227			SA	SAB	PHL	8544.4290.90
<b>Endüstriyel Kameralar için Aksesuar</b>											
<a href="#">CAB-KWA-1EA</a>	<a href="#">Converter, 6-pin connector to S-Series pin assignment</a>	67.15	EC003015	<a href="#">696471</a>	4549734667173			SA	SAB	JPN	9031.9000.00
<a href="#">RC-HD133</a>	<a href="#">Remote Control Unit for all DVI/SDI camera models</a>	152.70	EC003015	<a href="#">688176</a>	4549734200035			SA	SAB	JPN	9031.9000.00
<a href="#">TP-JQA</a>	<a href="#">Tripod Mount for Cube Camera</a>	36.61	EC003015	<a href="#">696469</a>	4549734667487			SA	SAB	CHN	9031.9000.00
<a href="#">TP-KWA2</a>	<a href="#">Tripod Mount for M-Series Camera</a>	36.61	EC003015	<a href="#">696470</a>	4549734667470			SA	SAB	CHN	9031.9000.00
<b>Barkod Okuyucular / Kamera Ürünleri</b>											
<a href="#">FIS-0003-0001G</a>	<a href="#">MS-3 Barcode Reader, Single Line, Low Density</a>	1,477.00	EC002999	<a href="#">700200</a>	4549734216517			SB	SBA	JPN	8471.6070.00
<a href="#">FIS-0003-0003G</a>	<a href="#">MS-3 Barcode Reader, Raster, Low Density</a>	1,557.00	EC002999	<a href="#">700198</a>	4549734216531			SB	SBA	JPN	8471.6070.00
<a href="#">FIS-0830-1003G</a>	<a href="#">OX-830 Scanner, Single Line, HD, Serial &amp; Ethernet</a>	2,818.00	EC002999	<a href="#">703374</a>	4549734733113			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0830-1004G</a>	<a href="#">OX-830 Industrial barcode reader, raster line, low density, serial+ethernet</a>	2,818.00	EC002999	<a href="#">703378</a>	4549734733120			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0830-1005G</a>	<a href="#">OX-830 Scanner, Raster Line, MD, Serial &amp; Ethernet</a>	2,818.00	EC002999	<a href="#">703373</a>	4549734733137			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0870-1004G</a>	<a href="#">OX-870 Industrial barcode reader, low density, sweeping raster, serial+Ethernet</a>	4,391.00	EC002999	<a href="#">703504</a>	4549734733205			SB	SBA	USA	8471.6070.00
<a href="#">FIS-0870-1005G</a>	<a href="#">OX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet</a>	4,391.00	EC002999	<a href="#">707033</a>	4549734733212			SB	SBA	USA	8471.6070.00





Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F00M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698158	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F00M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698159	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F00M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698160	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F00M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691772	4549734576345			SB	SBA	JPN	9031.9000.00
V430-F00N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698173	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F00N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698174	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F00N12M-RBX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	691671	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F00N12M-RVX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	698183	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SBP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698175	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	691560	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698176	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698177	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F00W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC002999	698135	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F00W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,503.00	EC002999	698136	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SBP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698137	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SBX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,318.00	EC002999	696573	4549734576062	#		SB	SBA	MYS	9031.9000.00
V430-F00W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698138	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698139	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F00W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698145	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F00W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698146	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SBP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698147	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SBX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,685.00	EC002999	691755	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F00W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698148	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698149	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F00W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698155	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F00W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698156	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F00W50C-SWP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698157	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F00W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691586	4549734576307			SB	SBA	JPN	9031.9000.00
V440-FXXXY50M-NNX	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET	2,589.00	EC002999	703468	4549734702874			SB	SBA	JPN	9031.9000.00
<b>Barkod Okuyucular / Kamera Ürünleri</b>											
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	467.50	EC002999	699313	4549734570930			SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black/grey, wired	412.50	EC002999	699314	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black/grey, wired, with X-Mode	687.50	EC002999	699312	4549734570947			SB	SBA	MEX	8471.6070.00
<b>Barkod Doğrulama Ürünleri</b>											
9510-5-3-0	LVS-9510 Verifier, 3" FoV	9,235.00	EC000000	682319	4549734217255			SB	SBB	USA	9031.9000.00
9510-5-4-0	LVS-9510 Verifier, 4" FoV	9,235.00	EC000000	682357	4549734217262			SB	SBB	USA	9031.9000.00
9510-5-4-5	LVS-9510 Verifier, 4.5" FoV	9,235.00	EC000000	682336	4549734217279	#		SB	SBB	USA	9031.9000.00
9510-5-6-250	LVS-9510 Verifier, 6.25" FoV	9,235.00	EC000000	682386	4549734217286			SB	SBB	USA	9031.9000.00
9570-C-5	LVS-9570 Roller, 1D & 2D Codes	7,020.00	EC000000	682075	4549734223928			SB	SBB	USA	9031.9000.00
9580-2D-3	LVS-9580 Handheld, 2D Barcode Verification	6,750.00	EC000000	682636	4549734223942			SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	8,700.00	EC000000	682403	4549734217293			SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	10,840.00	EC000000	682389	4549734217323	#		SB	SBB	USA	9031.9000.00
<b>Barkod Okuyucular</b>											
F420-F00L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697140	4549734565073			SB	SBC	JPN	9031.9000.00
F420-F00L12M-NNX	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697139	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F00L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697141	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SBA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697143	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697142	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697144	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697146	4549734565134			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697145	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,296.00	EC003015	696557	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F00M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,503.00	EC003015	697079	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F00M03M-NNX	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,528.00	EC003015	697078	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F00M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,112.00	EC003015	697080	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F00M03M-SBA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697082	4549734564441			SB	SBC	MYS	9031.9000.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
<a href="#">F420-F000M03M-SRS</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692081</a>	4549734564434			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000M03M-SRV</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,234.00	EC003015	<a href="#">692083</a>	4549734564458			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000M03M-SWA</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,625.00	EC003015	<a href="#">692085</a>	4549734564472			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000M03M-SWS</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692084</a>	4549734564465			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000M12M-NNA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,869.00	EC003015	<a href="#">692095</a>	4549734564595			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-NNS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,893.00	EC003015	<a href="#">692094</a>	4549734564588			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-NNV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,478.00	EC003015	<a href="#">692096</a>	4549734564601			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692098</a>	4549734564625			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692097</a>	4549734564618			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,600.00	EC003015	<a href="#">692099</a>	4549734564632			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SWA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692101</a>	4549734564656			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SWS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692100</a>	4549734564649			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-NNA</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,625.00	EC003015	<a href="#">692108</a>	4549734564748			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-NNS</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692107</a>	4549734564731			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-NNV</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,234.00	EC003015	<a href="#">692109</a>	4549734564755			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-SWA</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,747.00	EC003015	<a href="#">692111</a>	4549734564779			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-SWS</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,772.00	EC003015	<a href="#">692110</a>	4549734564762			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M50C-SWV</a>	<a href="#">F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,051.00	EC003015	<a href="#">6965556</a>	4549734564786			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-NNA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,869.00	EC003015	<a href="#">692131</a>	4549734564984			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-NNS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,893.00	EC003015	<a href="#">692130</a>	4549734564977			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-NNV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,478.00	EC003015	<a href="#">692132</a>	4549734564991			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692134</a>	4549734565011			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692133</a>	4549734565004			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SRV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,600.00	EC003015	<a href="#">692135</a>	4549734565028			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SWA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692137</a>	4549734565042			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SWS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692136</a>	4549734565035			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000M12M-SWV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,600.00	EC003015	<a href="#">692138</a>	4549734565059			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W03M-NNA</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,503.00	EC003015	<a href="#">692071</a>	4549734564328			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-NNS</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,528.00	EC003015	<a href="#">692070</a>	4549734564311			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-NNV</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,112.00	EC003015	<a href="#">692072</a>	4549734564335			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-SBA</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,625.00	EC003015	<a href="#">692074</a>	4549734564359			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-SBS</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692073</a>	4549734564342			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-SRV</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,234.00	EC003015	<a href="#">692075</a>	4549734564366			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-SWA</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,625.00	EC003015	<a href="#">692077</a>	4549734564380			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W03M-SWS</a>	<a href="#">F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692076</a>	4549734564373			SB	SBC	MYS	9031.9000.00
<a href="#">F420-F000W12M-NNA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,869.00	EC003015	<a href="#">692087</a>	4549734564502			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-NNS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,893.00	EC003015	<a href="#">692086</a>	4549734564496			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-NNV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,478.00	EC003015	<a href="#">692088</a>	4549734564519			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SBA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692090</a>	4549734564533			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SBS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692089</a>	4549734564526			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SRV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,600.00	EC003015	<a href="#">692091</a>	4549734564540			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SWA</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,990.00	EC003015	<a href="#">692093</a>	4549734564564			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SWS</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,015.00	EC003015	<a href="#">692092</a>	4549734564557			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W12M-SWV</a>	<a href="#">F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,296.00	EC003015	<a href="#">6965553</a>	4549734564571			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W50C-NNA</a>	<a href="#">F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,625.00	EC003015	<a href="#">692103</a>	4549734564687			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W50C-NNS</a>	<a href="#">F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,650.00	EC003015	<a href="#">692102</a>	4549734564670			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W50C-NNV</a>	<a href="#">F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54</a>	3,234.00	EC003015	<a href="#">692104</a>	4549734564694			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W50C-SWA</a>	<a href="#">F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54</a>	2,747.00	EC003015	<a href="#">692106</a>	4549734564717			SB	SBC	JPN	9031.9000.00
<a href="#">F420-F000W50C-SWS</a>	<a href="#">F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54</a>	1,772.00	EC003015	<a href="#">692105</a>	4549734564700			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000L12M-NNA</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	3,234.00	EC003015	<a href="#">692443</a>	4549734568319			SB	SBC	JPN	9031.9000.00
<a href="#">F430-F000L12M-NNS</a>	<a href="#">F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67</a>	2,259.00	EC003015	<a href="#">692442</a>	4549734568302			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000L12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	<a href="#">697444</a>	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SBA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	<a href="#">697446</a>	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SBS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	<a href="#">697445</a>	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	<a href="#">697447</a>	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	<a href="#">692453</a>	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	<a href="#">696571</a>	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC003015	<a href="#">697395</a>	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC003015	<a href="#">697394</a>	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,478.00	EC003015	<a href="#">697396</a>	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	<a href="#">697398</a>	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	<a href="#">697397</a>	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	<a href="#">697399</a>	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	<a href="#">692332</a>	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,709.00	EC003015	<a href="#">696560</a>	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,296.00	EC003015	<a href="#">696561</a>	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	<a href="#">697406</a>	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	<a href="#">697405</a>	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	<a href="#">697407</a>	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	<a href="#">697449</a>	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	<a href="#">697448</a>	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	<a href="#">697450</a>	4549734568418			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	<a href="#">692345</a>	4549734568432			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	<a href="#">697451</a>	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,271.00	EC003015	<a href="#">696572</a>	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	<a href="#">692388</a>	4549734567862			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	<a href="#">697408</a>	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	<a href="#">697409</a>	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	<a href="#">692331</a>	4549734567893			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,075.00	EC003015	<a href="#">696564</a>	4549734567886			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	<a href="#">696565</a>	4549734567909			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	<a href="#">697414</a>	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	<a href="#">697413</a>	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	<a href="#">697415</a>	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,112.00	EC003015	<a href="#">692442</a>	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC003015	<a href="#">696568</a>	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,723.00	EC003015	<a href="#">696569</a>	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	<a href="#">697435</a>	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	<a href="#">697434</a>	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	<a href="#">697436</a>	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RBA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	<a href="#">692453</a>	4549734568463			SB	SBC	JPN	9031.9000.00

Image	Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	F430-F000N12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697452	4549734568456			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	697454	4549734568470			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	692231	4549734568494			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697455	4549734568487			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	697456	4549734568500			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	697438	4549734568258			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697437	4549734568241			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697439	4549734568265			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692283	4549734568289			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697440	4549734568272			SB	SBC	JPN	9031.9000.00
	F430-F000N12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697441	4549734568296			SB	SBC	JPN	9031.9000.00
	F430-F000W03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC003015	697388	4549734567565			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC003015	697387	4549734567558			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,478.00	EC003015	697389	4549734567572			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SBA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697391	4549734567596			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SBS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697390	4549734567589			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SBV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697392	4549734567602			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697393	4549734567626			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,709.00	EC003015	696558	4549734567619			SB	SBC	MYS	9031.9000.00
	F430-F000W03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,296.00	EC003015	696559	4549734567633			SB	SBC	MYS	9031.9000.00
	F430-F000W12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697401	4549734567749			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697400	4549734567732			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	697402	4549734567756			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SBA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692218	4549734567770			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SBS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697403	4549734567763			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SBV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697404	4549734567787			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692160	4549734567800			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,075.00	EC003015	696562	4549734567794			SB	SBC	JPN	9031.9000.00
	F430-F000W12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	696563	4549734567817			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-NNA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697411	4549734567923			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-NNS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697410	4549734567916			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-NNV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697412	4549734567930			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-SWA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,112.00	EC003015	692217	4549734567954			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC003015	696566	4549734567947			SB	SBC	JPN	9031.9000.00
	F430-F000W50C-SWV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,723.00	EC003015	696567	4549734567961			SB	SBC	JPN	9031.9000.00
	<b>Lazer isaretlevisi</b>											
	MX-Z2000H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 90x90 mm, Marking Resolution 2µm, Working distance 170±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692759	4549734523868			SB	SBU	JPN	8456.1190.00
	MX-Z2050H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692758	4549734523875			SB	SBU	JPN	8456.1190.00
	<b>Kamera Aksesuarları</b>											
	98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678, A/C Power Cord Required	50.00	EC003015	684545	4549734958202			SB	SBZ	CHN	9031.9000.00
	V410-A50	Presentation stand, hands free operation, V410-H	72.05	EC003015	699311	4549734570961	#		SB	SBZ	MEX	9031.9000.00
	V410-WR-2M	Cable, RS-232, DB9F, TXD-2, 2 m	51.25	EC001681	699315	4549734570985			SB	SBZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V410-WUB-2M	Cable, style 3 USB, Mod plug, 2 m	51.25	EC001681	699316	4549734570978	#		SB	SBZ	CHN	8544.4210.00
<b>Kamera Aksesuarları</b>											
61-9000043-01	Cable, DB15 to Bus Power USB, MicroHAWK-30	106.00	EC003015	682392	4549734217705			SB	SBZ	USA	8544.4210.00
98-9000051-01	Kit, Window, MicroHAWK-30/40	57.85	EC003015	682085	4549734238052			SB	SBZ	USA	9031.9000.00
V330-AF1	V/F 3x0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697628	4549734583268			SB	SBZ	USA	9031.9000.00
V330-AF2	V/F 3x0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697629	4549734583275			SB	SBZ	USA	9031.9000.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	140.60	EC003015	697909	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	140.60	EC003015	697910	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	213.70	EC003015	697911	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WRUX-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	213.70	EC003015	697908	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WRX-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	246.70	EC003015	697906	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WU8X-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	195.30	EC003015	697907	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	82.10	EC003015	697904	4549734555654			SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	100.80	EC003015	697905	4549734555661			SB	SBZ	USA	8544.4290.90
V430-AF0R	V/F 430-F Ringlight Front Window Installation Kit	100.80	EC003015	698201	4549734555852	#		SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXX-XXX	67.15	EC003015	698380	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXX-XXX	102.50	EC003015	698289	4549734601009			SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	222.20	EC003015	698202	4549734555869	#		SB	SBZ	USA	9031.9000.00
V430-AF2	V/F 4x0-F Standard Polarizer Installation Kit	100.80	EC003015	683098	4549734191968	#		SB	SBZ	USA	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	222.20	EC003015	698203	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	314.10	EC003015	702585	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V4XX	102.50	EC003015	702586	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red power filter Installation Kit	100.80	EC003015	698199	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue power filter Installation Kit	100.80	EC003015	698200	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	167.30	EC003015	698194	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	247.90	EC003015	698198	4549734555807	#		SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	167.30	EC003015	698193	4549734555753			SB	SBZ	USA	9031.9000.00
V430-ALIR	V/F 430-F IR Ring Light Installation Kit	247.90	EC003015	698197	4549734555791	#		SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	167.30	EC003015	698191	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	247.90	EC003015	698195	4549734555777	#		SB	SBZ	USA	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	167.30	EC003015	698192	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALLWR	V/F 430-F White Ring Light Installation Kit	247.90	EC003015	698196	4549734555784	#		SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	54.95	EC003015	683100	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Mounting Block Kit	54.95	EC003015	683101	4549734191999			SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	111.20	EC003015	698204	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	138.10	EC003015	698205	4549734555890			SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	41.49	EC003015	696575	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	127.10	EC003015	696576	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	103.80	EC003015	696577	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	139.30	EC003015	696574	4549734555937			SB	SBZ	USA	9031.9000.00
V430-WB-10M-E	V/F 430-F M12 to Flying Leads Cable, 10 m	189.90	EC003015	707102	4549734833103			SB	SBZ	ITA	8544.4290.90
V430-WB-15M-E	V/F 430-F M12 to flying leads cable, 15 m	218.60	EC003015	707110	4549734833189			SB	SBZ	ITA	8544.4290.90
V430-WB-20M-E	V/F 430-F M12 to Flying Leads Cable, 20 m	235.90	EC003015	707103	4549734833110			SB	SBZ	ITA	8544.4290.90
V430-WB-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	152.80	EC003015	683088	4549734191869	#		SB	SBZ	USA	8544.4210.00
V430-WB-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	192.50	EC003015	683090	4549734191883	#		SB	SBZ	USA	8544.4210.00
V430-WBLD-10M-E	V/F 430-F M12 to flying leads cable, right angle down, 10 m	189.90	EC003015	707150	4549734833431			SB	SBZ	ITA	8544.4290.90
V430-WBLD-15M-E	V/F 430-F M12 to flying leads cable, right angle down, 15 m	218.60	EC003015	707149	4549734833424			SB	SBZ	ITA	8544.4290.90
V430-WBLD-20M-E	V/F 430-F M12 to flying leads cable, right angle down, 20 m	235.90	EC003015	707148	4549734833417			SB	SBZ	ITA	8544.4290.90
V430-WBLD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	165.00	EC003015	683092	4549734191906			SB	SBZ	USA	8544.4210.00
V430-WBLD-5M-E	V/F 430-F M12 to flying leads cable, right angle down, 5 m	161.30	EC003015	707147	4549734833400			SB	SBZ	ITA	8544.4290.90
V430-WBLU-10M-E	V/F 430-F M12 to flying leads cable, right angle up, 10 m	189.90	EC003015	707154	4549734833479			SB	SBZ	ITA	8544.4290.90
V430-WBLU-15M-E	V/F 430-F M12 to flying leads cable, right angle up, 15 m	218.60	EC003015	707153	4549734833462			SB	SBZ	ITA	8544.4290.90
V430-WBLU-20M-E	V/F 430-F M12 to flying leads cable, right angle up, 20 m	235.90	EC003015	707152	4549734833455			SB	SBZ	ITA	8544.4290.90
V430-WBLU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	165.00	EC003015	683093	4549734191913			SB	SBZ	USA	8544.4210.00
V430-WBLU-5M-E	V/F 430-F M12 to flying leads cable, right angle up, 5 m	161.30	EC003015	707151	4549734833448			SB	SBZ	ITA	8544.4290.90
V430-WE-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	189.90	EC002599	707100	4549734833080			SB	SBZ	ITA	8544.4210.00
V430-WE-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 15 m	218.60	EC002599	707101	4549734833097			SB	SBZ	ITA	8544.4210.00
V430-WE-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	235.90	EC002599	707099	4549734833073			SB	SBZ	ITA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	153.80	EC002599	683087	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	192.50	EC002599	683091	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 10 m	189.90	EC002599	707132	4549734833257			SB	SBZ	ITA	8544.4210.00
V430-WELD-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 15 m	218.60	EC002599	707134	4549734833271			SB	SBZ	ITA	8544.4210.00
V430-WELD-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 1 m	112.40	EC002599	707144	4549734833370			SB	SBZ	ITA	8544.4210.00
V430-WELD-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 20 m	235.90	EC002599	707142	4549734833356			SB	SBZ	ITA	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	153.80	EC002599	683094	4549734191920			SB	SBZ	USA	8544.4210.00
V430-WELD-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 5 m	161.30	EC002599	707146	4549734833394			SB	SBZ	ITA	8544.4210.00
V430-WELU-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 10 m	189.90	EC002599	707131	4549734833240			SB	SBZ	ITA	8544.4210.00
V430-WELU-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 15 m	218.60	EC002599	707133	4549734833264			SB	SBZ	ITA	8544.4210.00
V430-WELU-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 1 m	112.40	EC002599	707143	4549734833363			SB	SBZ	ITA	8544.4210.00
V430-WELU-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 20 m	235.90	EC002599	707129	4549734833233			SB	SBZ	ITA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	153.80	EC002599	683095	4549734191937			SB	SBZ	USA	8544.4210.00
V430-WELU-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 5 m	161.30	EC002599	707145	4549734833387			SB	SBZ	ITA	8544.4210.00
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	121.90	EC003015	698186	4549734555593			SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	152.80	EC003015	698187	4549734555609			SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	183.10	EC003015	698188	4549734555616			SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2,7 m	549.50	EC003015	698189	4549734555630			SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2,7 m	305.10	EC003015	692731	4549734555623			SB	SBZ	USA	8544.4210.00
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	121.90	EC003015	698184	4549734555579			SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	127.10	EC003015	698185	4549734555586			SB	SBZ	USA	8544.4290.90
V440-AM1	R-70 Smart series ring light mounting kit	74.80	EC003015	703463	4549734702904			SB	SBZ	USA	9031.9000.00
V440-AM2	R-100 Smart series ring light mounting kit	86.30	EC003015	703462	4549734702911			SB	SBZ	USA	9031.9000.00
<b>Görsel Denetim Sistemleri FH</b>											
FHV-VDB 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	609.00	EC003015	685302	4549734282758	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 20M	FHV7 Power / IO Cable, straight 20 m, M12 connector	1,009.00	EC003015	685227	4549734282765			SC	SCA	CHN	8544.4290.90
FHV-VDB 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	185.00	EC003015	685299	4549734282727			SC	SCA	CHN	8544.4290.90
FHV-VDB 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	237.50	EC003015	685300	4549734282734			SC	SCA	CHN	8544.4290.90
FHV-VDB 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	346.20	EC003015	685301	4549734282741	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	609.00	EC003015	685306	4549734282802			SC	SCA	CHN	8544.4290.90
FHV-VDLB 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	185.00	EC003015	685303	4549734282772			SC	SCA	CHN	8544.4290.90
FHV-VDLB 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	237.50	EC003015	685304	4549734282789			SC	SCA	CHN	8544.4290.90
FHV-VDLB 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	346.20	EC003015	685305	4549734282796	#		SC	SCA	CHN	8544.4290.90
FHV-VNB 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	438.60	EC002599	685294	4549734282659	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	840.50	EC002599	685380	4549734282666	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	685291	4549734282628			SC	SCA	CHN	8544.4210.00
FHV-VNB 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	217.50	EC002599	685292	4549734282635			SC	SCA	CHN	8544.4210.00
FHV-VNB 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	281.00	EC002599	685293	4549734282642	#		SC	SCA	CHN	8544.4210.00
FHV-VNB-2M-E	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	707586	4549734835787			SC	SCA	ITA	8544.4210.00
FHV-VNLB 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	438.60	EC002599	685298	4549734282703			SC	SCA	CHN	8544.4210.00
FHV-VNLB 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	281.00	EC002599	685297	4549734282697	#		SC	SCA	CHN	8544.4210.00
FHV-VUB 10M	Smart Camera data unit cable, bend resistant, 10 m	786.50	EC003015	688777	4549734496162			SC	SCA	CHN	8544.4290.90
FHV-VUB 5M	Smart Camera data unit cable, bend resistant, 5 m	412.20	EC003015	688776	4549734496155			SC	SCA	CHN	8544.4290.90
FHV-VULB 2M	Smart Camera data unit cable, bend resistant, right angle, 2 m	228.30	EC003015	688779	4549734496186			SC	SCA	CHN	8544.4290.90
FHV-VULB 3M	Smart Camera data unit cable, bend resistant, right angle, 3 m	291.80	EC003015	688780	4549734496193			SC	SCA	CHN	8544.4290.90
<b>Görsel Denetim Sistemleri FH</b>											
FHV7H-C004-C	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685333	4549734283885	#		SC	SCA	JPN	9031.8080.00
FHV7H-C004-H06-W	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	7,335.00	EC003015	689046	4549734497008			SC	SCA	JPN	9031.8080.00
FHV7H-C016-C	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685334	4549734283892	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-S12-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685365	4549734284318			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S25-W	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, motorized lens module, focal length 25 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685377	4549734284479			SC	SCA	JPN	9031.8080.00
FHV7H-C032-C	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685335	4549734283908	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-H06-W	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	8,800.00	EC003015	689044	4549734497022			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S09-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 9 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685363	4549734284288			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S12-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685369	4549734284363			SC	SCA	JPN	9031.8080.00
FHV7H-C050-C	FH Vision Smart Camera, high performance, color type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685336	4549734283915	#		SC	SCA	JPN	9031.8080.00
FHV7H-C063R-C	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687437	4549734283922	#		SC	SCA	JPN	9031.8080.00
FHV7H-C120R-C	FH Vision Smart Camera, high performance, color type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687438	4549734283939			SC	SCA	JPN	9031.8080.00
FHV7H-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685231	4549734282826			SC	SCA	JPN	9031.8080.00
FHV7H-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685232	4549734282833			SC	SCA	JPN	9031.8080.00
FHV7H-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685233	4549734282840			SC	SCA	JPN	9031.8080.00
FHV7H-M050-C	FH Vision Smart Camera, high performance, monochrome type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685234	4549734282857	#		SC	SCA	JPN	9031.8080.00
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687435	4549734282864			SC	SCA	JPN	9031.8080.00



Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687436	4549734282871			SC	SCA	JPN	9031.8080.00
<b>Görsel Denetim Sistemleri FH</b>											
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1,613.00	EC003015	688770	4549734282512	#		SC	SCA	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1,613.00	EC003015	688771	4549734282529			SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	926.50	EC003015	685283	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	926.50	EC003015	685284	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	926.50	EC003015	685285	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	926.50	EC003015	685286	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	926.50	EC003015	685287	4549734282574	#		SC	SCA	CHN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	2,048.00	EC003015	685290	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	1,025.00	EC003015	685289	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	609.00	EC003015	688772	4549734496117			SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	750.00	EC003015	688773	4549734496124	#		SC	SCA	JPN	9031.9000.00
<b>Görsel Denetim Sistemleri Aksesuarları FH</b>											
FHV-XDF	FHV7 Diffusion filter	606.00	EC003015	685307	4549734451949			SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	213.00	EC003015	685311	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	244.70	EC003015	685312	4549734452007	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	217.50	EC003015	685310	4549734451987			SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	74.55	EC003015	685313	4549734452014	#		SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	255.20	EC003015	685308	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	724.00	EC003015	686997	4549734451963	#		SC	SCZ	JPN	9031.9000.00
FHV-XWP-HD-SL	FHV7 waterproof packing for hood	12.69	EC003015	685317	4549734452052			SC	SCZ	JPN	9031.9000.00
<b>Robot Yedek Parçaları</b>											
13131-210F	License Donqle, EM2100 Legacy	183.90	EC000000	701881	4549734592789			YR	YRA	USA	8523.8090.00
<b>Robot Yedek Parçaları</b>											
ROBOT RE-PAINT	After Sales Robotic Services : Robot re-paint	667.50		683372				YR	YRA	NLD	

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın deęişiklik yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik deęerler genel bilgi amaçlıdır. Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında kullanıldığında, imalat hatalarına karşı bir yıl garantilidir. Aksi halde garanti kapsamı dışındadır.

Fiyat listemizde yer alan fiyat, ürün gibi bilgilerde yazım hataları söz konusu olduğunda, Omron Electronics Ltd.Şti.'deki bilgi ve fiyatlar geçerli olacaktır.

Fiyat listemizde bulunmayan ürünlerimiz için lütfen yetkili bayilerimiz ya da genel merkezimiz ile iletişime geçiniz.

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

## Satış & Destek Ofisleri

### Almanya

Tel: +49 (0) 2173 680 00  
industrial.omron.de

### Finlandiya

Tel: +358 (0) 207 464 200  
industrial.omron.fi

### İspanya

Tel: +34 913 777 902  
industrial.omron.es

### Norveç

Tel: +47 22 65 75 00  
industrial.omron.no

### Avusturya

Tel: +43 (0) 2236 377 800  
industrial.omron.at

### Fransa

Tel: +33 (0) 1 56 63 70 00  
industrial.omron.fr

### İsveç

Tel: +46 (0) 8 632 35 00  
industrial.omron.se

### Polonya

Tel: +48 22 458 66 66  
industrial.omron.pl

### Belçika

Tel: +32 (0) 2 466 24 80  
industrial.omron.be

### Güney Afrika

Tel: +27 (0)11 579 2600  
industrial.omron.co.za

### İsviçre

Tel: +41 (0) 41 748 13 13  
industrial.omron.ch

### Portekiz

Tel: +351 21 942 94 00  
industrial.omron.pt

### Çek Cumhuriyeti

Tel: +420 234 602 602  
industrial.omron.cz

### Hollanda

Tel: +31 (0) 23 568 11 00  
industrial.omron.nl

### İtalya

Tel: +39 02 326 81  
industrial.omron.it

### Rusya

Tel: +7 495 648 94 50  
industrial.omron.ru

### Danimarka

Tel: +45 43 44 00 11  
industrial.omron.dk

### İngiltere

Tel: +44 (0) 1908 258 258  
industrial.omron.co.uk

### Macaristan

Tel: +36 1 399 30 50  
industrial.omron.hu

### Diğer Omron

Temsilcileri  
industrial.omron.eu